

UNIVERSAL
LIBRARY

OU_162783

UNIVERSAL
LIBRARY

OUP—2273—19-11-79—10,000 Copies.

OSMANIA UNIVERSITY LIBRARY

Call No. 185295A Accession No. P.C. 659

Author

Title

This book should be returned on or before the date last marked below

ARISTOTLE'S
SYLLOGISTIC

ARISTOTLE'S SYLLOGISTIC

FROM THE STANDPOINT OF
MODERN FORMAL LOGIC

BY
JAN LUKASIEWICZ

OXFORD
AT THE CLARENDON PRESS

Oxford University Press, Amen House, London E.C. 4

GLASGOW NEW YORK TORONTO MELBOURNE WELLINGTON

BOMBAY CALCUTTA MADRAS KARACHI CAPE TOWN IBADAN

Geoffrey Cumberlege, Publisher to the University

FIRST EDITION 1951

REPRINTED LITHOGRAPHICALLY IN GREAT BRITAIN

AT THE UNIVERSITY PRESS, OXFORD

FROM SHEETS OF THE FIRST EDITION

1954

PREFACE

IN June 1939 I read a paper at the Polish Academy of Sciences in Cracow on Aristotle's syllogistic. A summary of this paper was printed in the same year, but could not be published because of the war. It appeared after the war, but was dated '1939'. During the summer of 1939 I prepared, in Polish, a more detailed monograph on the same subject, and I had already received the proofs of its first part when in September the printer's office was completely destroyed by bombing and everything was lost. At the same time my whole library together with my manuscripts was bombed and burnt. It was impossible to continue the work during the war.

Not till ten years later did I get a fresh opportunity to take up my investigations into Aristotle's syllogistic, this time in Dublin, where since 1946 I have been lecturing on mathematical logic at the Royal Irish Academy. At the invitation of University College, Dublin, I gave ten lectures on Aristotle's syllogistic in 1949, and the present work is the result of those lectures.

This work is confined to the non-modal or 'assertoric' syllogisms, since the theory of these is the most important part of the Aristotelian logic. A systematic exposition of this theory is contained in chapters 1, 2, and 4-7 of Book I of the *Prior Analytics*. These chapters in Th. Waitz's edition—now more than a century old—are the main source of my exposition. I regret that I could not use the new text of the *Prior Analytics* edited with an introduction and a commentary by Sir David Ross and published in 1949, since the historical part of my work was already finished when this edition appeared. I could only correct my quotations from Aristotle by the text of Sir David Ross. In the English version of the Greek texts of the *Analytics* I adhered as far as possible to the Oxford translation of Aristotle's works. Besides the text of the *Prior Analytics* I took into consideration the ancient commentators, especially Alexander. I may mention here that I owe to an anonymous ancient commentator the solution of historical problems connected

with the alleged invention of the fourth syllogistical figure by Galen.

The present work consists of an historical part, Chapters I–III, and a systematic part, Chapters IV and V. In the historical part I have tried to expound the Aristotelian doctrines following the texts as closely as possible, but everywhere I have been anxious to explain them from the standpoint of modern formal logic. In my opinion there does not exist today a trustworthy exposition of the Aristotelian syllogistic. Until now all expositions have been written not by logicians but by philosophers or philologists who either, like Prantl, could not know or, like Maier, did not know modern formal logic. All these expositions are in my opinion wrong. I could not find, for instance, a single author who realized that there is a fundamental difference between the Aristotelian and the traditional syllogism. It seems to me therefore that my own exposition is entirely new. In the systematic part I have tried to explain some theories of modern formal logic necessary to an understanding of Aristotle's syllogistic, and have tried to complete this syllogistic on the lines laid down by Aristotle himself. I was again anxious to be as clear as possible, so that my exposition could be understood by scholars not trained in symbolic or mathematical thinking. I hope therefore that this part of my work may be used as an introduction to modern formal logic. The most important new results in this part I consider to be the proof of decision, given by my pupil J. Słupecki, and the idea of rejection introduced by Aristotle and applied by myself to the theory of deduction.

I am sincerely grateful to the Royal Irish Academy, which, by giving me a position in Dublin, has enabled me to write this book, and to University College, Dublin, for its kind invitation to deliver lectures on Aristotle's logic. I am grateful to the Professors of University College, Dublin, Father A. Gwynn, S.J., and Monsignor J. Shine, who were kind enough to lend me the necessary books. I owe a debt to Sir David Ross, who read my typescript and made some suggestions I was glad to accept. My special thanks are due to the late Father A. Little, S.J., who, although already dangerously ill, willingly corrected the English of the first chapter, to Victor Meally in Dublin, and in particular to David Rees of Bangor, who read and corrected

the English of the whole work. I am also deeply indebted to the officials of the Clarendon Press for their zeal and courtesy in preparing my typescript for printing. The section on Galen is dedicated to my friend Professor Heinrich Scholz of Münster, Westphalia, who was of great assistance to myself and to my wife during the war, and especially during our stay in Münster in 1944. The whole work I dedicate to my beloved wife, Regina Łukasiewicz *née* Barwińska, who has sacrificed herself that I might live and work. Without her incessant care during the war, and without her continual encouragement and help in the loneliness of our exile after it, I could never have brought the book to an end.

J. Ł.

DUBLIN

7 May 1950

CONTENTS

CHAPTER I

ELEMENTS OF THE SYSTEM

§ 1. <i>The true form of the Aristotelian syllogism</i>	. . .	1
§ 2. <i>Premisses and terms</i>	. . .	3
§ 3. <i>Why singular terms were omitted by Aristotle</i>	. . .	5
§ 4. <i>Variables</i>	. . .	7
§ 5. <i>Syllogistic necessity</i>	. . .	10
§ 6. <i>What is formal logic?</i>	. . .	12
§ 7. <i>What is formalism?</i>	. . .	15

CHAPTER II

THESES OF THE SYSTEM

§ 8. <i>Theses and rules of inference</i>	. . .	20
§ 9. <i>The syllogistic figures</i>	. . .	23
§ 10. <i>The major, middle, and minor terms</i>	. . .	28
§ 11. <i>The history of an error</i>	. . .	30
§ 12. <i>The order of the premisses</i>	. . .	32
§ 13. <i>Errors of some modern commentators</i>	. . .	34
§ 14. <i>The four Galenian figures</i>	. . .	38

CHAPTER III

THE SYSTEM

§ 15. <i>Perfect and imperfect syllogisms</i>	. . .	43
§ 16. <i>The logic of terms and the logic of propositions</i>	. . .	47
§ 17. <i>The proofs by conversion</i>	. . .	51
§ 18. <i>The proofs by reductio ad impossibile</i>	. . .	54
§ 19. <i>The proofs by ecthesis</i>	. . .	59
§ 20. <i>The rejected forms</i>	. . .	67
§ 21. <i>Some unsolved problems</i>	. . .	72

CONTENTS

CHAPTER IV

ARISTOTLE'S SYSTEM IN SYMBOLIC FORM

§ 22. <i>Explanation of the symbolism</i>	.	.	77
§ 23. <i>Theory of deduction</i>	.	.	79
§ 24. <i>Quantifiers</i>	.	.	83
§ 25. <i>Fundamentals of the syllogistic</i>	.	.	88
§ 26. <i>Deduction of syllogistic theses</i>	.	.	90
§ 27. <i>Axioms and rules for rejected expressions</i>	.	.	94
§ 28. <i>Insufficiency of our axioms and rules</i>	.	.	98

CHAPTER V

THE PROBLEM OF DECISION

§ 29. <i>The number of undecidable expressions</i>	.	100
§ 30. <i>Stupecki's rule of rejection</i>	.	103
§ 31. <i>Deductive equivalence</i>	.	106
§ 32. <i>Reduction to elementary expressions</i>	.	111
§ 33. <i>Elementary expressions of the syllogistic</i>	.	120
§ 34. <i>An arithmetical interpretation of the syllogistic</i>	.	126
§ 35. <i>Conclusion</i>	.	130
INDEX	.	133

ANCIENT TEXTS AND COMMENTARIES

Aristoteles Graece, ex recensione Immanuelis Bekkeri, vol. i, Berolini, 1831.

Aristotelis Organon Graece, ed. Th. Waitz, vol. i, Lipsiae, 1844; vol. ii, Lipsiae, 1846.

Aristotle's Prior and Posterior Analytics. A Revised Text with Introduction and Commentary by W. D. Ross, Oxford, 1949.

Alexandri in Aristotelis Analyticorum Priorum Librum I Commentarium, ed. M. Wallies, Berolini, 1883.

Ammonii in Aristotelis Analyticorum Priorum Librum I Commentarium, ed. M. Wallies, Berolini, 1899.

Ioannis Philoponi in Aristotelis Analytica Priora Commentaria, ed. M. Wallies, Berolini, 1905.

The texts of Aristotle are quoted according to Bekker's edition. Example: *An. pr.* i. 4, 25^b37 means: *Analytica priora*, Book I, chapter 4, page 25, column b, line 37. The texts of the commentators are quoted according to the above editions of the Academy of Berlin. Example: *Alexander* 100. 11 means: page 100, line 11.

CHAPTER I

ELEMENTS OF THE SYSTEM

§ 1. *The true form of the Aristotelian syllogism*

IN three recently published philosophical works the following is given as an example of the Aristotelian syllogism :¹

- (1) All men are mortal,
Socrates is a man,
therefore
Socrates is mortal.

This example seems to be very old. With a slight modification—'animal' instead of 'mortal'—it is quoted already by Sextus Empiricus as a 'Peripatetic' syllogism.² But a Peripatetic syllogism need not be an Aristotelian one. As a matter of fact the example given above differs in two logically important points from the Aristotelian syllogism.

First, the premiss 'Socrates is a man' is a singular proposition, as its subject 'Socrates' is a singular term. Now Aristotle does not introduce singular terms or premisses into his system. The following syllogism would therefore be more Aristotelian :

- (2) All men are mortal,
All Greeks are men,
therefore
All Greeks are mortal.³

This syllogism, however, is still not Aristotelian. It is an inference, where from two premisses accepted as true, 'All men are mortal' and 'All Greeks are men', is drawn the conclusion 'All Greeks are mortal'. The characteristic sign of an inference is the word

¹ See Ernst Kapp, *Greek Foundations of Traditional Logic*, New York (1942), p. 11; Frederick Copleston, S.J., *A History of Philosophy*, vol. i: *Greece and Rome* (1946), p. 277; Bertrand Russell, *History of Western Philosophy*, London (1946), p. 218.

² Sextus Empiricus, *Hyp. Pyrrh.* ii. 164 *Σωκράτης ἄνθρωπος, πᾶς ἄνθρωπος ζῶν, Σωκράτης ἄρα ζῶν*. A few lines earlier Sextus says that he will speak about the so-called categorical syllogisms, *περὶ τῶν κατηγορικῶν καλουμένων συλλογισμῶν*, used chiefly by the Peripatetics, *οἷς χρῶνται μάλιστα οἱ ἀπὸ τοῦ Περιπάτου*. See also *ibid.* ii. 196, where the same syllogism is cited with the premisses transposed.

³ B. Russell, *op. cit.*, p. 219, gives form (2) immediately after form (1), adding in brackets the remark: 'Aristotle does not distinguish between these two forms; this, as we shall see later, is a mistake.' Russell is right when he says that these two forms must be distinguished, but his criticism should not be applied to Aristotle.

'therefore' (*ἄρα*). Now, and this is the second difference, no syllogism is formulated by Aristotle primarily as an inference, but they are all implications having the conjunction of the premisses as the antecedent and the conclusion as the consequent. A true example of an Aristotelian syllogism would be, therefore, the following implication:

- (3) If all men are mortal
and all Greeks are men,
then all Greeks are mortal.

This implication is but a modern example of an Aristotelian syllogism and does not exist in the works of Aristotle. It would be better, of course, to have as an example a syllogism given by Aristotle himself. Unfortunately no syllogism with concrete terms is to be found in the *Prior Analytics*. But there are some passages in the *Posterior Analytics* from which a few examples of such syllogisms may be drawn. The simplest of them is this:

- (4) If all broad-leaved plants are deciduous
and all vines are broad-leaved plants,
then all vines are deciduous.¹

All these syllogisms, whether Aristotelian or not, are only examples of some logical forms, but do not belong to logic, because they contain terms not belonging to logic, such as 'man' or 'vine'. Logic is not a science about men or plants, it is simply applicable to these objects just as to any others. In order to get a syllogism within the sphere of pure logic, we must remove from the syllogism what may be called its matter, preserving only its form. This was done by Aristotle, who introduced letters instead of concrete subjects and predicates. Putting in (4) the letter *A* for 'deciduous', the letter *B* for 'broad-leaved plant', the letter *C* for 'vine', and using, as Aristotle does, all these terms in the singular, we get the following syllogistic form:

- (5) If all *B* is *A*
and all *C* is *B*,
then all *C* is *A*.

¹ *An. post.* ii. 16, 98^b5-10 ἔστω γὰρ τὸ φυλλορροεῖν ἐφ' οὗ *A*, τὸ δὲ πλατύφυλλον ἐφ' οὗ *B*, ἄμπελος δὲ ἐφ' οὗ *Γ*. εἰ δὴ τῷ *B* ὑπάρχει τὸ *A* (πᾶν γὰρ πλατύφυλλον φυλλορροεῖ), τῷ δὲ *Γ* ὑπάρχει τὸ *B* (πᾶσα γὰρ ἄμπελος πλατύφυλλος), τῷ *Γ* ὑπάρχει τὸ *A*, καὶ πᾶσα ἄμπελος φυλλορροεῖ. From this somewhat carelessly written passage—after τῷ *B*, τῷ δὲ *Γ*, and τῷ *Γ*, παντί ought to be inserted—we get the following syllogism in concrete terms: εἰ πᾶν πλατύφυλλον φυλλορροεῖ καὶ πᾶσα ἄμπελος πλατύφυλλος, πᾶσα ἄμπελος φυλλορροεῖ.

This syllogism is one of the logical theorems invented by Aristotle, but even it differs in style from the genuine Aristotelian syllogism. In formulating syllogisms with the help of letters, Aristotle always puts the predicate in the first place and the subject in the second. He never says 'All *B* is *A*', but uses instead the expression '*A* is predicated of all *B*' or more often '*A* belongs to all *B*'.¹ Let us apply the first of these expressions to form (5); we get an exact translation of the most important Aristotelian syllogism, later called 'Barbara':

- (6) If *A* is predicated of all *B*
and *B* is predicated of all *C*,
then *A* is predicated of all *C*.²

Starting with the unauthentic example (1) we have reached thus by a step-by-step transition the genuine Aristotelian syllogism (6). Let us now explain these steps and establish them on a textual basis.

§ 2. *Premisses and terms*

Every Aristotelian syllogism consists of three propositions called premisses. A premiss (*πρότασις*) is a sentence affirming or denying something of something.³ In this sense the conclusion is also a *πρότασις*, because it states something about something.⁴ The two elements involved in a premiss are its subject and predicate. Aristotle calls them 'terms', defining a term (*ὅρος*) as that into which the premiss is resolved.⁵ The original meaning of the Greek *ὅρος*, as well as of the Latin *terminus*, is 'limit' or 'boundary'. The terms of a premiss, its subject and predicate, are the limits of the premiss, its beginning and end. This is the very meaning of the word *ὅρος*, and we should be careful not to identify this logical word with such psychological or metaphysical words as 'idea', 'notion', 'concept', or *Begriff* in German.⁶

¹ τὸ *A* κατηγορεῖται κατὰ παντὸς τοῦ *B* ὅτι τὸ *A* ὑπάρχει παντὶ τῷ *B*. See also p. 14, n.

² *An. pr.* i. 4, 25^b37 εἰ γὰρ τὸ *A* κατὰ παντὸς τοῦ *B* καὶ τὸ *B* κατὰ παντὸς τοῦ *Γ*, ἀνάγκη τὸ *A* κατὰ παντὸς τοῦ *Γ* κατηγορεῖσθαι. The word ἀνάγκη omitted in the translation will be explained later.

³ *Ibid.* i. 24^a16 πρότασις μὲν οὖν ἐστὶ λόγος καταφατικός ἢ ἀποφατικός τινὸς κατὰ τινος.

⁴ *Ibid.* ii. 1, 53^a8 τὸ δὲ συμπέρασμα τί κατὰ τινὸς ἐστίν.

⁵ *Ibid.* i. 1, 24^b16 ὅρον δὲ καλῶ εἰς ὃν διαλύεται ἡ πρότασις, οἷον τό τε κατηγορούμενον καὶ τὸ καθ' οὗ κατηγορεῖται.

⁶ Aristotle also uses the word *ὅρος* in the sense of ὁρίσμός, i.e. 'definition'.

Every premiss is either universal, particular, or indefinite. 'All' and 'no' added to the subject are the signs of universality, 'some' and 'some not' or 'not all' are the signs of particularity. A premiss without a sign of quantity, i.e. of universality or particularity, is called indefinite, e.g. 'Pleasure is not good'.¹

Nothing is said in the *Prior Analytics* about the terms. A definition of the universal and the singular terms is given only in the *De Interpretatione*, where a term is called universal if it is of such a nature as to be predicated of many subjects, e.g. 'man'; a term which does not have this property is called singular, e.g. 'Callias'.² Aristotle forgets that a non-universal term need not be singular, for it may be empty, like the term 'goat-stag' cited by himself a few chapters before.³

In building up his logic Aristotle did not take notice either of singular or of empty terms. In the first chapters of the *Prior Analytics*, containing the systematic exposition of his syllogistic, only universal terms are mentioned. Alexander justly remarks that the very definition of the premiss given by Aristotle has application to universal terms alone and is not suitable to individual or singular.⁴ It is evident that the terms of universal and particular premisses must be universal. Aristotle certainly would not accept as meaningful expressions like 'All Callias are men' or 'Some Callias are men', if there were only one Callias. The same must be said about the terms of indefinite premisses: they, too, are universal. This follows both from the name Aristotle has chosen for them and from the examples he gives. A man who is

I willingly agree with E. Kapp, who says (op. cit., p. 29) that these two different meanings of the word *ōros* 'are entirely independent of one another and were never mixed up by Aristotle himself. But unfortunately no less a scholar than Carl Prantl . . . based his picture of Aristotle's logic on this homonymy . . . he identified the empty syllogistic *horos* ("term") with the metaphysical correlate of *horos* in the sense of definition ("Begriff" in Prantl's German). The result was a disastrous confusion.'

¹ *An. pr. i.* 1, 24^a17 (continuation of the text quoted in p. 3, n. 3) οὗτος δὲ ἡ καθόλου ἢ ἐν μέρει ἢ ἀδιόριστος. λέγω δὲ καθόλου μὲν τὸ παντὶ ἢ μηδενὶ ὑπάρχειν, ἐν μέρει δὲ τὸ τινὶ ἢ μὴ τινὶ ἢ μὴ παντὶ ὑπάρχειν, ἀδιόριστον δὲ τὸ ὑπάρχειν ἢ μὴ ὑπάρχειν ἄνευ τοῦ καθόλου ἢ κατὰ μέρος, οἷον τὸ τῶν ἐναντίων εἶναι τὴν αὐτὴν ἐπιστήμην ἢ τὸ τὴν ἡδονὴν μὴ εἶναι ἀγαθόν.

² *De int.* 7, 17^a39 λέγω δὲ καθόλου μὲν ὃ ἐπὶ πλείωνων πέφυκε κατηγορεῖσθαι, καθ' ἕκαστον δὲ ὃ μὴ, οἷον ἀνθρώπος μὲν τῶν καθόλου, Καλλίας δὲ τῶν καθ' ἕκαστον.

³ *Ibid.* 1, 16^a16 πραγέλαφος.

⁴ Alexander 100. 11 κατὰ γὰρ αἰσθητοῦ καὶ ἐνὸς κατ' ἀριθμὸν οὐκ ἐθ' ἀρμόζει τὸ κατὰ παντός οὐδὲ ὃ διορισμός ὅλως· ὃ γὰρ διορισμός τῶν προτάσεων ἐπὶ τῶν καθόλου χῶραν ἔχει· τὰ δὲ άτομα οὐ καθόλου. Cf. *ibid.* 65. 26.

undecided whether it is true to say 'No pleasure is good' or only 'Some pleasure is not good', may say without defining the quantity of the subject: 'Pleasure is not good.' But in this last sentence 'pleasure' is still a universal term as it was in the two previous sentences. Throughout the whole systematic exposition of his syllogistic Aristotle in practice treats indefinite premisses like particulars without explicitly stating their equivalence.¹ This was done only by Alexander.²

Indefinite premisses are of no importance in the Aristotelian system of logic. No logical thesis, whether a law of conversion or a syllogism, is formulated by Aristotle with this kind of premiss. It was but right that they should be dropped by later logicians, who retained only four kinds of premiss, well known to every student of traditional logic, viz. the universal affirmative, the universal negative, the particular affirmative, and the particular negative. In this fourfold division there is no place left for singular premisses.³

§ 3. *Why singular terms were omitted by Aristotle*

There is an interesting chapter in the *Prior Analytics* where Aristotle divides all things into three classes. Some, he says, are such that they cannot be predicated truly of anything at all, like Cleon and Callias and the individual and sensible, but other things may be predicated of them, e.g. man or animal. Some other things, and these are the second class, are themselves predicated of others but nothing prior is predicated of them. For this class of things no example is given, but it is clear that Aristotle means what is most universal, like being, τὸ ὄν. To the third class belong those things that may be predicated of others and others of them, e.g. man of Callias and animal of man, and as a rule, concludes Aristotle, arguments and inquiries are concerned with this class of things.⁴

¹ See, for example, *An. pr.* i. 4, 26^a29 ὁ γὰρ αὐτὸς ἔσται συλλογισμὸς ἀδιορίστου τε καὶ ἐν μέρει ληφθέντος, or 7, 29^a27 δῆλον δὲ καὶ ὅτι τὸ ἀδιορίστον ἀντὶ τοῦ κατηγοριοῦ τοῦ ἐν μέρει τιθέμενον τὸν αὐτὸν ποιήσει συλλογισμὸν ἐν ἅπασιν τοῖς σχήμασιν.

² Alexander 30. 29 περὶ δὲ τῶν ἀδιορίστων (scil. τῆς τῶν ἀδιορίστων ἀντιστροφῆς) οὐ λέγει, ὅτι μηδὲ χρήσιμοι πρὸς συλλογισμοὺς εἰσιν αὗται, καὶ ὅτι ἴσον ταῖς ἐπὶ μέρους δύνανται.

³ Arguments on behalf of the thesis that singular propositions may be regarded as forming a sub-class of universals—see, for example, J. N. Keynes, *Formal Logic*, London (1906), p. 102—are in my opinion entirely wrong.

⁴ *An. pr.* i. 27, 43^a25–43 ἀπάντων δὲ τῶν ὄντων τὰ μὲν ἐστὶ τοιαῦτα ὥστε κατὰ μνηδὲς ἄλλου κατηγορεῖσθαι ἀληθῶς καθόλου (οἷον Κλέων καὶ Καλλίας καὶ τὸ καθ')

There are some inexactitudes in this passage that must first be corrected. It is not correct to say that a thing may be predicated of another thing. Things cannot be predicated, because a predicate is a part of a proposition and a proposition is a series of spoken or written words having a certain meaning. The term 'Callias' may be predicated of another term, but never the thing Callias. The given classification is not a division of things but a division of terms.

It is further not correct to say that individual or singular terms, like 'Callias', cannot be truly predicated of anything else. Aristotle himself gives examples of true propositions with a singular predicate, as 'That white object is Socrates' or 'That which approaches is Callias',¹ saying that such propositions are 'incidentally' true. There are other examples of this kind which are not merely incidentally true, as 'Socrates is Socrates' or 'Sophroniscus was the father of Socrates'.

A third inexactitude concerns the conclusion drawn by Aristotle from this classification of terms. It is not true that our arguments and inquiries deal as a rule with such universal terms as may be predicated of others and others of them. It is plain that individual terms are as important as universal, not only in everyday life but also in scientific researches. This is the greatest defect of the Aristotelian logic, that singular terms and propositions have no place in it. What was the cause?

There is an opinion among philosophers that Aristotle constructed his system of logic under the influence of Plato's philosophy; for it was Plato who believed that the object of true knowledge must be stable and capable of a precise definition, which is of the universal and not of the singular. I cannot agree with this opinion. It has no confirmation in the text of the *Prior Analytics*. This purely logical work is entirely exempt from any philosophic contamination; so is the passage cited above. The argument that our inquiries are concerned with universal terms as a rule is a practical one, and though it is very weak and

ἕκαστον καὶ αἰσθητόν), κατὰ δὲ τούτων ἄλλα (καὶ γὰρ ἄνθρωπος καὶ ζῶον ἑκάτερος τούτων ἐστὶ)· τὰ δ' αὐτὰ μὲν κατ' ἄλλων κατηγορεῖται, κατὰ δὲ τούτων ἄλλα πρότερον οὐ κατηγορεῖται· τὰ δὲ καὶ αὐτὰ ἄλλων καὶ αὐτῶν ἕτερα, οἷον ἄνθρωπος Καλλίου καὶ ἀνθρώπου ζῶον. . . . καὶ σχεδὸν οἱ λόγοι καὶ αἱ σκέψεις εἰσὶ μάλιστα περὶ τούτων.

¹ *Απ. πρ. i. 27, 43^a33* τῶν γὰρ αἰσθητῶν σχεδὸν ἕκαστόν ἐστι τοιοῦτον ὥστε μὴ κατηγορεῖσθαι κατὰ μηδενός, πλὴν ὡς κατὰ συμβεβηκός· φαμέν γάρ ποτε τὸ λευκὸν ἐκεῖν Σωκράτην εἶναι καὶ τὸ προσῖόν Καλλίαν.

Aristotle must have felt its weakness, yet it is not corroborated by any philosophical argument borrowed from Plato.

There is, however, another remarkable point that may throw some light on our problem. Aristotle emphasizes that a singular term is not suited to be a predicate of a true proposition, as a most universal term is not suited to be a subject of such a proposition. The first assertion, as we have already seen, is not generally true, and the second also seems to be false. But it does not matter whether these assertions are true or false. It suffices to know that Aristotle regarded them as true and that he eliminated from his system just those kinds of terms which in his opinion were not suited to be both subjects and predicates of true propositions. And here, as I see it, lies the chief point of our problem. It is essential for the Aristotelian syllogistic that the same term may be used as a subject and as a predicate without any restriction. In all three syllogistic figures known to Aristotle there exists one term which occurs once as a subject and then again as a predicate: in the first figure it is the middle term, in the second figure the major term, and in the third figure the minor term. In the fourth figure all three terms occur at the same time as subjects and as predicates. Syllogistic as conceived by Aristotle requires terms to be homogeneous with respect to their possible positions as subjects and predicates. This seems to be the true reason why singular terms were omitted by Aristotle.

§ 4. *Variables*

In Aristotle's systematic exposition of his syllogistic no examples are given of syllogisms with concrete terms. Only non-valid combinations of premisses are exemplified through such terms, which are of course universal, like 'animal', 'man', 'horse'. In valid syllogisms all terms are represented by letters, i.e. by variables, e.g. 'If *R* belongs to all *S* and *P* belongs to some *S*, then *P* belongs to some *R*'.¹

The introduction of variables into logic is one of Aristotle's greatest inventions. It is almost incredible that till now, as far as I know, no one philosopher or philologist has drawn attention to

¹ Ibid. i. 6, 28^b7 εἰ γὰρ τὸ μὲν *P* παντὶ τῷ *Σ* τὸ δὲ *Π* τινί, ἀνάγκη τὸ *Π* τινὶ τῷ *Ρ* ὑπάρχειν. This is a mood of the third figure, called later *Disamis*, with transposed premisses.

this most important fact.¹ I venture to say that they must all have been bad mathematicians, for every mathematician knows that the introduction of variables into arithmetic began a new epoch in that science. It seems that Aristotle regarded his invention as entirely plain and requiring no explanation, for there is nowhere in his logical works any mention of variables. It was Alexander who first said explicitly that Aristotle presents his doctrine in letters, *στοιχεῖα*, in order to show that we get the conclusion not in consequence of the matter of the premisses, but in consequence of their form and combination; the letters are marks of universality and show that such a conclusion will follow always and for any term we may choose.² There is another commentator, John Philoponus, who is also fully aware of the significance and importance of variables. He says that Aristotle, after showing by examples how every premiss may be converted, states some universal rules of conversion taking letters instead of terms. For a universal sentence is disproved by one example in which it is false, but is proved either by going through all particulars (which is an endless and impossible operation) or by stating an evident universal rule. Such a rule is given here by Aristotle in letters, and the reader is allowed to substitute (*ὑποβάλλειν*) for the letters any concrete terms he wants.³

We know already that only universal terms may be substituted for the variables. In an example quoted above,⁴ Aristotle performs such a substitution, saying: 'Let *A* be deciduous, *B*—broad-leaved plant, *C*—vine.' This is the only kind of substitution we meet in the *Prior Analytics*. Aristotle never substitutes for a variable *A* another variable *B*, although he is perfectly aware that the same syllogistic mood may be formulated with different

¹ I am glad to learn that Sir David Ross in his edition of the *Analytics*, p. 29, emphasizes that by using variables Aristotle became the founder of formal logic.

² Alexander 53. 28 ἐπὶ στοιχείων τὴν διδασκαλίαν ποιεῖται ὑπὲρ τοῦ ἐνδείξασθαι ἡμῖν, ὅτι οὐ παρὰ τὴν ὕλην γίνεται τὰ συμπεράσματα ἀλλὰ παρὰ τὸ σχῆμα καὶ τὴν τοιαύτην τῶν προτάσεων συμπλοκὴν καὶ τὸν τρόπον· οὐ γὰρ ὅτι ἦδε ἡ ὕλη, συνάγεται συλλογιστικῶς τόδε, ἀλλ' ὅτι ἡ συζυγία τοιαύτη. τὰ οὖν στοιχεῖα τοῦ καθόλου καὶ αἰεὶ καὶ ἐπὶ παντὸς τοῦ ληφθέντος τοιοῦτον ἔσεσθαι τὸ συμπέρασμα δεικτικὰ ἐστίν.

³ Philoponus 46. 25 δείξας ὅπως ἐκάστη τῶν προτάσεων ἀντιστρέφει διὰ παραδειγμάτων . . . καθολικοὺς κανόνας παραδίδωσι τὰ στοιχεῖα παραλαμβάνων ἀντὶ τῶν ὄρων . . . τὸν μὲν γὰρ καθόλου λόγον ἐλέγχει μὲν καὶ ἐν παράδειγμα, ὡς ἦδη εἴρηται, κατασκευάζει δὲ ἡ ἢ διὰ πάντων τῶν κατὰ μέρος διέξοδος, ὅπερ ἐστὶν ἀπειρον καὶ ἀδύνατον, ἡ ἢ διὰ καθολικοῦ κανόνος πίστις· ὅπερ ποιεῖ νῦν διὰ τῶν στοιχείων διδοὺς ἐκάστω, ὡς περ εἴρηται, ἐπ' ἐξουσίας χρῆσθαι καὶ ὑποβάλλειν ἀντὶ τῶν στοιχείων οἷας ἂν βούληται ὕλης ὄρους.

⁴ See p. 2, n.

variables. The mood Disamis, for instance, cited at the beginning of this section, is formulated with the letters *R*, *S*, *P*; elsewhere it is formulated with *C*, *B*, *A*.¹ It is evident that the validity of a syllogism does not depend on the shape of the variables used in its formulation: Aristotle knows that without saying it. It is again Alexander who states this fact explicitly.²

There is no passage in the *Prior Analytics* where two different variables are identified. Even where the same term is substituted for two variables, these two variables are not identified. In Book II of the *Prior Analytics* Aristotle discusses the problem whether a syllogism can be made out of opposite premisses. This can be done, he states, in the second and third figure. Let *B* and *C*, he continues, both stand for 'science' and *A* for 'medicine'. If one assumes that 'All medicine is science' and that 'No medicine is science', he has assumed that '*B* belongs to all *A*' and '*C* belongs to no *A*', so that 'Some science is not science'.³ The syllogistic mood to which this refers runs thus: 'If *B* belongs to all *A* and *C* belongs to no *A*, then *C* does not belong to some *B*'.⁴ In order to get from this mood a syllogism with opposite premisses, it suffices to identify the variables *B* and *C*, i.e. to substitute *B* for *C*. We get by this substitution: 'If *B* belongs to all *A* and *B* belongs to no *A*, then *B* does not belong to some *B*.' The heavy roundabout way by means of concrete terms, such as 'science' and 'medicine', is quite unnecessary. It seems that the straight way in this problem, i.e. the way by identifying variables, was not seen by Aristotle.

Aristotle knows that sentences like 'Some science is not science' cannot be true.⁵ The generalization of such sentences 'Some *A* is not *A*' (i.e. '*A* does not belong to some *A*') also must be false. It is not very probable that Aristotle knew this formula; it is

¹ *An. pr.* ii. 7, 59^a17 εἰ γὰρ τὸ Γ παντὶ τῷ Β, τὸ δὲ Α τινὶ τῷ Β, ἀνάγκη τὸ Α τινὶ τῷ Γ ὑπάρχειν.

² Alexander 380. 2 οὐ γὰρ παρὰ τὸ τὸ μὲν Α αὐτῶν εἶναι τὸ δὲ Β ἢ Γ ἢ συναγωγή· τὸ γὰρ αὐτὸ γίνεται, καὶ ἄλλοις ἀντὶ τούτων χρῆσώμεθα.

³ *An. pr.* ii. 15, 64^a23 ἔστω γὰρ ἐπιστήμη ἐφ' οὗ τὸ Β καὶ Γ, ἰατρικὴ δ' ἐφ' οὗ Α. εἰ οὖν λάβοι πᾶσαν ἰατρικὴν ἐπιστήμην καὶ μηδεμίαν ἰατρικὴν ἐπιστήμην, τὸ Β παντὶ τῷ Α εἴληφε καὶ τὸ Γ οὐδενί, ὥστ' ἔσται τις ἐπιστήμη οὐκ ἐπιστήμη.

⁴ This syllogism is a mood of the third figure, called later Felapton, with transposed premisses. In the systematic exposition of the syllogistic it is formulated with the letters *R*, *S*, *P*. See *ibid.* i. 6, 28^a26 ἂν τὸ μὲν *P* παντὶ τῷ *Σ*, τὸ δὲ *Π* μηδενὶ ὑπάρχῃ, ἔσται συλλογισμὸς ὅτι τὸ *Π* τινὶ τῷ *P* οὐχ ὑπάρξει ἐξ ἀνάγκης.

⁵ *Ibid.* ii. 15, 64^b7 φανερόν δὲ καὶ ὅτι ἐκ ψευδῶν μὲν ἔστιν ἀληθὲς συλλογίσασθαι, . . . , ἐκ δὲ τῶν ἀντικειμένων οὐκ ἔστιν· αἰεὶ γὰρ ἐναντίος ὁ συλλογισμὸς γίνεται τῷ πράγματι.

Alexander again who saw the falsity and applied this fact to prove the law of conversion of the universal negative premiss. The proof he gives proceeds by *reductio ad absurdum*: If the premiss 'A belongs to no B' is not convertible, let us suppose that B belongs to some A. From these two premisses we get by a syllogism of the first figure the absurd conclusion: 'A does not belong to some A.'¹ It is obvious that Alexander has in mind the mood of the first figure called later Ferio: 'If A belongs to no B and B belongs to some C, then A does not belong to some C',² and that in this mood he identifies the variables A and C, substituting A for C. This is perhaps the neatest example of an argument by substitution derived from an ancient source.

§ 5. *Syllogistic necessity*

The first Aristotelian syllogism, called later Barbara, may be represented, as we have already seen,³ in the form of the following implication:

If A is predicated of all B
and B is predicated of all C,
then A is predicated of all C.

But there is still a difference between this formulation and the genuine Greek text. The premisses are the same in the English version as in the Greek, but the exact translation of the conclusion would be 'A must be predicated of all C'. This word 'must' (*ἀνάγκη*) is the sign of the so-called 'syllogistic necessity'. It is used by Aristotle in almost all implications which contain variables and represent logical laws, i.e. laws of conversion or syllogisms.⁴

There are, however, some syllogisms where this word is omitted; take, for instance, this Aristotelian form of the mood Barbara: 'If A belongs to all B and C belongs to all A, then C belongs to all B.'⁵ Since it was possible to omit the word in some syllogisms, it must be possible to eliminate it entirely from all syllogisms. Let us see, therefore, what the word means and why it is used by Aristotle.

¹ Alexander 34. 15 ἐνεστι δὲ καὶ διὰ συλλογισμοῦ δεῖξαι διὰ τοῦ πρώτου σχήματος γινόμενον, ὡς καὶ αὐτὸς προσχρῆται τῇ εἰς ἀδύνατον ἀπαγωγῇ· εἰ γάρ τις μὴ λέγει ἀντιστρέφειν τὴν καθόλου ἀποφατικὴν, κείσθω τὸ A μὴδενὶ τῷ B· εἰ δὲ μὴ ἀντιστρέφει, ἔστω τὸ B τινὶ τῷ A· γίνεται ἐν πρώτῳ σχήματι τὸ A τινὶ τῷ A μὴ ὑπάρχον, ὅπερ ἀτοπον.

² An. pr. i. 4, 26^a25 εἰ τὸ μὲν A μὴδενὶ τῷ B ὑπάρχει, τὸ δὲ B τινὶ τῷ Γ, ἀνάγκη τὸ A τινὶ τῷ Γ μὴ ὑπάρχειν. ³ See p. 3, n. 2. ⁴ See p. 7, n.; p. 9, nn. 1, 4; above, n. 2.

⁵ An. pr. ii. 11, 61^b34 εἰ γὰρ τὸ A παντὶ τῷ B καὶ τὸ Γ παντὶ τῷ A, τὸ Γ παντὶ τῷ B.

The problem appears simple, and is settled implicitly by Aristotle himself incidentally in his treatment of the laws of conversion, when he says: 'If *A* belongs to some *B*, it is necessary that *B* should belong to some *A*; but if *A* does not belong to some *B*, it is not necessary that *B* should not belong to some *A*.' For if *A* stands for 'man' and *B* for 'animal', it is true that some animal is not man, but it is not true that some man is not animal, because all men are animals.¹ We see from this example that Aristotle uses the sign of necessity in the consequent of a true implication in order to emphasize that the implication is true for all values of variables occurring in the implication. We may therefore say 'If *A* belongs to some *B*, it is necessary that *B* should belong to some *A*', because it is true that 'For all *A* and for all *B*, if *A* belongs to some *B*, then *B* belongs to some *A*'. But we cannot say 'If *A* does not belong to some *B*, it is necessary that *B* should not belong to some *A*', because it is not true that 'For all *A* and for all *B*, if *A* does not belong to some *B*, then *B* does not belong to some *A*'. There exist, as we have seen, values for *A* and *B* that verify the antecedent of the last implication, but do not verify its consequent. In modern formal logic expressions like 'for all *A*' or 'for all *B*', where *A* and *B* are variables, are called universal quantifiers. The Aristotelian sign of syllogistic necessity represents a universal quantifier and may be omitted, since a universal quantifier may be omitted when it stands at the head of a true formula.

This, of course, is all known to students of modern formal logic, but some fifty years ago it was certainly not known to philosophers. It is not strange, therefore, that one of them, Heinrich Maier, has chosen our problem as the basis of what is, in my opinion, a bad philosophical speculation. He states:² 'The conclusion follows from the premisses with necessary consequence. This consequence arises from the syllogistic principle and its necessity reveals very properly the synthetic power of the function of reasoning.' I do not understand this last sentence, because

¹ Ibid. i. 2, 25^a20-6 *εἰ γὰρ τὸ Α τινὶ τῷ Β, καὶ τὸ Β τινὶ τῷ Α ἀνάγκη ὑπάρχειν... εἰ δέ γε τὸ Α τινὶ τῷ Β μὴ ὑπάρχει, οὐκ ἀνάγκη καὶ τὸ Β τινὶ τῷ Α μὴ ὑπάρχειν, οἷον εἰ τὸ μὲν Β ἐστὶ ζῶον, τὸ δὲ Α ἄνθρωπος. ἄνθρωπος μὲν γὰρ οὐ παντὶ ζῳῳ, ζῶον δὲ παντὶ ἀνθρώπῳ ὑπάρχει.*

² H. Maier, *Die Syllogistik des Aristoteles*, vol. ii b, Tübingen (1900), p. 236: 'Aus den Prämissen folgt mit notwendiger Konsequenz der Schlußsatz. Diese Konsequenz entspringt dem syllogistischen Prinzip, und die Notwendigkeit, die ihr anhaftet, bekundet recht eigentlich die synthetische Kraft der Schlußfunktion.'

I cannot grasp the meaning of the words 'the synthetic power of the function of reasoning'. Moreover, I am not sure what is meant by 'the syllogistic principle', as I do not know whether any such principle exists at all. 'On the ground of both premisses [Maier continues his speculations¹] which I think and express, I must also think and express the conclusion by virtue of a compulsion lying in my thinking.' This sentence I can certainly understand, but it is manifestly false. You may easily see its falsehood if you think and pronounce the premisses of a syllogism, e.g. 'All *A* is *C*' and 'Some *B* is not *C*', without pronouncing the conclusion which follows from them.

§ 6. *What is formal logic?*

'It is usual to say that logic is formal, in so far as it is concerned merely with the form of thought, that is with our manner of thinking irrespective of the particular objects about which we are thinking.' This is a quotation from the well-known text-book of formal logic by Keynes.² And here is another quotation, from the *History of Philosophy* by Father Copleston: 'The Aristotelian Logic is often termed formal logic. Inasmuch as the Logic of Aristotle is an analysis of the forms of thought—this is an apt characterization.'³

In both quotations I read the expression 'form of thought', which I do not understand. Thought is a psychical phenomenon and psychical phenomena have no extension. What is meant by the form of an object which has no extension? The expression 'form of thought' is inexact and it seems to me that this inexactitude arose from a wrong conception of logic. If you believe indeed that logic is the science of the laws of thought, you will be disposed to think that formal logic is an investigation of the forms of thought.

It is not true, however, that logic is the science of the laws of thought. It is not the object of logic to investigate how we are thinking actually or how we ought to think. The first task belongs to psychology, the second to a practical art of a similar kind to mnemonics. Logic has no more to do with thinking than mathematics has. You must think, of course, when you have to carry

¹ Op. cit., p. 237: 'Auf Grund der beiden Prämissen, die ich denke und ausspreche, muß ich kraft eines in meinem Denken liegenden Zwangs auch den Schlußsatz denken und aussprechen.'

² Op. cit., p. 2.

³ Op. cit., p. 277.

out an inference or a proof, as you must think, too, when you have to solve a mathematical problem. But the laws of logic do not concern your thoughts in a greater degree than do those of mathematics. What is called 'psychologism' in logic is a mark of the decay of logic in modern philosophy. For this decay Aristotle is by no means responsible. Throughout the whole *Prior Analytics*, where the theory of the syllogism is systematically exposed, there exists not one psychological term. Aristotle knows with an intuitive sureness what belongs to logic, and among the logical problems treated by him there is no problem connected with a psychical phenomenon such as thinking.

What is therefore, according to Aristotle, the object of logic, and why is his logic called formal? The answer to this question is not given by Aristotle himself but by his followers, the Peripatetics.

There was a dispute among the philosophical schools of Ancient Greece about the relation of logic to philosophy. The Stoics contended that logic was a part of philosophy, the Peripatetics said that it was only an instrument of philosophy, and the Platonists were of the opinion that logic was equally a part and an instrument of philosophy. The dispute itself is of no great interest or importance, because the solution of the disputed problem seems to be for the most part a matter of convention. But an argument of the Peripatetics, preserved by Ammonius in his commentary on the *Prior Analytics*, deserves our attention.

Ammonius agrees with the Platonists and says: If you take syllogisms with concrete terms, as Plato does in proving syllogistically that the soul is immortal, then you treat logic as a part of philosophy; but if you take syllogisms as pure rules stated in letters, e.g. '*A* is predicated of all *B*, *B* of all *C*, therefore *A* is predicated of all *C*', as do the Peripatetics following Aristotle, then you treat logic as an instrument of philosophy.¹

¹ Ammonius 10. 36 κατὰ γὰρ Πλάτωνα καὶ τὸν ἀληθὴ λόγον οὐτὲ μέρος ἐστὶν (scil. ἡ λογικὴ), ὡς οἱ Στωϊκοὶ φασιν καὶ τινὲς τῶν Πλατωνικῶν, οὐτὲ μόνως ὄργανον, ὡς οἱ ἐκ τοῦ Περιπάτου φασίν, ἀλλὰ καὶ μέρος ἐστὶν καὶ ὄργανον φιλοσοφίας· ἐὰν μὲν γὰρ μετὰ τῶν πραγμάτων λάβῃς τοὺς λόγους, μέρος ἐστὶν, ἐὰν δὲ ψιλούς τοὺς κανόνας ἀνευ τῶν πραγμάτων, ὄργανον. ὥστε καλῶς οἱ ἐκ τοῦ Περιπάτου τὰ παρὰ Ἀριστοτέλει ἀφορῶντες ὄργανον αὐτὴν φασιν· ψιλούς γὰρ κανόνας παραδίδωσιν, οὐ πράγματα λαμβάνων ὑποκείμενα ἀλλὰ τοῖς στοιχείοις τοὺς κανόνας ἐφαρμόζων· οἷον τὸ *A* κατὰ παντός τοῦ *B*, τὸ *B* κατὰ παντός τοῦ *Γ*, τὸ *A* ἄρα κατὰ παντός τοῦ *Γ*. The syllogistic proof of the thesis that the soul is immortal is given a few lines farther on (11. 10): ἡ ψυχὴ αὐτοκίνητον, τοῦτο δὲ ἀεικίνητον, τοῦτο δὲ ἀθάνατον, ἡ ψυχὴ ἄρα ἀθάνατον.

It is important to learn from this passage that according to the Peripatetics, who followed Aristotle, only syllogistic laws stated in variables belong to logic, and not their applications to concrete terms. The concrete terms, i.e. the values of the variables, are called the matter, *ὑλη*, of the syllogism. If you remove all concrete terms from a syllogism, replacing them by letters, you have removed the matter of the syllogism and what remains is called its form. Let us see of what elements this form consists.

To the form of the syllogism belong, besides the number and the disposition of the variables, the so-called logical constants. Two of them, the conjunctions 'and' and 'if', are auxiliary expressions and form part, as we shall see later, of a logical system which is more fundamental than that of Aristotle. The remaining four constants, viz. 'to belong to all', 'to belong to none', 'to belong to some' and 'to not-belong to some',¹ are characteristic of Aristotelian logic. These constants represent relations between universal terms. The medieval logicians denoted them by *A*, *E*, *I*, and *O* respectively. The whole Aristotelian theory of the syllogism is built up on these four expressions with the help of the conjunctions 'and' and 'if'. We may say therefore: The logic of Aristotle is a theory of the relations *A*, *E*, *I*, and *O* in the field of universal terms.

It is obvious that such a theory has nothing more in common with our thinking than, for instance, the theory of the relations of greater and less in the field of numbers. There are, indeed, some similarities between these two theories. Compare, for example, the syllogism Barbara:

If *a* belongs to all *b*
and *b* belongs to all *c*,
then *a* belongs to all *c*,

with the following arithmetical law:

If *a* is greater than *b*
and *b* is greater than *c*,
then *a* is greater than *c*.

There are, of course, differences between these two laws: the range of variables is not the same, and the relations are different.

¹ *ὑπάρχειν παντί*, *ὑπάρχειν οὐδενί*, *ὑπάρχειν τινί*, *οὐχ ὑπάρχειν τινί* = *ὑπάρχειν οὐ παντί*. Instead of *ὑπάρχειν* Aristotle sometimes uses the verb *κατηγορεῖσθαι*. Syllogisms in concrete terms are formulated with *εἶναι*. See p. 2, n.; p. 3, n. 1, and the next section (7).

But both relations, although different and occurring between different terms, have one property in common: they are both transitive, i.e. they are particular cases of the formula:

If a has the relation R to b
and b has the relation R to c ,
then a has the relation R to c .

It is a curious thing that this very fact was observed by the logicians of the later school of the Stoics. Arguments like 'the first is greater than the second, the second is greater than the third, therefore the first is greater than the third' were called by the Stoics, as Alexander declares, 'non-methodically conclusive' and were not treated as syllogisms in the sense of their logic. Nevertheless, the Stoics regarded such arguments as similar (*ὁμοιοι*) to categorical syllogisms.¹ This observation of the Stoics, which Alexander tries to confute without producing convincing counter-arguments, corroborates the supposition that the logic of Aristotle was conceived as a theory of special relations, like a mathematical theory.

§ 7. *What is formalism?*

Formal logic and formalistic logic are two different things. The Aristotelian logic is formal without being formalistic, whereas the logic of the Stoics is both formal and formalistic. Let us explain what in modern formal logic is meant by 'formalism'.

Modern formal logic strives to attain the greatest possible exactness. This aim can be reached only by means of a precise language built up of stable, visually perceptible signs. Such a language is indispensable for any science. Our own thoughts not formed in words are for ourselves almost inapprehensible and the thoughts of other people, when not bearing an external shape, could be accessible only to a clairvoyant. Every scientific truth, in order to be perceived and verified, must be put into an external form intelligible to everybody. All these statements seem uncontestedly true. Modern formal logic gives therefore the utmost

¹ Alexander 21. 30 οἱ ἀμεθόδως περαίνοντες λόγοι παρὰ τοῖς Στωϊκοῖς, οἷον 'τὸ πρῶτον τοῦ δευτέρου μείζον, τὸ δὲ δεύτερον τοῦ τρίτου, τὸ ἄρα πρῶτον τοῦ τρίτου μείζον.' Ibid. 345. 13 τοιοῦτοί εἰσι καὶ οὗς λέγουσιν οἱ νεώτεροι (i.e. Στωϊκοί) ἀμεθόδως περαίνοντας. οὗς ὅτι μὲν μὴ λέγουσι συλλογιστικῶς συνάγειν, ὕγιως λέγουσι... ὅτι δὲ ἡγοῦνται ὁμοίους αὐτοὺς εἶναι τοῖς κατηγορικοῖς συλλογισμοῖς... τοῦ παντός διαμαρτάνουσιν.

attention to precision of language. What is called formalism is the consequence of this tendency. In order to understand what it is, let us analyse the following example.

There exists in logic a rule of inference, called formerly *modus ponens* and now the rule of detachment. According to this rule, if an implication of the form 'If α , then β ' is asserted and the antecedent of this implication is asserted too, we are allowed to assert its consequent β . In order to be able to apply this rule we must know that the proposition α , asserted separately, expresses 'the same' thought as the antecedent α of the implication, since only in this case are we allowed to perform the inference. We can state this only in the case where these two α 's have exactly the same external form. For we cannot directly grasp the thoughts expressed by these α 's, and a necessary, although not sufficient, condition for identifying two thoughts is the external equality of their expressions. When, for instance, asserting the implication 'If all philosophers are men, then all philosophers are mortal' you would also assert as second premiss the sentence 'Every philosopher is a man', you could not get from these premisses the conclusion 'All philosophers are mortal', because you would have no guarantee that the sentence 'Every philosopher is a man' represents the same thought as the sentence 'All philosophers are men'. It would be necessary to confirm by means of a definition that 'Every A is B ' means the same as 'All A 's are B 's'; on the ground of this definition replace the sentence 'Every philosopher is a man' by the sentence 'All philosophers are men', and only then will it be possible to get the conclusion. By this example you can easily comprehend the meaning of formalism. Formalism requires that the same thought should always be expressed by means of exactly the same series of words ordered in exactly the same manner. When a proof is formed according to this principle, we are able to control its validity on the basis of its external form only, without referring to the meaning of the terms used in the proof. In order to get the conclusion β from the premisses 'If α , then β ' and α , we need not know either what α or what β really means; it suffices to notice that the two α 's contained in the premisses have the same external form.

Aristotle and his followers, the Peripatetics, were not formalists. As we have already seen, Aristotle is not scrupulously exact in formulating his theses. The most striking case of this inexacti-

tude is the structural discrepancy between the abstract and concrete forms of the syllogisms. Take as an example the syllogism with opposite premisses quoted above, in our section 4.¹ Let *B* and *C* be 'science' and *A* 'medicine'. Aristotle states:

In variables:

If *B* belongs to all *A*
and *C* belongs to no *A*,
then *C* does not belong to some *B*.²

In concrete terms:

If all medicine is science
and no medicine is science,
then some science is not science.

The difference of corresponding premisses, of which the two syllogisms consist, is evident. Take, for instance, the first premiss. To the formula '*B* belongs to all *A*' would correspond the sentence 'Science belongs to all medicine', and to the sentence 'All medicine is science' would correspond the formula '*All A* is *B*'. The sentence in concrete terms, given by Aristotle, cannot be regarded as a substitution of the abstract formula accepted by him. What is the cause of this difference?

Alexander gives three explanations of this problem:³ the first may be omitted as unimportant, the last is a philosophical one and is, in my opinion, wrong; only the second deserves our attention. According to this explanation, in formulae with the verb 'to be predicated of something' and, we may add, with the verb 'to belong to something', the subject and the predicate are better distinguishable (*γνωριμώτεροι*) than, we may add again, in formulae with the verb 'to be'. In fact, in formulae with 'to be' the subject as well as the predicate is used in the nominative; in formulae preferred by Aristotle only the predicate is in the nominative, and the subject is either in the genitive or in the dative and therefore can be more easily distinguished from the predicate. Very instructive, too, is the final remark of Alexander, from which it follows that to say 'Virtue is predicated of all justice' instead of the customary 'All justice is virtue' was felt in Ancient Greek to be as artificial as in modern languages.

¹ See p. 9, n. 3.

² The conclusion in variables is dropped in the Greek text.

³ Alexander 54. 21 *χρηται δὲ τῷ κατὰ παντός καὶ τῷ κατὰ μηδενὸς ἐν τῇ διδασκαλίᾳ, ὅτι διὰ τούτων γνώριμος ἡ συναγωγή τῶν λόγων, καὶ ὅτι οὕτως λεγομένων γνωριμώτερος ὁ τε κατηγορούμενος καὶ ὁ ὑποκείμενος, καὶ ὅτι πρῶτον τῇ φύσει τὸ κατὰ παντός τοῦ ἐν ὅλῳ αὐτῷ, ὡς προείρηται. ἡ μέντοι χρήσις ἡ συλλογιστικὴ ἐν τῇ συνηθείᾳ ἀνάπαλιν ἔχει· οὐ γὰρ ἡ ἀρετὴ λέγεται κατὰ πάσης δικαιοσύνης, ἀλλ' ἀνάπαλιν πᾶσα δικαιοσύνη ἀρετὴ. διὸ καὶ δεῖ κατ' ἀμφοτέρας τὰς ἐκφορὰς γυμνάζειν ἑαυτούς, ἵνα τῇ τε χρήσει παρακολουθεῖν δυνώμεθα καὶ τῇ διδασκαλίᾳ.*

There are still more cases of inexactitude in Aristotelian logic. Aristotle constantly uses different phrases for the same thoughts. I shall give only a few examples of this kind. He begins his syllogistic with the words '*A* is predicated of all *B*', but shortly he changes these words into the phrase '*A* belongs to all *B*', which seems to be regular. The words 'is predicated' and 'belongs' are frequently omitted, sometimes even the important sign of the quantity 'all' is dropped. Besides the form '*A* belongs to some *B*' there are forms which may be translated '*A* belongs to some of the *B*'s'. The premisses of the syllogism are combined by means of different conjunctions. Syllogistic necessity is expressed in different ways and is sometimes entirely omitted.¹ Although these inexactitudes have no bad consequences for the system, they contribute in no way to its clearness or simplicity.

This procedure of Aristotle is probably not accidental, but seems to derive from some preconceptions. Aristotle says occasionally that we ought to exchange equivalent terms, words for words and phrases for phrases.² Commenting on this passage, Alexander declares that the essence of the syllogism depends not on words but on their meanings.³ This statement, which is manifestly directed against the Stoics, can be understood thus: the syllogism does not change its essence, i.e. it remains a syllogism, if some of its expressions are replaced by other equivalent expressions, e.g. if the expression 'to be predicated of all' is replaced by the equivalent expression 'to belong to all'. The Stoics were of a directly opposite opinion. They would say that the essence of the syllogism depends on words, but not on their meanings. If therefore the words are changed, the syllogism ceases to exist. This is

¹ The phrase *τὸ Α κατὰ παντὸς τοῦ Β* (*κατηγορεῖται* is twice omitted) is used in the mood Barbara (see p. 3, n. 2), *τὸ Α παντὶ τῷ Β* (*ὑπάρχει* is altogether omitted) is used in another formulation of the same mood (see p. 10, n. 5). The phrase *τὸ Α τινὶ τῶν Β* appears in the laws of conversion; elsewhere, e.g. in the mood Disamis, we have *τὸ Α τινὶ τῷ Β* (see p. 9, n. 1). The logically important word *παντί* is altogether omitted in a formulation of the mood Barbara (see p. 2, n.). The conjunction 'and' is for the most part denoted by *μὲν . . . δέ* (see, for example, p. 7, n. or p. 10, n. 2), sometimes by *καί* (see p. 3, n. 2; p. 10, n. 5). Syllogistic necessity is as a rule expressed by *ἀνάγκη ὑπάρχειν* (see p. 7, n. or p. 9, n. 1), in the mood Felapton it is denoted by *ὑπάρξει ἐξ ἀνάγκης* (see p. 9, n. 4). In one case it is dropped (see p. 10, n. 5).

² *Απ. πρ. i.* 39, 49^b3 *δεῖ δὲ καὶ μεταλαμβάνειν ᾧ τὸ αὐτὸ δύναται, ὀνόματα ἀντ' ὀνομάτων καὶ λόγους ἀντὶ λόγων.*

³ Alexander 372. 29 *οὐκ ἐν ταῖς λέξεσιν ὁ συλλογισμὸς τὸ εἶναι ἔχει, ἀλλ' ἐν τοῖς σημανομένοις.*

illustrated by Alexander with an example from the logic of the Stoics. The rule of inference called *modus ponens*:

If α , then β ;
but α ;
therefore β ,

is the first 'indemonstrable' syllogism of the Stoics. Both the Stoics and the Peripatetics seem mistakenly to regard the phrases 'If α , then β ' and ' α entails β ' as having the same meaning. But if, in the syllogism given above, you replace the premiss 'If α , then β ' by ' α entails β ', saying:

α entails β ;
but α ;
therefore β ,

you get according to the Stoics a valid rule of inference, but not a syllogism. The logic of the Stoics is formalistic.¹

¹ Alexander 373. 28 Ἀριστοτέλης μὲν οὖν οὕτως περὶ τῶν κατὰ τὰς λέξεις μεταλήψεων φέρεται (see p. 18, n. 2). οἱ δὲ νεώτεροι (i.e. οἱ Στωϊκοί), ταῖς λέξεσιν ἐπακολουθοῦντες οὐκέτι δὲ τοῖς σημαينوμένοις, οὐ ταῦτόν φασι γίνεσθαι ἐν ταῖς εἰς τὰς ἰσοδυναμούσας λέξεις μεταλήψεσι τῶν ὄρων· ταῦτόν γὰρ σημαίνοντος τοῦ 'εἰ τὸ A τὸ B ' τῷ 'ἀκολουθεῖ τῷ A τὸ B ', συλλογιστικὸν μὲν λόγον φασὶν εἶναι τοιαύτης ληφθείσης τῆς λέξεως 'εἰ τὸ A τὸ B , τὸ δὲ A , τὸ ἄρα B ', οὐκέτι δὲ συλλογιστικὸν ἀλλὰ περαντικὸν τὸ 'ἀκολουθεῖ τῷ A τὸ B , τὸ δὲ A , τὸ ἄρα B '.

CHAPTER II

THESES OF THE SYSTEM

§ 8. *Theses and rules of inference*

THE Aristotelian theory of the syllogism is a system of true propositions concerning the constants *A*, *E*, *I*, and *O*. True propositions of a deductive system I call theses. Almost all theses of the Aristotelian logic are implications, i.e. propositions of the form 'If α , then β '. There are known only two theses of this logic not beginning with 'if', viz. the so-called laws of identity: '*A* belongs to all *A*' or 'All *A* is *A*', and '*A* belongs to some *A*' or 'Some *A* is *A*'. Neither of these laws was explicitly stated by Aristotle, but they were known to the Peripatetics.¹

The implications belonging to the system are either laws of conversion (and laws of the square of opposition not mentioned in the *Prior Analytics*) or syllogisms. The laws of conversion are simple implications, for instance: 'If *A* belongs to all *B*, then *B* belongs to some *A*.'² The antecedent of this implication is the premiss '*A* belongs to all *B*', the consequent is '*B* belongs to some *A*'. This implication is regarded as true for all values of the variables *A* and *B*.

All Aristotelian syllogisms are implications of the type 'If α and β , then γ ', where α and β are the two premisses and γ is the conclusion. The conjunction of the premisses ' α and β ' is the antecedent, the conclusion γ is the consequent. As an example take the following formulation of the mood *Barbara*:

If *A* belongs to all *B*
and *B* belongs to all *C*,
then *A* belongs to all *C*.

In this example α means the premiss '*A* belongs to all *B*', β the premiss '*B* belongs to all *C*', and γ the conclusion '*A* belongs to all *C*'. This implication is also regarded as true for all values of the variables *A*, *B*, and *C*.

¹ Cf. p. 9, n. 5, p. 10, n. 1. In the passage quoted in the latter note Alexander says that the proposition '*A* does not belong to some *A*' is absurd. That means that the contradictory proposition '*A* belongs to all *A*' is true.

² *An. pr.* i. 2, 25^a17 εἰ δὲ παντὶ τὸ *A* τῷ *B*, καὶ τὸ *B* τῷ *C* ὑπάρξει.

It must be said emphatically that no syllogism is formulated by Aristotle as an inference with the word 'therefore' (*ἄρα*), as is done in the traditional logic. Syllogisms of the form:

All *B* is *A*;
all *C* is *B*;
therefore
all *C* is *A*

are not Aristotelian. We do not meet them until Alexander.¹ This transference of the Aristotelian syllogisms from the implicational form into the inferential is probably due to the influence of the Stoics.

The difference between the Aristotelian and the traditional syllogism is fundamental. The Aristotelian syllogism as an implication is a proposition, and as a proposition must be either true or false. The traditional syllogism is not a proposition, but a set of propositions which are not unified so as to form one single proposition. The two premisses written usually in two different lines are stated without a conjunction, and the connexion of these loose premisses with the conclusion by means of 'therefore' does not give a new compound proposition. The famous Cartesian principle, 'Cogito, ergo sum', is not a true principle, because it is not a proposition. It is an inference, or, according to a scholastic terminology, a consequence. Inferences and consequences, not being propositions, are neither true nor false, as truth and falsity belong only to propositions. They may be valid or not. The same has to be said of the traditional syllogism. Not being a proposition the traditional syllogism is neither true nor false; it can be valid or invalid. The traditional syllogism is either an inference, when stated in concrete terms, or a rule of inference, when stated in variables. The sense of such a rule may be explained by the example given above: When you put such values for *A*, *B*, and *C* that the premisses '*A* belongs to all *B*' and '*B* belongs to all *C*' are true, then you must accept as true the conclusion '*A* belongs to all *C*'.

If you find a book or an article where no difference is made between the Aristotelian and the traditional syllogism, you may

¹ In Alexander 47. 9 we find a syllogism in concrete terms with *ἄρα*: *πάν ζῶον οὐσία ἐστὶ, πᾶν ζῶον ἐμψυχόν ἐστι, τὶς ἄρα οὐσία ἐμψυχός ἐστιν*. At 382. 18 we have a complex syllogism in four variable terms with *ἄρα*: *τὸ Α παντὶ τῷ Β, τὸ Β παντὶ τῷ Γ, τὸ Α οὐδενὶ τῷ Δ, τὸ ἄρα Α οὐδενὶ τῷ Γ*.

be sure that the author is either ignorant of logic or has never seen the Greek text of the *Organon*. Scholars like Waitz, the modern editor and commentator of the *Organon*, Trendelenburg, the compiler of the *Elementa logices Aristoteleae*, Prantl, the historian of logic, all knew the Greek text of the *Organon* well, but nevertheless they did not see the difference between the Aristotelian and the traditional syllogism. Only Maier seems to have felt for a moment that something is wrong here, when he asks for permission to replace the Aristotelian syllogism by the more familiar and more convenient form of the later logic; immediately afterwards he quotes the mood Barbara in its usual traditional form, neglecting differences he has seen between this form and that of Aristotle, and does not even say what differences he has seen.¹ When we realize that the difference between a thesis and a rule of inference is from the standpoint of logic a fundamental one, we must agree that an exposition of Aristotelian logic which disregards it cannot be sound. We have to this day no genuine exposition of Aristotelian logic.

It is always easy to deduce from an implicational thesis the corresponding rule of inference. Let us suppose that an implicational proposition 'If α , then β ' is true: if α is true, we can always get β by detachment, so that the rule ' α therefore β ' is valid. When the antecedent of an implicational thesis is a conjunction, as in the Aristotelian syllogisms, we must first change the conjunctive form 'If α and β , then γ ' into the purely implicational form 'If α , then if β , then γ '. A moment of reflection is sufficient to convince ourselves that this transformation is correct. Supposing now that α and β are true premisses of a syllogism, we get the conclusion γ , applying the rule of detachment twice to the purely implicational form of the syllogism. If, therefore, an Aristotelian syllogism of the form 'If α and β , then γ ' is true, the corresponding traditional mood of the form ' α , β , therefore γ ' is valid. But conversely, it seems impossible to deduce the corre-

¹ Maier, op. cit., vol. ii a, p. 74, n. 2: 'Es ist vielleicht gestattet, hier und im Folgenden die geläufigere Darstellungsform der späteren Logik, die zugleich leichter zu handhaben ist, an die Stelle der aristotelischen zu setzen.' The mood Barbara is quoted *ibid.*, p. 75, thus:

alles B ist A
 alles C ist B
 —————
 alles C ist A

where the stroke replaces the word 'therefore'.

sponding Aristotelian syllogism from a valid traditional mood by known logical rules.

§ 9. *The syllogistic figures*

There are some controversial problems connected with the Aristotelian logic that are of historical interest without having any great logical importance. Among these is the problem of the syllogistic figures. The division of the syllogisms into figures has, in my opinion, only a practical aim: we want to be sure that no true syllogistic mood is omitted.

Aristotle divided the syllogistic moods into three figures. The shortest and clearest description of these figures is to be found not in the systematic part of the *Prior Analytics* but in the later chapters of that work. If we want, Aristotle says, to prove *A* of *B* syllogistically, we must take something common in relation to both, and this is possible in three ways: by predicating either *A* of *C* and *C* of *B*, or *C* of both, or both of *C*. These are the figures of which we have spoken, and it is clear that every syllogism must be made in one or other of these figures.¹

It follows from this that *A* is the predicate and *B* the subject of the conclusion we have to prove syllogistically. *A* is called, as we shall see later, the major term and *B* the minor; *C* is the middle term. The position of the middle term as subject or predicate of the premisses is the principle by which Aristotle divides the syllogistic moods into figures. Aristotle says explicitly that we shall recognize the figure by the position of the middle term.² In the first figure the middle term is the subject of the major term and the predicate of the minor term, in the second figure it is the predicate, and in the last figure the subject, of both the other terms. Aristotle, however, is mistaken when he says that every syllogism must be in one of these three figures. There is a fourth possibility, viz. that the middle term is the predicate of the major term and the subject of the minor term. Moods of this kind are now spoken of as belonging to the fourth figure.

In the above passage Aristotle has overlooked this fourth

¹ *Ap. pr.* i. 23, 40^b30 εἰ δὲ δέοι τὸ *A* κατὰ τοῦ *B* συλλογίσασθαι ἢ ὑπάρχον ἢ μὴ ὑπάρχον, ἀνάγκη λαβεῖν τι κατὰ τινος. 41^a13 εἰ οὖν ἀνάγκη μὲν τι λαβεῖν πρὸς ἀμφοῖν κοινόν, τοῦτο δ' ἐνδέχεται τριχῶς (ἢ γὰρ τὸ *A* τοῦ *Γ* καὶ τὸ *Γ* τοῦ *B* κατηγορήσαντας, ἢ τὸ *Γ* κατ' ἀμφοῖν, ἢ ἀμφοῖν κατὰ τοῦ *Γ*), ταῦτα δ' ἐστὶ τὰ εἰρημένα σχήματα, φανερόν δι' ὅτι πάντα συλλογισμὸν ἀνάγκη γίνεσθαι διὰ τούτων τινὸς τῶν σχημάτων.

² *Ibid.* 32, 47^b13 τῇ τοῦ μέσου θέσει γνωριζόμεν τὸ σχῆμα.

possibility, although a few chapters farther on he himself gives a proof by a syllogism in the fourth figure. It is the same problem again: we have to prove *A* of *E* syllogistically, where *A* is the major term and *E* the minor. Aristotle gives practical indications how to solve this problem. We must construct a list of universal propositions having the terms *A* and *E* as subjects or predicates. In this list we shall have four types of universal affirmative proposition (I omit the negative propositions), '*B* belongs to all *A*', '*A* belongs to all *C*', '*Z* belongs to all *E*', and '*E* belongs to all *H*'. Each of the letters *B*, *C*, *Z*, and *H* represents any term fulfilling the above conditions. When we find among the *C*'s a term identical with a term among the *Z*'s, we get two premisses with a common term, say *Z*: '*A* belongs to all *Z*' and '*Z* belongs to all *E*', and the proposition '*A* belongs to all *E*' is proved in the mood Barbara. Let us now suppose that we cannot prove the universal proposition '*A* belongs to all *E*', as the *C*'s and *Z*'s have no common term, but we want at least to prove the particular proposition '*A* belongs to some *E*'. We can prove it in two different ways: if there is a term among the *C*'s identical with a term among the *H*'s, say *H*, we get the mood Darapti of the third figure: '*A* belongs to all *H*', '*E* belongs to all *H*', therefore '*A* must belong to some *E*'. But there is still another way when we find among the *H*'s a term identical with a term among the *B*'s, say *B*; we then get a syllogism with the premisses '*E* belongs to all *B*' and '*B* belongs to all *A*', from which we deduce the proposition '*A* belongs to some *E*' by converting the conclusion '*E* belongs to all *A*' obtained from these premisses by the mood Barbara.¹

This last syllogism: 'If *E* belongs to all *B* and *B* belongs to all *A*, then *A* belongs to some *E*', is a mood neither of the first figure nor of the second or third. It is a syllogism where the middle term

¹ *An. pr.* i. 28, 44^a12-35 ἔστω γὰρ τὰ μὲν ἐπόμενα τῷ *A* ἐφ' ὧν *B*, οἷς δ' αὐτὸ ἔπεται, ἐφ' ὧν *Γ*. . . . πάλιν δὲ τῷ *E* τὰ μὲν ὑπάρχοντα, ἐφ' οἷς *Z*, οἷς δ' αὐτὸ ἔπεται, ἐφ' οἷς *H*. . . . εἰ μὲν οὖν ταῦτό τι ἔσται τῶν *Γ* τινὶ τῶν *Z*, ἀνάγκη τὸ *A* παντὶ τῷ *E* ὑπάρχειν· τὸ μὲν γὰρ *Z* παντὶ τῷ *E*, τῷ δὲ *Γ* παντὶ τὸ *A*, ὥστε παντὶ τῷ *E* τὸ *A*. εἰ δὲ τὸ *Γ* καὶ τὸ *H* ταῦτόν, ἀνάγκη τινὶ τῶν *E* τὸ *A* ὑπάρχειν· τῷ μὲν γὰρ *Γ* τὸ *A*, τῷ δὲ *H* τὸ *E* παντὶ ἀκολουθεῖ. . . . εἰ δὲ τῷ *H* τὸ *B* ταῦτόν, ἀντεστραμμένος ἔσται συλλογισμός· τὸ μὲν γὰρ *E* τῷ *A* ὑπάρξει παντὶ, τὸ γὰρ *B* τῷ *A*, τὸ δὲ *E* τῷ *B* (ταῦτό γὰρ ἦν τῷ *H*). τὸ δὲ *A* τῷ *E* παντὶ μὲν οὐκ ἀνάγκη ὑπάρχειν, τινὶ δ' ἀνάγκη διὰ τὸ ἀντιστρέφειν τὴν καθόλου κατηγορίαν τῇ κατὰ μέρος. I read τὴν καθόλου κατηγορίαν τῇ with codex B (see Waitz, i. 196; the footnote in Bekker to 44^a34 seems to be a misprint) and Alexander 306. 16 against τῇ καθόλου κατηγορίᾳ τὴν in Bekker and Waitz. I am glad to see that this reading is also accepted by Sir David Ross.

B is the predicate of the major term *A* and the subject of the minor term *E*. It is the mood Bramantip of the fourth figure. Nevertheless it is as valid as any other Aristotelian mood. Aristotle calls it a 'converted syllogism' (*ἀντεστραμμένος συλλογισμός*) because he proves this mood by converting the conclusion of the mood *Barbara*. There are two other moods, *Camestres* of the second figure and *Disamis* of the third, which Aristotle proves in the same manner, by converting the conclusion of moods of the first figure. Let us consider the proof of *Disamis*: 'If *R* belongs to all *S* and *P* belongs to some *S*, then *P* belongs to some *R*'. As the second premiss can be converted into '*S* belongs to some *P*', we get by the mood *Darii* the conclusion '*R* belongs to some *P*'. By converting this conclusion into '*P* belongs to some *R*' we get the proof of *Disamis*. Aristotle here applies the conversion to the conclusion of the mood *Darii*, which gives another syllogism of the fourth figure called *Dimaris*: 'If *R* belongs to all *S* and *S* belongs to some *P*, then *P* belongs to some *R*.'¹

All these deductions are logically correct, and so are the moods obtained by their means. Aristotle knows, indeed, that besides the fourteen moods of the first, second, and third figures established by him systematically in the early chapters of the *Prior Analytics* there are still other true syllogisms. Two of them are quoted by him at the end of this systematic exposition. It is evident, he says, that in all the figures, whenever a syllogism does not result, if both the terms are affirmative or negative nothing necessary follows at all, but if one is affirmative, the other negative, and if the negative is stated universally, a syllogism always results linking the minor to the major term, e.g. if *A* belongs to all or some *B*, and *B* belongs to no *C*; for if the premisses are converted it is necessary that *C* does not belong to some *A*.² From the second premiss

¹ *An. pr.* i. 6, 28^b7 εἰ γὰρ τὸ μὲν *P* παντὶ τῷ *Σ* τὸ δὲ *Π* τινί, ἀνάγκη τὸ *Π* τινὶ τῷ *P* ὑπάρχειν. ἐπεὶ γὰρ ἀντιστρέφει τὸ καταφατικόν, ὑπάρξει τὸ *Σ* τινὶ τῷ *Π*, ὥστ' ἐπεὶ τὸ μὲν *P* παντὶ τῷ *Σ*, τὸ δὲ *Σ* τινὶ τῷ *Π*, καὶ τὸ *P* τινὶ τῷ *Π* ὑπάρξει. ὥστε τὸ *Π* τινὶ τῷ *P*. This passage refutes the assertion of Friedrich Solmsen that Aristotle was not willing to apply the procedure of conversion to the conclusion. *Die Entstehung der aristotelischen Logik und Rhetorik*, Berlin (1929), p. 55: 'Die Umkehrung dringt in die conclusio ein, in der Aristoteles sie nicht kennen wollte.'

² *An. pr.* i. 7, 29^a19 δῆλον δὲ καὶ ὅτι ἐν ἅπασιν τοῖς σχήμασιν, ὅταν μὴ γίνηται συλλογισμός, κατηγορικῶν μὲν ἢ στερητικῶν ἀμφοτέρων ὄντων τῶν ὄρων οὐδὲν ὅλως γίνεται ἀναγκαῖον, κατηγορικῶν δὲ καὶ στερητικῶν, καθόλου ληφθέντος τοῦ στερητικῶν, αἰ γίνεσθαι συλλογισμός τοῦ ἐλάττονος ἄκρου πρὸς τὸ μείζον, ὅλον εἰ τὸ μὲν *A* παντὶ τῷ *B* ἢ τινί, τὸ δὲ *B* μηδενὶ τῷ *Γ*. ἀντιστρεφόμενων γὰρ τῶν προτάσεων ἀνάγκη τὸ *Γ* τινὶ τῷ *A* μὴ ὑπάρχειν.

given here by Aristotle we get by conversion the proposition 'C belongs to no B', from the first premiss we get 'B belongs to some A', and from these two propositions results, according to the mood Ferio of the first figure, the conclusion 'C does not belong to some A'. Two new syllogistic moods are thus proved, called later Fesapo and Fresison:

If A belongs to all B and B belongs to no C, then C does not belong to some A.	If A belongs to some B and B belongs to no C, then C does not belong to some A.
---	--

Aristotle calls the minor term C and the major term A because he treats the premisses from the point of view of the first figure. He says, therefore, that from the given premisses a conclusion results in which the minor term is predicated of the major.

Three other syllogisms belonging to the fourth figure are mentioned by Aristotle at the beginning of Book II of the *Prior Analytics*. Aristotle states here that all universal syllogisms (i.e. syllogisms with a universal conclusion) give more than one result, and of particular syllogisms the affirmative yield more than one, the negative yield only one conclusion. For all premisses are convertible except the particular negative; and the conclusion states something about something. Consequently all syllogisms except the particular negative yield more than one conclusion, e.g. if A has been proved to belong to all or to some B, then B must belong to some A; and if A has been proved to belong to no B, then B belongs to no A. This is a different conclusion from the former. But if A does not belong to some B, it is not necessary that B should not belong to some A, for it may possibly belong to all A.¹

We see from this passage that Aristotle knows the moods of the fourth figure, called later Bramantip, Camenes, and Dimaris, and that he gets them by conversion of the conclusion of the moods Barbara, Celarent, and Darii. The conclusion of a syllogism is a proposition stating something about something, i.e. a premiss, and therefore the laws of conversion can be applied to it.

¹ *An. pr. ii. 1, 53^a4* οἱ μὲν καθόλου (scil. συλλογισμοί) πάντες αἰ πλείω συλλογίζονται, τῶν δ' ἐν μέρει οἱ μὲν κατηγορικοὶ πλείω, οἱ δ' ἀποφατικοὶ τὸ συμπέρασμα μόνον. αἱ μὲν γὰρ ἄλλαι προτάσεις ἀντιστρέφουσιν, ἡ δὲ στερητικὴ οὐκ ἀντιστρέφει· τὸ δὲ συμπέρασμα τι κατὰ τινὸς ἐστίν. ὥσθ' οἱ μὲν ἄλλοι συλλογισμοὶ πλείω συλλογίζονται, οἷον εἰ τὸ A δέδεικται παντὶ τῷ B ἢ τινί, καὶ τὸ B τινὶ τῷ A ἀναγκαῖον ὑπάρχειν· καὶ εἰ μηδενὶ τῷ B τὸ A, οὐδὲ τὸ B οὐδενὶ τῷ A. τοῦτο δ' ἕτερον τοῦ ἐμπροσθεν. εἰ δὲ τινὶ μὴ ὑπάρχει, οὐκ ἀνάγκη καὶ τὸ B τινὶ τῷ A μὴ ὑπάρχειν· ἐνδέχεται γὰρ παντὶ ὑπάρχειν.

It is important that propositions of the type '*A* belongs to no *B*' and '*B* belongs to no *A*' are regarded by Aristotle as different.

It follows from these facts that Aristotle knows and accepts all the moods of the fourth figure. This must be emphasized against the opinion of some philosophers that he rejected these moods. Such a rejection would be a logical error which cannot be imputed to Aristotle. His only mistake is the omission of these moods in the systematic division of the syllogisms. We do not know why he did so. Philosophical reasons, as we shall see later, must be excluded. The most probable explanation is given, in my opinion, by Bocheński,¹ who supposes that Book I, chapter 7 and Book II, chapter 1 of the *Prior Analytics*, where these new moods are mentioned, were composed by Aristotle later than the systematic exposition of chapters 4–6 of Book I. This hypothesis seems to me the more probable, as there are many other points in the *Prior Analytics* suggesting that the contents of this work grew during its composition. Aristotle did not have time to draw up systematically all the new discoveries he had made, and left the continuation of his logical work to his pupil Theophrastus. Theophrastus, indeed, found for the moods of the fourth figure which are 'homeless' in Aristotle's system a place among the moods of the first figure.² For this purpose he had to introduce a slight modification into the Aristotelian definition of the first figure. Instead of saying that in the first figure the middle term is the subject of the major and the predicate of the minor, as Aristotle does,³ he said generally that in the first figure the middle term is the subject of one premiss and the predicate of another. Alexander repeats this definition, which probably comes from Theophrastus, and seems not to see that it differs from the Aristotelian description of the first figure.⁴ The correction of

¹ I. M. Bocheński, O.P., *La Logique de Théophraste*, Collectanea Friburgensia, Nouvelle Série, fasc. xxxii, Fribourg en Suisse (1947), p. 59.

² Alexander 69. 27 Θεόφραστος δὲ προστίθειν ἄλλους πέντε τοῖς τέσσαρσι τοῖτοις οὐκέτι τελείους οὐδ' ἀναποδείκτους ὄντας, ὧν μνημονεύει καὶ ὁ Ἀριστοτέλης, τῶν μὲν ἐν τούτῳ τῷ βιβλίῳ προελθόντων, τῶν δὲ ἐν τῷ μετὰ τοῦτο τῷ δευτέρῳ κατ' ἀρχάς. Cf. *ibid.* 110. 12.

³ Cf. p. 23, n. 1.

⁴ Alexander 258. 17 (ad i. 23) ἡ δὲ τοῦ μέσου σχέσις πρὸς τὰ, ὧν λαμβάνεται μέσον, τριχῶς γίνεται (ἡ γὰρ ἐν μέσῳ τίθεται αὐτῶν τῷ μὲν ὑποκείμενος αὐτῶν τοῦ δὲ κατηγορούμενος, ἡ ἀμφοτέρων κατηγορεῖται, ἡ ἀμφοτέροις ὑπόκειται). *Ibid.* 349. 5 (ad i. 32) ἂν μὲν γὰρ ὁ μέσος ἐν ἀμφοτέροις ὧν ταῖς προτάσεσιν οὕτως ἢ ὡς τοῦ μὲν κατηγορεῖσθαι αὐτῶν τῷ δὲ ὑποκείσθαι, πρῶτον ἔσται σχῆμα.

Theophrastus is as good a solution of the problem of the syllogistic figures as the addition of a new figure.

§ 10. *The major, middle, and minor terms*

There is still another error committed by Aristotle in the *Prior Analytics*, with more serious consequences. It concerns the definition of the major, minor, and middle terms as given in his characterization of the first figure. This begins with the words: 'Whenever three terms are so related to one another that the last is contained in the middle and the middle is contained or not in the first, the extremes must form a perfect syllogism.' This is how he begins; in the next sentence he explains what he means by the middle term: 'I call that term the middle which is itself contained in another and contains another in itself, which by position also becomes the middle.'¹ Aristotle then investigates the syllogistic forms of the first figure with universal premisses without using the expressions 'major term' and 'minor term'. These expressions occur for the first time when he comes to the moods of the first figure with particular premisses. Here we find the following explanations: 'I call that term the major in which the middle term is contained and that term the minor which comes under the middle.'² These explanations of the major and the minor term, like that of the middle term, are expressed quite generally. It would seem that Aristotle intends to apply them to all moods of the first figure.³ If he thought, however, that they are capable of covering all cases, he was mistaken.

In fact these explanations can be applied only to syllogisms of the mood Barbara with concrete terms and true premisses, e.g.:

- (1) If all birds are animals
and all crows are birds,
then all crows are animals.

In this syllogism there is a term, 'bird', which is itself contained in another term, 'animal', and contains in itself a third term,

¹ *An. pr.* i. 4, 25^b32 όταν οὖν ὅροι τρεῖς οὕτως ἔχωσι πρὸς ἀλλήλους ὥστε τὸν ἔσχατον ἐν ὅλῳ εἶναι τῷ μέσῳ καὶ τὸν μέσον ἐν ὅλῳ τῷ πρώτῳ ἢ εἶναι ἢ μὴ εἶναι, ἀνάγκη τῶν ἄκρων εἶναι συλλογισμὸν τέλειον. καλῶ δὲ μέσον μὲν ὁ καὶ αὐτὸ ἐν ἄλλῳ καὶ ἄλλο ἐν τούτῳ ἔστί, ὁ καὶ τῇ θέσει γίνεται μέσον.

² *Ibid.*, 26^a21 λέγω δὲ μεῖζον μὲν ἄκρον ἐν ᾧ τὸ μέσον ἔστί, ἐλαττον δὲ τὸ ὑπὸ τὸ μέσον ὄν.

³ Maier, *op. cit.*, vol. ii a, pp. 49, 55, really treats them as definitions valid for all the moods of the first figure.

'crow'. According to the given explanation 'bird' would be the middle term. Consequently 'animal' would be the major term and 'crow' the minor term. It is evident that the major term is so called because it is the largest in extent, as the minor term is the smallest.

We know, however, that syllogisms with concrete terms are only applications of logical laws, but do not belong to logic themselves. The mood Barbara as a logical law must be stated with variables:

- (2) If all B is A
and all C is B ,
then all C is A .

To this logical law the given explanations are not applicable, because it is not possible to determine extensional relations between variables. It may be said that B is the subject in the first premiss and the predicate in the second, but it cannot be stated that B is contained in A or that it contains C ; for the syllogism (2) is true for all values of the variables A , B , and C , even for those which do not verify its premisses. Take 'bird' for A , 'crow' for B , and 'animal' for C : you get a true syllogism:

- (3) If all crows are birds
and all animals are crows,
then all animals are birds.

The extensional relations of the terms 'crow', 'bird', and 'animal' are of course independent of syllogistic moods and remain the same in syllogism (3) as they were in (1). But the term 'bird' is no longer the middle term in (3) as it was in (1); 'crow' is the middle term in (3) because it occurs in both premisses, and the middle term must be common to both premisses. This is the definition of the middle term accepted by Aristotle for all figures.¹ This general definition is incompatible with the special explanation given by Aristotle for the first figure. The special explanation of the middle term is obviously wrong. It is evident also that the explanations of the major and minor terms which Aristotle gives for the first figure are wrong, too.

Aristotle does not give a definition of the major and minor terms valid for all figures; but practically he treats the predicate

¹ *An. pr. i. 32, 47^a38 μέσον δὲ θετέον τῶν ὄρων τὸν ἐν ἀμφοτέροις ταῖς προτάσεσι λεγόμενον· ἀνάγκη γὰρ τὸ μέσον ἐν ἀμφοτέροις ὑπάρχειν ἐν ἅπασι τοῖς σχήμασιν.*

of the conclusion as the major term and the subject of the conclusion as the minor term. It is easy to see how misleading this terminology is: in syllogism (3) the major term 'bird' is smaller in extension than the minor term 'animal'. If the reader feels a difficulty in accepting syllogism (3) because of its false minor, he may read 'some animals' instead of 'all animals'. The syllogism:

- (4) If all crows are birds
and some animals are crows,
then some animals are birds

is a valid syllogism of the mood *Darii* with true premisses. And here again, as in syllogism (3), the largest term 'animal' is the minor term; 'bird', middle in extension, is the major term; and the smallest term, 'crow', is the middle term.

The difficulties we have already met are still greater when we take as examples syllogisms with negative premisses, e.g. the mood *Celarent*:

- If no *B* is *A*
and all *C* is *B*,
then no *C* is *A*.

B is the middle term; but does it fulfil the conditions laid down by Aristotle for the middle term of the first figure? Certainly not. And which of the terms, *C* or *A*, is the major and which is the minor? How can we compare these terms with respect to their extension? There is no positive answer to these last questions, as they spring from a mistaken origin.¹

§ 11. *The history of an error*

The faulty definition of the major and the minor terms, given by Aristotle for the first figure, and the misleading terminology he adopts, were already in antiquity a source of difficulty. The problem arose in the case of the second figure. All the moods of

¹ We have no guarantee, as Keynes (op. cit., p. 286) justly remarks, that the major term will be the largest in extension and the minor the smallest, when one of the premisses is negative or particular. Thus, Keynes continues, 'the syllogism—No *M* is *P*, All *S* is *M*, therefore, No *S* is *P*—yields as one case [here there follows a diagram representing three circles *M*, *P*, and *S*, a large *S* included in a larger *M*, outside of them a small *P*] where the major term may be the smallest in extent, and the middle the largest.' Keynes forgets that it is not the same to draw a small circle *P* outside of a large circle *S* and to maintain that the term *P* is smaller in extent than the term *S*. Terms can be compared with respect to their extent only in the case when one of them is contained in the other.

this figure have a negative conclusion and the first two moods, called later Cesare and Camestres, yield a universal negative conclusion. From the premisses ' M belongs to all N ' and ' M belongs to no X ' follows the conclusion ' X belongs to no N ', and by conversion of this result we get a second conclusion, ' N belongs to no X '. In both syllogisms M is the middle term; but how are we to decide which of the two remaining terms, N and X , is the major term and which is the minor? Do major and minor terms exist 'by nature' (φύσει) or only 'by convention' (θέσει)?¹

Such problems, according to Alexander, were raised by the later Peripatetics. They saw that in universal affirmative premisses there can be a major term by nature, because in such premisses the predicate is larger in extension (ἐπὶ πλέον) than the subject, but the same is not true in universal negative premisses.² We cannot know, for instance, which of the terms 'bird' or 'man' is major, because it is equally true that 'no bird is a man' and that 'no man is a bird'. Herminus, the teacher of Alexander, tried to answer this question by modifying the meaning of the expression 'major term'. He says that of two such terms, 'bird' and 'man', that is the major which in a systematic classification of the animals is nearer to the common genus 'animal'. In our example it is the term 'bird'.³ Alexander is right when he rejects this theory and its further elaboration given by Herminus, but he also rejects the opinion that the major term is the predicate of the conclusion. The major term, he says, would not be fixed in this case, as the universal negative premiss is convertible, and what till now has been a major term instantly becomes a minor, and it would depend upon us to make the same term major and minor.⁴ His own solution is based on the assumption that when we are forming a syllogism we are choosing premisses for a given problem

¹ Alexander 72. 17 ζητεῖται, εἰ φύσει ἐν δευτέρῳ σχήματι μείζων τίς ἐστί καὶ ἐλάττω ἀκρος, καὶ τίνι οὗτος κριθήσεται.

² Ibid. 72. 24 ἐπὶ μὲν γὰρ τῶν καταφατικῶν μείζων ὁ κατηγορούμενος καθόλου, ὅτι καὶ ἐπὶ πλέον· διὰ τούτου γὰρ οὐδὲ ἀντιστρέφει· ὥστε φύσει αὐτῷ τὸ μείζονα εἶναι ὑπάρχει. ἐπὶ δὲ τῶν καθόλου ἀποφατικῶν οὐκέτι τοῦτο ἀληθές.

³ Ibid. 27 'Ερμῖνος οἶεται, ἐν δευτέρῳ σχήματι τὸν μείζονα ἄκρον εἶναι . . . τὸν ἐγγύτερον τοῦ κοινοῦ γένους αὐτῶν (ἀν γὰρ ὡσιν οἱ ἄκροι ὄρνεον καὶ ἄνθρωπος, ἐγγυτέρῳ τοῦ κοινοῦ γένους αὐτῶν, τοῦ ζῴου, τὸ ὄρνεον τοῦ ἀνθρώπου καὶ ἐν τῇ πρώτῃ διαίρῃ, διὸ καὶ μείζων ἄκρος τὸ ὄρνεον).

⁴ Ibid. 75. 10 ἀλλ' οὐδὲ ἀπλῶς πάλιν ῥητέον μείζονα τὸν ἐν τῷ συμπεράσματι τοῦ συλλογισμοῦ κατηγορούμενον, ὡς δοκεῖ τισιν· οὐδὲ γὰρ οὗτος δηλός· ἄλλοτε γὰρ ἄλλος ἔσται καὶ οὐχ ὠρισμένος τῷ ἀντιστρέφειν τὴν καθόλου ἀποφατικὴν, καὶ ὁ τέως μείζων αὐθις ἐλάττω, καὶ ἐφ' ἡμῖν ἔσται τὸν αὐτὸν καὶ μείζων καὶ ἐλάττω ποιεῖν.

conceived as the conclusion. The predicate of this conclusion is the major term, and it does not matter whether we afterwards convert this conclusion or not: in the problem as first given the major term was and remains the predicate.¹ Alexander forgets that when we are forming a syllogism we are not always choosing premisses for a given conclusion, but sometimes we are deducing new conclusions from given premisses.

The problem was settled only after Alexander. What John Philoponus writes on the subject deserves to be regarded as classic. According to him we may define the major and the minor term either for the first figure alone or for all the three figures together. In the first figure the major term is the predicate of the middle and the minor is the subject of the middle. Such a definition cannot be given for the other two figures because the relations of the extremes to the middle term are in the other figures the same. We must therefore accept as a common rule for all figures that the major term is the predicate of the conclusion and the minor term is the subject of the conclusion.² That this rule is only a convention follows from another passage of Philoponus, where we read that the universal moods of the second figure have a major and a minor term only by convention, but not by nature.³

§ 12. *The order of the premisses*

Around the Aristotelian logic arose some queer philosophical prejudices which cannot be explained rationally. One of them is directed against the fourth figure, disclosing sometimes a strange aversion to it, another is the odd opinion that in all syllogisms the major premiss should be stated first.

¹ Alexander 75. 26 τὸν δὴ ἐν τῷ προκειμένῳ προβλήματι εἰς τὴν δεῖξιν κατηγορούμενον τοῦτο θετέον μέλλονα· καὶ γὰρ εἰ ἀντιστρέφει καὶ διὰ τοῦτο γίνεται ὁ αὐτὸς καὶ ὑποκείμενος, ἀλλ' ἐν γὰρ τῷ ἡμῖν εἰς τὸ δεῖξαι προκειμένῳ κατηγορούμενος ἦν τε καὶ μένει.

² Philoponus 67. 19 ἰδωμεν πρότερον καὶ τίς ἐστὶ μέζων ὁρος καὶ τίς ἐλάττω. τοῦτο δὲ δυνατόν μὲν καὶ κοινῶς ἐπὶ τῶν τριῶν σχημάτων διορίσασθαι καὶ ἰδίᾳ ἐπὶ τοῦ πρώτου. καὶ ἰδίᾳ μὲν ἐπὶ τοῦ πρώτου σχήματος μέζων ὁρος ἐστὶν ὁ τοῦ μέσου κατηγορούμενος, ἐλάττω δὲ ὁ τῷ μέσῳ ὑποκείμενος. καὶ τοῦτο μὲν ἰδιαζόντως ἐπὶ τοῦ πρώτου λέγομεν, ἐπειδὴ ὁ μέσος ἐν τῷ πρώτῳ τοῦ μὲν κατηγορεῖται τῷ δὲ ὑπόκειται. ἀλλ' ἐπειδὴ κατ' οὐδέτερον τῶν ἄλλων σχημάτων διάφορον ἔχουσι σχέσιν οἱ ἄκροι πρὸς τὸν μέσον, δηλὸν ὅτι οὐκέτι ἀρμόσει ἡμῖν οὗτος ὁ προσδιορισμὸς ἐπ' ἐκείνων. χρηστὸν οὖν κοινῶς κανόνι ἐπὶ τῶν τριῶν σχημάτων τούτῳ, ὅτι μέζων ἐστὶν ὁρος ὁ ἐν τῷ συμπεράσματι κατηγορούμενος, ἐλάττω δὲ ὁ ἐν τῷ συμπεράσματι ὑποκείμενος.

³ Ibid. 87. 10 τὸ δὲ μέζων ἄκρον ἐν τούτῳ τῷ σχήματι τῶν δύο προτάσεων καθόλου οὐσῶν οὐκ ἐστὶ φύσει ἀλλὰ θέσει.

From the standpoint of logic the order of the premisses in the Aristotelian syllogisms is arbitrary, because the premisses of the syllogism form a conjunction and the members of a conjunction are commutable. It is only a convention that the major premiss is stated first. Nevertheless, some philosophers, like Waitz or Maier, maintain that the order of the premisses is fixed. Waitz censures Apuleius for having changed this order,¹ and Maier rejects Trendelenburg's opinion that Aristotle does not tie it down.² No arguments are given in either case.

I do not know who is the author of the opinion that the order of the premisses is fixed. Certainly it is not Aristotle. Although Aristotle has not given a definition of the major and minor terms valid for all the three figures, it is always easy to determine which term and which premiss are regarded by him as the major and which as the minor. Aristotle, in his systematic exposition of the syllogistic, uses different letters to denote different terms; for each figure he puts them in alphabetical order (*θείσις*) and says explicitly which term is denoted by a given letter. We have thus for the first figure the letters *A, B, C*; *A* is the major term, *B* the middle, and *C* the minor.³ For the second figure we have the letters *M, N, X*, where *M* is the middle term, *N* the major, and *X* the minor.⁴ For the third figure we have the letters *P, R, S*, where *P* is the major term, *R* the minor, and *S* the middle.⁵

¹ Waitz, op. cit., vol. i, p. 380: 'Appuleius in hunc errorem se induci passus est, ut propositionum ordinem immutaverit.'

² Maier, op. cit., vol. ii 4, p. 63: 'Darnach ist Trendelenburg's Auffassung, dass Aristoteles die Folge der Prämissen frei lasse, falsch. Die Folge der Prämissen ist vielmehr festgelegt.' It is not clear to me what reasons he refers to by *darnach*.

³ This follows from the definition given by Aristotle for the first figure; see p. 28, n. 1. Cf. Alexander 54. 12 ἔστω γὰρ μείζων μὲν ἄκρος τὸ *A*, μέσος δὲ ὅρος τὸ *B*, ἐλάττω δὲ ἄκρος τὸ *Γ*.

⁴ An. pr. i. 5, 26^b34 ὅταν δὲ τὸ αὐτὸ τῷ μὲν παντὶ τῷ δὲ μηδενὶ ὑπάρχη, ἡ ἐκατέρῳ παντὶ ἢ μηδενὶ, τὸ μὲν σχῆμα τὸ τοιοῦτον καλῶ δεύτερον, μέσον δὲ ἐν αὐτῷ λέγω τὸ κατηγορούμενον ἀμφοῖν, ἄκρα δὲ καθ' ὧν λέγεται τοῦτο, μείζων δὲ ἄκρον τὸ πρὸς τῷ μέσῳ κείμενον, ἐλάττω δὲ τὸ πορρωτέρω τοῦ μέσου. τίθεται δὲ τὸ μέσον ἕξω μὲν τῶν ἄκρων, πρῶτον δὲ τῇ θέσει. Cf. Alexander 78. 1 χρήται γὰρ στοιχείοις οὐ τοῖς *A, B, Γ*, οἷς ἐν τῷ πρώτῳ σχήματι, ἀλλὰ τοῖς *M, N, Ξ*, μέσον μὲν λαμβάνων τὸ *M* τὸ ἀμφοτέρων κατηγορούμενον καὶ τὴν πρῶτην ἔχον τάξιν ἐν τῇ καταγραφῇ, μείζονα δὲ ἄκρον τὸ *N* ἐφεξῆς κείμενον μετὰ τὸν μέσον, ἔσχατον δὲ καὶ ἐλάττωνα τὸ *Ξ*.

⁵ An. pr. i. 6, 28^a10 ἐὰν δὲ τῷ αὐτῷ τὸ μὲν παντὶ τὸ δὲ μηδενὶ ὑπάρχη, ἡ ἀμφὶ παντὶ ἢ μηδενὶ, τὸ μὲν σχῆμα τὸ τοιοῦτον καλῶ τρίτον, μέσον δ' ἐν αὐτῷ λέγω καθ' οὗ ἀμφὶ τὰ κατηγορούμενα, ἄκρα δὲ τὰ κατηγορούμενα, μείζων δ' ἄκρον τὸ πορρωτέρων τοῦ μέσου, ἐλάττω δὲ τὸ ἐγγύτερον. τίθεται δὲ τὸ μέσον ἕξω μὲν τῶν ἄκρων, ἔσχατον δὲ τῇ θέσει. Cf. Alexander 98. 20 ἐπὶ τοῦτου τοῦ σχήματος πάλιν χρήται στοιχείοις

Aristotle states the major premiss first in all the moods of the first and the second figure, and in two moods of the third figure, Darapti and Ferison.¹ In the remaining moods of the third figure, Felapton, Disamis, Datisi, and Bocardo, the minor premiss is stated first.² The most conspicuous example is the mood Datisi. This mood is formulated in the same chapter twice; in both formulations the letters are the same, but the premisses are inverted. The first formulation runs: 'If *R* belongs to some *S*, and *P* to all *S*, *P* must belong to some *R*.'³ The first premiss of this syllogism is the minor premiss, for it contains the minor term *R*. The second formulation reads: 'If *P* belongs to all *S*, and *R* to some *S*, then *P* will belong to some *R*.'⁴ The first premiss of this second syllogism is the major premiss, as it contains the major term *P*. Attention must be called to the fact that this second formulation is given only occasionally, while the standard formula of this mood, belonging to the systematic exposition, is enunciated with transposed premisses.

In Book II of the *Prior Analytics* we meet other moods with transposed premisses, as Darii,⁵ Camestres,⁶ Baroco.⁷ Even Barbara, the main syllogism, is occasionally quoted by Aristotle with the minor premiss first.⁸ I can hardly understand, in view of these examples, how some philosophers knowing the Greek text of the *Organon* could have formed and maintained the opinion that the order of the premisses is fixed and the major premiss must be stated first. It seems that philosophical prejudices may sometimes destroy not only common sense but also the faculty of seeing facts as they are.

§ 13. *Errors of some modern commentators*

The story of the fourth figure may serve as another example to

τοῖς Π, Ρ, Σ, καὶ ἔστιν αὐτῷ τοῦ μὲν μείζονος ἄκρου σημαντικὸν τὸ Π, τοῦ δὲ ἐλάττωνος καὶ ὀφείλοντος ὑποκείσθαι ἐν τῷ γινομένῳ συμπεράσματι τὸ Ρ, τοῦ δὲ μέσου τὸ Σ.

¹ See, for instance, p. 3, n. 2 (Barbara) and p. 10, n. 2 (Ferio).

² See p. 9, n. 4 (Felapton), and p. 7, n. (Disamis).

³ *An. pr.* i. 6, 28^b12 εἰ τὸ μὲν Ρ τινὶ τῷ Σ τὸ δὲ Π παντὶ ὑπάρχει, ἀνάγκη τὸ Π τινὶ τῷ Ρ ὑπάρχειν.

⁴ *Ibid.* 28^b26 εἰ γὰρ παντὶ τὸ Π τῷ Σ ὑπάρχει, τὸ δὲ Ρ τινὶ τῷ Σ, καὶ τὸ Π τινὶ τῷ Ρ ὑπάρξει.

⁵ *Ibid.* ii. 11, 61^b41 εἰ γὰρ τὸ Α τινὶ τῷ Β, τὸ δὲ Γ παντὶ τῷ Α, τινὶ τῷ Β τὸ Γ ὑπάρξει.

⁶ *Ibid.* ii. 8, 60^a3 εἰ τὸ Α μηδενὶ τῷ Γ, τῷ δὲ Β παντὶ, οὐδενὶ τῷ Γ τὸ Β.

⁷ *Ibid.* 60^a5 εἰ γὰρ τὸ Α τινὶ τῷ Γ μὴ ὑπάρχει, τῷ δὲ Β παντὶ, τὸ Β τινὶ τῷ Γ οὐχ ὑπάρξει.

⁸ See p. 10, n. 5.

show how strange philosophical prejudices sometimes are. Carl Prantl, the well-known historian of logic, begins his consideration of this figure with the following words: 'The question why silly playthings, as, for instance, the so-called Galenian fourth figure, are not to be found in Aristotle, is one we do not put at all; it plainly cannot be our task to declare at every step of the Aristotelian logic that this or that nonsense does not occur in it.'¹ Prantl does not see that Aristotle knows and accepts the moods of the so-called Galenian fourth figure and that it would be a logical error not to regard these moods as valid. But let us go farther. Commenting upon the passage where Aristotle speaks of the two moods later called Fesapo and Fresison,² Prantl first states these moods as rules of inference:

All <i>B</i> is <i>A</i> No <i>C</i> is <i>B</i>	Some <i>B</i> is <i>A</i> No <i>C</i> is <i>B</i>
----- Some <i>A</i> is not <i>C</i>	----- Some <i>A</i> is not <i>C</i>

—he does not, of course, see the difference between the Aristotelian and the traditional syllogism—and then he says: 'By transposition of the major premiss and the minor it becomes possible for the act of reasoning to begin'; and further: 'Such kinds of reasoning are, of course, not properly valid, because the premisses ordered as they were before the transposition are simply nothing for the syllogism.'³ This passage reveals, in my opinion, Prantl's entire ignorance of logic. He seems not to understand that Aristotle proves the validity of these moods not by transposing the premisses, i.e. by inverting their order, but by converting them, i.e. by changing the places of their subjects and predicates.

¹ Carl Prantl, *Geschichte der Logik im Abendlande*, vol. i, p. 272: 'Die Frage aber, warum einfältige Spielereien, wie z. B. die sog. Galenische vierte Figur, sich bei Aristoteles nicht finden, werfen wir natürlich gar nicht auf; . . . wir können selbstverständlicher Weise nicht die Aufgabe haben, bei jedem Schritte der aristotelischen Logik eigens anzugeben, dass dieser oder jener Unsinn sich bei Aristoteles nicht finde.'

² See p. 25, n. 2.

³ Prantl, *op. cit.*, vol. i, p. 276:

'Alles <i>B</i> ist <i>A</i> Kein <i>C</i> ist <i>B</i>	Einiges <i>B</i> ist <i>A</i> Kein <i>C</i> ist <i>B</i>
----- Einiges <i>A</i> ist nicht <i>C</i>	----- Einiges <i>A</i> ist nicht <i>C</i>

woselbst durch Vertauschung des Untersatzes mit dem Obersatze es möglich wird, dass die Thätigkeit des Schliessens beginne; . . . natürlich aber sind solches keine eigenen berechtigten Schlussweisen, denn in solcher Anordnung vor der Vornahme der Vertauschung sind die Prämissen eben einfach nichts für den Syllogismus.'

Moreover, it is out of place to say that, two premisses being given, the act of reasoning begins when one premiss is stated first, but no syllogism results when the other precedes. From the standpoint of logic Prantl's work is useless.

The same may be said of Heinrich Maier's work. His treatise on the syllogistic figures generally and the fourth figure in particular is in my opinion one of the most obscure chapters of his laborious but unfortunate book.¹ Maier writes that two opinions of the criterion for the syllogistic figures stand opposed to each other: one (especially Ueberweg) sees this criterion in the position of the middle term as subject or predicate, the other (especially Trendelenburg) sees it in the extensional relations of the middle term to the extremes. It is not yet settled, Maier says, which of these opinions is right.² He adopts the second as his own, relying on Aristotle's characterization of the first figure. We know already that this characterization is logically untenable. Maier not only accepts it, but modifies the Aristotelian characterizations of the two other figures according to the first. Aristotle describes the second figure somewhat carelessly as follows: 'Whenever the same term belongs to all of one subject and to none of the other, or to all of each subject, or to none of either, I call such a figure the second; by "middle term" in it I mean that which is predicated of both subjects, by "extremes" the terms of which this is said.'³ Maier remarks: 'When we reflect that the expressions "*B* is included in *A*", "*A* belongs to *B*", and "*A* is predicated of *B*" are interchangeable, then we may put this characterization according to the description of the first figure in the following words.'⁴ Maier commits here his first error: it is not true that the three expressions he quotes can be exchanged for each other. Aristotle states explicitly: 'To say that one term is included in another is the same as to say that the other is predicated of all of the first.'⁵ The expression '*B* is included in *A*' means, therefore,

¹ See Maier, *op. cit.*, vol. ii a, 'Die drei Figuren', pp. 47-71, and vol. ii b, 'Ergänzung durch eine 4. Figur mit zwei Formen', pp. 261-9.

² *Op. cit.*, vol. ii a, p. 48, n. 1.

³ See the Greek text on p. 33, n. 4.

⁴ *Op. cit.*, vol. ii a, p. 49: 'Erwägt man nämlich, dass die Ausdrücke "*B* liegt im Umfang von *A*", "*A* kommt dem Begriff *B* zu" und "*A* wird von *B* ausgesagt" mit einander vertauscht werden können, so lässt sich die Charakteristik der zweiten Figur, welche der Beschreibung der ersten parallel gedacht ist, auch so fassen.'

⁵ *An. pr.* i. 1, 24^b26 τὸ δὲ ἐν ὅλῳ εἶναι ἕτερον ἑτέρῳ καὶ τὸ κατὰ παντός κατηγορεῖσθαι θατέρῳ θάτερον ταυτὸν ἔστιν.

the same as 'A is predicated of all B' or 'A belongs to all B', but does not mean 'A is predicated of B' or 'A belongs to B'. With this first error is connected a second: Maier maintains that the negative premiss also has the external form of subordination of one term to another, like the affirmative universal premiss.¹ What is here meant by 'external form'? When A belongs to all B, then B is subordinated to A, and the external form of this relation is just the proposition 'A belongs to all B'. But in a negative premiss, e.g. 'A belongs to no B', the subordination of terms does not exist, nor does its form. Maier's assertion is logically nonsense.

Let us now quote Maier's description of the second figure. It runs thus: 'Whenever of two terms one is included, and the other is not included, in the same third term, or both are included in it, or neither of them, we have the second figure before us. The middle term is that which includes both remaining terms, and the extremes are the terms which are included in the middle.'² This would-be characterization of the second figure is again logically nonsense. Take the following example: Two premisses are given: 'A belongs to all B' and 'C belongs to no A'. If A belongs to all B, then B is included in A, and if C belongs to no A, it is not included in A. We have therefore two terms, B and C, one of which, B, is included, and the other, C, is not included in the same third term A. According to Maier's description we should have the second figure before us. What we have, however, is not the second figure, but only two premisses 'A belongs to all B' and 'C belongs to no A', from which we can get by the mood Celarent of the first figure the conclusion 'C belongs to no B', and by the mood Camenes of the fourth figure the conclusion 'B belongs to no C'.

The peak, however, of logical absurdity Maier attains by his assertion that there exists a fourth syllogistic figure consisting of only two moods, Fesapo and Fresison. He supports this assertion by the following argument: 'The Aristotelian doctrine overlooks one possible position of the middle term. This term may be less

¹ Op. cit., vol. ii a, p. 60, n. 1: 'auch der negative syllogistische Satz hat wenigstens die äussere Form der Subordination.' Cf. also *ibid.*, p. 50.

² *Ibid.*, p. 49: 'Wenn im Umfang eines und desselben Begriffes der eine der beiden übrigen Begriffe liegt, der andere nicht liegt, oder aber beide liegen oder endlich beide nicht liegen, so haben wir die zweite Figur vor uns. Mittelbegriff ist derjenige Begriff, in dessen Umfang die beiden übrigen, äussere Begriffe aber diejenigen, die im Umfang des mittleren liegen.'

general than the major and more general than the minor, it may secondly be more general, and thirdly less general, than the extremes, but it may be also more general than the major term and at the same time less general than the minor.’¹ When we remind ourselves that according to Maier the major term is always more general than the minor,² and that the relation ‘more general than’ is transitive, we cannot avoid the strange consequence of his argument that the middle term of his fourth figure should be at the same time more and less general than the minor term. From the standpoint of logic Maier’s work is useless.

§ 14. *The four Galenian figures*

In almost every text-book of logic you may find the remark that the inventor of the fourth figure was Galen, a Greek physician and philosopher living in Rome in the second century A.D. The source of this remark is suspect. We do not find it either in the extant works of Galen or in the works of the Greek commentators (including Philoponus). According to Prantl the medieval logicians received the information from Averroes, who says that the fourth figure was mentioned by Galen.³ To this vague information we may add two late Greek fragments found in the nineteenth century, and also very vague. One of them was published in 1844 by Mynas in the preface to his edition of Galen’s *Introduction to Dialectic*, and republished by Kalbfleisch in 1897. This fragment of unknown authorship tells us that some later scholars transformed the moods added by Theophrastus and Eudemus to the first figure into a new fourth figure, referring to Galen as the father of this doctrine.⁴ The other Greek fragment was found by Prantl in a logical work

¹ Op. cit., vol. ii b, p. 264: ‘Die aristotelische Lehre läßt eine mögliche Stellung des Mittelbegriffs unbeachtet. Dieser kann specieller als der Ober- und allgemeiner als der Unterbegriff, er kann ferner allgemeiner, er kann drittens specieller als die beiden äußeren Begriffe: aber er kann auch allgemeiner als der Ober- und zugleich specieller als der Unterbegriff sein.’

² Ibid., vol. ii a, p. 56: ‘Oberbegriff ist stets, wie in der 1. Figur ausdrücklich festgesetzt ist, der allgemeiner, Unterbegriff der weniger allgemeine.’

³ Prantl, i. 571, n. 99, quotes Averroes in a Latin translation edited in Venice (1553): ‘Et ex hoc planum, quod figura quarta, de qua meminit Galenus, non est syllogismus super quem cadat naturaliter cogitatio.’ Cf. also Prantl, ii. 390, n. 322.

⁴ K. Kalbfleisch, *Über Galens Einleitung in die Logik*, 23. Supplementband der Jahrbücher für klassische Philologie, Leipzig (1897), p. 707: *Θεόφραστος δὲ καὶ Εὐδήμος καὶ τινες ἑτέρας συζυγίας παρὰ τὰς ἐκτεθείσας τῷ Ἀριστοτέλει προστεθήκασι τῷ πρώτῳ σχήματι . . . , ὃς καὶ τέταρτον ἀποτελεῖν σχῆμα τῶν νεωτέρων ᾤθησάν τινες ὡς πρὸς πατέρα τὴν δόξαν τὸν Γαληνὸν ἀναφέροντες.*

of Ioannes Italus (eleventh century A.D.). This author says sarcastically that Galen maintained the existence of a fourth figure in opposition to Aristotle, and, thinking that he would appear cleverer than the old logical commentators, fell very far short.¹ That is all. In view of such a weak basis of sources, Ueberweg suspected a misunderstanding in the matter, and Heinrich Scholz writes in his *History of Logic* that Galen is probably not responsible for the fourth figure.²

For fifty years there has existed a Greek scholium in print which clears up the whole matter in an entirely unexpected way. Although printed, it seems to be unknown. Maximilian Wallies, one of the Berlin editors of the Greek commentaries on Aristotle, published in 1899 the extant fragments of Ammonius' commentary on the *Prior Analytics*, and has inserted in the preface a scholium of an unknown author found in the same codex as that in which the fragments of Ammonius are preserved. The scholium is entitled 'On all the kinds of syllogism', and begins thus:

'There are three kinds of syllogism: the categorical, the hypothetical, and the syllogism κατὰ πρόσληψιν. Of the categorical there are two kinds: the simple and the compound. Of the simple syllogism there are three kinds: the first, the second, and the third figure. Of the compound syllogism there are four kinds: the first, the second, the third, and the fourth figure. For Aristotle says that there are only three figures, because he looks at the simple syllogisms, consisting of three terms. Galen, however, says in his *Apodeictic* that there are four figures, because he looks at the compound syllogisms consisting of four terms, as he has found many such syllogisms in Plato's dialogues.'³

The unknown scholiast further gives us some explanations, from

¹ Prantl, ii. 302, n. 112: τὰ δὲ σχήματα τῶν συλλογισμῶν ταῦτα· ὁ Γαληνὸς δὲ καὶ τέταρτον ἐπὶ τοῦτοις ἔφασκεν εἶναι, ἐναντίως πρὸς τὸν Σταγειρίτην φερόμενος, ὃς λαμπρότερον ἀναφανήναι οἰόμενος τῶν τὴν λογικὴν πραγματείαν ἐξηγουμένων παλαιῶν ὡς πορρωτάτω εὐθέως ἐκπέπτωκε.

² Fr. Ueberweg, *System der Logik*, Bonn (1882), 341. Cf. also Kalbfleisch, op. cit., p. 699; H. Scholz, *Geschichte der Logik*, Berlin (1931), p. 36.

³ M. Wallies, *Ammonii in Aristotelis Analyticorum Priorum librum I Commentarium*, Berlin (1899), p. ix: Περὶ τῶν εἰδῶν πάντων τοῦ συλλογισμοῦ. τρία εἶδη ἐστὶ τοῦ [ἀπλοῦ] συλλογισμοῦ· τὸ κατηγορικόν, τὸ ὑποθετικόν, τὸ κατὰ πρόσληψιν. τοῦ δὲ κατηγορικοῦ δύο ἐστὶν εἶδη· ἀπλοῦν, σύνθετον. καὶ τοῦ μὲν ἀπλοῦ τρία ἐστὶν εἶδη· πρῶτον σχῆμα, δεύτερον σχῆμα, τρίτον σχῆμα. τοῦ δὲ συνθέτου τέσσαρά ἐστιν εἶδη· πρῶτον σχῆμα, δεύτερον σχῆμα, τρίτον, τέταρτον σχῆμα. Ἀριστοτέλης μὲν γὰρ τρία τὰ σχήματά φησιν πρὸς τοὺς ἀπλοῦς συλλογισμοὺς ἀποβλέπων τοὺς ἐκ τριῶν ὄρων συγκεκμημένους. Γαληνὸς δ' ἐν τῇ οἰκείᾳ Ἀποδεικτικῇ δὲ τὰ σχήματα λέγει πρὸς τοὺς συνθέτους συλλογισμοὺς ἀποβλέπων τοὺς ἐκ δὲ ὄρων συγκεκμημένους πολλοὺς τοιοῦτους εὐρίων ἐν τοῖς Πλάτωνος διαλόγοις.

which we can gather how Galen may have found these four figures. Compound syllogisms consisting of four terms may be formed by combinations of the three figures I, II, and III of simple syllogisms in nine different ways: I to I, I to II, I to III, II to II, II to I, II to III, III to III, III to I, III to II. Two of these combinations, viz. II to II and III to III, do not give syllogisms at all, and of the remaining combinations II to I gives the same figure as I to II, III to I the same as I to III, and III to II the same as II to III. We get thus only four figures, I to I, I to II, I to III, and II to III.¹ Examples are given, of which three are taken from Plato's dialogues, two from the *Alcibiades*, and one from the *Republic*.

This precise and minute account must be explained and examined. Compound syllogisms of four terms have three premisses and two middle terms, say *B* and *C*, which form the premiss *B-C* or *C-B*. Let us call this the middle premiss. *B* forms together with *A*, the subject of the conclusion, the minor premiss, and *C* forms together with *D*, the predicate of the conclusion, the major premiss. We thus obtain the following eight combinations (in all the premisses the first term is the subject, the second the predicate):

Figure	Minor	Middle	Major	Conclusion	
	Premiss				
F1	A-B	B-C	C-D	A-D	I to I
F2	A-B	B-C	D-C	A-D	I to II
F3	A-B	C-B	C-D	A-D	II to III
F4	A-B	C-B	D-C	A-D	II to I
F5	B-A	B-C	C-D	A-D	III to I
F6	B-A	B-C	D-C	A-D	III to II
F7	B-A	C-B	C-D	A-D	I to III
F8	B-A	C-B	D-C	A-D	I to I

If we adopt the principle of Theophrastus that in the first

¹ Wallies, op. cit., pp. ix-x: ὁ κατηγορικὸς συλλογισμὸς ἀπλοῦς, ὡς Ἀριστοτέλης· σχῆμα *A B Γ*. σύνθετος, ὡς Γαληνός· *A* πρὸς *A*, *A* πρὸς *B*, *A* πρὸς *Γ*, *B* πρὸς *B*, *B* πρὸς *A*, *B* πρὸς *Γ*, *Γ* πρὸς *Γ*, *Γ* πρὸς *A*, *Γ* πρὸς *B*.

συλλογιστικόν· *A* πρὸς *A*, *A* πρὸς *B*, *A* πρὸς *Γ*, *B* πρὸς *Γ*.
A *B* *Γ* *Δ*

ἀσυλλόγιστον· *B* πρὸς *B*, *Γ* πρὸς *Γ*, (οὐ γὰρ γίνεται συλλογισμὸς οὔτε ἐκ δύο ἀποφατικῶν οὔτε ἐκ δύο μερικῶν).

B πρὸς *A*, *Γ* πρὸς *A*, *Γ* πρὸς *B*,
B *Γ* *Δ*

οἱ αὐτοὶ εἰσιν τοῖς συλλογισμοῖς ὡς ὑπογράφεται.

Aristotelian figure the middle term is the subject of one premiss—it does not matter of which, the major or the minor—and the predicate of another, and define by this principle which figure is formed by the minor and middle premisses on the one hand, and by the middle and major premisses on the other, we get the combinations of figures shown in the last column. Thus, for instance, in the compound figure F2 the minor premiss together with the middle forms the figure I, as the middle term *B* is the predicate of the first premiss and the subject of the second, and the middle premiss together with the major forms the figure II, as the middle term *C* is the predicate of both premisses. This was probably how Galen has got his four figures. Looking at the last column we see at once that, as Galen held, the combinations II to II and III to III do not exist, not for the reason, as the scholiast mistakenly says, that no conclusion results either from two negative or two particular premisses, but because no term can occur in the premisses three times. It is obvious also that if we extend the principle of Theophrastus to compound syllogisms and include in the same figure all the moods that from the same combination of premisses yield either the conclusion *A–D* or the conclusion *D–A*, we get as Galen does the same figure from the combination I to II as from the combination II to I. For, interchanging in figure F4 the letters *B* and *C* as well as the letters *A* and *D*, we get the scheme:

F4	<i>D–C</i>	<i>B–C</i>	<i>A–B</i>	<i>D–A</i> ,
----	------------	------------	------------	--------------

and as the order of the premisses is irrelevant we see that the conclusion *D–A* results in F4 from the same premisses as *A–D* in F2. For the same reason figure F1 does not differ from figure F8, F3 from F6, or F5 from F7. It is possible, therefore, to divide the compound syllogisms of four terms into four figures.

The scholium edited by Wallies explains all historical problems connected with the alleged invention of the fourth figure by Galen. Galen divided syllogisms into four figures, but these were the compound syllogisms of four terms, not the simple syllogisms of Aristotle. The fourth figure of the Aristotelian syllogisms was invented by someone else, probably very late, perhaps not before the sixth century A.D. This unknown scholar must have heard something about the four figures of Galen, but he either did not understand them or did not have Galen's text at hand. Being in

opposition to Aristotle and to the whole school of the Peripatetics, he eagerly seized the occasion to back up his opinion by the authority of an illustrious name.

REMARK. The problem of compound syllogisms raised by Galen has considerable interest from the systematic point of view. Investigating the number of valid moods of the syllogisms consisting of three premisses, I have found that there are forty-four valid moods, the figures F₁, F₂, F₄, F₅, F₆, and F₇ having six moods each, and figure F₈ eight. Figure F₃ is empty. It has no valid moods, for it is not possible to find premisses of the form $A-B$, $C-B$, $C-D$ such that a conclusion of the form $A-D$ would follow from them. This result, if known, would certainly be startling for students of the traditional logic. Mr. C. A. Meredith, who attended my lectures delivered on this subject in 1949 at University College, Dublin, has found some general formulae concerning the number of figures and valid moods for syllogisms of n terms, including expressions of 1 and 2 terms. I publish these formulae here with his kind permission :

Number of terms	.	.	.	.	.	n
Number of figures	.	.	.	.	.	2^{n-1}
Number of figures with valid moods	.	.	.	.	.	$\frac{1}{2}(n^2-n+2)$
Number of valid moods	.	.	.	.	.	$n(3n-1)$

For all n every non-empty figure has 6 valid moods, except one that has $2n$ valid moods.

Examples :

Number of terms	.	.	.	.	.	1, 2, 3, 4,..., 10
Number of figures	.	.	.	.	.	1, 2, 4, 8,..., 512
Number of figures with valid moods	.	.	.	.	.	1, 2, 4, 7,..., 46
Number of valid moods	.	.	.	.	.	2, 10, 24, 44,..., 290

It is obvious that for large n 's the number of figures with valid moods is comparatively small against the number of all figures. For $n = 10$ we have 46 against 512 respectively, i.e. 466 figures are empty. For $n = 1$ there is only 1 figure, $A-A$, with 2 valid moods, i.e. the laws of identity. For $n = 2$ there are 2 figures :

	<i>Premiss</i>	<i>Conclusion</i>
F ₁	$A-B$	$A-B$
F ₂	$B-A$	$A-B$

with 10 valid moods, 6 in F₁ (viz. four substitutions of the propositional law of identity, e.g. 'if all A is B , then all A is B ', and two laws of subordination), and 4 moods in F₂ (viz. four laws of conversion).

CHAPTER III

THE SYSTEM

§ 15. *Perfect and imperfect syllogisms*

IN the introductory chapter to the syllogistic Aristotle divides all syllogisms into perfect and imperfect. 'I call that a perfect syllogism', he says, 'which needs nothing other than what has been stated to make the necessity evident; a syllogism is imperfect, if it needs either one or more components which are necessary by the terms set down, but have not been stated by the premisses.'¹ This passage needs translation into logical terminology. Every Aristotelian syllogism is a true implication, the antecedent of which is the joint premisses and the consequent the conclusion. What Aristotle says means, therefore, that in a perfect syllogism the connexion between the antecedent and the consequent is evident of itself without an additional proposition. Perfect syllogisms are self-evident statements which do not possess and do not need a demonstration; they are indemonstrable, *ἀναπόδεικτοι*.² Indemonstrable true statements of a deductive system are now called axioms. The perfect syllogisms, therefore, are the axioms of the syllogistic. On the other hand, the imperfect syllogisms are not self-evident; they must be proved by means of one or more propositions which result from the premisses, but are different from them.

Aristotle knows that not all true propositions are demonstrable.³ He says that a proposition of the form '*A* belongs to *B*' is demonstrable if there exists a middle term, i.e. a term which forms with *A* and *B* true premisses of a valid syllogism having the above proposition as the conclusion. If such a middle term does

¹ *An. pr.* i. 1, 24^b22 τέλειον μὲν οὖν καλῶ συλλογισμόν τὸν μηδενὸς ἄλλου προσδεόμενον παρὰ τὰ εἰλημμένα πρὸς τὸ φανῆναι τὸ ἀναγκαῖον, ἀτελὴ δὲ τὸν προσδεόμενον ἢ ἐνὸς ἢ πλειόνων, ὃ ἔστι μὲν ἀναγκαῖα διὰ τῶν ὑποκειμένων ὄρων, οὐ μὴν εἰληπται διὰ πρότασεων.

² Commenting upon the above passage Alexander uses the expression ἀναπόδεικτος, 24. 2: ἐνὸς μὲν οὖν προσδέονται οἱ ἀτελεῖς συλλογισμοὶ οἱ μιᾶς ἀντιστροφῆς δεόμενοι πρὸς τὸ ἀναχθῆναι εἰς τινὰ τῶν ἐν τῷ πρώτῳ σχήματι τῶν τελείων καὶ ἀναποδείκτων, πλειόνων δὲ ὅσοι διὰ δύο ἀντιστροφῶν εἰς ἐκείνων τινὰ ἀνάγονται. Cf. also p. 27, n. 2.

³ *An. post.* i. 3, 72^b18 ἡμεῖς δὲ φαμεν οὔτε πᾶσαν ἐπιστήμην ἀποδεικτικὴν εἶναι, ἀλλὰ τὴν τῶν ἀμέσων ἀναπόδεικτον.

not exist, the proposition is called 'immediate', ἄμεσος, i.e. without a middle term. Immediate propositions are indemonstrable; they are basic truths, ἀρχαί.¹ To these statements of the *Posterior Analytics* may be added a passage of the *Prior Analytics* which states that every demonstration and every syllogism must be formed by means of the three syllogistical figures.²

This Aristotelian theory of proof has a fundamental flaw: it supposes that all problems can be expressed by the four kinds of syllogistic premiss and that therefore the categorical syllogism is the only instrument of proof. Aristotle did not realize that his own theory of the syllogism is an instance against this conception. The syllogistic moods, being implications, are propositions of another kind than the syllogistic premisses, but nevertheless they are true propositions, and if any of them is not self-evident and indemonstrable it requires a proof to establish its truth. The proof, however, cannot be done by means of a categorical syllogism, because an implication does not have either a subject or a predicate, and it would be useless to look for a middle term between non-existent extremes. This is perhaps a subconscious cause of the special terminology Aristotle uses in the doctrine of the syllogistic figures. He does not speak of 'axioms' or 'basic truths' but of 'perfect syllogisms', and does not 'demonstrate' or 'prove' the imperfect syllogisms but 'reduces' them (ἀνάγει or ἀναλύει) to the perfect. The effects of this improper terminology persist till today. Keynes devotes to this matter a whole section of his *Formal Logic*, entitled 'Is Reduction an essential part of the Doctrine of the Syllogism?', and comes to the conclusion 'that reduction is not a necessary part of the doctrine of the syllogism, so far as the establishment of the validity of the different moods is concerned'.³ This conclusion cannot be applied to the Aristotelian theory of the syllogism, as this theory is an axiomatized deductive system, and the reduction of the other syllogistic moods to those of the first figure, i.e. their proof as theorems by means of the axioms, is an indispensable part of the system.

Aristotle accepts as perfect syllogisms the moods of the first

¹ *An. post.* i. 23, 41^b19 φανερόν δὲ καὶ ὅτι, ὅταν τὸ *A* τῷ *B* ὑπάρχη, εἰ μὲν ἔστι τι μέσον, ἔστι δεῖξαι ὅτι τὸ *A* τῷ *B* ὑπάρχει . . ., εἰ δὲ μὴ ἔστιν, οὐκέτι ἔστιν ἀπόδειξις, ἀλλ' ἢ ἐπὶ τὰς ἀρχὰς ὁδὸς αὕτη ἔστιν.

² *An. pr.* i. 23, 41^b1 πᾶσαν ἀπόδειξιν καὶ πάντα συλλογισμὸν ἀνάγκη γίνεσθαι διὰ τριῶν τῶν προειρημένων σχημάτων.

³ *Op. cit.*, pp. 325-7.

figure, called Barbara, Celarent, Darii, and Ferio.¹ Yet in the last chapter of his systematic exposition he reduces the third and fourth moods to the first two, and takes therefore as axioms of his theory the most clearly evident syllogisms, Barbara and Celarent.² This detail is of no little interest. Modern formal logic tends to reduce the number of axioms in a deductive theory to a minimum, and this is a tendency which has its first exponent in Aristotle.

Aristotle is right when he says that only two syllogisms are needed as axioms to build up the whole theory of the syllogism. He forgets, however, that the laws of conversion, which he uses to reduce the imperfect moods to the perfect ones, also belong to his theory and cannot be proved by means of the syllogisms. There are three laws of conversion mentioned in the *Prior Analytics*: the conversion of the *E*-premiss, of the *A*-premiss, and of the *I*-premiss. Aristotle proves the first of these laws by what he calls *ecthesis*, which requires, as we shall see later, a logical process lying outside the limits of the syllogistic. As it cannot be proved otherwise, it must be stated as a new axiom of the system. The conversion of the *A*-premiss is proved by a thesis belonging to the square of opposition of which there is no mention in the *Prior Analytics*. We must therefore accept as a fourth axiom either this law of conversion or the thesis of the square of opposition, from which this law follows. Only the law of conversion of the *I*-premisses can be proved without a new axiom.

There are still two theses that have to be taken into account, although neither of them is explicitly stated by Aristotle, viz. the laws of identity: '*A* belongs to all *A*' and '*A* belongs to some *A*'. The first of these laws is independent of all other theses of the syllogistic. If we want to have this law in the system, we must accept it axiomatically. The second law of identity can be derived from the first.

Modern formal logic distinguishes in a deductive system not only between primitive and derivative propositions, but also between primitive and defined terms. The constants of the Aristotelian syllogistic are the four relations: 'to belong to all'

¹ At the end of chapter 4, containing the moods of the first figure, Aristotle says, *An. Pr.* i. 4, 26^b29 δῆλον δὲ καὶ ὅτι πάντες οἱ ἐν αὐτῷ συλλογισμοὶ τέλειοι εἰσιν.

² *Ibid.* 7, 29^b1 ἔστι δὲ καὶ ἀγαγαεῖν πάντας τοὺς συλλογισμοὺς εἰς τοὺς ἐν τῷ πρώτῳ σχήματι καθόλου συλλογισμούς.

or *A*, 'to belong to none' or *E*, 'to belong to some' or *I*, and 'to not-belong to some' or *O*. Two of them may be defined by the other two by means of propositional negation in the following way: '*A* does not belong to some *B*' means the same as 'It is not true that *A* belongs to all *B*', and '*A* belongs to no *B*' means the same as 'It is not true that *A* belongs to some *B*'. In the same manner *A* could be defined by *O*, and *I* by *E*. Aristotle does not introduce these definitions into his system, but he uses them intuitively as arguments of his proofs. Let us quote as only one example the proof of conversion of the *I*-premiss. It runs as follows: 'If *A* belongs to some *B*, then *B* must belong to some *A*. For if *B* should belong to no *A*, *A* would belong to no *B*.'¹ It is obvious that in this indirect proof Aristotle treats the negation of '*B* belongs to some *A*' as equivalent to '*B* belongs to no *A*'. As to the other pair, *A* and *O*, Alexander says explicitly that the phrases 'to not-belong to some' and 'to not-belong to all' are different only in words, but have equivalent meanings.²

If we accept as primitive terms of the system the relations *A* and *I*, defining *E* and *O* by means of them, we may, as I stated many years ago,³ build up the whole theory of the Aristotelian syllogism on the following four axioms:

1. *A* belongs to all *A*.
2. *A* belongs to some *A*.
3. If *A* belongs to all *B* and *B* belongs to all *C*, then *A* belongs to all *C*. Barbara
4. If *A* belongs to all *B* and *C* belongs to some *B*, then *A* belongs to some *C*. Datisi

It is impossible to reduce the number of these axioms. In particular they cannot be derived from the so-called *dictum de omni et nullo*. This principle is differently formulated in different text-books of logic, and always very vaguely. The classic formulation, 'quidquid de omnibus valet, valet etiam de quibusdam et de singulis' and 'quidquid de nullo valet, nec de quibusdam nec de

¹ *An. pr.* i. 2, 25²⁰ εἰ γὰρ τὸ *A* τινὶ τῷ *B*, καὶ τὸ *B* τινὶ τῷ *A* ἀνάγκη ὑπάρχειν. εἰ γὰρ μὴδενί, οὐδὲ τὸ *A* οὐδενὶ τῷ *B*. [Corr. by W. D. Ross.]

² Alexander 84. 6 τὸ τινὶ μὴ ὑπάρχειν ἴσον δυνάμενον τῷ μὴ παντὶ κατὰ τὴν λέξιν διαφέρει.

³ J. Łukasiewicz, *Elementy logiki matematycznej* (Elements of Mathematical Logic), edited by M. Presburger (mimeographed), Warsaw (1929), p. 172; 'Znaczenie analizy logicznej dla poznania' (Importance of Logical Analysis for Knowledge), *Przegl. Filoz.* (*Philosophical Review*), vol. xxxvii, Warsaw (1934), p. 373.

singulis valet', cannot be strictly applied to the Aristotelian logic, as singular terms and propositions do not belong to it. Besides, I do not see how it would be possible to deduce from this principle the laws of identity and the mood Datisi, if anything at all can be deduced from it. Moreover, it is evident that it is not one single principle but two. It must be emphasized that Aristotle is by no means responsible for this obscure principle. It is not true that the *dictum de omni et nullo* was given by Aristotle as the axiom on which all syllogistic inference is based, as Keynes asserts.¹ It is nowhere formulated in the *Prior Analytics* as a principle of syllogistic. What is sometimes quoted as a formulation of this principle is only an explanation of the words 'to be predicated of all' and 'of none'.²

It is a vain attempt to look for the principle of the Aristotelian logic, if 'principle' means the same as 'axiom'. If it has another meaning, I do not understand the problem at all. Maier, who has devoted to this subject another obscure chapter of his book,³ spins out philosophic speculations that neither have a basis in themselves nor are supported by texts of the *Prior Analytics*. From the standpoint of logic they are useless.

§ 16. *The logic of terms and the logic of propositions*

To this day there exists no exact logical analysis of the proofs Aristotle gives to reduce the imperfect syllogisms to the perfect. The old historians of logic, like Prantl and Maier, were philosophers and knew only the 'philosophical logic' which in the nineteenth century, with very few exceptions, was below a scientific level. Prantl and Maier are now dead, but perhaps it would not be impossible to persuade living philosophers that they should cease to write about logic or its history before having acquired a solid knowledge of what is called 'mathematical logic'. It would otherwise be a waste of time for them as well as for their readers. It seems to me that this point is of no small practical importance.

No one can fully understand Aristotle's proofs who does not know that there exists besides the Aristotelian system another system of logic more fundamental than the theory of the syllogism.

¹ Op. cit., p. 301.

² *Απ. πρ. ι. 1*, 24^b28 λέγομεν δὲ τὸ κατὰ παντὸς κατηγορεῖσθαι, ὅταν μηδὲν ἢ λαβεῖν [τοῦ ὑποκειμένου (secl. W. D. Ross)], καθ' οὗ θάτερον οὐ λεχθήσεται· καὶ τὸ κατὰ μηδενὸς ὡσαύτως.

³ Op. cit., vol. ii b, p. 149.

It is the logic of propositions. Let us explain by an example the difference between the logic of terms, of which the Aristotelian logic is only a part, and the logic of propositions. Besides the Aristotelian law of identity ' A belongs to all A ' or ' $\text{All } A \text{ is } A$ ', we have still another law of identity of the form ' $\text{If } p, \text{ then } p$ '. Let us compare these two, which are the simplest logical formulae:

All A is A and If p , then p .

They differ in their constants, which I call functors: in the first formula the functor reads 'all—is', in the second 'if—then'. Both are functors of two arguments which are here identical. But the main difference lies in the arguments. In both formulae the arguments are variables, but of a different kind: the values which may be substituted for the variable A are terms, like 'man' or 'plant'. From the first formula we get thus the propositions 'All men are men' or 'All plants are plants'. The values of the variable p are not terms but propositions, like 'Dublin lies on the Liffey' or 'Today is Friday'; we get, therefore, from the second formula the propositions: 'If Dublin lies on the Liffey, then Dublin lies on the Liffey' or 'If today is Friday, then today is Friday'. This difference between term-variables and proposition-variables is the primary difference between the two formulae and consequently between the two systems of logic, and, as propositions and terms belong to different semantical categories, the difference is a fundamental one.

The first system of propositional logic was invented about half a century after Aristotle: it was the logic of the Stoics. This logic is not a system of theses but of rules of inference. The so-called *modus ponens*, now called the rule of detachment: 'If α , then β ; but α ; therefore β ' is one of the most important primitive rules of the Stoic logic. The variables α and β are propositional variables, as only propositions can be significantly substituted for them.¹ The modern system of the logic of propositions was created only in 1879 by the great German logician Gottlob Frege. Another outstanding logician of the nineteenth century, the American Charles Sanders Peirce, made important contributions to this logic by his discovery of logical matrices (1885). The authors of *Principia Mathematica*, Whitehead and Russell, later put this

¹ Cf. Łukasiewicz, 'Zur Geschichte des Aussagenkalküls', *Erkenntnis*, vol. v, Leipzig (1935), pp. 111–31.

system of logic at the head of all mathematics under the title 'Theory of Deduction'. All this was entirely unknown to philosophers of the nineteenth century. To this day they seem to have no idea of the logic of propositions. Maier says that the Stoic logic, which in fact is a masterpiece equal to the logic of Aristotle, yields a poor and barren picture of formalistic-grammatical unsteadiness and lack of principle, and adds in a footnote that the unfavourable judgement of Prantl and Zeller on this logic must be maintained.¹ The *Encyclopaedia Britannica* of 1911 says briefly of the logic of the Stoics that 'their corrections and fancied improvements of the Aristotelian logic are mostly useless and pedantic'.²

It seems that Aristotle did not suspect the existence of another system of logic besides his theory of the syllogism. Yet he uses intuitively the laws of propositional logic in his proofs of imperfect syllogisms, and even sets forth explicitly three statements belonging to this logic in Book II of the *Prior Analytics*. The first of these is a law of transposition: 'When two things', he says, 'are so related to one another, that if the one is, the other necessarily is, then if the latter is not, the former will not be either.'³ That means, in terms of modern logic, that whenever an implication of the form 'If α , then β ' is true, then there must also be true another implication of the form 'If not- β , then not- α '. The second is the law of the hypothetical syllogism. Aristotle explains it by an example: 'Whenever if A is white, then B should be necessarily great, and if B is great, then C should not be white, then it is necessary if A is white that C should not be white.'⁴ That means: whenever two implications of the form 'If α , then β ' and 'If β , then γ ' are true, then there must also be true a third implication 'If α , then γ '. The third statement is an application of the two foregoing laws to a new example and, curiously enough, it is false. This very interesting passage runs thus:

'It is impossible that the same thing should be necessitated by the being and by the not-being of the same thing. I mean, for example,

¹ Maier, op. cit., vol. ii b, p. 384: 'In der Hauptsache jedoch bietet die Logik der Stoiker . . . ein dürftiges, ödes Bild formalistisch-grammatischer Prinzip- und Haltlosigkeit.' Ibid., n. 1: 'In der Hauptsache wird es bei dem ungünstigen Urteil, das Prantl und Zeller über die stoische Logik fällen, bleiben müssen.'

² 11th ed., Cambridge (1911), vol. xxv, p. 946 (s.v. 'Stoics').

³ *An. pr.* ii. 4, 57^b₁ ὅταν δύο ἐχῃ οὕτω πρὸς ἀλλήλα ὥστε θατέρου ὄντος ἐξ ἀνάγκης εἶναι θάτερον, τούτου μὴ ὄντος μὲν οὐδὲ θάτερον ἔσται.

⁴ Ibid. 6 ὅταν γὰρ τοιοῦτι ὄντος λευκοῦ τοῦ A τοδι ἀνάγκη μέγα εἶναι τὸ B , μεγάλου δὲ τοῦ B ὄντος τὸ Γ μὴ λευκόν, ἀνάγκη, εἰ τὸ A λευκόν, τὸ Γ μὴ εἶναι λευκόν.

that it is impossible that B should necessarily be great if A is white, and that B should necessarily be great if A is not white. For if B is not great A cannot be white. But if, when A is not white, it is necessary that B should be great, it necessarily results that if B is not great, B itself is great. But this is impossible.¹

Although the example chosen by Aristotle is unfortunate, the sense of his argument is clear. In terms of modern logic it can be stated thus: Two implications of the form 'If α , then β ' and 'If not- α , then β ' cannot be together true. For by the law of transposition we get from the first implication the premiss 'If not- β , then not- α ', and this premiss yields together with the second implication the conclusion 'If not- β , then β ' by the law of the hypothetical syllogism. According to Aristotle this conclusion is impossible.

Aristotle's final remark is erroneous. The implication 'If not- β , then β ', the antecedent of which is the negation of the consequent, is not impossible; it may be true, and yields as conclusion the consequent β , according to the law of the logic of propositions: 'If (if not- p , then p), then p '.² Commenting upon this passage, Maier says that there would here result a connexion contrary to the law of contradiction and therefore absurd.³ This comment again reveals Maier's ignorance of logic. It is not the implication 'If not- β , then β ' that is contrary to the law of contradiction, but only the conjunction ' β and not- β '.

A few years after Aristotle, the mathematician Euclid gave a proof of a mathematical theorem which implies the thesis 'If (if not- p , then p), then p '.⁴ He states first that 'If the product of two

¹ *An. pr.* ii. 4, 57^b3 τοῦ δ' αὐτοῦ ὄντος καὶ μὴ ὄντος, ἀδύνατον ἐξ ἀνάγκης εἶναι τὸ αὐτό. λέγω δ' ὅλον τοῦ A ὄντος λευκοῦ τὸ B εἶναι μέγα ἐξ ἀνάγκης, καὶ μὴ ὄντος λευκοῦ τοῦ A τὸ B εἶναι μέγα ἐξ ἀνάγκης. Here follows the example of the hypothetical syllogism quoted in p. 49, n. 4, and a second formulation of the law of transposition. The conclusion reads, 11 τοῦ δὲ B μὴ ὄντος μεγάλου τὸ A οὐχ ὅλον τε λευκὸν εἶναι. τοῦ δὲ A μὴ ὄντος λευκοῦ, εἰ ἀνάγκη τὸ B μέγα εἶναι, συμβαίνει ἐξ ἀνάγκης τοῦ B μεγάλου μὴ ὄντος αὐτὸ τὸ B εἶναι μέγα. τοῦτο δ' ἀδύνατον.

² See A. N. Whitehead and B. Russell, *Principia Mathematica*, vol. i, Cambridge (1910), p. 138, thesis *2.18.

³ *Op. cit.*, vol. ii a, p. 331: 'Es ergäbe sich also ein Zusammenhang, der dem Gesetze des Widerspruchs entgegenstünde und darum absurd wäre.'

⁴ See *Scritti di G. Vailati*, Leipzig-Firenze, cxv. 'A proposito d'un passo del Teeteto e di una dimostrazione di Euclide', pp. 516-27; cf. Łukasiewicz, 'Philosophische Bemerkungen zu mehrwertigen Systemen des Aussagenkalküls', *Comptes Rendus des séances de la Société des Sciences et des Lettres de Varsovie*, xxiii (1930), Cl. III, p. 67.

integers, a and b , is divisible by a prime number n , then if a is not divisible by n , b should be divisible by n . Let us now suppose that $a = b$ and the product $a \times a$ (a^2) is divisible by n . It results from this supposition that 'If a is not divisible by n , then a is divisible by n '. Here we have an example of a true implication the antecedent of which is the negation of the consequent. From this implication Euclid derives the theorem: 'If a^2 is divisible by a prime number n , then a is divisible by n .'

§ 17. *The proofs by conversion*

The proofs of imperfect syllogisms by conversion of a premiss are both the simplest and those most frequently employed by Aristotle. Let us analyse two examples. The proof of the mood Festino of the second figure runs thus: 'If M belongs to no N , but to some X , then it is necessary that N should not belong to some X . For since the negative premiss is convertible, N will belong to no M ; but M was admitted to belong to some X ; therefore N will not belong to some X . The conclusion is reached by means of the first figure.'

The proof is based on two premisses: one of them is the law of conversion of the E -propositions:

(1) If M belongs to no N , then N belongs to no M ,
and the other is the mood Ferio of the first figure:

(2) If N belongs to no M and M belongs to some X , then N does not belong to some X .

From these premisses we have to derive the mood Festino:

(3) If M belongs to no N and M belongs to some X , then N does not belong to some X .

Aristotle performs the proof intuitively. Analysing his intuitions we find two theses of the propositional calculus: one of them is the above-mentioned law of the hypothetical syllogism, which may be stated in the following form:

(4) If (if p , then q), then [(if q , then r), then (if p , then r)];²

¹ *An. pr.* i. 5, 27^a32 εἰ γὰρ τὸ M τῷ μὲν N μηδενὶ τῷ δὲ E τινὶ ὑπάρχει, ἀνάγκη τὸ N τινὶ τῷ E μὴ ὑπάρχειν. ἐπεὶ γὰρ ἀντιστρέφει τὸ στερητικόν, οὐδενὶ τῷ M ὑπάρξει τὸ N . τὸ δὲ γε M ὑπέκειτο τινὶ τῷ E ὑπάρχειν· ὥστε τὸ N τινὶ τῷ E οὐχ ὑπάρξει. γίνεται γὰρ συλλογισμὸς διὰ τοῦ πρώτου σχήματος.

² See *Principia Mathematica*, p. 104, thesis *2.06.

The other thesis reads :

- (5) If (if p , then q), then (if p and r , then q and r).

This thesis is called in *Principia Mathematica*, following Peano, the principle of the factor. It shows that we may 'multiply' both sides of an implication by a common factor, i.e. we may add, by means of the word 'and', to p and to q a new proposition r .¹

We start with thesis (5). As p , q , and r are propositional variables, we may substitute for them premisses of the Aristotelian logic. Putting ' M belongs to no N ' for p , ' N belongs to no M ' for q , and ' M belongs to some X ' for r , we get from the antecedent of (5) the law of conversion (1), and we may detach the consequent of (5) as a new thesis. This new thesis has the form :

- (6) If M belongs to no N and M belongs to some X , then N belongs to no M and M belongs to some X .

The consequent of this thesis is identical with the antecedent of thesis (2). Therefore we may apply to (6) and (2) the law of the hypothetical syllogism, substituting for p the conjunction ' M belongs to no N and M belongs to some X ', for q the conjunction ' N belongs to no M and M belongs to some X ', and for r the proposition ' N does not belong to some X '. By applying the rule of detachment twice we get from this new thesis the mood Festino.

The second example I want to analyse is somewhat different. It is the above-mentioned proof of the mood Disamis.² We have to prove the following imperfect syllogism :

- (7) If R belongs to all S and P belongs to some S , then P belongs to some R .

The proof is based on the mood Darii of the first figure :

- (8) If R belongs to all S and S belongs to some P , then R belongs to some P ,

and on the law of conversion of the I -propositions applied twice, once in the form :

- (9) If P belongs to some S , then S belongs to some P ,

and for the second time in the form :

- (10) If R belongs to some P , then P belongs to some R .

As auxiliary theses of the propositional logic we have the law of

¹ See *Principia Mathematica*, p. 119, thesis *3.45. The conjunction ' p and r ' is called in the *Principia* 'logical product'. ² See the Greek text in p. 25, n. 1.

the hypothetical syllogism, and the following thesis, which is slightly different from thesis (5), but also may be called the principle of the factor:

(11) If (if p , then q), then (if r and p , then r and q).

The difference between (5) and (11) consists in this, that the common factor r is not in the second place, as in (5), but in the first. As conjunction is commutable and ' p and r ' is equivalent to ' r and p ', this difference does not affect the validity of the thesis.

The proof given by Aristotle begins with the conversion of the premiss ' P belongs to some S '. Following this procedure, let us substitute for p in (11) the premiss ' P belongs to some S ', for q the premiss ' S belongs to some P ', and for r the premiss ' R belongs to all S '. By this substitution we get from the antecedent of (11) the law of conversion (9), and therefore we may detach the consequent of (11) which reads:

(12) If R belongs to all S and P belongs to some S , then R belongs to all S and S belongs to some P .

The consequent of (12) is identical with the antecedent of (8). By applying the law of the hypothetical syllogism we can get from (12) and (8) the syllogism:

(13) If R belongs to all S and P belongs to some S , then R belongs to some P .

This syllogism, however, is not the required mood Disamis, but Datisi. Of course, the mood Disamis could be derived from Datisi by converting its consequent according to thesis (10), i.e. by applying the hypothetical syllogism to (13) and (10). It seems, however, that Aristotle took another course: instead of deriving Datisi and converting its conclusion, he converts the conclusion of Darii, getting the syllogism:

(14) If R belongs to all S and S belongs to some P , then P belongs to some R ,

and then he applies intuitively the law of the hypothetical syllogism to (12) and (14). The syllogism (14) is a mood of the fourth figure called Dimaris. As we already know, Aristotle mentions this mood at the beginning of Book II of the *Prior Analytics*.

In a similar way we could analyse all the other proofs by conversion. It follows from this analysis that if we add to the perfect syllogisms of the first figure and to the laws of conversion three

laws of the logic of propositions, viz. the law of the hypothetical syllogism and two laws of the factor, we get strictly formalized proofs of all imperfect syllogisms except Baroco and Bocardo. These two moods require other theses of the propositional logic.

§ 18. *The proofs by reductio ad impossibile*

The moods Baroco and Bocardo cannot be reduced to the first figure by conversion. The conversion of the *A*-premiss would yield an *I*-proposition, from which together with the *O*-premiss nothing results, and the *O*-premiss cannot be converted. Aristotle tries to prove these two moods by a *reductio ad impossibile*, ἀπαγωγή εἰς τὸ ἀδύνατον. The proof of Baroco runs thus: 'If *M* belongs to all *N*, but not to some *X*, it is necessary that *N* should not belong to some *X*; for if *N* belongs to all *X*, and *M* is predicated also of all *N*, *M* must belong to all *X*; but it was assumed that *M* does not belong to some *X*.'¹ This proof is very concise and needs an explanation. Usually it is explained in the following way:²

We have to prove the syllogism:

- (1) If *M* belongs to all *N* and *M* does not belong to some *X*,
then *N* does not belong to some *X*.

It is admitted that the premisses '*M* belongs to all *N*' and '*M* does not belong to some *X*' are true; then the conclusion '*N* does not belong to some *X*' must also be true. For if it were false, its contradictory, '*N* belongs to all *X*', would be true. This last proposition is the starting-point of our reduction. As it is admitted that the premiss '*M* belongs to all *N*' is true, we get from this premiss and the proposition '*N* belongs to all *X*' the conclusion '*M* belongs to all *X*' by the mood Barbara. But this conclusion is false, for it is admitted that its contradictory '*M* does not belong to some *X*' is true. Therefore the starting-point of our reduction, '*N* belongs to all *X*', which leads to a false conclusion, must be false, and its contradictory, '*N* does not belong to some *X*', must be true.

This argument is only apparently convincing; in fact it does not prove the above syllogism. It can be applied only to the traditional mood Baroco (I quote this mood in its usual form

¹ *An. pr.* i. 5, 27^a37 εἰ τῷ μὲν *N* παντὶ τὸ *M*, τῷ δὲ *X* τινὶ μὴ ὑπάρχει, ἀνάγκη τὸ *N* τινὶ τῷ *X* μὴ ὑπάρχειν· εἰ γὰρ παντὶ ὑπάρχει, κατηγορεῖται δὲ καὶ τὸ *M* παντὸς τοῦ *N*, ἀνάγκη τὸ *M* παντὶ τῷ *X* ὑπάρχειν· ὑπέκειτο δὲ τινὶ μὴ ὑπάρχειν.

² Cf., for instance, Maier, op. cit., vol. ii a, p. 84.

with the verb 'to be', and not in the Aristotelian form with 'to belong'):

- (2) All N is M ,
Some X is not M ,
therefore
Some X is not N .

This is a rule of inference and allows us to assert the conclusion provided the premisses are true. It does not say what happens when the premisses are not true. This is irrelevant for a rule of inference, as it is evident that an inference based on false premisses cannot be valid. But Aristotelian syllogisms are not rules of inference, they are propositions. The syllogism (1) is an implication which is true for all values of the variables M , N , and X , and not only for those values that verify the premisses. If we apply this mood Baroco to the terms M = 'bird', N = 'animal', and X = 'owl', we get a true syllogism (I use forms with 'to be', as does Aristotle in examples):

- (3) If all animals are birds
and some owls are not birds,
then some owls are not animals.

This is an example of the mood Baroco, because it results from it by substitution. The above argument, however, cannot be applied to this syllogism. We cannot admit that the premisses are true, because the propositions 'All animals are birds' and 'Some owls are not birds' are certainly false. We need not suppose that the conclusion is false; it is false whether we suppose its falsity or not. But the main point is that the contradictory of the conclusion, i.e. the proposition 'All owls are animals', yields together with the first premiss 'All animals are birds' not a false conclusion, but a true one: 'All owls are birds'. The *reductio ad impossibile* is in this case impossible.

The proof given by Aristotle is neither sufficient nor a proof by *reductio ad impossibile*. Aristotle describes indirect proof or the demonstration *per impossibile*, by contrast with direct or ostensive proof, as a proof that posits what it wishes to refute, i.e. to refute by reduction to a statement admitted to be false, whereas ostensive proof starts from propositions admitted to be true.¹ Accordingly,

¹ *An. pr.* ii. 14, 62^b29 διαφέρει δ' ἡ εἰς τὸ ἀδύνατον ἀπόδειξις τῆς δεικτικῆς τῷ τίθεναι ὃ βούλεται ἀναιρεῖν, ἀπάγουσα εἰς ὁμολογούμενον ψεῦδος· ἡ δὲ δεικτικὴ ἀρχεται ἐξ ὁμολογούμενων θέσεων (ἀληθῶν).

if we have to prove a proposition by *reductio ad impossibile*, we must start from its negation and derive thence a statement obviously false. The indirect proof of the mood Baroco should start from the negation of this mood, and not from the negation of its conclusion, and this negation should lead to an unconditionally false statement, and not to a proposition that is admitted to be false only under certain conditions. I shall here give a sketch of such a proof. Let α denote the proposition ' M belongs to all N ', β ' N belongs to all X ', and γ ' M belongs to all X '. As the negation of an A -premiss is an O -premiss, ' $\text{not-}\beta$ '¹ will have the meaning ' N does not belong to some X ', and ' $\text{not-}\gamma$ ' ' M does not belong to some X '. According to the mood Baroco the implication ' $\text{If } \alpha \text{ and not-}\gamma, \text{ then not-}\beta$ ' is true, or in other words, α and not- γ are not true together with β . The negation, therefore, of this proposition would mean that ' α and β and not- γ ' are together true. But from ' α and β ', ' γ ' results by the mood Barbara; we get therefore ' γ and not- γ ', i.e. a proposition obviously false, being a contradiction *in forma*. It can easily be seen that this genuine proof of the mood Baroco by *reductio ad impossibile* is quite different from that given by Aristotle.

The mood Baroco can be proved from the mood Barbara by a very simple ostensive proof which requires one and only one thesis of the propositional logic. It is the following compound law of transposition:

- (4) If (if p and q , then r), then if p and it is not true that r , then it is not true that q .²

Put for p ' M belongs to all N ', for q ' N belongs to all X ', and for r ' M belongs to all X '. By this substitution we get in the antecedent of (4) the mood Barbara, and therefore we can detach the consequent, which reads:

- (5) If M belongs to all N and it is not true that M belongs to all X , then it is not true that N belongs to all X .

As the O -premiss is the negation of the A -premiss, we may replace in (5) the forms 'it is not true that belongs to all' by 'does not belong to some', getting thus the mood Baroco.

There can be no doubt that Aristotle knew the law of transposition referred to in the above proof. This law is closely con-

¹ I am using 'not-' as an abbreviation for the propositional negation 'it is not true that'.

² See *Principia Mathematica*, p. 118, thesis *3.37.

nected with the so-called 'conversion' of the syllogism, which he investigated thoroughly.¹ To convert a syllogism means to take the contrary or the contradictory (in proofs *per impossibile* only the contradictory) of the conclusion together with one premiss, thereby destroying the other premiss. 'It is necessary,' Aristotle says, 'if the conclusion has been converted and one of the premisses stands, that the other premiss should be destroyed. For if it should stand, the conclusion must also stand.'² This is a description of the compound law of transposition. Aristotle therefore knows this law; moreover, he applies it to obtain from the mood Barbara the moods Baroco and Bocardo. Investigating in the same chapter the conversion of the moods of the first figure, he says: 'Let the syllogism be affirmative (i.e. Barbara), and let it be converted as stated (i.e. by the contradictory denial). Then if *A* does not belong to all *C*, but to all *B*, *B* will not belong to all *C*. And if *A* does not belong to all *C*, but *B* belongs to all *C*, *A* will not belong to all *B*.'³ The proofs of Baroco and Bocardo are here given in their simplest form.

In the systematic exposition of the syllogistic these valid proofs are replaced by insufficient demonstrations *per impossibile*. The reason is, I suppose, that Aristotle does not recognize arguments ἐξ ὑποθέσεως as instruments of genuine proof. All demonstration is for him proof by categorical syllogisms; he is anxious to show that the proof *per impossibile* is a genuine proof in so far as it contains at least a part that is a categorical syllogism. Analysing the proof of the theorem that the side of a square is incommensurable with its diagonal, he states explicitly: We know by a syllogism that the contradictory of this theorem would lead to an absurd consequence, viz. that odd numbers should be equal to evens, but the theorem itself is proved by an hypothesis, since a falsehood results when it is denied.⁴ Of the same kind, Aristotle

¹ *An. pr.* ii. 8-10.

² *Ibid.* 8, 59^b3 ἀνάγκη γὰρ τοῦ συμπεράσματος ἀντιστραφέντος καὶ τῆς ἐτέρας μενούσης προτάσεως ἀναιρεῖσθαι τὴν λοιπὴν· εἰ γὰρ ἔσται, καὶ τὸ συμπέρασμα ἔσται. Cf. *Top.* viii. 14, 163^a34 ἀνάγκη γάρ, εἰ τὸ συμπέρασμα μὴ ἔστι, μίαν τινα ἀναιρεῖσθαι τῶν προτάσεων, εἴπερ πασῶν τεθεισῶν ἀνάγκη ἦν τὸ συμπέρασμα εἶναι.

³ *An. pr.* ii. 8, 59^b28 ἔστω γὰρ κατηγορικὸς ὁ συλλογισμὸς, καὶ ἀντιστρεφέσθω οὕτως (i.e. ἀντικειμένως). οὐκοῦν εἰ τὸ *A* οὐ παντὶ τῷ *Γ*, τῷ δὲ *B* παντί, τὸ *B* οὐ παντὶ τῷ *Γ*· καὶ εἰ τὸ μὲν *A* μὴ παντὶ τῷ *Γ*, τὸ δὲ *B* παντί, τὸ *A* οὐ παντὶ τῷ *B*.

⁴ *Ibid.* i. 23, 41^a23 πάντες γὰρ οἱ διὰ τοῦ ἀδυνάτου περαίνοντες τὸ μὲν ψεῦδος συλλογίζονται, τὸ δ' ἐξ ἀρχῆς ἐξ ὑποθέσεως δεικνύουσιν, ὅταν ἀδύνατόν τι συμβαίνει τῆς ἀντιφάσεως τεθείσης, ὅλον ὅτι ἀσύμμετρος ἢ διάμετρος διὰ τὸ γίνεσθαι τὰ περιττὰ ἴσα

concludes, are all other hypothetical arguments; for in every case the syllogism leads to a proposition that is different from the original thesis, and the original thesis is reached by an admission or some other hypothesis.¹ All this is, of course, not true; Aristotle does not understand the nature of hypothetical arguments. The proof of Baroco and Bocardo by the law of transposition is not reached by an admission or some other hypothesis, but performed by an evident logical law; besides, it is certainly a proof of one categorical syllogism on the ground of another, but it is not performed by a categorical syllogism.

At the end of Book I of the *Prior Analytics* Aristotle remarks that there are many hypothetical arguments that ought to be considered and described, and promises to do so in the sequel.² This promise he nowhere fulfils.³ It was reserved for the Stoics to include the theory of hypothetical arguments in their system of propositional logic, in which the compound law of transposition found its proper place. On the occasion of an argument of Aenesidemus (which is irrelevant for our purpose) the Stoics analysed the following rule of inference which corresponds to the compound law of transposition: 'If the first and the second, then the third; but not the third, yet the first; therefore not the second.'⁴ This rule is reduced to the second and third indemonstrable syllogisms of the Stoic logic. We already know the first indemonstrable syllogism, it is the *modus ponens*; the second is the *modus tollens*: 'If the first, then the second; but not the second; therefore not the first.' The third indemonstrable syllogism starts from a denied conjunction and reads: 'Not (the first and the second); but the first; therefore not the second.' According to Sextus Empiricus the analysis runs thus: By the second indemonstrable syllogism we get from the implication 'if the first and the second,

τοῖς ἀρτίοις συμμέτρου τεθείσης. τὸ μὲν οὖν ἴσα γίνεσθαι τὰ περιττὰ τοῖς ἀρτίοις συλλογίζεται, τὸ δ' ἀσύμμετρον εἶναι τὴν διάμετρον ἐξ ὑποθέσεως δείκνυσιν, ἐπεὶ ψεύδος συμβαίνει διὰ τὴν ἀντίφασιν.

¹ *An. pr.* i. 23, 41^a37 ὡσαύτως δὲ καὶ οἱ ἄλλοι πάντες οἱ ἐξ ὑποθέσεως· ἐν ἅπασιν γὰρ ὁ μὲν συλλογισμὸς γίνεται πρὸς τὸ μεταλαμβανόμενον, τὸ δ' ἐξ ἀρχῆς περαίνεται δι' ὁμολογίας ἢ τινος ἄλλης ὑποθέσεως.

² *Ibid.* 44, 50^a39 πολλοὶ δὲ καὶ ἕτεροι περαίνονται ἐξ ὑποθέσεως, οὓς ἐπισκέψασθαι δεῖ καὶ διασημῆναι καθαρῶς. τίνες μὲν οὖν αἱ διαφοραὶ τούτων, καὶ ποσαυχῶς γίνεται τὸ ἐξ ὑποθέσεως, ὕστερον ἐροῦμεν.

³ Alexander 389. 32, commenting on this passage says: λέγει καὶ ἄλλους πολλοὺς ἐξ ὑποθέσεως περαίνεσθαι, περὶ ὧν ὑπερτίθεται μὲν ὡς ἐρῶν ἐπιμελέστερον, οὐ μὴν φέρεται αὐτοῦ σύγγραμμα περὶ αὐτῶν.

⁴ The Stoics denote proposition-variables by ordinal numbers.

then the third', and the negation of its consequent 'not the third', the negation of its antecedent 'not (the first and the second)'. From this proposition, which is virtually contained in the premisses, but not explicitly expressed in words, together with the premiss 'the first', there follows the conclusion 'not the second' by the third indemonstrable syllogism.¹ This is one of the neatest arguments we owe to the Stoics. We see that competent logicians reasoned 2,000 years ago in the same way as we are doing today.

§ 19. *The proofs by ecthesis*

The proofs by conversion and *per impossibile* are sufficient to reduce all imperfect syllogisms to perfect ones. But there is still a third kind of proof given by Aristotle, viz. the so-called proofs by exposition or *ἐκθεσις*. Although of little importance for the system, they have an interest in themselves, and it is worth while to study them carefully.

There are only three passages in the *Prior Analytics* where Aristotle gives a short characterization of this kind of proof. The first is connected with the proof of conversion of the *E*-premiss, the second is a proof of the mood Darapti, the third of the mood Bocardo. The word *ἐκθέσθαι* occurs only in the second passage, but there can be no doubt that the other two passages also are meant as proofs by ecthesis.²

Let us begin with the first passage, which runs thus: 'If *A*

¹ Sextus Empiricus (ed. Mutschmann), *Adv. math.* viii. 235-6 *συνέστηκε γὰρ ὁ τοιοῦτος λόγος* (scil. ὁ παρὰ τῷ Αἰνησιδήμῳ ἐρωτηθεὶς) *ἐκ δευτέρου ἀναποδείκτου καὶ τρίτου, καθὼς πάρεστι μαθεῖν ἐκ τῆς ἀναλύσεως, ἥτις σαφεστέρα μᾶλλον γενήσεται ἐπὶ τοῦ τρόπου ποιησαμένων ἡμῶν τὴν διδασκαλίαν, ἔχοντος οὕτως· 'εἰ τὸ πρῶτον καὶ τὸ δεύτερον, τὸ τρίτον· οὐχὶ δέ γε τὸ τρίτον, ἀλλὰ καὶ τὸ πρῶτον· οὐκ ἄρα τὸ δεύτερον.'* ἐπεὶ γὰρ ἔχομεν συνημμένον ἐν ᾧ ἡγείται συμπεπλεγμένον <τὸ> 'τὸ πρῶτον καὶ τὸ δεύτερον', λήγει δέ <τὸ> 'τὸ τρίτον', ἔχομεν δέ καὶ τὸ ἀντικείμενον τοῦ λήγοντος τὸ 'οὐ τὸ τρίτον', συναχθήσεται ἡμῖν καὶ τὸ ἀντικείμενον τοῦ ἡγούμενου τὸ 'οὐκ ἄρα τὸ πρῶτον καὶ τὸ δεύτερον' δευτέρῳ ἀναποδείκτῳ. ἀλλὰ δὴ τοῦτο αὐτὸ κατὰ μὲν τὴν δύναμιν ἔγκειται τῷ λόγῳ, ἐπεὶ ἔχομεν τὰ συνακτικά αὐτοῦ λήμματα, κατὰ δὲ τὴν προφορὰν παρῆται. ὅπερ τάξαντες μετὰ τοῦ λειπομένου λήμματος τοῦ 'τὸ πρῶτον',* ἔχομεν συναγόμενον τὸ συμπέρασμα τὸ 'οὐκ ἄρα τὸ δεύτερον' τρίτῳ ἀναποδείκτῳ. [* τοῦ πρώτου codd., τοῦ τρόπου Kochalsky, τοῦ 'τὸ πρῶτον' scripsi. (τρόπος = mood expressed in variables, συνημμένον = implication, ἡγούμενον = antecedent, λήγον = consequent, συμπεπλεγμένον = conjunction.)]

² There are two other passages dealing with ecthesis, *An. pr.* 30^a6-14 and 30^b31-40 (I owe this remark to Sir David Ross), but both are related to the scheme of modal syllogisms.

belongs to no *B*, neither will *B* belong to any *A*. For if it should belong to some, say *C*, it would not be true that *A* belongs to no *B*; for *C* is some of the *B*'s.¹ The conversion of the *E*-premiss is here proved *per impossibile*, but this proof *per impossibile* is based on the conversion of the *I*-premiss which is proved by exposition. The proof by exposition requires the introduction of a new term, called the 'exposed term'; here it is *C*. Owing to the obscurity of the passage the very meaning of this *C* and of the logical structure of the proof can be reached only by conjecture. I shall try to explain the matter on the ground of modern formal logic.

We have to prove the law of conversion of the *I*-premiss: 'If *B* belongs to some *A*, then *A* belongs to some *B*.' Aristotle introduces for this purpose a new term, *C*; it follows from his words that *C* is included in *B* as well as in *A*, so that we get two premisses: '*B* belongs to all *C*' and '*A* belongs to all *C*'. From these premisses we can deduce syllogistically (by the mood Darapti) the conclusion '*A* belongs to some *B*'. This is the first interpretation given by Alexander.² But it may be objected that this interpretation presupposes the mood Darapti which is not yet proved. Alexander prefers, therefore, another interpretation which is not based on a syllogism: he maintains that the term *C* is a singular term given by perception, and the proof by exposition consists in a sort of perceptual evidence.³ This explanation, however, which is accepted by Maier,⁴ has no support in the text of the *Prior Analytics*: Aristotle does not say that *C* is an individual term. Moreover, a proof by perception is not a logical proof. If we

¹ *An. pr.* i. 2, 25^a15 εἰ οὖν μηδενὶ τῷ *B* τὸ *A* ὑπάρχει, οὐδὲ τῷ *A* οὐδενὶ ὑπάρξει τὸ *B*. εἰ γὰρ τινι, ὅσον τῷ *Γ*, οὐκ ἀληθὲς ἔσται τὸ μηδενὶ τῷ *B* τὸ *A* ὑπάρχειν· τὸ γὰρ *Γ* τῶν *B* τί ἐστιν. [Corr. W. D. Ross.]

² Alexander 32. 12 εἰ γὰρ τὸ *B* τινὶ τῷ *A* ὑπάρχει . . . ὑπαρχέτω τῷ *Γ*. ἔστω γὰρ τοῦτο τὶ τοῦ *A*, ᾧ ὑπάρχει τὸ *B*. ἔσται δὴ τὸ *Γ* ἐν ὅλῳ τῷ *B* καὶ τὶ αὐτοῦ, καὶ τὸ *B* κατὰ παντός τοῦ *Γ*. ταῦτόν γάρ τὸ ἐν ὅλῳ καὶ κατὰ παντός. ἀλλ' ἦν τὸ *Γ* τὶ τοῦ *A*. ἐν ὅλῳ ἄρα καὶ τῷ *A* τὸ *Γ* ἐστίν· εἰ δὲ ἐν ὅλῳ, κατὰ παντός αὐτοῦ ῥηθήσεται τὸ *A*. ἦν δὲ τὸ *Γ* τὶ τοῦ *B*. καὶ τὸ *A* ἄρα κατὰ τινός τοῦ *B* κατηγορηθήσεται.

³ Ibid. 32 ἡ ἀμεινόν ἐστι καὶ οἰκειότατον τοῖς λεγομένοις τὸ δι' ἐκθέσεως καὶ αἰσθητικῶς λέγειν τὴν δεῖξιν γεγονέναι, ἀλλὰ μὴ τὸν εἰρημένον τρόπον μηδὲ συλλογιστικῶς. ὁ γὰρ διὰ τῆς ἐκθέσεως τρόπος δι' αἰσθήσεως γίνεται καὶ οὐ συλλογιστικῶς· τοιοῦτον γάρ τι λαμβάνεται τὸ *Γ* τὸ ἐκτιθέμενον, ὃ αἰσθητὸν ὃν μόνιον ἐστὶ τοῦ *A*. εἰ γὰρ κατὰ μόνιον τοῦ *A* ὄντος τοῦ *Γ* αἰσθητοῦ τίνος καὶ καθ' ἕκαστα λέγοιτο τὸ *B*, εἴη ἂν καὶ τοῦ *B* μόνιον τὸ αὐτὸ *Γ* ὃν γε ἐν αὐτῷ· ὥστε τὸ *Γ* εἴη ἂν ἀμφοτέρων μόνιον καὶ ἐν ἀμφοτέροις αὐτοῖς.

⁴ Op. cit., vol. ii a, p. 20: 'Die Argumentation bedient sich also nicht eines Syllogismus, sondern des Hinweises auf den Augensehein.'

want to prove logically that the premiss ' B belongs to some A ' may be converted, and the proof is to be performed by means of a third term C , we must find a thesis that connects the above premiss with a proposition containing C .

It would not, of course, be true to say simply that if B belongs to some A , then B belongs to all C and A belongs to all C ; but a little modification of the consequent of this implication easily solves our problem. We must put before the consequent an existential quantifier, the words 'there exists', binding the variable C . For if B belongs to some A , there always exists a term C such that B belongs to all C and A belongs to all C . C may be the common part of A and B or a term included in this common part. If, for example, some Greeks are philosophers, there exists a common part of the terms 'Greek' and 'philosopher', viz. 'Greek philosopher', and it is evident that all Greek philosophers are Greeks, and all Greek philosophers are philosophers. We may state, therefore, the following thesis:

- (1) If B belongs to some A , then there exists a C such that B belongs to all C and A belongs to all C .

This thesis is evident. But also the converse of (1) is evident. If there exists a common part of A and B , B must belong to some A . We get, therefore:

- (2) If there exists a C such that B belongs to all C and A belongs to all C , then B belongs to some A .

It is probable that Aristotle intuitively felt the truth of these theses without being able to formulate them explicitly, and that he grasped their connexion with the conversion of the I -premiss without seeing all the deductive steps leading to this result. I shall give here the full formal proof of the conversion of the I -premiss, starting from theses (1) and (2), and applying to them some laws of the propositional logic and the rules of existential quantifiers.

The following thesis of the propositional logic was certainly known to Aristotle:

- (3) If p and q , then q and p .

It is the commutative law of conjunction.¹ Applying this law to the premisses ' B belongs to all C ' and ' A belongs to all C ', we get:

- (4) If B belongs to all C and A belongs to all C , then A belongs to all C and B belongs to all C .

¹ See *Principia Mathematica*, p. 116, thesis *3.22.

To this thesis I shall apply the rules of existential quantifiers. There are two such rules; both are stated with respect to a true implication. The first rule reads: It is permissible to put before a consequent of a true implication an existential quantifier, binding a free variable occurring in the consequent. It results from this rule that:

- (5) If B belongs to all C and A belongs to all C , then there exists a C such that A belongs to all C and B belongs to all C .

The second rule reads: It is permissible to put before the antecedent of a true implication an existential quantifier, binding a free variable occurring in the antecedent, provided that this variable does not occur as a free variable in the consequent. In (5) C is already bound in the consequent; therefore according to this rule we may bind C in the antecedent, thus getting the formula:

- (6) If there exists a C such that B belongs to all C and A belongs to all C , then there exists a C such that A belongs to all C and B belongs to all C .

The antecedent of this formula is identical with the consequent of thesis (1); it results, therefore, by the law of the hypothetical syllogism that:

- (7) If B belongs to some A , then there exists a C such that A belongs to all C and B belongs to all C .

From (2) by interchanging B and A we get the thesis:

- (8) If there exists a C such that A belongs to all C and B belongs to all C , then A belongs to some B ,

and from (7) and (8) we may deduce by the hypothetical syllogism the law of conversion of the I -premiss:

- (9) If B belongs to some A , then A belongs to some B .

We see from the above that the true reason of the convertibility of the I -premiss is the commutability of the conjunction. The perception of an individual term belonging to both A and B may intuitively convince us of the convertibility of this premiss, but is not sufficient for a logical proof. There is no need to assume C as a singular term given by perception.

The proof of the mood Darapti by exposition can now be easily understood. Aristotle reduces this mood to the first figure by conversion, and then he says: 'It is possible to demonstrate this also *per impossibile* and by exposition. For if both *P* and *R* belong to all *S*, should some of the *S*'s, e.g. *N*, be taken, both *P* and *R* will belong to this, and then *P* will belong to some *R*.'¹ Alexander's commentary on this passage deserves our attention. It begins with a critical remark. If *N* were a universal term included in *S*, we should get as premisses '*P* belongs to all *N*' and '*R* belongs to all *N*'. But this is just the same combination of premisses, συζυγία, as '*P* belongs to all *S*' and '*R* belongs to all *S*', and the problem remains the same as before. Therefore, Alexander continues, *N* cannot be a universal term; it is a singular term given by perception, a term evidently existing in *P* as well as in *R*, and the whole proof by ecthesis is a proof by perception.² We have already met this opinion above. In support of it Alexander adduces three arguments: First, if his explanation were rejected, we should have no proof at all; secondly, Aristotle does not say that *P* and *R* belong to all *N*, but simply to *N*; thirdly, he does not convert the propositions with *N*.³ None of these arguments is convincing: in our example there is no need of conversion; Aristotle often omits the mark of universality where it should be used,⁴ and as to the first argument, we know already that there exists another and a better explanation.

The mood Darapti:

- (10) If *P* belongs to all *S* and *R* belongs to all *S*, then *P* belongs to some *R*,

¹ *An. pr.* i. 5, 28^a22 ἔστι δὲ καὶ διὰ τοῦ ἀδυνάτου καὶ τῷ ἐκθέσθαι ποιεῖν τὴν ἀπόδειξιν· εἰ γὰρ ἄμφω (scil. *Π* καὶ *P*) παντὶ τῷ *Σ* ὑπάρχει, ἂν ληφθῇ τι τῶν *Σ*, οἷοις τὸ *N*, τούτῳ καὶ τὸ *Π* καὶ τὸ *P* ὑπάρξει, ὥστε τινὶ τῷ *P* τὸ *Π* ὑπάρξει.

² Alexander 99. 28 τί γὰρ διαφέρει τῷ *Σ* ὑπάρχειν λαβεῖν παντὶ τό τε *Π* καὶ τὸ *P* καὶ μέρει τινὶ τοῦ *Σ* τῷ *N*; τὸ γὰρ αὐτὸ καὶ ἐπὶ τοῦ *N* ληφθέντος μένει· ἡ γὰρ αὕτη συζυγία ἐστίν, ἂν τε κατὰ τοῦ *N* παντὸς ἐκείνων ἐκάτερον, ἂν τε κατὰ τοῦ *Σ* κατηγορηται· ἡ οὐ τοιαύτη ἡ δειξίς, ἡ χρῆται· ὁ γὰρ δι' ἐκθέσεως τρόπος δι' αἰσθήσεως γίνεται. οὐ γὰρ ἵνα τοιοῦτόν τι τοῦ *Σ* λάβωμεν, καθ' οὗ ῥηθήσεται παντὸς καὶ τὸ *Π* καὶ τὸ *P*, λέγει . . . ἀλλ' ἵνα τι τῶν ὑπ' αἰσθησιν πιπτόντων, ὃ φανερόν ἐστιν ὃν καὶ ἐν τῷ *Π* καὶ ἐν τῷ *P*.

³ Ibid. 100. 7 ὅτι γὰρ αἰσθητὴ ἡ διὰ τῆς ἐκθέσεως δειξίς, σημεῖον πρῶτον μὲν τὸ εἰ μὴ οὕτως λαμβάνοιτο, μηδεμίαν γίνεσθαι δειξίν· ἔπειτα δὲ καὶ τὸ αὐτὸν μηκέτι χρῆσασθαι ἐπὶ τοῦ *N*, ὃ ἦν τι τοῦ *Σ*, τῷ παντὶ αὐτῷ ὑπάρχειν τό τε *Π* καὶ τὸ *P*, ἀλλ' ἀπλῶς θεῖναι τὸ ὑπάρχειν· ἀλλὰ καὶ τὸ μηδετέραν ἀντιστρέψαι.

⁴ See, for instance, p. 2, n.

results from a substitution of thesis (2)—take P for B , and R for A :

- (11) If there exists a C such that P belongs to all C and R belongs to all C , then P belongs to some R ,

and from the thesis:

- (12) If P belongs to all S and R belongs to all S , then there exists a C such that P belongs to all C and R belongs to all C .

Thesis (12) we may prove by applying to the identity:

- (13) If P belongs to all C and R belongs to all C , then P belongs to all C and R belongs to all C ,

the second rule of existential quantifiers, getting thus:

- (14) If P belongs to all C and R belongs to all C , then there exists a C such that P belongs to all C and R belongs to all C ,

and substituting in (14) the letter S for the free variable C , i.e. performing the substitution in the antecedent only, as it is not permissible to substitute anything for a bound variable.

From (12) and (11) the mood Darapti results by the hypothetical syllogism. We see again that the exposed term C is a universal term like A or B . It is of no consequence, of course, to denote this term by N rather than by C .

Of greater importance seems to be the third passage, containing the proof by exposition of the mood Bocardo. This passage reads: 'If R belongs to all S , but P does not belong to some S , it is necessary that P should not belong to some R . For if P belongs to all R , and R belongs to all S , then P will belong to all S ; but we assumed that it did not. Proof is possible also without reduction *ad impossibile*, if some of the S 's be taken to which P does not belong.'¹ I shall analyse this proof in the same way as the other proofs by exposition.

Let us denote the part of S to which P does not belong by C ; we get two propositions: ' S belongs to all C ' and ' P belongs to no C '. From the first of these propositions and the premiss ' R

¹ *An. pr.* i. 6, 28^b17 εἰ γὰρ τὸ P παντὶ τῷ Σ , τὸ δὲ Π τινὶ μὴ ὑπάρχει, ἀνάγκη τὸ Π τινὶ τῷ P μὴ ὑπάρχειν. εἰ γὰρ παντί, καὶ τὸ P παντὶ τῷ Σ , καὶ τὸ Π παντὶ τῷ Σ ὑπάρξει· ἀλλ' οὐχ ὑπῆρχεν. δείκνυται δὲ καὶ ἀνευ τῆς ἀπαγωγῆς, ἐὰν ληφθῇ τι τῶν Σ ᾧ τὸ Π μὴ ὑπάρχει.

belongs to all S ' we get by the mood Barbara the consequence ' R belongs to all C ', which yields together with the second proposition ' P belongs to no C ' the required conclusion ' P does not belong to some R ' by the mood Felapton. The problem is how we can get the propositions with C from the original premisses ' R belongs to all S ' and ' P does not belong to some S '. The first of these premisses is useless for our purpose as it does not contain P ; from the second premiss we cannot get our propositions in the ordinary way, since it is particular, and our propositions are universal. But if we introduce the existential quantifier we can get them, for the following thesis is true:

- (15) If P does not belong to some S , then there exists a C such that S belongs to all C and P belongs to no C .

The truth of this thesis will be obvious if we realize that the required condition for C is always fulfilled by that part of S to which P does not belong.

Starting from thesis (15) we can prove the mood Bocardo on the basis of the moods Barbara and Felapton by means of some laws of propositional logic and the second rule of existential quantifiers. As the proof is rather long, I shall give here only a sketch.

We take as premisses, besides (15), the mood Barbara with transposed premisses:

- (16) If S belongs to all C and R belongs to all S , then R belongs to all C ,

and the mood Felapton, also with transposed premisses:

- (17) If R belongs to all C and P belongs to no C , then P does not belong to some R .

To these premisses we may apply a complicated thesis of propositional logic which, curiously enough, was known to the Peripatetics and is ascribed by Alexander to Aristotle himself. It is called the 'synthetic theorem', *συνθετικὸν θεώρημα*, and runs thus: 'If α and β imply γ , and γ together with δ implies ϵ , then α and β together with δ imply ϵ .'¹ Take for α , β , and γ the first

¹ Alexander 274. 19 δι' ὧν δὲ λέγει νῦν, υπογράφει ἡμῖν φανερώτερον τὸ λεγόμενον 'συνθετικὸν θεώρημα', οὐ αὐτὸς ἐστὶν εὐρετής. ἔστι δὲ ἡ περιοχὴ αὐτοῦ τοιαύτη· 'ὅταν ἔκ τινων συνάγῃται τι, τὸ δὲ συναγόμενον μετὰ τινὸς ἢ τινῶν συνάγῃ τι, καὶ τὰ συνακτικὰ αὐτοῦ μεθ' οὗ ἢ μεθ' ὧν συνάγεται ἐκείνο, καὶ αὐτὰ τὸ αὐτὸ συνάξει.' The following example is given *ibid.* 26 ἐπεὶ γὰρ τὸ 'πάν δίκαιον ἀγαθόν' συναγόμενον ὑπὸ τῶν 'πάν δίκαιον καλόν, πᾶν καλὸν ἀγαθόν' συνάγει μετὰ τοῦ 'πάν ἀγαθόν συμφέρον'

premiss, the second premiss, and the conclusion respectively of Barbara, for δ and ϵ the second premiss and the conclusion respectively of Felapton; we get the formula:

- (18) If S belongs to all C and R belongs to all S and P belongs to no C , then P does not belong to some R .

This formula may be transformed by another law of propositional logic into the following:

- (19) If S belongs to all C and P belongs to no C , then if R belongs to all S , P does not belong to some R .

To this formula may be applied the second rule of existential quantifiers. For C is a free variable occurring in the antecedent of (19), but not in the consequent. According to this rule we get the thesis:

- (20) If there exists a C such that S belongs to all C and P belongs to no C , then if R belongs to all S , P does not belong to some R .

From premiss (15) and thesis (20) there results by the hypothetical syllogism the consequence:

- (21) If P does not belong to some S , then if R belongs to all S , P does not belong to some R ,

and this is the implicational form of the mood Bocardo.

It is, of course, highly improbable that Aristotle saw all the steps of this deduction; but it is important to know that his intuitions with regard to the proof by *ecthesis* were right. Alexander's commentary on this proof of the mood Bocardo is worthy of quotation. 'It is possible', he says, 'to prove this mood without assuming some S given by perception and singular, but taking such an S , to none of which P would belong. For P will belong to none of this S , and R to all, and this combination of premisses yields as conclusion that P does not belong to some R .'¹ Here at last Alexander concedes that the exposed term may be universal.

The proofs by exposition have no importance for Aristotle's

τὸ 'πάν δίκαιον συμφέρον', καὶ τὰ 'πάν δίκαιον καλόν, πᾶν καλὸν ἀγαθόν' ὄντα συνακτικὰ τοῦ 'πάν δίκαιον ἀγαθόν' μετὰ τοῦ 'πάν ἀγαθὸν συμφέρον' συνάξει τὸ 'πάν δίκαιον συμφέρον'.

¹ Alexander 104. 3 δύναται δ' ἐπὶ τῆς συζυγίας ταύτης δεικνύναι, καὶ εἰ μὴ αἰσθητόν τι τοῦ S λαμβάνοιτο καὶ καθ' ἕκαστα, ἀλλὰ τοιοῦτον, οὐ κατὰ μηδενὸς κατηγορηθήσεται τὸ Π . ἔσται γὰρ τὸ μὲν Π κατ' οὐδενὸς αὐτοῦ, τὸ δὲ P κατὰ παντός· ἢ δ' οὕτως ἔχουσα συζυγία συλλογιστικῶς δέδεικται συνάγουσα τὸ τινὶ τῷ P τὸ Π μὴ ὑπάρχειν.

sylogistic as a system. All theorems proved by ecthesis can be proved by conversion or *per impossibile*. But they are highly important in themselves, as they contain a new logical element the meaning of which was not entirely clear for Aristotle. This was perhaps the reason why he dropped this kind of proof in his final chapter (7) of Book I of the *Prior Analytics*, where he sums up his systematic investigation of sylogistic.¹ Nobody after him understood these proofs. It was reserved for modern formal logic to explain them by the idea of the existential quantifier.

§ 20. *The rejected forms*

Aristotle in his systematic investigation of sylogistic forms not only proves the true ones but also shows that all the others are false, and must be rejected. Let us see by means of an example how Aristotle proceeds to reject false sylogistic forms. The following two premisses are given: *A* belongs to all *B* and *B* belongs to no *C*. It is the first figure: *A* is the first or the major term, *B* is the middle, and *C* is the last or the minor term. Aristotle writes:

‘If the first term belongs to all the middle, but the middle to none of the last, there will be no syllogism of the extremes; for nothing necessary follows from the terms being so related; for it is possible that the first should belong to all as well as to none of the last, so that neither a particular nor a universal conclusion is necessary. But if there is no necessary consequence by means of these premisses, there cannot be a syllogism. Terms of belonging to all: animal, man, horse; to none: animal, man, stone.’²

In contrast to the shortness and obscurity of the proofs by ecthesis, the above passage is rather full and clear. Nevertheless I am afraid it has not been properly understood by the commentators. According to Alexander, Aristotle shows in this passage that from the same combination of premisses there can be

¹ Cf. the comment of Alexander, who maintains to the end his idea of the perceptual character of proofs by ecthesis, 112. 33: ὅτι δὲ ἡ δι’ ἐκθέσεως δείξις ἦν αἰσθητικὴ καὶ οὐ συλλογιστικὴ, δῆλον καὶ ἐκ τοῦ νῦν αὐτὸν μηκέτι μνημονεύειν αὐτῆς ὡς διὰ συλλογισμοῦ τινος γινομένης.

² *Ap. pr.* i. 4, 26^a2 εἰ δὲ τὸ μὲν πρῶτον παντὶ τῷ μέσῳ ἀκολουθεῖ, τὸ δὲ μέσον μηδενὶ τῷ ἐσχάτῳ ὑπάρχει, οὐκ ἔσται συλλογισμὸς τῶν ἄκρων· οὐδὲν γὰρ ἀναγκαῖον συμβαίνει τῷ ταῦτα εἶναι· καὶ γὰρ παντὶ καὶ μηδενὶ ἐνδέχεται τὸ πρῶτον τῷ ἐσχάτῳ ὑπάρχειν, ὥστε οὔτε τὸ κατὰ μέρος οὔτε τὸ καθόλου γίνεται ἀναγκαῖον· μηδενὸς δὲ ὄντος ἀναγκαῖου διὰ τούτων οὐκ ἔσται συλλογισμός. ὅροι τοῦ παντὶ ὑπάρχειν ζῶον, ἄνθρωπος, ἵππος· τοῦ μηδενὶ ζῶον, ἄνθρωπος, λίθος.

derived (*δυνάμενον συνάγεσθαι*) for some concrete terms a universal affirmative conclusion, and for some other concrete terms a universal negative conclusion. This is, Alexander asserts, the most obvious sign that such a combination of premisses has no syllogistic force, since opposite and contradictory propositions which destroy each other are proved by it (*δείκνυται*).¹ What Alexander says is certainly misleading, for nothing can be formally derived from an asyllogistic combination of premisses, and nothing can be proved by it. Besides, propositions with different concrete subjects and predicates are neither opposite to each other nor contradictory. Maier again puts the terms pointed out by Aristotle into a syllogistical form:

<u>all men are animals</u>	<u>all men are animals</u>
<u>no horse is a man</u>	<u>no stone is a man</u>
all horses are animals	no stone is an animal

(the premisses are underlined by him, as in a syllogism), and says that there results (*ergibt sich*) from logically equivalent premisses a universal affirmative proposition as well as a universal negative.² We shall see below that the terms given by Aristotle are not intended to be put into the form of a syllogism, and that nothing results formally from the premisses of the would-be syllogisms quoted by Maier. In view of these misunderstandings a logical analysis of the matter seems to be necessary.

If we want to prove that the following syllogistic form:

- (1) If *A* belongs to all *B* and *B* belongs to no *C*, then *A* does not belong to some *C*,

is not a syllogism, and consequently not a true logical theorem, we must show that there exist such values of the variables *A*, *B*, and *C* as verify the premisses without verifying the conclusion. For an implication containing variables is true only when all the

¹ Alexander 55. 22 καὶ γὰρ καθόλου καταφατικὸν ἐπὶ τινος ὕλης δείξει δυνάμενον συνάγεσθαι καὶ πάλιν ἐπ' ἄλλης καθόλου ἀποφατικόν, ὃ ἐναργέστατον σημεῖον τοῦ μηδεμίαν ἔχειν τὴν συζυγίαν ταύτην ἰσχύον συλλογιστικὴν, εἰ γε τὰ τε ἐναντία καὶ τὰ ἀντικείμενα ἐν αὐτῇ δείκνυται, ὅντα ἀλλήλων ἀναιρετικά.

² Op. cit., vol. ii. a, p. 76: 'Es handelt sich also um folgende Kombinationen:

aller Mensch ist Lebewesen	aller Mensch ist Lebewesen
kein Pferd ist Mensch	kein Stein ist Mensch
alles Pferd ist Lebewesen	kein Stein ist Lebewesen

So wird an Beispielen gezeigt, dass bei der in Frage stehenden Prämissenzusammenstellung von logisch völlig gleichen Vordersätzen aus sowohl ein allgemein bejahender, als ein allgemein verneinender Satz sich ergeben könne.'

values of variables that verify the antecedent verify the consequent also. The easiest way of showing this is to find concrete terms verifying the premisses '*A* belongs to all *B*' and '*B* belongs to no *C*', but not verifying the conclusion '*A* does not belong to some *C*'. Aristotle found such terms: take 'animal' for *A*, 'man' for *B*, 'horse' for *C*. The premisses 'Animal belongs to all man' or 'All men are animals', and 'Man belongs to no horse' or 'No horses are men', are verified; but the conclusion 'Animal does not belong to some horse' or 'Some horses are not animals' is false. Formula (1), therefore, is not a syllogism. For the same reason neither will the following form:

- (2) If *A* belongs to all *B* and *B* belongs to no *C*, then *A* belongs to no *C*,

be a syllogism, because the premisses are verified for the same concrete terms as before, but the conclusion 'Animal belongs to no horse' or 'No horses are animals' is false. It follows from the falsity of (1) and (2) that no negative conclusion can be drawn from the given premisses.

Nor can an affirmative conclusion be drawn from them. Take the next syllogistical form:

- (3) If *A* belongs to all *B* and *B* belongs to no *C*, then *A* belongs to some *C*.

There exist values for *A*, *B*, and *C*, i.e. concrete terms, that verify the premisses without verifying the conclusion. Aristotle again gives such terms: take 'animal' for *A*, 'man' for *B*, 'stone' for *C*. The premisses are verified, for it is true that 'All men are animals' and 'No stone is a man', but the conclusion 'Some stone is an animal' is obviously false. Formula (3), therefore, is not a syllogism. Neither can the last form:

- (4) If *A* belongs to all *B* and *B* belongs to no *C*, then *A* belongs to all *C*,

be a syllogism, since for the given terms the premisses are verified as before, but the conclusion 'All stones are animals' is not verified. It results from the above that no conclusion whatever can be derived from the combination of premisses '*A* belongs to all *B*' and '*B* belongs to no *C*', where *A* is the predicate and *B* is the subject of the conclusion. This combination of premisses is useless for syllogistic.

The main point of this process of rejection is to find a true universal affirmative proposition (like 'All horses are animals') and a true universal negative proposition (like 'No stone is an animal'), both compatible with the premisses. It is not sufficient to find, for instance, for some terms a true universal affirmative statement, and for some other terms a true particular negative statement. This opinion was put forward by Alexander's teacher Herminus and some older Peripatetics, and was rightly refuted by Alexander.¹ This is again a proof that Aristotle's ideas of rejection have not been properly understood.

The syllogistic forms (1)–(4) are rejected by Aristotle on the basis of some concrete terms that verify the premisses without verifying the conclusion. Aristotle, however, knows yet another kind of proof for rejection. Investigating the syllogistic forms of the second figure, Aristotle states generally that in this figure neither two affirmative nor two negative premisses yield a necessary conclusion, and then continues thus:

'Let M belong to no N , and not to some X . It is possible then for N to belong either to all X or to no X . Terms of belonging to none: black, snow, animal. Terms of belonging to all cannot be found, if M belongs to some X , and does not belong to some X . For if N belonged to all X , and M to no N , then M would belong to no X ; but it is assumed that it belongs to some X . In this way, then, it is not possible to take terms, and the proof must start from the indefinite nature of the particular premiss. For since it is true that M does not belong to some X , even if it belongs to no X , and since if it belongs to no X a syllogism is not possible, clearly it will not be possible either.'²

Aristotle here begins the proof of rejection by giving concrete terms, as in the first example. But then he breaks off his proof, as he cannot find concrete terms that would verify the premisses

¹ Cf. Alexander 89. 34–90. 27. The words of Herminus are quoted 89. 34: 'Ερμίνος δὲ λέγει 'έφ' ἧς γὰρ συζυγίας τὴν ἀντίφασιν ἔνεστι συναγομένην δεῖξαι, εὐλογον ταύτην μηδὲν ἔλαττον ἀσυλλόγιστον λέγειν τῆς ἐν ἣ τὰ ἐναντία συνάγεται' ἀσυνύπαρκα γὰρ καὶ ταῦτα ὁμοίως ἐκείνοις.'

² *An. pr.* i. 5, 27^b12–23 ἔστωσαν γὰρ . . . στερητικαί, οἷον τὸ M τῷ μὲν N μηδενὶ τῷ δὲ S τινὶ μὴ ὑπαρχέτω· ἐνδέχεται δὴ καὶ παντὶ καὶ μηδενὶ τῷ S τὸ N ὑπάρχειν. ὅροι τοῦ μὲν μὴ ὑπάρχειν· μέλαν, χιών, ζῶον· τοῦ δὲ παντὶ ὑπάρχειν οὐκ ἔστι λαβεῖν, εἰ τὸ M τῷ S τινὶ μὲν ὑπάρχει, τινὶ δὲ μὴ. εἰ γὰρ παντὶ τῷ S τὸ N , τὸ δὲ M μηδενὶ τῷ N , τὸ M οὐδενὶ τῷ S ὑπάρξει· ἀλλ' ὑπέκειτο τινὶ ὑπάρχειν. οὕτω μὲν οὖν οὐκ ἔγχωρεῖ λαβεῖν ὅρους, ἐκ δὲ τοῦ ἀδιωρίστου δεκτέον· ἐπεὶ γὰρ ἀληθεύεται τὸ τινὶ μὴ ὑπάρχειν τὸ M τῷ S καὶ εἰ μηδενὶ ὑπάρχει, μηδενὶ δὲ ὑπάρχοντος οὐκ ἦν συλλογισμός, φανερόν ὅτι οὐδὲ νῦν ἔσται.

' M belongs to no N ' and ' M does not belong to some X ', without verifying the proposition ' N does not belong to some X ', provided M , which does not belong to some X , belongs at the same time to some (other) X . The reason is that from the premisses ' M belongs to no N ' and ' M belongs to some X ' the proposition ' N does not belong to some X ' follows by the mood Festino. But it is not necessary that M should belong to some X , when it does not belong to some (other) X ; M might belong to no X . Concrete terms verifying the premisses ' M belongs to no N ' and ' M belongs to no X ', and not verifying the proposition ' N does not belong to some X ', can easily be chosen, and in fact Aristotle found them, rejecting the syllogistic form of the second figure with universal negative premisses; the required terms are: M —'line', N —'animal', X —'man'.¹ The same terms may be used to disprove the syllogistic form:

- (5) If M belongs to no N and M does not belong to some X , then N does not belong to some X .

For the premiss 'No animal is a line' is true, and the second premiss 'Some man is not a line' is also true, as it is true that 'No man is a line', but the conclusion 'Some man is not an animal' is false. Aristotle, however, does not finish his proof in this way,² because he sees another possibility: if the form with universal negative premisses:

- (6) If M belongs to no N and M belongs to no X , then N does not belong to some X ,

is rejected, (5) must be rejected too. For if (5) stands, (6), having a stronger premiss than (5), must also stand.

Modern formal logic, as far as I know, does not use 'rejection' as an operation opposed to Frege's 'assertion'. The rules of rejection are not yet known. On the ground of the above proof of Aristotle we may state the following rule:

- (c) If the implication 'If α , then β ' is asserted, but its consequent β is rejected, then its antecedent α must be rejected too.

¹ Ibid. 27^a20 οὐδ' (scil. ἔσται συλλογισμός) όταν μήτε τοῦ N μήτε τοῦ Ξ μηδενὸς κατηγορεῖται τὸ M . ὅροι τοῦ ὑπάρχειν γραμμῆ, ζῶν, ἄνθρωπος, τοῦ μὴ ὑπάρχειν γραμμῆ, ζῶν, λίθος.

² Alexander completed this proof, 88. 12: τοῦ παντὶ τὸ N τῷ Ξ ὑπάρχειν ὅρου· γραμμῆ τὸ M , ζῶν τὸ N , ἄνθρωπος τὸ Ξ · ἡ μὲν γὰρ γραμμὴ οὐδενὶ ζῶνι καὶ τινὶ οὐκ ὑπάρχει ἀνθρώπῳ ἐπεὶ καὶ μηδενὶ, ζῶν δὲ παντὶ ἀνθρώπῳ.

This rule can be applied not only to reject (5) if (6) is rejected, but also to reject (2) if (1) is rejected. For from an *E*-premiss an *O*-premiss follows, and if (2) is true, then (1) must be true. But if (1) is rejected, so must (2) be rejected.

The rule (c) for rejection corresponds to the rule of detachment for assertion. We may accept another rule for rejection corresponding to the rule of substitution for assertion. It can be formulated thus:

- (d) If α is a substitution for β , and α is rejected, then β must be rejected too.

Example: suppose that 'A does not belong to some A' is rejected; then 'A does not belong to some B' must be rejected too, since, if the second expression were asserted, we should obtain from it by substitution the first expression, which is rejected.

The first of these rules was anticipated by Aristotle, the second was unknown to him. Both enable us to reject some forms, provided that some other forms have already been rejected. Aristotle rejects some forms by means of concrete terms, as 'man', 'animal', 'stone'. This procedure is correct, but it introduces into logic terms and propositions not germane to it. 'Man' and 'animal' are not logical terms, and the proposition 'All men are animals' is not a logical thesis. Logic cannot depend on concrete terms and statements. If we want to avoid this difficulty, we must reject some forms axiomatically. I have found that if we reject the two following forms of the second figure axiomatically:

- (7) If A belongs to all B and A belongs to all C, then B belongs to some C, and
 (8) If A belongs to no B and A belongs to no C, then B belongs to some C,

all the other forms may be rejected by the rules (c) and (d).

§ 21. *Some unsolved problems*

The Aristotelian system of non-modal syllogisms is a theory of four constants which may be denoted by 'All — is', 'No — is', 'Some — is', and 'Some — is not'. These constants are functors of two arguments which are represented by variables having as values only concrete universal terms. Singular, empty, and also negative terms are excluded as values. The constants together

with their arguments form four kinds of proposition called premisses, viz. 'All *A* is *B*', 'No *A* is *B*', 'Some *A* is *B*', and 'Some *A* is not *B*'. The system may be called 'formal logic', as concrete terms, like 'man' or 'animal', belong not to it but only to its applications. The system is not a theory of the forms of thought, nor is it dependent on psychology; it is similar to a mathematical theory of the relation 'greater than', as was rightly observed by the Stoics.

The four kinds of premiss form theses of the system by means of two functors 'if — then' and 'and'. These functors belong to propositional logic, which is an auxiliary theory of the system. In some proofs we meet a third propositional functor, viz. the propositional negation 'It is not true that', denoted shortly by 'not'. The four Aristotelian constants 'All — is', 'No — is', 'Some — is' and 'Some — is not', together with the three propositional constants 'if — then', 'and', and 'not', are the sole elements of the syllogistic.

All theses of the system are propositions regarded as true for all values of the variables that occur in them. No Aristotelian syllogism is formulated as a rule of inference with the word 'therefore', as is done in the traditional logic. The traditional logic is a system different from the Aristotelian syllogistic, and should not be mixed up with the genuine logic of Aristotle. Aristotle divided syllogisms into three figures, but he knew and accepted all the syllogistic moods of the fourth figure. The division of syllogisms into figures is of no logical importance and has only a practical aim: we want to be sure that no valid syllogistical mood is omitted.

The system is axiomatized. As axioms Aristotle takes the two first moods of the first figure, Barbara and Celarent. To these two axioms we have to add two laws of conversion, as these cannot be proved syllogistically. If we wish to have the law of identity, 'All *A* is *A*,' in the system we have to assume it axiomatically. The simplest basis we can get is to take the constants 'All — is' and 'Some — is' as primitive terms, to define the two other constants by means of those terms with the help of propositional negation, and to assume as axioms four theses, viz. the two laws of identity and the moods Barbara and Datisi, or Barbara and Dimaris. It is not possible to build up the system on one axiom only. To look for the principle of the Aristotelian syllogistic is a

vain attempt, if 'principle' means the same as 'axiom'. The so-called *dictum de omni et nullo* cannot be the principle of syllogistic in this sense, and was never stated to be such by Aristotle himself.

Aristotle reduces the so-called imperfect syllogisms to the perfect, i.e. to the axioms. Reduction here means proof or deduction of a theorem from the axioms. He uses three kinds of proof: by conversion, by *reductio ad impossibile*, and by ecthesis. Logical analysis shows that in all the proofs of the first two kinds there are involved theses of the most elementary part of propositional logic, the theory of deduction. Aristotle uses them intuitively, but soon after him the Stoics, who were the inventors of the first system of propositional logic, stated some of them explicitly—the compound law of transposition and the so-called 'synthetic theorem', which is ascribed to Aristotle but does not exist in his extant logical works. A new logical element seems to be implied by the proofs by ecthesis: they can be explained with the help of existential quantifiers. The systematic introduction of quantifiers into the syllogistic would completely change this system: the primitive term 'Some — is' could be defined by the term 'All — is', and many new theses would arise not known to Aristotle. As Aristotle himself has dropped the proofs by ecthesis in his final summary of the syllogistic, there is no need to introduce them into his system.

Another new logical element is contained in Aristotle's investigation of the inconclusive syllogistic forms: it is rejection. Aristotle rejects invalid forms by exemplification through concrete terms. This procedure is logically correct, but it introduces into the system terms and propositions not germane to it. There are, however, cases where he applies a more logical procedure, reducing one invalid form to another already rejected. On the basis of this remark a rule of rejection could be stated corresponding to the rule of detachment by assertion; this can be regarded as the commencement of a new field of logical inquiries and of new problems that have to be solved.

Aristotle does not systematically investigate the so-called polysyllogisms, i.e. syllogisms with more than three terms and two premisses. As we have seen, Galen studied compound syllogisms consisting of four terms and three premisses. It is an old error to ascribe to Galen the authorship of the fourth figure:

Galen divided the compound syllogisms of four terms into four figures, but not the simple ones known to us by their medieval names. His investigations were entirely forgotten. But compound syllogisms also belong to the syllogistic and have to be taken into account, and here is another problem that has to be studied systematically. An essential contribution to this problem is the set of formulae given by C. A. Meredith, and mentioned above at the end of section 14.

There still remains one problem not seen by Aristotle, but of the utmost importance for his whole system: it is the problem of decision. The number of significant expressions of the syllogistic is infinite; most of them are certainly false, but some of them may be true, like valid polysyllogisms of n terms where n is any integer whatever. Can we be sure that our axioms together with our rules of inference are sufficient to prove all the true expressions of the syllogistic? And similarly, can we be sure that our rules of rejection, formulated at the end of section 20, are sufficient to reject all the false expressions, provided that a finite number of them is rejected axiomatically? I raised these problems in 1938 in my Seminar on Mathematical Logic at the University of Warsaw. One of my former pupils, now Professor of Logic and Methodology at the University of Wrocław, J. Ślupecki, found the solution to both problems. His answer to the first question was positive, to the second negative. According to Ślupecki it is not possible to reject all the false expressions of the syllogistic by means of the rules (c) and (d) quoted in section 20, provided a finite number of them is rejected axiomatically. However many false expressions we may reject axiomatically, there always exist other false expressions that cannot be rejected otherwise than axiomatically. But it is impossible to establish an infinite set of axioms. A new rule of rejection must be added to the system to complete the insufficient characterization of the Aristotelian logic given by the four axioms. This rule was found by Ślupecki.

Ślupecki's rule of rejection peculiar to Aristotle's syllogistic can be formulated in the following way: Let α and β denote negative premisses of the Aristotelian logic, i.e. premisses of the type 'No A is B ' or 'Some A is not B ', and let γ denote either a simple premiss (of any kind) or an implication the consequent of which is a simple premiss and the antecedent a conjunction of such premisses: if the expressions 'If α , then γ ' and 'If β , then γ '

are rejected, then the expression 'If α and β , then γ ' must be rejected too.¹ This rule, together with the rules of rejection (c) and (d) and the axiomatically rejected expression 'If all C is B and all A is B , then some A is C ', enables us to reject any false expression of the system. Besides, we suppose as given the four asserted axioms of the syllogistic, the definitions of the E - and the O -premiss, the rules of inference for asserted expressions, and the theory of deduction as an auxiliary system. In this way the problem of decision finds its solution: for any given significant expression of the system we can decide whether it is true and may be asserted or whether it is false and must be rejected.

By the solution of this problem the main investigations on Aristotle's syllogistic are brought to an end. There remains only one problem, or rather one mysterious point waiting for an explanation: in order to reject all the false expressions of the system it is necessary and sufficient to reject axiomatically only one false expression, viz. the syllogistic form of the second figure with universal affirmative premisses and a particular affirmative conclusion. There exists no other expression suitable for this purpose. The explanation of this curious logical fact may perhaps lead to new discoveries in the field of logic.

¹ J. Ślupecki, 'Z badań nad sylogistyką Arystotelesa' (Investigation on Aristotle's Syllogistic), *Travaux de la Société des Sciences et des Lettres de Wrocław*, Sér. B, No. 9, Wrocław (1948). See chapter v, devoted to the problem of decision.

CHAPTER IV

ARISTOTLE'S SYSTEM IN SYMBOLIC FORM

§ 22. *Explanation of the symbolism*

THIS chapter does not belong to the history of logic. Its purpose is to set out the system of non-modal syllogisms according to the requirements of modern formal logic, but in close connexion with the ideas set forth by Aristotle himself.

Modern formal logic is strictly formalistic. In order to get an exactly formalized theory it is more convenient to employ a symbolism invented for this purpose than to make use of ordinary language which has its own grammatical laws. I have therefore to start from the explanation of such a symbolism. As the Aristotelian syllogistic involves the most elementary part of the propositional logic called theory of deduction, I shall explain the symbolic notation of both these theories.

In both theories there occur variables and constants. Variables are denoted by small Latin letters, constants by Latin capitals. By the initial letters of the alphabet $a, b, c, d, \dots$, I denote term-variables of the Aristotelian logic. These term-variables have as values universal terms, as 'man' or 'animal'. For the constants of this logic I employ the capital letters A, E, I , and O , used already in this sense by the medieval logicians. By means of these two kinds of letters I form the four functions of the Aristotelian logic, writing the constants before the variables:

Aab	means	All a is b	or	b belongs to all a ,
Eab	„	No a is b	„	b belongs to no a ,
Iab	„	Some a is b	„	b belongs to some a ,
Oab	„	Some a is not b	„	b does not belong to some a .

The constants A, E, I , and O are called functors, a and b their arguments. All Aristotelian syllogisms are composed of these four types of function connected with each other by means of the words 'if' and 'and'. These words also denote functors, but of a different kind from the Aristotelian constants: their arguments are not term-expressions, i.e. concrete terms or term-variables, but propositional expressions, i.e. propositions like

'All men are animals', propositional functions like '*Aab*', or propositional variables. I denote propositional variables by *p*, *q*, *r*, *s*, ..., the functor 'if' by *C*, the functor 'and' by *K*. The expression *Cpq* means 'if *p*, then *q*' ('then' may be omitted) and is called 'implication' with *p* as the antecedent and *q* as the consequent. *C* does not belong to the antecedent, it only combines the antecedent with the consequent. The expression *Kpq* means '*p* and *q*' and is called 'conjunction'. We shall meet in some proofs a third functor of propositional logic, propositional negation. This is a functor of one argument and is denoted by *N*. It is difficult to render the function *Np* either in English or in any other modern language, as there exists no single word for the propositional negation.¹ We have to say by circumlocution 'it-is-not-true-that *p*' or 'it-is-not-the-case-that *p*'. For the sake of brevity I shall use the expression 'not-*p*'.

The principle of my notation is to write the functors before the arguments. In this way I can avoid brackets. This symbolism without brackets, which I invented and have employed in my logical papers since 1929,² can be applied to mathematics as well as to logic. The associative law of addition runs in the ordinary notation thus:

$$(a+b)+c = a+(b+c),$$

and cannot be stated without brackets. If you write, however, the functor *+* before its arguments, you get:

$$(a+b)+c = ++abc \quad \text{and} \quad a+(b+c) = +a+bc.$$

The law of association can be now written without brackets:

$$++abc = +a+bc.$$

Now I shall explain some expressions written down in this symbolic notation. The symbolic expression of a syllogism is easy to understand. Take, for instance, the mood Barbara:

If all *b* is *c* and all *a* is *b*, then all *a* is *c*.

It reads in symbols:

$$CKAbcAabAac.$$

¹ The Stoics used for propositional negation the single word *οὐχ*.

² See, for instance, Łukasiewicz and Tarski, 'Untersuchungen über den Aussagenkalkül', *Comptes Rendus des séances de la Société des Sciences et des Lettres de Varsovie*, xxiii (1930), Cl. III, pp. 31-2.

The conjunction of the premisses Abc and Aab , viz. $KAbcAab$, is the antecedent of the formula, the conclusion Aac is its consequent.

Some expressions of the theory of deduction are more complicated. Take the symbolic expression of the hypothetical syllogism:

If (if p , then q), then [if (if q , then r), then (if p , then r)].

It reads:

$CCpqCCqrCpr$.

In order to understand the construction of this formula you must remember that C is a functor of two propositional arguments which follow immediately after C , forming together with C a new compound propositional expression. Of this kind are the expressions Cpq , Cqr , and Cpr contained in the formula. Draw brackets around each of them; you will get the expression:

$C(Cpq)C(Cqr)(Cpr)$.

Now you can easily see that (Cpq) is the antecedent of the whole formula, and the rest, i.e. $C(Cqr)(Cpr)$, is the consequent, having (Cqr) as its antecedent and (Cpr) as its consequent.

In the same way we may analyse all the other expressions, for instance the following, which contains N and K besides C :

$CCKpqrCKNrqNp$.

Remember that K , like C , is a functor of two arguments, and that N is a functor of one argument. By using different kinds of brackets we get the expression:

$C[C(Kpq)r]\{C[K(Nr)q](Np)\}$.

$[C(Kpq)r]$ is here the antecedent of the whole formula while $\{C[K(Nr)q](Np)\}$ is its consequent, having the conjunction $[K(Nr)q]$ as its antecedent and the negation (Np) as its consequent.

§ 23. Theory of deduction

The most fundamental logical system on which all the other logical systems are built up is the theory of deduction. As every logician is bound to know this system, I shall here describe it in brief.

The theory of deduction can be axiomatized in several different ways, according to which functors are chosen as primitive terms. The simplest way is to follow Frege, who takes as primitive terms the functors of implication and negation, in our symbolism C and N . There exist many sets of axioms of the C - N -system; the simplest of them and the one almost universally accepted was discovered by myself before 1929.¹ It consists of three axioms:

T1. $CCpqCCqrCpr$

T2. $CCNppp$

T3. $CpCNpq$.

The first axiom is the law of the hypothetical syllogism already explained in the foregoing section. The second axiom, which reads in words 'If (if not- p , then p), then p ', was applied by Euclid to the proof of a mathematical theorem.² I call it the law of Clavius, as Clavius (a learned Jesuit living in the second half of the sixteenth century, one of the constructors of the Gregorian calendar) first drew attention to this law in his commentary on Euclid. The third axiom, in words 'If p , then if not- p , then q ', occurs for the first time, as far as I know, in a commentary on Aristotle ascribed to Duns Scotus; I call it the law of Duns Scotus.³ This law contains the venom usually imputed to contradiction: if two contradictory sentences, like α and $N\alpha$, were true together, we could derive from them by means of this law the arbitrary proposition q , i.e. any proposition whatever.

There belong to the system two rules of inference: the rule of substitution and the rule of detachment.

The rule of substitution allows us to deduce new theses from a thesis asserted in the system by writing instead of a variable a significant expression, everywhere the same for the same variable. Significant expressions are defined inductively in the following way: (a) any propositional variable is a significant expression; (b) $N\alpha$ is a significant expression provided α is a

¹ First published in Polish: 'O znaczeniu i potrzebach logiki matematycznej' (On the Importance and Requirements of Mathematical Logic), *Nauka Polska*, vol. x, Warsaw (1929), pp. 610-12. Cf. also the German contribution quoted in p. 78, n. 2: Satz 6, p. 35.

² See above, section 16.

³ Cf. my paper quoted in p. 48, n.

significant expression; (c) $C\alpha\beta$ is a significant expression provided α and β are significant expressions.

The rule of detachment is the *modus ponens* of the Stoics referred to above: if a proposition of the type $C\alpha\beta$ is asserted and its antecedent α is asserted too, it is permissible to assert its consequent β , and detach it from the implication as a new thesis.

By means of these two rules we can deduce from our set of axioms all the true theses of the C - N -system. If we want to have in the system other functors besides C and N , e.g. K , we must introduce them by definitions. This can be done in two different ways, as I shall show on the example of K . The conjunction ' p and q ' means the same as 'it-is-not-true-that (if p , then not- q)'. This connexion between Kpq and $NCpNq$ may be expressed by the formula:

$$Kpq = NCpNq,$$

where the sign $=$ corresponds to the words 'means the same as'. This kind of definition requires a special rule of inference allowing us to replace the *definiens* by the *definiendum* and vice versa. Or we may express the connexion between Kpq and $NCpNq$ by an equivalence, and as equivalence is not a primitive term of our system, by two implications converse to each other:

$$CKpqNCpNq \quad \text{and} \quad CNCpNqKpq.$$

In this case a special definition-rule is not needed. I shall use definitions of the first kind.

Let us now see by an example how new theses can be derived from the axioms by the help of rules of inference. I shall deduce from T₁–T₃ the law of identity Cpp . The deduction requires two applications of the rule of substitution and two applications of the rule of detachment; it runs thus:

$$\begin{array}{l} \text{T}_1. q/CNpq \times \text{CT}_3\text{--T}_4 \\ \text{T}_4. CCCNpq r Cpr \\ \text{T}_4. q/p, r/p \times \text{CT}_2\text{--T}_5 \\ \text{T}_5. Cpp. \end{array}$$

The first line is called the derivational line. It consists of two parts separated from each other by the sign $\times$. The first part, T₁. $q/CNpq$, means that in T₁ $CNpq$ has to be substituted for

q. The thesis produced by this substitution is omitted in order to save space. It would be of the following form:

(I) $CCpCNpqCCCNpqrCpr$.

The second part, CT_3 – T_4 , shows how this omitted thesis is constructed, making it obvious that the rule of detachment may be applied to it. Thesis (I) begins with *C*, and then there follow axiom T_3 as antecedent and thesis T_4 as consequent. We can therefore detach T_4 as a new thesis. The derivational line before T_5 has a similar explanation. The stroke (/) is the sign of substitution and the short rule (–) the sign of detachment. Almost all subsequent deductions are performed in the same manner.

One must be very expert in performing such proofs if one wants to deduce from the axioms T_1 – T_3 the law of commutation $CCpCqrCqCpr$ or even the law of simplification $CpCqp$. I shall therefore explain an easy method of verifying expressions of our system without deducing them from the axioms. This method, invented by the American logician Charles S. Peirce about 1885, is based on the so-called principle of bivalence, which states that every proposition is either true or false, i.e. that it has one and only one of two possible truth-values: truth and falsity. This principle must not be mixed up with the law of the excluded middle, according to which of two contradictory propositions one must be true. It was stated as the basis of logic by the Stoics, in particular by Chrysippus.¹

All functions of the theory of deduction are truth-functions, i.e. their truth and falsity depend only upon the truth and falsity of their arguments. Let us denote a constant false proposition by *o*, and a constant true proposition by *1*. We may define negation in the following way:

$$No = 1 \quad \text{and} \quad N1 = o.$$

This means: the negation of a false proposition means the same as a true proposition (or, shortly, is true) and the negation of a true proposition is false. For implication we have the following four definitions:

$$Coo = 1, \quad Cor = 1, \quad C1o = o, \quad C11 = 1.$$

¹ Cicero, *Acad. pr.* ii. 95 'Fundamentum dialecticae est, quidquid enuntietur (id autem appellant ἀξίωμα) aut verum esse aut falsum'; *De fato* 21 'Itaque contendit omnes nervos Chrysippus ut persuadeat omne ἀξίωμα aut verum esse aut falsum.' In the Stoic terminology ἀξίωμα means 'proposition', not 'axiom'.

This means: an implication is false only when its antecedent is true and its consequent false; in all the other cases it is true. This is the oldest definition of implication, stated by Philon of Megara and adopted by the Stoics.¹ For conjunction we have the four evident equalities:

$$Koo = o, \quad Koi = o, \quad KIo = o, \quad KII = I.$$

A conjunction is true only when both its arguments are true; in all the other cases it is false.

Now if we want to verify a significant expression of the theory of deduction containing all or some of the functors *C*, *N*, and *K* we have to substitute for the variables occurring in the expression the symbols *o* and *I* in all possible permutations, and reduce the formulae thus obtained on the basis of the equalities given above. If after the reduction all the formulae give *I* as the final result, the expression is true or a thesis; if any one of them gives *o* as the final result, the expression is false. Let us take as an example of the first kind the law of transposition *CCpqCNqNp*; we get:

$$\text{For } p/o, q/o: CCooCNoNo = CI CII = CII = I,$$

$$,, \quad p/o, q/I: CCoiCNINo = CI CoI = CII = I,$$

$$,, \quad p/I, q/o: CCIoCNoNI = Co CIo = Coo = I,$$

$$,, \quad p/I, q/I: CCIICNI NI = CI Coo = CII = I.$$

As for all substitutions the final result is *I*, the law of transposition is a thesis of our system. Let us now take as an example of the second kind the expression *CKpNqq*. It suffices to try only one substitution:

$$p/I, q/o: CKINoo = CKIIo = CIo = o.$$

This substitution gives *o* as the final result, and therefore the expression *CKpNqq* is false. In the same way we may check all the theses of the theory of deduction employed as auxiliary premisses in Aristotle's syllogistic.

§ 24. Quantifiers

Aristotle had no clear idea of quantifiers and did not use them in his works; consequently we cannot introduce them into his syllogistic. But, as we have already seen, there are two points in his system which we can understand better if we explain them

¹ Sextus Empiricus, *Adv. math.* viii. 113 ὁ μὲν Φίλων ἔλεγεν ἀληθὲς γίνεσθαι τὸ συνημμένον, ὅταν μὴ ἀρχῇται ἀπ' ἀληθοῦς καὶ λήγῃ ἐπὶ ψεύδους, ὥστε τριχῶς μὲν γίνεσθαι κατ' αὐτὸν ἀληθὲς συνημμένον, καθ' ἕνα δὲ τρόπον ψεύδος.

by employing quantifiers. Universal quantifiers are connected with the so-called 'syllogistic necessity', existential or particular quantifiers with the proofs by ecthesis. I shall now translate into symbols the proofs with existential quantifiers set down in section 19, and then the argument dependent on universal quantifiers mentioned in section 5.

I denote quantifiers by Greek capitals, the universal quantifier by Π , and the particular or existential quantifier by Σ . Π may be read 'for all', and Σ 'for some' or 'there exists'; e.g. $\Sigma c K A c b A c a$ means in words: 'There exists a c such that all c is b and all c is a ', or more briefly: 'For some c , all c is b and all c is a .' Every quantified expression, for instance $\Sigma c K A c b A c a$, consists of three parts: part one, in our example Σ , is always a quantifier; part two, here c , is always a variable bound by the preceding quantifier; part three, here $K A c b A c a$, is always a propositional expression containing the variable just bound by the quantifier as a free variable. It is by putting Σc before $K A c b A c a$ that the free variable c in this last formula becomes bound. We may put it briefly: Σ (part one) binds c (part two) in $K A c b A c a$ (part three).

The rules of existential quantifiers have already been set out in section 19. In derivational lines I denote by $\Sigma 1$ the rule allowing us to put Σ before the antecedent, and by $\Sigma 2$ the rule allowing us to put it before the consequent of a true implication. The following deductions will be easily understood, as they are translations of the deductions given in words in section 19, the corresponding theses bearing the same running number and having corresponding small letters as variables instead of capitals.

Proof of conversion of the I-premiss

Theses assumed as true without proof:

$$(1) C I a b \Sigma c K A c b A c a$$

$$(2) C \Sigma c K A c b A c a I a b$$

Theses (1) and (2) can be used as a definition of the *I*-premiss.

$$(3) C K p q K q p \quad (\text{commutative law of conjunction})$$

$$(3) p / A c h, q / A c a \times (4)$$

$$(4) C K A c b A c a K A c a A c b$$

$$(4) \Sigma 2 c \times (5)$$

$$(5) C K A c b A c a \Sigma c K A c a A c b$$

- (5) $\Sigma Ic \times (6)$
 (6) $C\Sigma cKAc bAca\Sigma cKAcaAc b$
 T1. $CCpqCCqrCpr$ (law of the hypothetical syllogism)
 $T1. p/Iab, q/\Sigma cKAc bAca, r/\Sigma cKAcaAc b \times C(1) - C(6) - (7)$
 (7) $CIab\Sigma cKAcaAc b$
 (2) $b/a, a/b \times (8)$
 (8) $C\Sigma cKAcaAc bIba$
 • $T1. p/Iab, q/\Sigma cKAcaAc b, r/Iba \times C(7) - C(8) - (9)$
 (9) $CIabIba$

The derivational lines show that (4) and (8) result from other theses by substitution only, and (7) and (9) by substitution and two detachments. Upon this pattern the reader himself may try to construct the proof of the mood Darapti, which is easy.

Proof of the mood Bocardo

(The variables P , R , and S used in section 19 must be re-lettered, as the corresponding small letters p , r , and s are reserved to denote propositional variables: write d for P , a for R , and b for S .)

Thesis assumed without proof:

- (15) $CObd\Sigma cKAcbEcd$

Two syllogisms taken as premisses:

- (16) $CKAc bAbaAca$ (Barbara)
 (17) $CKAcaEcdOad$ (Felapton)

- T6. $CCKpqrCCKrstCKKpqst$

This is the 'synthetic theorem' ascribed to Aristotle.

- $T6. p/Acb, q/Aba, r/Aca, s/Ecd, t/Oad \times C(16) - C(17) - (18)$
 (18) $CKKAcbAbaEcdOad$
 T7. $CCKKpqrsCKprCqs$ (auxiliary thesis)
 $T7. p/Acb, q/Aba, r/Ecd, s/Oad \times C(18) - (19)$
 (19) $CKAc bEcdCAbaOad$
 (19) $\Sigma Ic \times (20)$
 (20) $C\Sigma cKAcbEcdCAbaOad$
 T1. $CCpqCCqrCpr$
 $T1. p/Obd, q/\Sigma cKAcbEcd, r/CAbaOad \times C(15) - C(20) - (21)$
 (21) $CObdCAbaOad$

This is the implicational form of the mood Bocardo. If we wish to have the usual conjunctive form of this mood, we must apply to (21) the so-called law of importation:

T8. $CCpCqrCKpqr$.

We get:

T8. $p/Obd, q/Aba, r/Oad \times C(21)-(22)$

(22) $CKObdAbaOad$ (Bocardo).

By the so-called law of exportation,

T9. $CCKpqrCpCqr$,

which is the converse of the law of importation, we can get the implicational form of the mood Bocardo back from its conjunctive form.

The rules of universal quantifiers are similar to the rules of particular quantifiers set out in section 19. The universal quantifier can be put before the antecedent of a true implication unconditionally, binding a free variable occurring in the antecedent, and before the consequent of a true implication only under the condition that the variable which is to be bound in the consequent does not occur in the antecedent as a free variable. I denote the first of these rules by Π_1 , the second by Π_2 .

Two derived rules result from the above primitive rules of universal quantifiers: first, it is permissible (by rule Π_2 and the law of simplification) to put universal quantifiers in front of a true expression binding free variables occurring in it; secondly, it is permissible (by rule Π_1 and the propositional law of identity) to drop universal quantifiers standing in front of a true expression. How these rules may be derived I shall explain by the example of the law of conversion of the *I*-premiss.

From the law of conversion

(9) $CIabIba$

there follows the quantified expression

(26) $\Pi a \Pi b CIabIba$,

and from the quantified expression (26) there follows again the unquantified law of conversion (9).

First: from (9) follows (26).

T₁₀. $CpCqp$ (law of simplification)

T₁₀. $p/CIabIba \times C(9)-(23)$

(23) $CqCIabIba$

To this thesis we apply rule Π_2 binding b , and then a , as neither b nor a occurs in the antecedent:

(23) $\Pi_2b \times (24)$

(24) $Cq\Pi bCIabIba$

(24) $\Pi_2a \times (25)$

(25) $Cq\Pi a\Pi bCIabIba$

(25) $q/CpCqp \times CT_{10}-(26)$

(26) $\Pi a\Pi bCIabIba$

Secondly: from (26) follows (9).

T₅. Cpp (law of identity)

T₅. $p/CIabIba \times (27)$

(27) $CCIabIbaCIabIba$

To this thesis we apply rule Π_1 binding b , and then a :

(27) $\Pi_1b \times (28)$

(28) $C\Pi bCIabIbaCIabIba$

(28) $\Pi_1a \times (29)$

(29) $C\Pi a\Pi bCIabIbaCIabIba$

(29) $\times C(26)-(9)$

(9) $CIabIba$

Aristotle asserts: 'If some a is b , it is necessary that some b should be a .' The expression 'it is necessary that' can have, in my opinion, only this meaning: it is impossible to find such values of the variables a and b as would verify the antecedent without verifying the consequent. That means, in other words: 'For all a , and for all b , if some a is b , then some b is a .' This is our quantified thesis (26). It has been proved that this thesis is equivalent to the unquantified law of conversion 'If some a is b , then some b is a ', which does not contain the sign of necessity. Since the syllogistic necessity is equivalent to a universal quantifier it may be omitted, as a universal quantifier may be omitted at the head of a true formula.

§ 25. *Fundamentals of the syllogistic*

Every axiomatized deductive system is based on three fundamental elements: primitive terms, axioms, and rules of inference. I start from the fundamentals for asserted expressions, the fundamental elements for the rejected ones being given later.

As primitive terms I take the constants A and I , defining by them the two other constants, E and O :

Df 1. $Eab = NIab$

Df 2. $Oab = NAab$.

In order to abbreviate the proofs I shall employ instead of the above definitions the two following rules of inference:

Rule RE: NI may be everywhere replaced by E and conversely.

Rule RO: NA may be everywhere replaced by O and conversely.

The four theses of the system axiomatically asserted are the two laws of identity and the moods Barbara and Datisi:

1. Aaa

2. Iaa

3. $CKAbcAabAac$ (Barbara)

4. $CKAbcIbalac$ (Datisi).

Besides the rules RE and RO I accept the two following rules of inference for the asserted expressions:

- (a) Rule of substitution: If α is an asserted expression of the system, then any expression produced from α by a valid substitution is also an asserted expression. The only valid substitution is to put for term-variables a, b, c other term-variables, e.g. b for a .
- (b) Rule of detachment: If $C\alpha\beta$ and α are asserted expressions of the system, then β is an asserted expression.

As an auxiliary theory I assume the C - N -system of the theory of deduction with K as a defined functor. For propositional variables propositional expressions of the syllogistic may be substituted, like $Aab, Iac, KEbcAab$, etc. In all subsequent proofs (and also for rejected expressions) I shall employ only the following fourteen theses denoted by roman numerals:

- | | |
|------------------------|---|
| I. $CpCqp$ | (law of simplification) |
| II. $CCqrCCpqCpr$ | (law of hypothetical syllogism, 2nd form) |
| III. $CCpCqrCqCpr$ | (law of commutation) |
| IV. $CpCNpq$ | (law of Duns Scotus) |
| V. $CCNppp$ | (law of Clavius) |
| VI. $CCpqCNqNp$ | (law of transposition) |
| VII. $CCKpqrCpCqr$ | (law of exportation) |
| VIII. $CpCCKpqrCqr$ | |
| IX.* $CCspCCKpqrCKsqr$ | |
| X. $CCKpqrCCsqCKpsr$ | |
| XI. $CCrsCCKpqrCKqps$ | |
| XII. $CCKpqrCKpNrNq$ | |
| XIII. $CCKpqrCKNrqNp$ | |
| XIV. $CCKpNqNrCKprq$ | |

Thesis VIII is a form of the law of exportation, theses IX–XI are compound laws of hypothetical syllogism, and XII–XIV are compound laws of transposition. All of these can be easily verified by the o - I method explained in section 23. Theses IV and V give together with II and III the whole C - N -system, but IV and V are needed only in proofs for rejected expressions.

The system of axioms 1–4 is consistent, i.e. non-contradictory. The easiest proof of non-contradiction is effected by regarding term-variables as proposition-variables, and by defining the functions A and I as always true, i.e. by putting $Aab = Iab = KCaaCbb$. The axioms 1–4 are then true as theses of the theory of deduction, and as it is known that the theory of deduction is non-contradictory, the syllogistic is non-contradictory too.

All the axioms of our system are independent of each other. The proofs of this may be given by interpretation in the field of the theory of deduction. In the subsequent interpretations the term-variables are treated as propositional variables.

Independence of axiom 1: Take K for A , and C for I . Axiom 1 is not verified, for $Aaa = Kaa$, and Kaa gives o for a/o . The other axioms are verified, as can be seen by the o - I method.

Independence of axiom 2: Take C for A , and K for I . Axiom 2 is not verified, for $Iaa = Kaa$. The other axioms are verified.

Independence of axiom 4: Take C for A and I . Axiom 4 is not verified, for $CKAbcIbaIac = CKCbcCbaCac$ gives o for b/o , a/I , c/o . The rest are verified.

Independence of axiom 3: it is impossible to prove the independence of this axiom on the ground of a theory of deduction with only two truth-values, 0 and 1 . We must introduce a third truth-value, let us say 2 , which may be regarded as another symbol for truth, i.e. for 1 . To the equivalences given for C , N , and K in section 23, we have to add the following formulae:

$$\begin{aligned} C02 = C12 = C21 = C22 = 1, & \quad C20 = 0, & \quad N2 = 0, \\ K02 = K20 = 0, & \quad K12 = K21 = K22 = 1. \end{aligned}$$

It can easily be shown that under these conditions all the theses of the C - N -system are verified. Let us now define Iab as a function always true, i.e. $Iab = 1$ for all values of a and b , and Aab as a function with the values

$$Aaa = 1, A01 = A12 = 1, \text{ and } A02 = 0 \text{ (the rest is irrelevant).}$$

Axioms 1, 2, and 4 are verified, but from 3 we get by the substitutions $b/1$, $c/2$, $a/0$: $CKA12A01A02 = CK110 = C10 = 0$.

It is also possible to give proofs of independence by interpretation in the field of natural numbers. If we want, for instance, to prove that axiom 3 is independent of the remaining axioms, we can define Aab as $a+1 \neq b$, and Iab as $a+b = b+a$. Iab is always true, and therefore axioms 2 and 4 are verified. Axiom 1 is also verified, for $a+1$ is always different from a . But axiom 3, i.e. 'If $b+1 \neq c$ and $a+1 \neq b$, then $a+1 \neq c$ ', is not verified. Take 3 for a , 2 for b , and 4 for c : the premisses will be true and the conclusion false.

It results from the above proofs of independence that there exists no single axiom or 'principle' of the syllogistic. The four axioms 1-4 may be mechanically conjoined by the word 'and' into one proposition, but they remain distinct in this inorganic conjunction without representing one single idea.

§ 26. Deduction of syllogistic theses

From axioms 1-4 we can derive all the theses of the Aristotelian logic by means of our rules of inference and by the help of the theory of deduction. I hope that the subsequent proofs will be quite intelligible after the explanations given in the foregoing sections. In all syllogistical moods the major term is denoted by a , the middle term by b , and the minor term by c .

The major premiss is stated first, so that it is easy to compare the formulae with the traditional names of the moods.¹

A. THE LAWS OF CONVERSION

VII. $p/Abc, q/Iba, r/Iac \times C4-5$

5. $CABcCIbaIac$

5. $b/a, c/a, a/b \times C1-6$

6. $CIabIba$ (law of conversion of the *I*-premiss)

• III. $p/Abc, q/Iba, r/Iac \times C5-7$

7. $CIbaCABcIac$

7. $b/a, c/b \times C2-8$

8. $CAabIab$ (law of subordination for affirmative premisses)

II. $q/Iab, r/Iba \times C6-9$

9. $CCpIabCpIba$

9. $p/Aab \times C8-10$

10. $CAabIba$ (law of conversion of the *A*-premiss)

6. $a/b, b/a \times I1$

11. $CIbaIab$

VI. $p/Iba, q/Iab \times C11-12$

12. $CNIabNIba$

12. RE $\times$ 13

13. $CEabEba$ (law of conversion of the *E*-premiss)

VI. $p/Aab, q/Iab \times C8-14$

14. $CNIabNAab$

14. RE, RO $\times$ 15

15. $CEabOab$ (law of subordination for negative premisses)

B. THE AFFIRMATIVE MOODS

X. $p/Abc, q/Iba, r/Iac \times C4-16$

16. $CCsIbaCKAbcsIac$

16. $s/Iab \times C6-17$

17. $CKAbcIabIac$

(Darii)

¹ In my Polish text-book, *Elements of Mathematical Logic*, published in 1929 (see p. 46, n. 3), I showed for the first time how the known theses of the syllogistic may be formally deduced from axioms 1-4 (pp. 180-90). The method expounded in the above text-book is accepted with some modifications by I. M. Bocheński, O.P., in his contribution: *On the Categorical Syllogism*, *Dominican Studies*, vol. i, Oxford (1948).

16. $s/Aab \times C_{10-18}$
 18. $CKAbcAabIac$ (Barbari)
 8. $a/b, b/a \times 19$
 19. $CAbaIba$
 16. $s/Aba \times C_{19-20}$
 20. $CKAbcAbaIac$ (Darapti)
 XI. $r/Iba, s/Iab \times C_{11-21}$
 21. $CCKpqIbaCKqpIab$
 4. $c/a, a/c \times 22$
 22. $CKAbaIbcIca$
 21. $p/Aba, q/Ibc, b/c \times C_{22-23}$
 23. $CKIbcAbaIac$ (Disamis)
 17. $c/a, a/c \times 24$
 24. $CKAbaIcbIca$
 21. $p/Aba, q/Icb, b/c \times C_{24-25}$
 25. $CKIcbAbaIac$ (Dimaris)
 18. $c/a, a/c \times 26$
 26. $CKAbaAcbIca$
 21. $p/Aba, q/Acb, b/c \times C_{26-27}$
 27. $CKAcbAbaIac$ (Bramantip)

C. THE NEGATIVE MOODS

- XIII. $p/Ibc, q/Aba, r/Iac \times C_{23-28}$
 28. $CKNIacAbaNIbc$
 28. $RE \times 29$
 29. $CKEacAbaEbc$
 29. $a/b, b/a \times 30$
 30. $CKEbcAabEac$ (Celarent)
 IX. $s/Eab, p/Eba \times C_{13-31}$
 31. $CCKEbaqrCKEabqr$
 31. $a/c, q/Aab, r/Eac \times C_{30-32}$
 32. $CKEcbAabEac$ (Cesare)
 XI. $r/Eab, s/Eba \times C_{13-33}$
 33. $CCKpqEabCKqpEba$
 32. $c/a, a/c \times 34$
 34. $CKEabAcbEca$

33. $p/Eab, q/Acb, a/c, b/a \times C_{34-35}$
 35. $CKAcbEabEac$ (Camestres)
 30. $c/a, a/c \times 36$
 36. $KEbaAcbEca$
 33. $p/Eba, q/Acb, a/c, b/a \times C_{36-37}$
 37. $CKAcbEbaEac$ (Camenes)
 II. $q/Eab, r/Oab \times C_{15-38}$
 38. $LCpEabCpOab$
 38. $p/KEbcAab, b/c \times C_{30-39}$
 39. $KEbcAabOac$ (Celaront)
 38. $p/KEcbAab, b/c \times C_{32-40}$
 40. $KEcbAabOac$ (Cesaro)
 38. $p/KAcbEab, b/c \times C_{35-41}$
 41. $CKAcbEabOac$ (Camestrop)
 38. $p/KAcbEba, b/c \times C_{37-42}$
 42. $CKAcbEbaOac$ (Camenop)
 XIII. $p/Abc, q/Iba, r/Iac \times C_{4-43}$
 43. $CKNIacIbaNAbc$
 43. $RE, RO \times 44$
 44. $KEacIbaObc$
 44. $a/b, b/a \times 45$
 45. $KEbcIabOac$ (Ferio)
 31. $a/c, q/Iab, r/Oac \times C_{45-46}$
 46. $KEcbIabOac$ (Festino)
 X. $p/Ebc, q/Iab, r/Oac \times C_{45-47}$
 47. $CCsIabCKEbcOac$
 47. $s/Iba \times C_{11-48}$
 48. $KEbcIbaOac$ (Ferison)
 31. $a/c, q/Iba, r/Oac \times C_{48-49}$
 49. $KEcbIbaOac$ (Fresison)
 10. $a/b, b/a \times 50$
 50. $CAbaIab$
 47. $s/Aba \times C_{50-51}$
 51. $KEbcAbaOac$ (Felapton)
 31. $a/c, q/Aba, r/Oac \times C_{51-52}$
 52. $KEcbAbaOac$ (Fesapo)

As a result of all these deductions one remarkable fact deserves our attention: it was possible to deduce twenty syllogistic moods without employing axiom 3, the mood Barbara. Even Barbari could be proved without Barbara. Axiom 3 is the most important thesis of the syllogistic, for it is the only syllogism that yields a universal affirmative conclusion, but in the system of simple syllogisms it has an inferior rank, being necessary to prove only two syllogistic moods, Baroco and Bocardo. Here are these two proofs:

XII. $p/Abc, q/Aab, r/Aac \times C_3-53$

53. $CKAbcNAacNAab$

53. $RO \times 54$

54. $CKAbcOacOab$

54. $b/c, c/b \times 55$

55. $CKAc bOabOac$ (Baroco)

XIII. $p/Abc, q/Aab, r/Aac \times C_3-56$

56. $CKNAacAabNAbc$

56. $RO \times 57$

57. $CKOacAabObc$

57. $a/b, b/a \times 58$

58. $CKObcAbaOac$ (Bocardo)

§ 27. Axioms and rules for rejected expressions

Of two intellectual acts, to assert a proposition and to reject it,¹ only the first has been taken into account in modern formal logic. Gottlob Frege introduced into logic the idea of assertion, and the sign of assertion ($\vdash$), accepted afterwards by the authors of *Principia Mathematica*. The idea of rejection, however, so far as I know, has been neglected up to the present day.

We assert true propositions and reject false ones. Only true propositions can be asserted, for it would be an error to assert a proposition that was not true. An analogous property cannot be asserted of rejection: it is not only false propositions that have to be rejected. It is true, of course, that every proposition is either true or false, but there exist propositional expressions that are neither true nor false. Of this kind are the so-called propositional functions, i.e. expressions containing free variables

¹ I owe this distinction to Franz Brentano, who describes the acts of believing as *anerkennen* and *verwerfen*.

and becoming true for some of their values, and false for others. Take, for instance, p , the propositional variable: it is neither true nor false, because for $p/1$ it becomes true, and for $p/0$ it becomes false. Now, of two contradictory propositions, α and $N\alpha$, one must be true and the other false, one therefore must be asserted and the other rejected. But neither of the two contradictory propositional functions, p and Np , can be asserted, because neither of them is true: they both have to be rejected.

The syllogistic forms rejected by Aristotle are not propositions but propositional functions. Let us take an example: Aristotle says that no syllogism arises in the first figure, when the first term belongs to all the middle, but to none of the last. The syllogistic form therefore:

(i) $CKAbcEabIac$

is not asserted by him as a valid syllogism, but rejected. Aristotle himself gives concrete terms disproving the above form: take for b 'man', for c 'animal', and for a 'stone'. But there are other values for which the formula (i) can be verified: by identifying the variables a and c we get a true implication $CKAbaEabIaa$, for its antecedent is false and its consequent true. The negation of the formula (i):

(j) $NCKAbcEabIac$

must therefore be rejected too, because for c/a it is false.

By introducing quantifiers into the system we could dispense with rejection. Instead of rejecting the form (i) we could assert the thesis:

(k) $\Sigma a \Sigma b \Sigma c NCKAbcEabIac$.

This means: there exist terms a , b , and c that verify the negation of (i). The form (i), therefore, is not true for all a , b , and c , and cannot be a valid syllogism. In the same way instead of rejecting the expression (j) we might assert the thesis:

(l) $\Sigma a \Sigma b \Sigma c CKAbcEabIac$.

But Aristotle knows nothing of quantifiers; instead of adding to his system new theses with quantifiers he uses rejection. As rejection seems to be a simpler idea than quantification, let us follow in Aristotle's steps.

Aristotle rejects most invalid syllogistic forms by exemplification through concrete terms. This is the only point where we cannot follow him, because we cannot introduce into logic such concrete terms as 'man' or 'animal'. Some forms must be rejected axiomatically. I have found¹ that if we reject axiomatically the two following forms of the second figure:

CKAcbAabIac

CKEcbEabIac,

all the other invalid syllogistic forms may be rejected by means of two rules of rejection:

- (c) Rule of rejection by detachment: if the implication 'If α , then β ' is asserted, but the consequent β is rejected, then the antecedent α must be rejected too.
- (d) Rule of rejection by substitution: if β is a substitution of α , and β is rejected, then α must be rejected too.

Both rules are perfectly evident.

The number of syllogistic forms is $4 \times 4^3 = 256$; 24 forms are valid syllogisms, 2 forms are rejected axiomatically. It would be tedious to prove that the remaining 230 invalid forms may be rejected by means of our axioms and rules. I shall only show, by the example of the forms of the first figure with premisses *Abc* and *Eab*, how our rules of rejection work on the basis of the first axiom of rejection.

Rejected expressions I denote by an asterisk put before their serial number. Thus we have:

*59. *CKAcbAabIac* (Axiom)

*59a. *CKEcbEabIac*

I. $p/Iac, q/KAcbAab \times 60$

60. *CIacCKAcbAabIac*

$60 \times C^*61 - *59$

*61. *Iac*.

Here for the first time is applied the rule of rejection by detachment. The asserted implication 60 has a rejected consequent, *59; therefore its antecedent, *61, must be rejected too. In this same way I get the rejected expressions *64, *67, *71, *74, and *77.

¹ See section 20.

V. $p/Iac \times 62$

62. $CCNIacIacIac$

62. $RE \times 63$

63. $CCEacIacIac$

$63 \times C^*64 - ^*61$

*64. $CEacIac$

1. $a/c \times 65$

65. Acc

VIII. $p/Acc, q/Eac, r/Iac \times C65-66$

66. $CCKAccEacIacCEacIac$

$66 \times C^*67 - ^*64$

*67. $CKAccEacIac$

$^*67 \times ^*68. b/c$

*68. $CKAbcEabIac$

Here the rule of rejection by substitution is applied. Expression *68 must be rejected, because by the substitution of b for c in *68 we get the rejected expression *67. The same rule is used to get *75.

II. $q/Aab, r/Iab \times C8-69$

69. $CCpAabCpIab$

69. $p/KAcbEab, b/c \times 70$

70. $CCKAbcEabAacCKAbcEabIac$

$70 \times C^*71 - ^*68$

*71. $CKAbcEabAac$

XIV. $p/Acb, q/Iac, r/Aab \times 72$

72. $CCKAcbNIacNAabCKAcbAabIac$

72. $RE, RO \times 73$

73. $CCKAcbEacOabCKAcbAabIac$

$73 \times C^*74 - ^*59$

*74. $CKAcbEacOab$

$^*74 \times ^*75. b/c, c/b$

*75. $CKAbcEabOac$

38. $p/KAcbEab, b/c \times 76$

76. $CCKAbcEabEacCKAbcEabOac$

$76 \times C^*77 - ^*75$

*77. $CKAbcEabEac$

The rejected expressions *68, *71, *75, and *77 are the four

possible forms of the first figure having as premisses Abc and Eab . From these premisses no valid conclusion can be drawn in the first figure. We can prove in the same way on the basis of the two axiomatically rejected forms that all the other invalid syllogistic forms in all the four figures must be rejected too.

§ 28. *Insufficiency of our axioms and rules*

Although it is possible to prove all the known theses of the Aristotelian logic by means of our axioms and rules of assertion, and to disprove all the invalid syllogistic forms by means of our axioms and rules of rejection, the result is far from being satisfactory. The reason is that besides the syllogistic forms there exist many other significant expressions in the Aristotelian logic, indeed an infinity of them, so that we cannot be sure whether from our system of axioms and rules all the true expressions of the syllogistic can be deduced or not, and whether all the false expressions can be rejected or not. In fact, it is easy to find false expressions that cannot be rejected by means of our axioms and rules of rejection. Such, for instance, is the expression:

(F1) $CIabCNAabAb\bar{a}$.

It means: 'If some a is b , then if it is not true that all a is b , all b is a .' This expression is not true in the Aristotelian logic, and cannot be proved by the axioms of assertion, but it is consistent with them and added to the axioms does not entail any invalid syllogistic form. It is worth while to consider the system of the syllogistic as thus extended.

From the laws of the Aristotelian logic:

8. $CAabIab$ and

50. $CAbalab$

and the law of the theory of deduction:

(m) $CCprCCqrCCNpq$

we can derive the following new thesis 78:

(m) $p/Aab, q/Ab\bar{a}, r/Iab \times C8-C50-78$

78. $CCNAabAbalab$.

This thesis is a converse implication with regard to (F1), and together with (F1) gives an equivalence. On the ground of this equivalence we may define the functor I by the functor A :

(F2) $Iab = CNAabAb\bar{a}$.

This definition reads: ‘“Some a is b ” means the same as “If it is not true that all a is b , then all b is a ”.’ As the expression ‘If not- p , then q ’ is equivalent to the alternation ‘Either p or q ’, we can also say: ‘“Some a is b ” means the same as “Either all a is b or all b is a ”.’ It is now easy to find an interpretation of this extended system in the so-called Eulerian circles. The terms a , b , c are represented by circles, as in the usual interpretation, but on the condition that no two circles shall intersect each other. Axioms 1-4 are verified, and the forms *59 $CKAc bAabIac$ and *59a $CKEcbEabIac$ are rejected, because it is possible to draw two circles lying outside each other and included in a third circle, which refutes the form $CKAc bAabIac$, and to draw three circles each excluding the two others, which refutes the form $CKEcbEabIac$. Consequently all the laws of the Aristotelian logic are verified, and all the invalid syllogistic forms are rejected. The system, however, is different from the Aristotelian syllogistic, because the formula (F1) is false, as we can see from the following example: it is true that ‘Some even numbers are divisible by 3’, but it is true neither that ‘All even numbers are divisible by 3’ nor that ‘All numbers divisible by 3 are even’.

It results from this consideration that our system of axioms and rules is not categorical, i.e. not all interpretations of our system verify and falsify the same formulae or are isomorphic. The interpretation just expounded verifies the formula (F1) which is not verified by the Aristotelian logic. The system of our axioms and rules, therefore, is not sufficient to give a full and exact description of the Aristotelian syllogistic.

In order to remove this difficulty we could reject the expression (F1) axiomatically. But it is doubtful whether this remedy would be effective; there may be other formulae of the same kind as (F1), perhaps even an infinite number of such formulae. The problem is to find a system of axioms and rules for the Aristotelian syllogistic on which we could decide whether any given significant expression of this system has to be asserted or rejected. To this most important problem of decision the next chapter is devoted.

CHAPTER V

THE PROBLEM OF DECISION

§ 29. *The number of undecidable expressions*

I TAKE as the basis of my present investigation the following fundamental elements of the syllogistic:

- (1) The four asserted axioms 1-4.
- (2) The rule (a) of substitution and the rule (b) of detachment for the asserted expressions.
- (3) The two rejected axioms *59 and *59a.
- (4) The rule (c) of detachment and the rule (d) of substitution for the rejected expressions.

To this system of axioms and rules the theory of deduction must be added as the auxiliary theory. From the axioms and rules of assertion there can be derived all the known theses of the Aristotelian logic, i.e. the laws of the square of opposition, the laws of conversion, and all the valid syllogistic moods; on the basis of the axioms and rules of rejection all the invalid syllogistical forms can be rejected. But, as we have already seen, this system of axioms and rules does not suffice to describe the Aristotelian syllogistic adequately, because there exist significant expressions, for instance *CIabCNAabAba*, which can neither be proved by our axioms and rules of assertion nor disproved by our axioms and rules of rejection. I call such expressions undecidable with respect to our basis. Undecidable expressions may be either true in the Aristotelian logic or false. The expression *CIabCNAabAba* is, of course, false.

There are two questions we have to settle on this basis in order to solve the problem of decision. The first question is, Is the number of undecidable expressions finite or not? If it is finite, the problem of decision is easily solved: we may accept true expressions as new asserted axioms, and reject false expressions axiomatically. This method, however, is not practicable if the number of undecidable expressions is not finite. We cannot assert or reject an infinity of axioms. A second question arises in this case: Is it possible to complete our system of axioms and rules so that we could decide whether a given expression had to

be asserted or rejected? Both these questions were solved by Ślupecki: the first negatively by showing that the number of undecidable expressions on our basis is not finite, the second affirmatively by the addition of a new rule of rejection.¹

I begin with the first question. Every student of the traditional logic is familiar with the interpretation of syllogisms by means of Eulerian circles: according to this interpretation the term-variables a , b , c are represented by circles, the premiss Aab being true when and only when the circle a is either identical with the circle b or is included in b , and the premiss Iab being true when and only when the circles a and b have a common area. Consequently the premiss Eab , as the negation of Iab , is true when and only when the circles a and b have no common area, i.e. when they exclude each other. If, therefore, a and b are identical, Iab is true and Eab is false.

I shall now investigate various suppositions concerning the number of circles assumed as our 'universe of discourse', i.e. as the field of our interpretation. It is obvious that the rules of our basis remain valid throughout all the interpretations. If our universe of discourse consists of three circles or more, the four axioms of assertion are of course verified, and the axiomatically rejected expression

*59. $CKAcbAabIac$

is rejected, as it is possible to draw two circles c and a excluding each other and both included in the third circle b . The premisses Acb and Aab are then true, and the conclusion Iac is false. The expression

*59a. $CKEcbEabIac$

also is rejected, as we can draw three circles each excluding the two others, so that the premisses Ecb and Eab are true and the conclusion Iac is false. This interpretation therefore satisfies the conditions of our basis, and so do all our other interpretations.

Let us now suppose that our universe of discourse consists of

¹ See the paper of Ślupecki quoted in p. 76, n. I have tried to simplify the author's arguments in order to make them comprehensible to readers not trained in mathematical thinking. I am, of course, alone responsible for the following exposition of Ślupecki's ideas.

only three circles, but no more, and let us consider the following expression:

$$(F_3) \text{ } CEabCEacCEadCEbcCEbdIcd.$$

This expression contains four different variables, but each of them can assume only three different values, as we can only draw three different circles. Whatever be the way to substitute these three values for the variables, two variables must always receive the same value, i.e. must be identified. But if some one of the pairs of variables, a and b , or a and c , or a and d , or b and c , or b and d , consists of identical elements, the corresponding E -premiss becomes false, and the whole implication, i.e. the expression (F_3) , is verified; and if the last pair of variables, c and d , has identical elements, the conclusion Icd becomes true, and the whole implication is again verified. Under the condition that only three circles can be drawn, the expression (F_3) is true and cannot be disproved by our axioms and rules of rejection. If we suppose, however, that our universe of discourse consists of more than three circles, we can draw four circles, each of them excluding the three others, and (F_3) becomes false. (F_3) therefore cannot be proved by our axioms and rules of assertion. As (F_3) can neither be proved nor disproved by the system of our axioms and rules, it is an undecidable expression.

Let us now consider an expression of the form

$$(F_4) \text{ } C\alpha_1C\alpha_2C\alpha_3\dots C\alpha_n\beta,$$

containing n different variables:

$$a_1, a_2, a_3, \dots, a_n,$$

and let us suppose that: (1) every antecedent of (F_4) is of the type Ea_ia_j , a_i differing from a_j ; (2) the consequent β is of the type Ia_ka_l , a_k differing from a_l ; (3) all the possible pairs of different variables occur in (F_4) . If our universe of discourse consists of only $(n-1)$ circles, (F_4) is verified, because some two variables must be identified, and either one of the antecedents becomes false or the consequent is true. But if our universe of discourse consists of more than $(n-1)$ circles, (F_4) is not verified, for n circles may be drawn each excluding the remainder, so that all the antecedents become true and the consequent is false. (F_4) , therefore, is an undecidable expression.

Such undecidable expressions are infinite in number, as n may be any integer whatever. It is obvious that they are all false in the Aristotelian logic, and must be rejected, for we cannot restrict the Aristotelian logic to a finite number of terms, and expressions of the form (F₄) are disproved when the number of terms is infinite. This infinite number of undecidable expressions cannot be rejected otherwise than axiomatically, as results from the following consideration: (F₃) cannot be disproved by the system of our axioms and rules, and therefore must be rejected axiomatically. The next undecidable expression of the form (F₄) containing five different terms cannot be disproved by our system of axioms and rules together with the already rejected expression (F₃), and must again be rejected axiomatically. The same argument may be repeated with respect to every other undecidable expression of the form (F₄). Since it is impossible to reject axiomatically an infinity of expressions, we must look for another device if we want to solve the problem of decision affirmatively.

§ 30. *Słupecki's rule of rejection*

I start from two terminological remarks: Expressions of the type *Aab*, *Iab*, *Eab*, and *Oab* I call simple expressions; the first two are simple affirmative expressions, and the third and fourth simple negative expressions. Simple expressions as well as expressions of the type:

$$C\alpha_1 C\alpha_2 C\alpha_3 \dots C\alpha_{n-1} \alpha_n,$$

where all the α 's are simple expressions, I call elementary expressions. With the help of this terminology Słupecki's rule of rejection may be formulated as follows:

If α and β are simple negative expressions and γ is an elementary expression, then if $C\alpha\gamma$ and $C\beta\gamma$ are rejected, $C\alpha C\beta\gamma$ must be rejected too.

Słupecki's rule of rejection has a close connexion with the following metalogical principle of traditional logic: 'utraque si praemissa neget, nil inde sequitur.' This principle, however, is not general enough, as it refers only to simple syllogisms of three terms. Another formulation of the same principle, 'ex mere negativis nihil sequitur', is apparently more general, but it is false when applied not only to syllogisms but also to other

expressions of the syllogistic. Such theses as $CEabEba$ or $CEabOab$ show clearly that something does follow from merely negative premisses. Słupecki's rule is a general rule and avoids the awkwardness of traditional formulations.

Let us explain this point more fully in order to make Słupecki's rule clear. The proposition Aac does not follow either from the premiss Aab or from the premiss Abc ; but when we conjoin these premisses, saying ' Aab and Abc ', we get the conclusion Aac by the mood Barbara. Eac does not follow from Ebc , or from Aab either: but from the conjunction of these premisses ' Ebc and Aab ' we get the conclusion Eac by the mood Celarent. In both cases we obtain from the conjunction of premisses some new proposition which does not result from either of them separately. If we have, however, two negative premisses, like Ecb and Eab , we can of course obtain from the first the conclusion Ocb and from the second Oab , but from the conjunction of these premisses no new proposition can be drawn except those that follow from each of them separately. This is the meaning of Słupecki's rule of rejection: if γ does not follow either from α or from β , it cannot follow from their conjunction, as nothing can be drawn from two negative premisses that does not follow from them separately. Słupecki's rule is as plain as the corresponding principle of traditional logic.

I shall now show how this rule can be applied in the rejection of undecidable expressions. For this purpose I use the rule in a symbolic form, denoted by RS (Rule of Słupecki):

$$\text{RS. } *C\alpha\gamma, *C\beta\gamma \rightarrow *C\alpha C\beta\gamma.$$

Here as everywhere I employ Greek letters to denote variable expressions satisfying certain conditions: thus, α and β must be simple negative expressions of the syllogistic, γ must be an elementary expression as explained above, and all three expressions must be such that $C\alpha\gamma$ and $C\beta\gamma$ may be rejected. The arrow ($\rightarrow$) means 'therefore'. I want to lay stress on the fact that RS is a peculiar rule, valid only for negative expressions α and β of the Aristotelian logic, and, as we have already seen, cannot be applied to affirmative expressions of the syllogistic. Nor can it be applied to the theory of deduction. This results from the following example: the expressions $CNCpqr$ and $CNCqpr$ are both not true and would be rejected, if rejection

were introduced into this theory, but $CNCpqCNCqpr$ is a thesis. Also in algebra the proposition ' a equals b ' does not follow either from the premiss ' a is not less than b ' or from the premiss ' b is not less than a ', but it follows from the conjunction of these premisses.

As the first application of the new rule I shall show that the expression

*59a. $CKEcbEabIac$,

which was rejected axiomatically, can now be disproved. This results from the following deduction:

9. $p/Eac, a/c, b/a \times 79$

79. $CCEacIcaCEacIac$

$79 \times C^*80 - *64$

*80. $CEacIca$

$*80 \times *81. c/a, b/c, a/c$

*81. $CEcbIac$

$*64 \times *82. b/c$

*82. $CEabIac$

RS. $\alpha/Ecb, \beta/Eab, \gamma/Iac \times *81, *82 \rightarrow *83$

*83. $CEcbCEabIac$.

The rule RS is here applied for the first time; α and β are simple negative expressions, and γ is also a simple expression. From *83 we get by the law of exportation VII the formula *59a:

VII. $p/Ecb, q/Eab, r/Iac \times 84$

84. $CCKEcbEabIacCEcbCEabIac$

$84 \times C^*59a - *83$

*59a. $CKEcbEabIac$.

It follows from the above that Śłupecki's rule is stronger than our axiomatically rejected expression *59a. Since *59a has to be cancelled, formula *59, i.e. $CKAcbAabIac$, remains the sole expression axiomatically rejected.

In the second place I shall apply the rule RS repeatedly to disprove the formula (F3):

$*64 \times *85. d/c, c/a$

*85. $CEadIcd$

$*85 \times *86. b/a$

*86. $CEbdIcd$

RS. $\alpha/Ead, \beta/Ebd, \gamma/Icd \times *85, *86 \rightarrow *87$

*87. $CEadCEbdIcd$

*80 $\times$ *88. $b/a, d/a$

*88. $CEbcIcd$

RS. $\alpha/Ebc, \beta/Ebd, \gamma/Icd \times *88, *86 \rightarrow *89$

*89. $CEbcCEbdIcd$

RS. $\alpha/Ead, \beta/Ebc, \gamma/CEbdIcd \times *87, *89 \rightarrow *90$

*90. $CEadCEbcCEbdIcd$

*88 $\times$ *91. a/b

*91. $CEacIcd$

RS. $\alpha/Eac, \beta/Ebd, \gamma/Icd \times *91, *86 \rightarrow *92$

*92. $CEacCEbdIcd$

RS. $\alpha/Eac, \beta/Ebc, \gamma/CEbdIcd \times *92, *89 \rightarrow *93$

*93. $CEacCEbcCEbdIcd$

RS. $\alpha/Eac, \beta/Ead, \gamma/CEbcCEbdIcd \times *93, *90 \rightarrow *94$

*94. $CEacCEadCEbcCEbdIcd$

*85 $\times$ *95. b/d

*95. $CEabIcd$

RS. $\alpha/Eab, \beta/Ebd, \gamma/Icd \times *95, *86 \rightarrow *96$

*96. $CEabCEbdIcd$

RS. $\alpha/Eab, \beta/Ebc, \gamma/CEbdIcd \times *96, *89 \rightarrow *97$

*97. $CEabCEbcCEbdIcd$

RS. $\alpha/Eab, \beta/Ead, \gamma/CEbcCEbdIcd \times *97, *90 \rightarrow *98$

*98. $CEabCEadCEbcCEbdIcd$

RS. $\alpha/Eab, \beta/Eac, \gamma/CEadCEbcCEbdIcd \times *98, *94 \rightarrow$
*99

*99. $CEabCEacCEadCEbcCEbdIcd$

The rule RS is used in this deduction ten times; α and β are always simple negative expressions, and γ is everywhere an elementary expression. In the same manner we could disprove other formulae of the form (F₄), and also the formula (F₁) of section 28. It is needless, however, to perform these deductions, since we can now set forth the general problem of decision.

§ 31. *Deductive equivalence*

We need for our proof of decision the concept of deductive or inferential equivalence. Since there are, in my opinion, some

misunderstandings in the treatment of this concept, its meaning must be carefully defined. I shall do this on the basis of the theory of deduction.

It is usually said that two expressions, α and β , are deductively equivalent to each other when it is possible to deduce β from α if α is asserted, and conversely α from β if β is asserted. The rules of inference are always supposed as given. But they are seldom sufficient. They suffice, for instance, in the following example. From the asserted law of commutation $CCpCqrCqCpr$ we can deduce the thesis $CqCCpCqrCpr$:

$$(1) CCpCqrCqCpr$$

$$(1) p/CpCqr, r/Cpr \times C(1)-(2)$$

$$(2) CqCCpCqrCpr,$$

and again from this thesis we can deduce the law of commutation:

$$(2) q/CqCCpCqrCpr, p/s, r/t \times C(2)-(3)$$

$$(3) CCsCCqCCpCqrCprtCst$$

$$(2) q/CpCqr, p/q, r/Cpr \times (4)$$

$$(4) CCpCqrCCqCCpCqrCprCqCpr$$

$$(3) s/CpCqr, t/CqCpr \times C(4)-(1)$$

$$(1) CCpCqrCqCpr.^1$$

But we cannot in this simple way deduce from the asserted expression $CNpCpq$ the law of Duns Scotus $CpCNpq$, because from the first expression we can derive new propositions only by substitution, and all the substitutions of $CNpCpq$ begin with CN , none with Cp . To deduce one of those expressions from another we must have further assistance. Speaking generally, the relation of deductive equivalence is seldom absolute, but in most cases it is relative to a certain basis of theses. In our case this basis is the law of commutation. Starting from

$$(5) CNpCpq$$

we get by commutation the law of Duns Scotus:

$$(1) p/Np, q/p, r/q \times C(5)-(6)$$

$$(6) CpCNpq,$$

and starting from (6) we get again by commutation (5):

$$(1) q/Np, r/q \times C(6)-(5)$$

$$(5) CNpCpq.$$

¹ This neat deduction was given by A. Tarski in Warsaw.

I say therefore that $CNpCpq$ and $CpCNpq$ are deductively equivalent with respect to the law of commutation, and I write:

$$CNpCpq \sim CpCNpq \quad \text{with respect to (1).}$$

The sign $\sim$ denotes the relation of deductive equivalence. This relation is different from the ordinary relation of equivalence, denoted here by Q , which is defined by the conjunction of two implications each converse to the other,

$$Qpq = KCpqCqp,$$

and requires no basis. If an ordinary equivalence $Q\alpha\beta$ is asserted, and α , or a substitution of α , is asserted too, then we can assert β , or the corresponding substitution of β , and conversely. An asserted ordinary equivalence $Q\alpha\beta$ is therefore a sufficient basis for the deductive equivalence $\alpha \sim \beta$; but it is not a necessary one. This is just the point where explanation is needed.

Not only asserted or true expressions may be deductively equivalent, but also false ones. In order to solve the problem of decision for the C - N -system we have to transform an arbitrary significant expression α into the expression $CN\alpha\pi$, where π is a propositional variable not occurring in α . This can be done by means of two theses:

$$S1. CpCNpq$$

$$S2. CCNppp.$$

I say that α is deductively equivalent to $CN\alpha\pi$ with respect to $S1$ and $S2$, and I write:

$$I. \alpha \sim CN\alpha\pi \quad \text{with respect to } S1 \text{ and } S2.$$

All goes easily when α is asserted. Take as example $NNCpp$. This is a thesis easily verified by the $0-1$ method. I state according to formula I that

$$NNCp \sim C N N N C p p q \quad \text{with respect to } S1 \text{ and } S2.$$

Starting from

$$(7) NNCpp$$

we get by $S1$:

$$S1. p / NNCpp \times C(7) - (8)$$

$$(8) C N N N C p p q,$$

and starting again from (8) we get by substitution and $S2$:

$$(8) q / NNCpp \times (9)$$

$$(9) C N N N C p p N N C p p$$

- S2. $p/NNCp \times C(9) \rightarrow (7)$
 (7) $NNCp$.

But α is an arbitrary expression; it may be false, e.g. Cpq . In this case formula I reads:

$$Cpq \sim CNCpqr \quad \text{with respect to S1 and S2.}$$

Here the difficulty begins: we can get the thesis $CCpqCNCpqr$ from S1 by the substitution $p/Cpq, q/r$, but we cannot derive from this thesis the consequent $CNCpqr$, for Cpq is not a thesis and cannot be asserted. Therefore $CNCpqr$ cannot be detached. A still greater difficulty arises in the other direction: we can get from S2 by the substitution p/Cpq the thesis $CCNCpqCpqCpq$, but $CNCpqCpq$ is not asserted, nor can we get $CNCpqCpq$ from $CNCpqr$ by substitution, because $CNCpqr$ is not a thesis. We cannot say: Suppose that Cpq be asserted; then $CNCpqr$ would follow. The assertion of a false expression is an error, and we cannot expect to prove anything by an error. It seems therefore that formula I is valid not for all expressions but only for those that are asserted.

There exists, in my opinion, only one way to avoid these difficulties: it is the introduction of rejection into the theory of deduction. We reject axiomatically the variable p , and accept the clear rules of rejection, (c) and (d). It can easily be shown on this basis that Cpq must be rejected. For we get from the axiom

$$(*10) \ p$$

and the thesis

$$(11) \ CCCpppp$$

by the rules of rejection:

$$\begin{aligned} & (11) \times C(*12) - (*10) \\ (*12) \ & CCpppp \\ & (*12) \times (*13) \ p/Cpp, q/p \\ (*13) \ & Cpq. \end{aligned}$$

Now we are able to prove that if Cpq is rejected, $CNCpqr$ must be rejected too; and conversely, if $CNCpqr$ is rejected, Cpq must be rejected too. Starting from

$$(*13) \ Cpq$$

we get by S2 and the rules of rejection:

$$\begin{aligned}
 & S2. p/Cpq \times (14) \\
 (14) & CCNCpqCpqCpq \\
 & (14) \times C(*15) - (*13) \\
 (*15) & CNCpqCpq \\
 & (*15) \times (*16) r/Cpq \\
 (*16) & CNCpqr.
 \end{aligned}$$

In the other direction we easily get Cpq from $(*16)$ by S1:

$$\begin{aligned}
 & S1. p/Cpq, q/r \times (17) \\
 (17) & CCpqCNCpqr \\
 & (17) \times C(*13) - (*16) \\
 (*13) & Cpq.
 \end{aligned}$$

Formula I is now fully justified. We have, however, to correct our previous definition of deductive equivalence, saying:

Two expressions are deductively equivalent to each other with respect to certain theses when and only when we can prove by means of these theses and of the rules of inference that if one of those expressions is asserted, the other must be asserted too, or if one of them is rejected, the other must be rejected too.

It follows from this definition that ordinary equivalence is not a necessary basis of deductive equivalence. If $Q_{\alpha\beta}$ is a thesis, it is true that α is deductively equivalent to β with respect to $Q_{\alpha\beta}$; but if α is deductively equivalent to β with respect to certain theses, it is not always true that $Q_{\alpha\beta}$ is a thesis. Take as example the deductive equivalence just considered:

$$Cpq \sim CNCpqr \quad \text{with respect to } S1 \text{ and } S2.$$

The corresponding ordinary equivalence $QCpqCNCpqr$ is not a thesis, for it is false for $p/1, q/0, r/1$.

It is obvious that the relation of deductive equivalence is reflexive, symmetrical, and transitive. There are cases where α is deductively equivalent to two expressions β and γ with respect to certain theses. That means: if α is asserted, then β is asserted and γ is asserted, and consequently their conjunction ' β and γ ' is asserted; and conversely, if both β and γ , or their conjunction ' β and γ ', is asserted, then α is asserted too. Again, if α is rejected, then the conjunction ' β and γ ' must be rejected,

and in this case it is sufficient that only one of them, β or γ , should be rejected; and conversely, if only one of them is rejected, α must be rejected too.

§ 32. *Reduction to elementary expressions*

Our proof of decision is based on the following theorem:

- (TA) Every significant expression of the Aristotelian syllogistic can be reduced in a deductively equivalent way, with respect to theses of the theory of deduction, to a set of elementary expressions, i.e. expressions of the form

$$C\alpha_1 C\alpha_2 C\alpha_3 \dots C\alpha_{n-1} \alpha_n,$$

where all the α 's are simple expressions of the syllogistic, i.e. expressions of the type *Aab*, *Iab*, *Eab*, or *Oab*.

All known theses of the syllogistic either are elementary expressions or can easily be transformed into elementary expressions. The laws of conversion, e.g. *CIabIba* or *CAabIba*, are elementary expressions. All the syllogisms are of the form *CK $\alpha\beta\gamma$* , and expressions of this kind are deductively equivalent to elementary expressions of the form *C α C $\beta\gamma$* with respect to the laws of exportation and importation. But there are other significant expressions of the syllogistic, some of them true, some false, that are not elementary. We have already met such an expression: it was thesis 78, *CCNAabAbaIab*, the antecedent of which is not a simple expression but an implication. There exists, of course, an infinity of such expressions, and they must all be taken into account in the proof of decision.

Theorem (TA) can easily be proved on the basis of an analogous theorem for the theory of deduction:

- (TB) Every significant expression of the theory of deduction with *C* and *N* as primitive terms can be reduced in a deductively equivalent way with respect to a finite number of theses to a set of elementary expressions of the form

$$C\alpha_1 C\alpha_2 C\alpha_3 \dots C\alpha_{n-1} \alpha_n,$$

where all the α 's are simple expressions, i.e. either variables or their negations.

The proof of this theorem is not easy, but since it is essential

for the problem of decision it cannot be omitted. The proof of (TB) given below is intended for readers interested in formal logic; those not trained in mathematical logic may take both theorems, (TA) and (TB), for granted.

Let α be an arbitrary significant expression of the theory of deduction other than a variable (which may, but need not, be transformed): every such expression can be transformed, as we already know, in a deductively equivalent way with respect to the theses S_1 and S_2 :

$S_1. CpCNpq$

$S_2. CCNppp$

into the expression $CN\alpha\pi$, where π is a variable not occurring in α . We have therefore as transformation I:

I. $\alpha \sim CN\alpha\pi$ with respect to S_1 and S_2 .

Transformation I allows us to reduce all significant expressions to implications that have a variable as their last term. Now we must try to transform $N\alpha$, the antecedent of $CN\alpha\pi$, into a variable or its negation. For this purpose we employ the following three transformations:

II. $CNN\alpha\beta \sim C\alpha\beta$ with respect to S_3 and S_4 ,

III. $CNC\alpha\beta\gamma \sim C\alpha CN\beta\gamma$ „ „ S_5 and S_6 ,

IV. $CC\alpha\beta\gamma \sim CN\alpha\gamma, C\beta\gamma$ „ „ S_7, S_8 , and S_9 .

The respective theses are: for transformation II:

$S_3. CCNNpqCpq$

$S_4. CCpqCNNpq$;

for transformation III:

$S_5. CCNCpqrCpCNqr$

$S_6. CCpCNqrCNCpqr$;

for transformation IV:

$S_7. CCCpqrCNpr$

$S_8. CCCpqrCqr$

$S_9. CCNprCCqrCCpqr$.

Let us now explain how we can get by these transformations a variable or its negation in the antecedent of $CN\alpha\pi$. The expression α occurring in $CN\alpha\pi$ may, like every significant expression of the C - N -system, be either a variable, or a nega-

tion, or an implication. If α is a variable, no transformation is needed; if it is a negation, we get $CNN\alpha\beta$, and two negations annul each other according to transformation II; if it is an implication, we get from $CNC\alpha\beta\gamma$ the equivalent expression $C\alpha CN\beta\gamma$, the antecedent of which, α , is simpler than the initial antecedent $NC\alpha\beta$. This new α may again be a variable—no transformation is then needed—or a negation—this case has already been settled—or an implication. In this last case we get from $CC\alpha\beta\gamma$ two expressions, $CN\alpha\gamma$ and $C\beta\gamma$, with simpler antecedents than the initial antecedent $C\alpha\beta$. By repeated applications of II, III, and IV we must finally reach in the antecedent a variable or its negation.

Let us now see by examples how these transformations work.

First example: $NNC\beta p$.

$$\begin{aligned} NNC\beta p &\sim C N N N C \beta p q \text{ by I;} \\ C N N N C \beta p q &\sim C N C \beta p q \quad \text{,, II;} \\ C N C \beta p q &\sim C p C N \beta q \quad \text{,, III.} \end{aligned}$$

$NNC\beta p$ is thus reduced to the expression $CpCN\beta q$ with the variable p in the antecedent. $CpCN\beta q$ is an elementary expression.

Second example: $CCCpqq\beta p$.

$$\begin{aligned} CCCpqq\beta p &\sim C N C C C p q \beta p r \text{ by I;} \\ C N C C C p q \beta p r &\sim C C C p q \beta C N p r \quad \text{,, III;} \\ C C C p q \beta C N p r &\sim C N C p q C N p r, C p C N p r \text{ by IV;} \\ C N C p q C N p r &\sim C p C N q C N p r \text{ by III.} \end{aligned}$$

$CCCpqq\beta p$ is thus reduced to two expressions: $CpCNqCNpr$ and $CpCNpr$, both with the variable p in the antecedent; both are elementary expressions.

Third example: $CCCpqqCCq\beta p$.

$$\begin{aligned} CCCpqqCCq\beta p &\sim C N C C C p q q C C q \beta p r \text{ by I;} \\ C N C C C p q q C C q \beta p r &\sim C C C p q q C N C C q \beta p r \quad \text{,, III;} \\ C C C p q q C N C C q \beta p r &\sim C N C p q C N C C q \beta p r, C q C N C C q \beta p r \text{ by IV;} \\ C N C p q C N C C q \beta p r &\sim C p C N q C N C C q \beta p r \text{ by III.} \end{aligned}$$

$CCCpqqCCq\beta p$ is reduced to two expressions $CpCNqCNCCq\beta p r$ and $CqCNCCq\beta p r$, both with a variable in the first antecedent. Neither of them, however, is elementary, since the first has the compound expression $NCCq\beta p$ as its third antecedent and the

second has the same compound expression as its second antecedent.

As we can see from this last example, our task is not yet finished. By transformations I-IV we obtain implications with a variable in the first antecedent, and also expressions of the form:

$$C\alpha_1 C\alpha_2 C\alpha_3 \dots C\alpha_{n-1} \alpha_n,$$

but not all antecedents of this form, apart from α_1 , need be simple expressions. In order to get rid of such compound antecedents we need three further transformations:

- V. $C\alpha C\beta\gamma \sim C\beta C\alpha\gamma$ with respect to S_{10} ,
 VI. $C\alpha C\beta C\gamma\delta \sim C\alpha C\gamma C\beta\delta$ „ „ S_{11} ,
 VII. $C\alpha C\beta\gamma \sim C N C\alpha N\beta\gamma$ „ „ S_{12} and S_{13} .

The respective theses are: for transformation V:

$$S_{10}. CCpCqrCqCpr;$$

for transformation VI:

$$S_{11}. CCpCqCrscpCrCqs;$$

for transformation VII:

$$S_{12}. CCpCqrCNCpNqr$$

$$S_{13}. CCNCpNqrCpCqr.$$

By S_{10} we can move a compound antecedent from the second place to the first, and by S_{11} from the third place to the second. Applying these transformations to the expressions $CpCNqCNCCqppr$ and $CqCNCCqppr$ of our third example we get:

- (α) $CpCNqCNCCqppr \sim CpCNCCqppCNqr$ by VI;
 $CpCNCCqppCNqr \sim CNCCqppCpCNqr$ „ V;
 $CNCCqppCpCNqr \sim CCqpCNpCpCNqr$ „ III;
 $CCqpCNpCpCNqr \sim CNqCNpCpCNqr, CpCNpCpCNqr$ by IV.
 (β) $CqCNCCqppr \sim CNCCqppCqr$ by V;
 $CNCCqppCqr \sim CCqpCNpCqr$ „ III;
 $CCqpCNpCqr \sim CNqCNpCqr, CpCNpCqr$ by IV.

$CCCpqqCCqpp$ is thus reduced to four elementary expressions: $CNqCNpCpCNqr$, $CpCNpCpCNqr$, $CNqCNpCqr$, and $CpCNpCqr$.

Transformation VII is used in all those cases where the compound antecedent occurs in the fourth place or farther. This transformation allows us to reduce the number of antecedents;

in fact, $NCpNq$ means the same as Kpq , and S_{12} and S_{13} are other forms of the laws of importation and exportation respectively. Now $CNC\alpha N\beta\gamma$, like $CK\alpha\beta\gamma$, has only one antecedent, whereas the equivalent expression $C\alpha C\beta\gamma$ has two antecedents. If, therefore, a compound expression occurs in the fourth place, as δ in $C\alpha C\beta C\gamma C\delta\epsilon$, we can move it to the third place, applying VII and then VI:

$$\begin{aligned} C\alpha C\beta C\gamma C\delta\epsilon &\sim CNC\alpha N\beta C\gamma C\delta\epsilon \text{ by VII;} \\ CNC\alpha N\beta C\gamma C\delta\epsilon &\sim CNC\alpha N\beta C\delta C\gamma\epsilon \text{ ,, VI.} \end{aligned}$$

From this last expression we get by the converse application of VII the formula:

$$CNC\alpha N\beta C\delta C\gamma\epsilon \sim C\alpha C\beta C\delta C\gamma\epsilon \text{ by VII.}$$

It is now easy to bring δ to the first place by VI and V:

$$\begin{aligned} C\alpha C\beta C\delta C\gamma\epsilon &\sim C\alpha C\delta C\beta C\gamma\epsilon \text{ by VI,} \\ C\alpha C\delta C\beta C\gamma\epsilon &\sim C\delta C\alpha C\beta C\gamma\epsilon \text{ ,, V.} \end{aligned}$$

Applying transformation VII repeatedly in both directions we can move any antecedent from the n th place to the first, and transform it, if it is compound, by II, III, and IV into a simple expression.

The proof of theorem (TB) is thus completed. It is now easy to show that this theorem entails the proof of decision for the C - N -system of the theory of deduction. If all the elementary expressions to which a given expression α has been reduced are true, i.e. if they have among their antecedents two expressions of the type p and Np , then α is a thesis and must be asserted. On the other hand, if among the elementary expressions to which α has been reduced there exists at least one expression such that no two antecedents in it are of the type p and Np , then α must be rejected. In the first case we can prove α by means of the theses S_1 – S_{13} , in the second we can disprove it, adding to the above theses two new ones:

$$\begin{aligned} S_{14}. & CpCCpqq \\ S_{15}. & NNCpp, \end{aligned}$$

and the axiom of rejection:

$$*S_{16}. p.$$

Two examples will clarify this.

First example: Proof of the thesis $CpCCpqq$.

This thesis must first be reduced to elementary expressions. This is done by the following analysis (L):

$$\begin{aligned}
 CpCCpqq &\sim CNCpCCpqqr \text{ by I;} \\
 CNCpCCpqqr &\sim CpCNCCpqqr \text{ ,, III;} \\
 CpCNCCpqqr &\sim CNCCpqqCpr \text{ ,, V;} \\
 CNCCpqqCpr &\sim CCpqCNqCpr \text{ ,, III;} \\
 CCpqCNqCpr &\sim CNpCNqCpr, CqCNqCpr \text{ by IV.}
 \end{aligned}$$

The elementary expressions to which $CpCCpqq$ is reduced are $CNpCNqCpr$ and $CqCNqCpr$. Both, like all expressions to which transformation I has been applied, have as their last term a variable not occurring in the antecedents. Such expressions can be true only on condition that they have two antecedents of the type p and Np , and any expression of this kind can be reduced by transformations V, VI, or VII to a substitution of S_1 from which the proof of a thesis must always begin. Here are the required deductions:

$$\begin{aligned}
 &S_1. q/CNqr \times (1) \\
 (1) &CpCNpCNqr \\
 &S_{10}. q/Np, r/CNqr \times C(1)-(2) \\
 (2) &CNpCpCNqr \\
 &S_{11}. p/Np, q/p, r/Nq, s/r \times C(2)-(3) \\
 (3) &CNpCNqCpr \\
 &S_1. p/q, q/Cpr \times (4) \\
 (4) &CqCNqCpr.
 \end{aligned}$$

Having got in (3) and (4) the same elementary expressions as we reached at the end of our analysis (L), we now proceed from them to their equivalents on the left, by applying theses on which the successive transformations were based. Thus, step by step, we get our original thesis by means of S_9 , S_6 , S_{10} , and S_2 :

$$\begin{aligned}
 &S_9. r/CNqCpr \times C(3)-C(4)-(5) \\
 (5) &CCpqCNqCpr \\
 &S_6. p/Cpq, r/Cpr \times C(5)-(6) \\
 (6) &CNCCpqqCpr \\
 &S_{10}. p/NCCpqq, q/p \times C(6)-(7) \\
 (7) &CpCNCCpqqr
 \end{aligned}$$

- S6. $q/CCpq \times C(7)-(8)$
 (8) $CNCpCCpqq$
 (8) $r/CpCCpqq \times (9)$
 (9) $CNCpCCpqqCpCCpqq$
 S2. $p/CpCCpqq \times C(9)-(10)$
 (10) $CpCCpqq$.

Upon this model we can prove any thesis we want.

Second example: Disproof of the expression $CCNpq$.

We first reduce this expression to elementary expressions on the basis of the following analysis:

- $CCNpq \sim CNCCNpqr$ by I;
 $CNCCNpqr \sim CCNpqCNqr$ „ III;
 $CCNpqCNqr \sim CNNpCNqr, CqCNqr$ by IV;
 $CNNpCNqr \sim CpCNqr$ by II.

The expression $CCNpq$ is thus reduced to two elementary expressions, $CqCNqr$ and $CpCNqr$. The first of these is a thesis, but the second is not true, for it has no two antecedents of the type p and Np . The expression $CCNpq$ therefore, which leads to this not-true consequence, must be rejected. We begin the disproof from the top, successively applying according to the given transformations the theses S1, S5, S7, and S3:

- S1. $p/CCNpq, q/r \times (11)$
 (11) $CCCNpqqCNCCNpqr$
 S5. $p/CNpq \times (12)$
 (12) $CCNCCNpqqrCCNpqCNqr$
 S7. $p/Np, r/CNqr \times (13)$
 (13) $CCCNpqqCNqrCANNpCNqr$
 S3. $q/CNqr \times (14)$
 (14) $CCNNpCNqrCpCNqr$.

Now we must disprove the expression $CpCNqr$; we need for this purpose the new theses S14 and S15 and the axiom of rejection.

- S14. $p/NNCp, q/p \times CS15-(15)$
 (15) $CCNNCp$
 (15) $\times C(*16)-*S16$
 (*16) $CNNCp$

- $S_{14}. p/CpCNpq, q/CNNCpqp \times CS_1-(17)$
- (17) $CCCpCNpqCNNCpqpCNNCpqp$
 $(17) \times C(*18)-(*16)$
 (*18) $CCpCNpqCNNCpqp$
 $(*18) \times (*19) p/CpCNpq, q/NCpp, r/p$
 (*19) $CpCNqr$

Having rejected $CpCNqr$, we can now successively reject its antecedents till we reach the original expression $CCNpqq$.

- $(14) \times C(*20)-(*19)$
- (*20) $CNNpCNqr$
 $(13) \times C(*21)-(*20)$
 (*21) $CCNpqCNqr$
 $(12) \times C(*22)-(*21)$
 (*22) $CNCCNpqqr$
 $(11) \times C(*23)-(*22)$
 (*23) $CCNpqq$

In this way you can disprove any not-true expression of the $C-N$ -system. All these deductions could have been made shorter, but I was anxious to show the method implied in the proof of decision. This method enables us to decide effectively, on the basis of only fifteen fundamental theses, S_1-S_{15} , and the axiom of rejection, whether a given significant expression of the $C-N$ -system should be asserted or rejected. As all the other functors of the theory of deduction may be defined by C and N , all significant expressions of the theory of deduction are decidable on an axiomatic basis. A system of axioms from which the fifteen fundamental theses can be drawn is complete in this sense, that all true expressions of the system can be deduced in it. Of this kind is the system of three axioms set out in section 23, and also the system of those three axioms on which transformation IV is based, viz. $CCCpqrCNpr$, $CCCpqrCqr$, and $CCNprCCqrCCpqr$.

The proof of theorem (TA), according to which every significant expression of the Aristotelian logic can be reduced to elementary expressions, is implicitly contained in the proof of the analogous theorem for the theory of deduction. If we take instead of the Greek letters used in our transformations I-VII (except the final variable in transformation I) propositional

expressions of the Aristotelian logic, we can apply those transformations to them in the same way as to expressions of the theory of deduction. This can easily be seen in the example of *CCNAabAbaIab*. We get:

CCNAabAbaIab $\sim$ *CNCCNAabAbaIabp* by I;
CNCCNAabAbaIabp $\sim$ *CCNAabAbaCNIabp* „ III;
CCNAabAbaCNIabp $\sim$ *CNNAabCNIabp*, *CAbaCNIabp* by IV;
CNNAabCNIabp $\sim$ *CAabCNIabp* by II.

Instead of *NAab* we can always write *Oab*, and *Eab* instead of *NIab*. In what follows, however, it will be more convenient to employ forms with *N*.

Both elementary expressions, *CAabCNIabp* and *CAbaCNIabp*, to which *CCNAabAbaIab* has been reduced, have a propositional variable as their last term. This variable is introduced by transformation I. We can get rid of it by the following deductively equivalent transformations where π is a propositional variable not occurring in either α or β :

VIII. $C\alpha C\beta\pi \sim C\alpha N\beta$ with respect to S17 and S18,
 IX. $C\alpha CN\beta\pi \sim C\alpha\beta$ „ „ „ S19 and S20.

Theses for transformation VIII:

S17. *CCpCqNqCpNq*
 S18. *CCpNqCpCqr*.

Theses for transformation IX:

S19. *CCpCNqqCpq*
 S20. *CCpqCpCNqr*.

When $C\alpha C\beta\pi$ is asserted, we get from it by substituting $N\beta$ for π the expression $C\alpha C\beta N\beta$, and then $C\alpha N\beta$ by S17; and conversely from $C\alpha N\beta$ the expression $C\alpha C\beta\pi$ by S18. When $C\alpha C\beta\pi$ is rejected, we get by S18 $CC\alpha N\beta C\alpha C\beta\pi$, therefore $C\alpha N\beta$ must be rejected; and conversely, when $C\alpha N\beta$ is rejected, we get by S17 $CC\alpha C\beta N\beta C\alpha N\beta$, therefore $C\alpha C\beta N\beta$ must be rejected and consequently $C\alpha C\beta\pi$. Transformation IX can be explained in the same way. This we can apply directly to our example. Take *Aab* for α , *Iab* for β , and *p* for π ; you get *CAabIab*. In the same way from *CAbaCNIabp* results *CABaIab*. If we have an expression with more antecedents than two, e.g. with n antecedents, we must first reduce by repeated application of transformation VII the $n-1$ antecedents to one antecedent, and then apply

transformation VIII or IX. Take, for instance, the following example:

$$\begin{aligned}
 CNIabCAcbCAdcCIadp & \sim CNCNIabNAcbCAdcCIadp && \text{by VII;} \\
 CNCNIabNAcbCAdcCIadp & \sim CNCNCNIabNAcbNAdcCIadp && \text{by VII;} \\
 CNCNCNIabNAcbNAdcCIadp & \sim CNCNCNIabNAcbNAdcNIad && \text{by VIII;} \\
 CNCNCNIabNAcbNAdcNIad & \sim CNCNIabNAcbCAdcNIad && \text{by VII;} \\
 CNCNIabNAcbCAdcNIad & \sim CNIabCAcbCAdcNIad && \text{, VII.}
 \end{aligned}$$

Theorem (TA) is now fully proved; we can proceed therefore to our main subject, the proof of decision of the Aristotelian syllogistic.

§ 33. Elementary expressions of the syllogistic

According to theorem (TA), every significant expression of the Aristotelian syllogistic can be reduced in a deductively equivalent way to a set of elementary expressions, i.e. expressions of the form

$$C\alpha_1 C\alpha_2 C\alpha_3 \dots C\alpha_{n-1} \alpha_n,$$

where all the α 's are simple expressions of the syllogistic, i.e. expressions of the type *Aab*, *Iab*, *Eab* or *NIab*, and *Oab* or *NAab*. Now I shall show that every elementary expression of the syllogistic is decidable, i.e. either asserted or rejected. I shall first prove that all the simple expressions, except expressions of the type *Aaa* and *Iaa*, are rejected. We have already seen (section 27, formula *61) that *Iac* is rejected. Here are the proofs of rejection of the other expressions:

$$\begin{aligned}
 & *_{100} \times *_{61}. c/b \\
 *_{100}. Iab & \qquad \qquad \qquad 8 \times C*_{101} - *_{100} && (8. CAabIab) \\
 *_{101}. Aab & \qquad \qquad \qquad \text{IV. } p/Aaa, q/Iab \times C1-102 && (\text{IV. } CpCNpq) \\
 & \qquad \qquad \qquad 102. CNAaaIab \\
 & \qquad \qquad \qquad 102 \times C*_{103} - *_{100} \\
 *_{103}. NAaa & \qquad \qquad \qquad (= Oaa)
 \end{aligned}$$

$$\begin{array}{l} *103 \times *104. \ b/a \\ *104. \ N\!Aab \end{array} \qquad (= Oab)$$

$$\begin{array}{l} \text{IV. } p/Iaa, \ q/Iab \times C2-105 \\ 105. \ C\!N\!Iaa\!Iab \end{array}$$

$$\begin{array}{l} 105 \times C*106-*100 \\ *106. \ N\!Iaa \end{array} \qquad (= Eaa)$$

$$\begin{array}{l} *106 \times *107. \ b/a \\ *107. \ N\!Iab \end{array} \qquad (= Eab).$$

Turning now to compound elementary expressions I shall successively investigate all the possible cases, omitting the formal proofs where it is possible, and giving only hints how they could be done. Six cases have to be investigated.

First case: The consequent α_n is negative, and all the antecedents are affirmative. Such expressions are rejected.

Proof: By identifying all the variables occurring in the expression with a , all the antecedents become true, being laws of identity Aaa or Iaa , and the consequent becomes false. We see that for the solution of this case the laws of identity are essential.

Second case: The consequent is negative, and only one of the antecedents is negative. This case may be reduced to the case with only affirmative elements, and such cases, as we shall see later, are always decidable.

Proof: Expressions of the form $C\alpha CN\beta N\gamma$ are deductively equivalent to expressions of the form $C\alpha C\gamma\beta$ with respect to the theses $CCpCNrNqCpCqr$ and $CCpCqrCpCNrNq$. This is true not only for one affirmative antecedent α , but for any number of them.

Third case: The consequent is negative, and more than one antecedent is negative. Expressions of this kind can be reduced to simpler expressions, and eventually to the second case. The solution of this case requires Słupecki's rule of rejection.

Proof: Let us suppose that the original expression is of the form $CN\alpha CN\beta C\gamma \dots N\rho$. This supposition can always be made, as any antecedent may be moved to any place whatever. We reduce this expression to two simpler expressions $CN\alpha C\gamma \dots N\rho$ and $CN\beta C\gamma \dots N\rho$, omitting the second or the first antecedent respectively. If these expressions have more negative antecedents than one we repeat the same procedure till we get formulae with only one negative antecedent. As such formulae

according to the second case are deductively equivalent to decidable affirmative expressions, they are always either asserted or rejected. If only one of them is asserted, the original expression must be asserted too, for by the law of simplification we can add to this asserted formula all the other negative antecedents which were previously omitted. If, however, all the formulae with one negative antecedent are rejected, we gather from them by repeated application of Ślupecki's rule of rejection that the original expression must be rejected. Two examples will explain the matter thoroughly.

First example: $CNAabCNAbcCNlbdCIbcNAcd$, a thesis.

We reduce this expression to (1) and (2):

$$(1) CNAabCNlbdCIbcNAcd, \quad (2) CNAbcCNlbdCIbcNAcd.$$

In the same way we reduce (1) to (3) and (4):

$$(3) CNAabCIbcNAcd, \quad (4) CNlbdCIbcNAcd,$$

and (2) to (5) and (6):

$$(5) CNAbcCIbcNAcd, \quad (6) CNlbdCIbcNAcd.$$

Now the last expression is a thesis; it is the mood Ferison of the third figure. Putting in $CpCqp$ (6) for p , and $NAbc$ for q , we get (2), and applying $CpCqp$ once more by putting (2) for p , and $NAab$ for q , we reach the original thesis.

Second example: $CNAabCNAbcCNlcdCIbdNAad$, not a thesis.

We reduce this expression as in the foregoing example:

$$(1) CNAabCNlcdCIbdNAad, \quad (2) CNAbcCNlcdCIbdNAad;$$

then we reduce (1) to (3) and (4), and (2) to (5) and (6):

$$(3) CNAabCIbdNAad, \quad (4) CNlcdCIbdNAad, \\ (5) CNAbcCIbdNAad, \quad (6) CNlcdCIbdNAad.$$

None of the above formulae with one negative antecedent is a thesis, as can be proved by reducing them to the case with only affirmative elements. Expressions (3), (4), (5), and (6) are rejected. Applying the rule of Ślupecki, we gather from the rejected expressions (5) and (6) that (2) must be rejected, and from the rejected expressions (3) and (4) that (1) must be rejected. But if (1) and (2) are rejected, then the original expression must be rejected too.

Fourth case: The consequent is affirmative, and some (or all)

antecedents are negative. This case can be reduced to the third.

Proof: Expressions of the form $C\alpha CN\beta\gamma$ are deductively equivalent to expressions of the form $C\alpha CN\beta CN\gamma NAaa$ on the ground of the theses $CCpCNqrCpCNqCNrNAaa$ and $CCpCNqCNrNAaaCpCNqr$, as $NAaa$ is always false.

All the cases with negative elements are thus exhausted.

Fifth case: All the antecedents are affirmative, and the consequent is a universal affirmative proposition. Several sub-cases have to be distinguished.

(a) The consequent is Aaa ; this expression is asserted, for its consequent is true.

(b) The consequent is Aab , and Aab is also one of the antecedents. The expression is of course asserted.

In what follows it is supposed that Aab does not occur as antecedent.

(c) The consequent is Aab , but no antecedent is of the type Aaf with f different from a (and from b , of course). Such expressions are rejected.

Proof: By identifying all variables different from a and b with b , we can only get the following antecedents:

$Aaa, Aba, Abb, Iaa, Iab, Iba, Ibb.$

(We cannot get Aab , for no antecedent is of the type Aaf , f being different from a .) Premisses Aaa, Abb, Iaa, Ibb can be omitted as true. (If there are no other premisses, the expression is rejected, as in the first case.) If there is Iba besides Iab , one of them may be omitted, as they are equivalent to each other. If there is Aba , both Iab and Iba may be omitted, as Aba implies them both. After these reductions only Aba or Iab can remain as antecedents. Now it can be shown that both implications,

$CAbaAab$ and $CIabAab,$

are rejected on the ground of our axiom of rejection:

X. $p/Acb, q/Aba, r/Iac, s/Aab \times C27-108$

108. $CCAabAbaCKAcbAabIac$ (X. $CCKpqrCCsqCKpsr$;

— 108 $\times C^*109-^*59$ 27. $CKAcbAbaIac$)

*109. $CAabAba$

*109 $\times$ *110. $b/a, a/b$

*110. $CAbaAab.$

If $CabaAab$ is rejected, then $ClabAab$ must be rejected too, for Iab is a weaker premiss than Aba .

(d) The consequent is Aab , and there are antecedents of the type Aaf with f different from a . If there is a chain leading from a to b , the expression is asserted on the ground of axiom 3, the mood Barbara; if there is no such chain, the expression is rejected.

Proof: By a chain leading from a to b I understand an ordered series of universal affirmative premisses:

$$Aac_1, Ac_1c_2, \dots, Ac_{n-1}c_n, Ac_nb,$$

where the first term of the series has a as its first argument, the last term b as its second argument, and the second argument of every other term is identical with the first argument of its successor. It is evident that from a series of such expressions Aab results by repeated application of the mood Barbara. If, therefore, there is a chain leading from a to b , the expression is asserted; if there is no such chain, we can get rid of antecedents of the type Aaf , identifying their second argument with a . The expression is reduced in this way to the sub-case (c), which was rejected.

Sixth case: All the antecedents are affirmative, and the consequent is a particular affirmative proposition. Here also we have to distinguish several sub-cases.

(a) The consequent is Iaa ; the expression is asserted, for its consequent is true.

(b) The consequent is Iab , and as antecedent occurs either Aab , or Aba , or Iab , or Iba ; it is obvious that in all these cases the expression must be asserted.

In what follows it is supposed that none of the above four premisses occurs as antecedent.

(c) The consequent is Iab , and no antecedent is of the type Afa , f different from a , or of the type Agb , g different from b . The expression is rejected.

Proof: We identify all variables different from a and b with c ; then we get, besides true premisses of the type Acc or Icc , only the following antecedents:

$$Aac, Abc, Iac, Ibc.$$

Aac implies Iac , and Abc implies Ibc . The strongest combination

of premisses is therefore *Aac* and *Abc*. From this combination, however, *Iab* does not result, as the formula

$$CAacCAbcIab$$

is equivalent to our axiom of rejection.

(*d*) The consequent is *Iab*, and among the antecedents there are expressions of the type *Afa* (*f* different from *a*), but not of the type *Agb* (*g* different from *b*). If there is *Abe* or *Ibe* (*Ieb*), and a chain leading from *e* to *a*:

$$(\alpha) Abe; Aee_1, Ae_1e_2, \dots, Ae_na,$$

$$(\beta) Ibe; Aee_1, Ae_1e_2, \dots, Ae_na,$$

we get from (α) *Abe* and *Aea*, and therefore *Iab* by the mood Bramantip, and from (β) *Ibe* and *Aea*, and therefore *Iab* by the mood Dimaris. In both cases the expression is asserted. If, however, the conditions (α) and (β) are not fulfilled, we can get rid of antecedents of the type *Afa* by identifying their first arguments with *a*, and the expression must be rejected according to sub-case (*c*).

(*e*) The consequent is *Iab*, and among the antecedents there are expressions of the type *Agb* (*g* different from *b*), but not of the type *Afa* (*f* different from *a*). This case can be reduced to sub-case (*d*), as *a* and *b* are symmetrical with respect to the consequent *Iab*.

(*f*) The consequent is *Iab*, and among the antecedents there are expressions of the type *Afa* (*f* different from *a*), and expressions of the type *Agb* (*g* different from *b*). We may suppose that the conditions (α) and (β) are not fulfilled for *Afa*, or the analogous conditions for *Agb* either; otherwise, as we already know, the original expression would be asserted. Now, if there is *Aca* and a chain leading from *c* to *b*:

$$(\gamma) Aca; Acc_1, Ac_1c_2, \dots, Ac_nb,$$

or *Adb* and a chain leading from *d* to *a*:

$$(\delta) Adb; Add_1, Ad_1d_2, \dots, Ad_na,$$

we get from (γ) *Aca* and *Acb*, from (δ) *Adb* and *Ada*, and therefore in both cases *Iab* by the mood Darapti. Further, if there is an antecedent *Icd* (or *Idc*) and two chains, one leading from *c* to *a*, and another from *d* to *b*:

$$(\epsilon) \begin{cases} Icd; Acc_1, Ac_1c_2, \dots, Ac_na, \\ Icd; Add_1, Ad_1d_2, \dots, Ad_nb, \end{cases}$$

we get by the first chain the premiss *Aca*, by the second chain the premiss *Adb*, and both premisses yield together with *Icd* the conclusion *Iab* on the basis of the polysyllogism:

$$CIcdCAcaCAdbIab.$$

We prove the polysyllogism by deducing *Iad* from *Icd* and *Aca* by the mood Disamis, and then *Iab* from *Iad* and *Adb* by the mood Darii. In all these cases the original expression must be asserted. If, however, none of the conditions (γ), (δ), or (ϵ) is satisfied, we can get rid of expressions of the type *Afa* and *Agb* by identifying their first arguments with *a* or with *b* respectively, and the original expression must be rejected according to sub-case (c). All possible cases are now exhausted, and it is proved that every significant expression of the Aristotelian syllogistic is either asserted or rejected on the basis of our axioms and rules of inference.

§ 34. *An arithmetical interpretation of the syllogistic*

In 1679 Leibniz discovered an arithmetical interpretation of the Aristotelian syllogistic which deserves our attention from the historical as well as from the systematic point of view.¹ It is an isomorphic interpretation. Leibniz did not know that the Aristotelian syllogistic could be axiomatized, and he knew nothing about rejection and its rules. He only tested some laws of conversion and some syllogistic moods in order to be sure that his interpretation was not wrong. It seems, therefore, to be a mere coincidence that his interpretation satisfies our asserted axioms 1-4, the axiom of rejection *59, and the rule of Słupecki. In any case it is strange that his philosophic intuitions, which guided him in his research, yielded such a sound result.

Leibniz's arithmetical interpretation is based on a correlation of variables of the syllogistic with ordered pairs of natural numbers prime to each other. To the variable *a*, for instance, correspond two numbers, say a_1 and a_2 , prime to each other; to the variable *b* correspond two other numbers, say b_1 and b_2 , also prime to each other. The premiss *Aab* is true when and only when a_1 is divisible by b_1 , and a_2 is divisible by b_2 . If one of these conditions is not satisfied, *Aab* is false, and therefore *NAab* is

¹ See L. Couturat, *Opuscules et fragments inédits de Leibniz*, Paris (1903), pp. 77 seq. Cf. also J. Łukasiewicz, 'O sylogistyce Arystotelesa' (On Aristotle's Syllogistic), *Comptes Rendus de l'Acad. des Sciences de Cracovie*, xliv, No. 6 (1939), p. 220.

true. The premiss lab is true when and only when a_1 is prime to b_2 , and a_2 is prime to b_1 . If one of these conditions is not satisfied, lab is false, and therefore $Nlab$ is true.

It can easily be seen that our asserted axioms 1-4 are verified. Axiom 1, Aaa , is verified, for every number is divisible by itself. Axiom 2, Iaa , is verified, for it is supposed that the two numbers corresponding to a , a_1 and a_2 , are prime to each other. Axiom 3, the mood Barbara $CKAbcAabAac$, is also verified, since the relation of divisibility is transitive. Axiom 4, the mood Datisi $CKAbcIbaIac$, is verified too; for if b_1 is divisible by c_1 , b_2 is divisible by c_2 , b_1 is prime to a_2 , and b_2 is prime to a_1 , then a_1 must be prime to c_2 , and a_2 must be prime to c_1 . For if a_1 and c_2 had a common factor greater than 1, a_1 and b_2 would also have the same common factor, since b_2 contains c_2 . But this is against the supposition that a_1 is prime to b_2 . In the same way we prove that a_2 must be prime to c_1 .

It is also easy to show that the axiom *59 $CKAcbAabIac$ must be rejected. Take as examples the following numbers:

$$\begin{aligned} a_1 &= 15, b_1 = 3, c_1 = 12, \\ a_2 &= 14, b_2 = 7, c_2 = 35. \end{aligned}$$

Acb is true, for c_1 is divisible by b_1 and c_2 is divisible by b_2 ; Aab is also true, for a_1 is divisible by b_1 and a_2 is divisible by b_2 ; but the conclusion Iac is not true, for a_1 and c_2 are not prime to each other.

The verification of Słupecki's rule of rejection is more complicated. I shall explain the matter with the help of an example. Let us take as the rejected expressions,

$$(*1) CNAabCNIcdCIbdNAad \text{ and } (*2) CNIBCNIcdCIbdNAad.$$

From them we get, by the rule of Słupecki,

$$*CN\alpha\gamma, *CN\beta\gamma \rightarrow *CN\alpha CN\beta\gamma,$$

a third rejected expression,

$$(*3) CNAabCNIbcCNIcdCIbdNAad.$$

Expression (1) is disproved, for instance by the following set of numbers:

$$(4) \begin{cases} a_1 = 4, b_1 = 7, c_1 = 3, d_1 = 4, \\ a_2 = 9, b_2 = 5, c_2 = 8, d_2 = 3. \end{cases}$$

It can easily be proved that according to this interpretation Aab is false (since 4 is not divisible by 7), and therefore $NAab$ is true; Icd is false (since c_2 is not prime to d_1), and therefore $NIcd$ is true; Ibd is true (for both pairs of numbers, b_1 and d_2 , b_2 and d_1 , are prime to each other); but $NAad$ is false, because Aad is true (a_1 being divisible by d_1 , and a_2 by d_2). All the antecedents are true, the consequent is false; therefore expression (1) is disproved.

The same set of numbers does not disprove expression (2), because Ibc is true (as both pairs of numbers, b_1 and c_2 , and b_2 and c_1 , are prime to each other), and therefore $NIbc$ is false. But if the antecedent of an implication is false, the implication is true. In order to disprove expression (2) we must take another set of numbers, for instance the following:

$$(5) \begin{cases} a_1 = 9, b_1 = 3, c_1 = 8, d_1 = 3, \\ a_2 = 2, b_2 = 2, c_2 = 5, d_2 = 2. \end{cases}$$

According to this interpretation all the antecedents of expression (2) are true, and the consequent is false; the expression is therefore disproved. But this second set of numbers does not disprove expression (1), because Aab is true, and therefore $NAab$ is false, and a false antecedent yields a true implication. Neither, therefore, of the sets (4) and (5) disproves expression (3), which contains $NAab$ as well as $NIbc$.

There is a general method that enables us to disprove expression (3) when expressions (1) and (2) are disproved.¹ First, we write down all the prime numbers which make up the sets of numbers disproving (1) and (2). We get for (1) the series 2, 3, 5, and 7, and for (2) the series 2, 3, and 5. Secondly, we replace the numbers of the second series by new primes, all different from the primes of the first series, for instance: 2 by 11, 3 by 13, and 5 by 17. We get thus a new set of numbers:

$$(6) \begin{cases} a_1 = 13 \cdot 13, b_1 = 13, c_1 = 11 \cdot 11 \cdot 11, d_1 = 13, \\ a_2 = 11, b_2 = 11, c_2 = 17, d_2 = 11. \end{cases}$$

This set also disproves (2), since the relations of divisibility and primeness remain the same as they were before the replacement.

¹ This method was discovered by Ślupecki, op. cit., pp. 28-30.

Thirdly, we multiply the numbers of corresponding variables occurring in the sets (4) and (6). We thus get a new set:

$$(7) \begin{cases} a_1 = 4.13.13, & b_1 = 7.13, & c_1 = 3.11.11.11, & d_1 = 4.13, \\ a_2 = 9.11, & b_2 = 5.11, & c_2 = 8.17, & d_2 = 3.11.1 \end{cases}$$

This set disproves (3). For it is evident, first, that if to the premiss *Aef* or *Ief* there corresponds the set of numbers

$$e_1, e_2, f_1, f_2, \quad e_1 \text{ prime to } e_2, f_1 \text{ prime to } f_2,$$

and there is another set of numbers

$$e'_1, e'_2, f'_1, f'_2, \quad e'_1 \text{ prime to } e'_2, f'_1 \text{ prime to } f'_2,$$

all of them composed of different primes from the numbers of the first set, then the product of e_1 and e'_1 , i.e. $e_1.e'_1$, must be prime to the product of e_2 and e'_2 , i.e. $e_2.e'_2$, and $f_1.f'_1$ prime to $f_2.f'_2$. Secondly, if *Aef* is verified by the first set, i.e. if e_1 is divisible by f_1 , and e_2 by f_2 , and the same is true of the second set, so that e'_1 is divisible by f'_1 , and e'_2 by f'_2 , then $e_1.e'_1$ must be divisible by $f_1.f'_1$, and $e_2.e'_2$ by $f_2.f'_2$. Again, if *Ief* is verified by the first set, i.e. e_1 is prime to f_2 , and e_2 is prime to f_1 , and the same is true of the second set, so that e'_1 is prime to f'_2 , and e'_2 is prime to f'_1 , then $e_1.e'_1$ must be prime to $f_2.f'_2$ and $e_2.e'_2$ prime to $f_1.f'_1$, since all the numbers of the second set are prime to the numbers of the first set. On the contrary, if only one of the conditions for divisibility or primeness is not satisfied, the respective premisses must be false. It can be seen in our example that *Aad* and *Icd* are verified by (7), for they are verified by (4) and (6), and *Ibc* is disproved both by (4) and (6), and therefore also by (7). *Aab* is disproved only by (4) (but this suffices to disprove it by (7)), and *Ibc* is disproved only by (6) (but this also suffices to disprove it by (7)). This procedure may be applied to any case of the kind, and therefore Ślupecki's rule is verified by the Leibnizian interpretation.

Leibniz once said that scientific and philosophic controversies could always be settled by a calculus. It seems to me that his famous 'calculus' is connected with the above arithmetical interpretation of the syllogistic rather than with his ideas on mathematical logic.

¹ If there is a variable occurring in one of the disproved expressions but not in the other, we simply take its corresponding numbers after eventual replacement.

§ 35. Conclusion

The results we have reached on the basis of an historical and systematic investigation of the Aristotelian syllogistic are at more than one point different from the usual presentation. Aristotle's logic was not only misrepresented by logicians who came from philosophy, since they wrongly identified it with the traditional syllogistic, but also by logicians who came from mathematics. In text-books of mathematical logic one can read again and again that the law of conversion of the *A*-premiss and some syllogistical moods derived by this law, like Darapti or Felapton, are wrong. This criticism is based on the mistaken notion that the Aristotelian universal affirmative premiss 'All *a* is *b*' means the same as the quantified implication 'For all *c*, if *c* is *a*, then *c* is *b*', where *c* is a singular term, and that the particular affirmative premiss 'Some *a* is *b*' means the same as the quantified conjunction 'For some *c*, *c* is *a* and *c* is *b*', where *c* is again a singular term. If one accepts such an interpretation, one can say of course that the law *CAabIba* is wrong, because *a* may be an empty term, so that no *c* is *a*, and the above quantified implication becomes true (for its antecedent is false), and the above quantified conjunction becomes false (for one of its factors is false). But all this is an imprecise misunderstanding of the Aristotelian logic. There is no passage in the *Analytics* that would justify such an interpretation. Aristotle does not introduce into his logic singular or empty terms or quantifiers. He applies his logic only to universal terms, like 'man' or 'animal'. And even these terms belong only to the application of the system, not to the system itself. In the system we have only expressions with variable arguments, like *Aab* or *Iab*, and their negations, and two of these expressions are primitive terms and cannot be defined; they have only those properties that are stated by the axioms. For the same reason such a controversy as whether the Aristotelian syllogistic is a theory of classes or not is in my opinion futile. The syllogistic of Aristotle is a theory neither of classes nor of predicates; it exists apart from other deductive systems, having its own axiomatic and its own problems.

I have tried to set forth this system free from foreign elements. I do not introduce into it singular, empty, or negative terms, as Aristotle has not introduced them. I do not introduce quanti-

fiers either; I have only tried to explain some ideas of Aristotle by the help of quantifiers. In formal proofs I employ theses of the theory of deduction, since Aristotle uses them intuitively in his proofs, and I employ rejection, because Aristotle himself rejects some formulae and even states a rule of rejection. Wherever in Aristotle's exposition there was something not completely correct, I have been anxious to correct the flaws of his exposition, e.g. some unsatisfactory proofs by *reductio per impossibile*, or the rejection through concrete terms. It has been my intention to build up the original system of the Aristotelian syllogistic on the lines laid down by the author himself, and in accordance with the requirements of modern formal logic. The crown of the system is the solution of the problem of decision, and that was made possible by Ślupecki's rule of rejection, not known to Aristotle or to any other logician.

The syllogistic of Aristotle is a system the exactness of which surpasses even the exactness of a mathematical theory, and this is its everlasting merit. But it is a narrow system and cannot be applied to all kinds of reasoning, for instance to mathematical arguments. Perhaps Aristotle himself felt that his system was not fitted for every purpose, for he added later to the theory of assertoric syllogisms a theory of modal syllogisms.¹ This was of course an extension of logic, but probably not in the right direction. The logic of the Stoics, the inventors of the ancient form of the propositional calculus, was much more important than all the syllogisms of Aristotle. We realize today that the theory of deduction and the theory of quantifiers are the most fundamental branches of logic.

Aristotle is not responsible for the fact that for many centuries his syllogistic, or rather a corrupt form of his syllogistic, was the sole logic known to philosophers. He is not responsible either for the fact that the influence of his logic on philosophy was, as it seems to me, disastrous. At the bottom of this disastrous influence there lies, in my opinion, the prejudice that every proposition has a subject and a predicate, like the premisses of Aristotelian logic. This prejudice, together with the criterion of truth known as *adaequatio rei et intellectus*, is the basis

¹ I take it that the theory of modal syllogisms expounded by Aristotle in Chapters 8–22 of Book I of the *Prior Analytics* was inserted later, since Chapter 23 is obviously an immediate continuation of Chapter 7.

of some famous but fantastic philosophical speculations. Kant divided all propositions (he calls them 'judgements') into analytic and synthetic according to the relation of the predicate of a proposition to its subject. His *Critique of Pure Reason* is chiefly an attempt to explain the problem how true synthetic *a priori* propositions are possible. Now some Peripatetics, for instance Alexander, were apparently already aware that there exists a large class of propositions having no subject and no predicate, such as implications, disjunctions, conjunctions, and so on.¹ All these may be called functorial propositions, since in all of them there occurs a propositional functor, like 'if—then', 'or', 'and'. These functorial propositions are the main stock of every scientific theory, and to them neither Kant's distinction of analytic and synthetic judgements nor the usual criterion of truth is applicable, for propositions without a subject or predicate cannot be immediately compared with facts. Kant's problem loses its importance and must be replaced by a much more important problem: How are true functorial propositions possible? It seems to me that here lies the starting-point for a new philosophy as well as for a new logic.

¹ In connexion with Aristotle's definition of the *πρότασις* Alexander writes, 11. 17: εἰσὶ δὲ οὗτοι οἱ ὅροι προτάσεως οὐ πάσης ἀλλὰ τῆς ἀπλῆς τε καὶ καλουμένης κατηγορικῆς· τὸ γὰρ τι κατὰ τίνος ἔχειν καὶ τὸ καθόλου ἢ ἐν μέρει ἢ ἀδιόριστον ἴδια ταύτης· ἢ γὰρ ὑποθετικῇ οὐκ ἐν τῷ τι κατὰ τίνος λέγεσθαι ἀλλ' ἐν ἀκολουθίᾳ ἢ μάχῃ τὸ ἀληθὲς ἢ τὸ ψεῦδος ἔχει.

INDEX

- A*, constant functor, means 'all—is' or 'belongs to all', pp. 14, 77.
- Aaa*, axiom, p. 88; syllogistic law of identity independent of other theses, p. 45; compared with the propositional law of identity, p. 48.
- Aab*, means 'all *a* is *b*' or '*b* belongs to all *a*', p. 77.
- Aenesidemus, pp. 58, 59, n. 1.
- Alexander, on definition of the premiss, p. 4, n. 4; on indefinite premisses, p. 5, n. 2; on variables, p. 8, n. 2; validity of moods not dependent on the shape of variables, p. 9, n. 2; his proof of conversion of the *E*-premiss, p. 10, n. 1; on non-methodically conclusive arguments of the Stoics, p. 15 n.; on formulations of the syllogisms with 'to belong' and 'to be', p. 17, n. 3; on the formalism of the Stoics, p. 19 n.; knows the law of identity *Aaa*, p. 20, n. 1; quotes syllogisms as rules of inference, p. 21 n.; on Theophrastus' addition of five moods to the first figure, p. 27, n. 2; his definition of the first figure different from the Aristotelian, p. 27, n. 4; does there exist in the second figure a major and a minor term *φύσει*?, p. 31, nn. 1-2; his polemic against Herminius' definition of the major term, p. 31, n. 3; his own definition of the major term, p. 32, n. 1; *θέσις* of terms in the three figures, p. 33, nn. 3-5; calls perfect syllogisms *ἀναπόδεικτοι*, p. 43, n. 2; on equivalence of *Oab* and *NAab*, p. 46, n. 2; explains proof by ecthesis of the conversion of the *I*-premiss, p. 60, n. 2; ascribes perceptual character to proofs by ecthesis, p. 60, n. 3; his criticism of the proof of Darapti by ecthesis, p. 63, nn. 2-3; on the proof of Bocardo by ecthesis, p. 66 n.; ascribes the 'synthetic theorem' to Aristotle, p. 65 n.; misunderstands rejection, p. 68, n. 1; his polemic against Herminius on rejection, p. 70, n. 1; on the difference of the categorical and hypothetical premisses, p. 132 n.
- ἄμεσος πρότασις*, see immediate premiss.
- Ammonius, on relation of logic to philosophy, p. 13 n.; scholium preserved with his fragments, p. 39.
- ἀνάγκη*, see syllogistic necessity.
- Analytics, Prior*, a hypothesis of Bocheński, p. 27; modal syllogistic probably inserted later, p. 131 n.
- and, propositional functor denoting conjunction, pp. 14, 77.
- anerkennen*, Brentano's distinction of 'anerkennen' and 'verwerfen', p. 94 n.
- antecedent of an implication, p. 78.
- ἀπαγωγή εἰς τὸ ἀδύνατον*, see *reductio ad impossibile*.
- Apuleius, censured by Waitz for changing the order of premisses, p. 33, n. 1.
- ἀπα*, see therefore.
- arguments, by substitution, p. 10; non-methodically conclusive of the Stoics, p. 15 n.; *ἐξ ὑποθέσεως*, p. 57.
- Aristotle, formulates all syllogisms as implications, pp. 2, 20-1; his definition of 'premiss', p. 3, n. 3; his definition of 'term', p. 3, n. 5; *ὅρος* different from *Begriff* and definition (*ὁρισμός*), p. 3, n. 6; his division of premisses, p. 4, n. 1; his definition of universal and singular terms, p. 4, n. 2; treats indefinite premisses like particulars, p. 5, n. 1; omits empty and singular terms in the syllogistic, p. 4; why he omits singular terms, pp. 5-7; his division of things a division of terms, p. 6; his logic not influenced by Plato's philosophy, p. 6; introduces variables into logic, p. 7; his term for syllogistic necessity corresponds to a universal quantifier, pp. 11, 87; his logic formal logic, pp. 12-14; not infected by psychology, p. 13; not formalistic, p. 16; his formulations of

- syllogisms often inexact, p. 18; examples of inexactness, p. 18, n. 1; his division of syllogistic figures, p. 23, n. 1; accepts as principle of division the position of the middle term in premisses, p. 23, n. 2; omits in his division the moods of the fourth figure, p. 23; knows and accepts all the moods of the fourth figure, pp. 25, n. 2, 26 n.; gives practical indications how to find premisses for a given conclusion, p. 24 n.; defines wrongly the middle, major, and minor terms in the first figure, p. 28, nn. 1-2; gives a correct definition of the middle term for all figures, p. 29 n.; does not fix the order of premisses, pp. 33, 34, nn. 1-8; accepts the perfect moods of the first figure as axioms, p. 44; does not state the *dictum de omni et nullo* as the principle of syllogistic, p. 47; reduces all imperfect moods to the universal moods of the first figure, p. 45, n. 2; this reduction means proof, p. 44; his theory of proof unsatisfactory, p. 44; uses laws of propositional logic intuitively in proving the imperfect moods, p. 49; knows the law of transposition, p. 49, n. 3; and the law of hypothetical syllogism, p. 49, n. 4; erroneously rejects a thesis of propositional logic, p. 50, n. 1; his proofs by conversion imply laws of propositional logic, pp. 51-4; his usually given proofs of Baroco and Bocardo unsatisfactory and not proofs by *reductio ad impossibile*, pp. 54-5; his characterization of the proofs by *reductio ad impossibile*, p. 55 n.; gives correct proofs of Baroco and Bocardo implying laws of propositional logic, p. 57, n. 3; does not understand arguments *ἐξ ὑποθέσεως*, p. 58; gives proofs by ecthesis for the conversion of the *I*-premiss, p. 60, n. 1; for Darapti, p. 63, n. 1; for Bocardo, p. 64 n.; his proofs by ecthesis may be explained by existential quantifiers, pp. 61-6; rejects invalid syllogistic forms by exemplification through concrete terms, p. 67, n. 2; employs a rule of rejection, p. 70, n. 2; his syllogistic misrepresented by some mathematical logicians, p. 130.
- arithmetical interpretation of the syllogistic, pp. 126-9.
- arithmetical laws, compared with syllogisms by the Stoics, p. 15.
- ἀρχή*, basic truth, p. 44.
- assertion, introduced by Frege, accepted in *Principia Mathematica*, p. 94.
- associative law of addition, without brackets, p. 78.
- Averroes, on Galen's fourth figure, p. 38.
- axioms, of the theory of deduction, p. 80; of the syllogistic, p. 88.
- ἀξιωμα*, Stoic term for proposition, p. 82 n.
- Barbara, axiom, p. 88; perfect syllogism, pp. 44-5; formulated by Aristotle, p. 3; with transposed premisses and without the sign of necessity, p. 10, n. 5; its weakness in the system, p. 94.
- Barbari, thesis, p. 92.
- Baroco, thesis, p. 94; formulated by Aristotle with transposed premisses, p. 34, n. 7; its unsatisfactory proof by *reductio ad impossibile*, pp. 55-6; how Baroco should be proved by *reductio ad impossibile*, p. 56; correct proof given by Aristotle, p. 57, n. 3.
- basis, of syllogistic, p. 100; not sufficient without Słupecki's rule of rejection, p. 101.
- Bekker, I., p. 24 n.
- belong, *ὑπάρχειν*, p. 14 n.; used by Aristotle in abstract syllogisms with variables instead of *εἶναι* in concrete examples, p. 17; explanation of this fact by Alexander, p. 17, n. 3.
- bivalence, principle of, p. 82.
- Bocardo, thesis, p. 94; formulated by Aristotle with transposed premisses, pp. 34, 64 n.; proved by him by ecthesis, p. 64; its proof by existential quantifiers, pp. 65-6; the latter proof in symbolic form, pp. 85-6.

- Bocheński, I. M., his hypothesis on composition of the *Prior Analytics*, p. 27.
 brackets, notation without, pp. 78-9.
 Bramantip, thesis, p. 92; called by Aristotle *ἀντεστραμμένος συλλογισμός*, pp. 24 n., 25; proved by him, p. 26 n.
- C*, sign of implication 'if—then', p. 78.
 Camenes, thesis, p. 93; proved by Aristotle, p. 26 n.
 Camenop, thesis, p. 93.
 Camestres, thesis, p. 93; formulated by Aristotle with transposed premisses, p. 34, n. 6.
 Camestrop, thesis, p. 93.
 Cartesian principle, 'cogito, ergo sum', not a principle but an inference, p. 21.
 categorical system, p. 99.
 Celarent, thesis, p. 92; perfect syllogism, p. 44.
 Celaront, thesis, p. 93.
 Cesare, thesis, p. 92.
 Cesaro, thesis, p. 93.
 chain, p. 124.
 Chrysippus, p. 82 n.
 Cicero, p. 82 n.
 Clavius, commentator on Euclid, p. 80; law of, p. 80.
 commutation, law of, pp. 82, 89, 107.
 commutative law of conjunction, p. 61; formulated in symbols, p. 84.
 compound law of transposition, known to Aristotle, pp. 56-7; proved by the Stoics as rule of inference, p. 59, n. 1.
 compound syllogisms of four terms, investigated by Galen, p. 39, n. 3; divided by him into four figures, p. 40 n.
 conjunction, definition of, p. 81; its definition as truth-function, p. 83.
 consistency of the syllogistic, proof of, p. 89.
 constant functors, Aristotelian: *A, E, I, O*, p. 77; propositional: *C, K, N*, p. 78.
 conversion of the *A*-premiss, thesis, p. 91; mistakenly regarded as wrong, p. 130.
 conversion of the *E*-premiss, thesis, p. 91; proved syllogistically by Alexander, p. 10.
 conversion of the *I*-premiss, thesis, p. 91; proved by Aristotle by ecthesis, p. 60, n. 1; proof by existential quantifiers, pp. 61-2; the latter proof in symbols, pp. 84-5.
 conversion of the *O*-premiss, invalid, p. 11, n. 1.
 conversion of the syllogism, p. 57.
 Copleston, Fr., S.J., pp. 1, n. 1, 12.
 Couturat, L., p. 126 n.
Cpp, propositional law of identity, different from *Aaa*, p. 48.
Cpq, implication means 'if *p*, then *q*', p. 78.
- Darapti, thesis, p. 92; proved by Aristotle by ecthesis, p. 63, n. 1; may be proved by existential quantifiers, pp. 63-4.
 Darii, thesis, p. 91; perfect syllogism, p. 44; formulated by Aristotle with transposed premisses, p. 34, n. 5.
 Datisi, axiom, p. 88; formulated by Aristotle with transposed premisses, p. 34, n. 3.
 decision, the problem of, solved for the *C-N* system of the theory of deduction, pp. 112-18; for the syllogistic, pp. 120-6.
 deduction of syllogistical laws, pp. 91-4.
 deductive equivalence, relative to some theses, p. 107; defined, p. 110; different from ordinary equivalence, p. 110; requires rejection, pp. 109-10.
 definition, two ways of defining functors, p. 81.

- derivational line, p. 81.
 detachment, rule of, *modus ponens* of the Stoics, p. 16.
dictum de omni et nullo, not a principle of the syllogistic, p. 46; not formulated by Aristotle, p. 47.
 Dimaris, thesis, p. 92; proved by Aristotle, p. 26 n.
 Disamis, thesis, p. 92; formulated by Aristotle with transposed premisses, p. 7 n.; proved by him by conversion of the conclusion of Darii, pp. 52-3.
 Duns Scotus, law of, p. 80.

E, constant functor, means 'no—is' or 'belongs to no', pp. 14, 77.
Eab, means 'no *a* is *b*' or '*b* belongs to no *a*', p. 77.
 ecthesis, explained by existential quantifiers, p. 61; proofs by ecthesis, pp. 55-67; perceptual character ascribed to them by Alexander, pp. 60, n. 3, 63, nn. 2-3, 67, n. 1.
Encyclopaedia Britannica, 11th edition, on logic of the Stoics, p. 49.
 equivalence, of *Eab* and *NIab*, p. 88; different from deductive equivalence, p. 110.
 Euclid, employs the law of Clavius, p. 50.
 Eudemus, p. 38, n. 4.
 Eulerian diagrams, applied to a non-Aristotelian system of syllogistic, p. 99; to the problem of undecidable expressions, p. 101.
 existential quantifiers, explained, pp. 61, 84; rules of, p. 62; used in proofs by ecthesis, pp. 61-66.
ex mere negativis nihil sequitur, not generally true, p. 103; connected with Slupecki's rule of rejection, p. 103.
 exportation, law of, p. 86.
 exposition, *see* ecthesis.
 expression, significant, p. 80; elementary, p. 103; simple, p. 103.

 factor, principle of the, pp. 52-3.
 Felapton, thesis, p. 93: formulated by Aristotle with transposed premisses, p. 9, n. 4.
 Ferison, thesis, p. 93.
 Fesapo, thesis, p. 93; proved by Aristotle, p. 25, n. 2.
 Festino, thesis, p. 93; proved by Aristotle, p. 51, n. 1.
 figures of the syllogism, division into figures has a practical aim, p. 23; description of the three Aristotelian figures, p. 23, n. 1; position of the middle term in premisses principle of division into figures, p. 23, n. 2; Maier's opinion criticized, pp. 36-8.
 form, of the Aristotelian syllogism, pp. 1-3; of thought, p. 12; of syllogism as opposed to its matter, p. 14; consists of number and disposition of variables and of logical constants, p. 14.
 formalism, pp. 15-16.
 fourth figure, omitted by Aristotle, p. 27; its moods accepted by Aristotle, p. 27; not invented by Galen, p. 41; opinions of Prantl and Maier criticized, pp. 35, 37.
 Frege, G., founder of modern propositional logic, p. 48; introduced assertion into logic, p. 94.
 Fresison, thesis, p. 93; proved by Aristotle, p. 25, n. 2.
 functor, p. 77.
 functorial propositions, have no subjects or predicates, p. 132.

 Galen, divided compound syllogisms of four terms into four figures, pp. 38-40.

 Herminus, modifies the Aristotelian definition of the major term, p. 31, n. 3; misunderstands rejection, p. 70, n. 1.

- homogeneous terms, required by the syllogistic, p. 7.
ὅλη, matter of the syllogism as opposed to its form, p. 14.
ὑποβάλλειν, term used by Philoponus for substitution, p. 8.
 hypothetical syllogism, law of, known to Aristotle, p. 49, n. 4; formulated, p. 51;
 in symbols, p. 79.
I, constant functor, means 'some—is' or 'belongs to some', pp. 14, 77.
Iaa, law of identity, axiom, p. 88.
Iab, means 'some *a* is *b*' or '*b* belongs to some *a*', p. 77.
 identity, laws of, syllogistic *Aaa* and *Iaa*, p. 88; propositional, p. 48.
 immediate premiss, *ἀμεσος πρότασις*, without a middle term between its subject
 and predicate, p. 44.
 imperfect syllogisms, moods of the second and third figure, p. 43.
 implication, 'if *p*, then *q*', p. 78; defined as truth-function by Philon of Megara,
 p. 83; its relation to the corresponding rule of inference, p. 22.
 importation, law of, p. 86.
 indefinite premiss, pp. 4-5; treated as particular, p. 5, nn. 1-2.
 indemonstrable propositions, *ἀναπόδεικτοι*, p. 43.
 indemonstrable syllogisms of the Stoics, first, p. 19; second and third, p. 58.
 independence, proofs of independence of the axioms of syllogistic, pp. 89-90.
 inexactness, of Aristotelian formulations, p. 18, n. 1.
 inference, not a proposition, p. 21.
 Joannes Italus, p. 39, n. 1.
 Kalbfleisch, K., p. 38.
 Kant, I., p. 132.
 Kapp, E., p. 1, n. 1; criticizes Prantl, p. 3, n. 6.
 Keynes, J. N., on singular propositions, p. 5, n. 3; on the major and minor term,
 p. 30 n.; on reduction of syllogisms to the first figure, p. 44; on *dictum de omni*
 et nullo, p. 47.
 Kochalsky, p. 59, n. 1.
Kpq, conjunction, means '*p* and *q*', p. 77; its definition by *C* and *N*, p. 81; defined
 as truth-function, p. 83.
 Laws, of the theory of deduction: of commutation, p. 82; commutative law of
 conjunction, p. 61; compound law of transposition, p. 56; of exportation,
 p. 86; of importation, p. 86; of hypothetical syllogism, p. 51; of identity,
 p. 48; of Clavius, p. 80; of Duns Scotus, p. 80; of the syllogistic: pp. 91-4.
 Leibniz, G. W., his arithmetical interpretation of the syllogistic, pp. 126-9.
 logic, its relation to psychology, pp. 12-13; to philosophy, p. 13; Aristotelian logic
 a theory of the functors *A*, *E*, *I*, *O*, p. 14.
 logic of propositions, different from the logic of terms, p. 48; invented by the Stoics,
 p. 48; in its modern form founded by Frege, p. 48.
 Łukasiewicz, J., on axioms of the syllogistic, pp. 46, n. 3; 91 n.; on logic of the
 Stoics, p. 48 n.
 Maier, H., misunderstands syllogistic necessity, pp. 11, n. 2; 12, n. 1; his philo-
 sophic speculations on this subject refuted, pp. 11-12; does not distinguish
 the Aristotelian syllogism from the traditional, p. 22 n.; accepts the mistaken
 definition of Aristotle of the major, minor, and middle term, p. 28, n. 3;
 regards the order of premisses as fixed, p. 33, n. 2; accepts extensional rela-
 tions of terms as principle of division of syllogisms into figures, pp. 36-8;
 accepts a fourth figure with only two moods, p. 37; believes in existence of

- one principle of syllogistic, p. 47; does not understand the logic of the Stoics, p. 49; does not understand the implication 'if not- p , then p ', p. 50; accepts Alexander's interpretation of proofs by ecthesis, p. 60, n. 4; does not understand proofs of rejection, p. 68.
- major term, predicate of the conclusion, p. 32; wrongly defined by Aristotle, p. 28, n. 2; Aristotle's definition modified by Herminius, p. 31, n. 3; Alexander's opinion on this subject untenable, pp. 31-2; classical definition given by Philoponus, p. 32, n. 2.
- Meredith, C. A., on number of figures and moods for n terms, p. 42.
- middle term, wrongly defined by Aristotle for the first figure, p. 28, n. 1; rightly defined for all figures, p. 29 n.
- minor term, subject of the conclusion, p. 32; wrongly defined by Aristotle, p. 28, n. 2; classical definition given by Philoponus, p. 32, n. 2.
- modus ponens*, first indemonstrable of the Stoics, p. 19; rule of detachment, pp. 16, 81.
- Mutschmann, p. 59, n. 1.
- N , sign of negation 'it is not true that' or 'not', p. 78.
- necessity, *see* syllogistic necessity.
- negation, propositional, denoted by $\text{o}\tilde{\upsilon}\chi\acute{\iota}$ by the Stoics, p. 78, n. 1.
- negative terms, excluded by Aristotle from syllogistic, p. 72.
- number of syllogistic forms and valid moods, p. 96.
- number of valid moods and figures for n terms, p. 42.
- number of undecidable expressions, infinite without Słupecki's rule, p. 103.
- O , constant functor, means 'some—is not' or 'does not belong to some', pp. 14, 77.
- Oab , means 'some a is not b ' or ' b does not belong to some a ', p. 77.
- order of premisses, pp. 32-4; not fixed by Aristotle, pp. 32-4.
- $\text{o}\tilde{\upsilon}\chi\acute{\iota}$, propositional negation of the Stoics, p. 78, n. 1.
- Oxford Translation of Aristotle's works, p. v.
- particular, premiss, p. 4; quantifier, *see* quantifiers.
- Peano, G., p. 52.
- Peirce, C. S., invented a method of verifying theses of the theory of deduction, p. 82.
- perfect syllogisms, moods of the first figure, pp. 43-5.
- Peripatetics, a syllogism used by them, p. 1; on relation of logic to philosophy, p. 13 n.; not formalists, p. 16.
- Philon of Megara, defined implication as a truth-function, p. 83 n.
- Philoponus, John, on importance of variables, p. 8, n. 3; uses $\text{\textepsilon}\pi\text{o}\beta\acute{\alpha}\lambda\lambda\epsilon\iota\nu$ to denote substitution, p. 8; his definition of the major and the minor term, p. 32, n. 2; the second figure has a major and minor term by convention, p. 32, n. 3.
- Plato, his supposed influence on Aristotle's logic, p. 6; examples of compound syllogisms, p. 40.
- Platonists, on relation of logic to philosophy, p. 13.
- Prantl, C., criticized by Kapp, p. 3, n. 6; does not distinguish the Aristotelian syllogism from the traditional, pp. 22, 35; his mistaken opinion on the fourth figure, p. 35, nn. 1, 3; his ignorance of logic, pp. 35-6; quotes Averroes, p. 38.
- predicate, together with subject matter of the syllogism, p. 14; put by Aristotle in the first place in abstract syllogisms, p. 3; predicate of conclusion = major term, p. 32; prejudice that every proposition has a subject and a predicate, p. 131.
- premiss, defined by Aristotle, p. 3; divided by him into universal, particular, and indefinite, p. 4.
- primitive terms, of the syllogistic, p. 45.

- Principia Mathematica*, by A. N. Whitehead and B. Russell, pp. 48, 50, n. 2, 51, n. 2, 52, n. 1, 56, n. 2, 61 n.
- principle of division of syllogisms into figures, p. 23.
- proof, Aristotle's theory of proof unsatisfactory, p. 44; proofs of syllogistic moods by conversion, pp. 51-4; by *reductio ad impossibile*, pp. 54-9; by ecthesis, pp. 59-67; how proofs should be performed by *reductio ad impossibile*, p. 56; proof of decision for the theory of deduction, pp. 112-18; for the syllogistic, pp. 120-6.
- proposition, *πρότασις* of the Peripatetics, p. 3; *ἀξίωμα* of the Stoics, p. 82 n.; Alexander on the difference of categorical and hypothetical propositions, p. 132 n.; functorial propositions have no subjects or predicates, p. 132.
- propositional function, pp. 94-5.
- quantified expressions, explained, p. 84.
- quantifiers, universal denoted by Π , existential or particular denoted by Σ , p. 84; rules of existential quantifiers, p. 62; rules of universal quantifiers, p. 86; universal quantifiers correspond to the syllogistic necessity, pp. 11, 87; existential quantifiers may explain proofs by ecthesis, pp. 61-6.
- RE*, rule allowing to replace *NI* by *E* and conversely, p. 88.
- reductio ad impossibile*, characterized by Aristotle, p. 55 n.; proofs by, pp. 54-9; unsatisfactory for Baroco and Bocardo, pp. 54-5.
- reduction of axioms to a minimum, has a predecessor in Aristotle, p. 45.
- reduction of syllogistical moods to the first figure, means proof, p. 44; Keynes's opinion criticized, p. 44.
- reduction to elementary expressions, in the theory of deduction, pp. 111-15; in the syllogistic, pp. 118-20.
- rejected expressions, denoted by an asterisk, p. 96.
- rejection, used by Aristotle by exemplification through concrete terms, p. 67, n. 2; a rule of rejection stated by him, p. 70, n. 2; its meaning explained, p. 96; its rules, pp. 71-2, 96; how these rules work, pp. 96-7; reasons for its introduction into the theory of deduction, p. 109.
- RO*, rule allowing to replace *NA* by *O* and conversely, p. 88.
- Ross, Sir David, pp. v, vi, 8, n. 1, 24 n., 46, n. 1, 47, n. 2.
- RS*, Slupecki's rule of rejection, p. 104.
- rule of detachment—*modus ponens* of the Stoics, pp. 16, 19, 81.
- rule of Slupecki, formulated, pp. 75, 103; explained, p. 104; employed, pp. 105-6.
- rules of inference, different from propositions, p. 21; for asserted expressions: by substitution, pp. 80, 88; by detachment, pp. 81, 88; for rejected expressions: by substitution, pp. 72, 96; by detachment, pp. 71, 96.
- Russell, B., p. 1, n. 1; wrongly criticizes Aristotle, p. 1, n. 3; see also *Principia Mathematica*.
- Scholz, H., p. vii; on Galen's authorship of the fourth figure, p. 39.
- Sextus Empiricus, quotes a Peripatetic syllogism, p. 1, n. 2; gives the Stoic proof of the compound law of transposition, p. 59, n. 1; quotes Philon's definition of implication, p. 83 n.
- significant expression, defined inductively, p. 80.
- simple expressions of the syllogistic, rejected, pp. 120-1.
- simplification, law of, p. 89.
- singular terms, defined by Aristotle, p. 4, n. 2; why omitted in his syllogistic, pp. 5-7.
- Slupecki, J., proves that the number of undecidable expressions of the syllogistic is infinite, p. 101; states a new rule of rejection, p. 103; shows that the

- Leibnizian arithmetical interpretation of the syllogistic verifies his rule, p. 128 n.; his paper quoted, p. 76 n.
- Solmsen, Fr., his view on conversion of the conclusion refuted, p. 25, n. 1.
- square of opposition, not mentioned in the *Analytics*, pp. 20, 45.
- Stoics, on exchange of equivalent terms in syllogisms, pp. 18, 19 n.; their logic formalistic, p. 19; their logic a logic of propositions, p. 48; a system of rules of inference, p. 48; misunderstood by modern commentators, p. 49; denote variables by ordinal numbers, p. 58 n. 4; use *οὐκ* as propositional negation, p. 78, n. 1; adopt Philon's definition of implication, p. 83; state the principle of bivalence, p. 82 n.; *modus ponens*, the first indemonstrable syllogism of the Stoics, p. 19; the second and third indemonstrable syllogisms, p. 58; their proof of the compound law of transposition, p. 59, n. 1.
- στοιχεῖα*, letters, variables, p. 8.
- subject, together with predicate matter of the syllogism, p. 14; put by Aristotle in the second place in abstract syllogisms, p. 3; subject of the conclusion = minor term, p. 32; propositions without subject or predicate, pp. 44, 131.
- substitution: an ancient argument by substitution, p. 10; term used for substitution by Philoponus, p. 8, n. 3; rule of substitution for asserted expressions, p. 80; for rejected expressions, pp. 72, 96.
- συζυγία*, combination of premisses, p. 63.
- syllogism, a Peripatetic, p. 1; in concrete terms given by Aristotle, p. 2; form of the Aristotelian syllogism, pp. 1-3; different from the traditional logically and in style, p. 3; differently formulated in variables and in concrete terms, p. 17; compared by the Stoics with an arithmetical law, p. 15; in purely implicational form, p. 22; in symbolic form, p. 78.
- syllogistic necessity, its sign sometimes omitted by Aristotle, p. 10, n. 5; its meaning explained on occasion of the invalid conversion of the *O*-premiss, p. 11; wrongly explained by Maier, pp. 11-12; corresponds to a universal quantifier, p. 11; proof of this correspondence in symbolic form, pp. 86-7.
- symbolic notation, without brackets, pp. 78-9.
- synthetic theorem, ascribed by Alexander to Aristotle, p. 65 n.; in symbolic form, p. 85.
- Tarski, A., pp. 78, n. 2, 107 n.
- term, part of a premiss, p. 3; universal, singular, empty, p. 4; different from *Begriff*, p. 3, n. 6; a division of terms, pp. 5-6; syllogistic requires homogeneous terms, p. 7; major, minor, and middle term, pp. 28-30.
- Theophrastus, adds the moods of the fourth figure to the first, pp. 27, n. 2; 38, n. 4; probably defined the first figure differently from Aristotle, p. 27.
- theorem of reduction, proved for the theory of deduction, pp. 111-15; for syllogistic, pp. 118-20.
- theory of deduction, the most elementary part of the logic of propositions, pp. 49, 79-83; invented by the Stoics as a system of rules of inference, p. 48; founded in modern times by Frege, p. 48; placed at the head of mathematics in *Principia Mathematica*, p. 48; reasons for introducing rejection into this theory, p. 109.
- therefore, sign of inference, pp. 2, 21.
- θεῖος*, order of terms adopted by Aristotle for the three figures, p. 33, nn. 3-5.
- thesis, true proposition of a deductive system, p. 20; different from a rule of inference, p. 21; relation of an implicational thesis to the corresponding rule of inference, p. 22.
- traditional syllogism, a rule of inference, pp. 21-3; different from the Aristotelian, p. 21; neither true nor false, only valid or invalid, p. 21; weaker than the Aristotelian syllogism, pp. 22-3.

- transposition, law of, known to Aristotle, p. 49, n. 3; its symbolic form, p. 89; compound law of transposition, proved by the Stoics, p. 59, n. 1.
- Trendelenburg, F. A., does not distinguish the Aristotelian syllogism from the traditional, p. 22; on the order of premisses, p. 33, n. 2; on the principle of division of syllogisms into figures, p. 36.
- Ueberweg, Fr., pp. 36, 39.
- undecidable expressions, p. 100; infinite in number, p. 103.
- universal premiss, p. 4.
- universal term, p. 4.
- utraque si praemissa neget nil inde sequetur*, connected with Ślupecki's rule of rejection, § p. 103.
- Vailati, G., p. 50, n. 4.
- validity, property of inferences and rules of inference, p. 21.
- variables, introduced into logic by Aristotle, pp. 7-8; truth of syllogisms does not depend on shape of variables, p. 9, n. 2; identification of variables not known to Aristotle, p. 9; their extensional relations cannot be determined, p. 29.
- Waitz, Th., p. v; does not distinguish the Aristotelian syllogism from the traditional, p. 22; a textual criticism, p. 24 n.; censures Apuleius for changing the order of premisses, p. 33, n. 1.
- Wallies, M., p. 39.
- Whitehead, A. N., see *Principia Mathematica*.
- Zeller, E., p. 49.

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

