PAGES MISSING WITHIN THE BOOK ONLY

TEXT CUT WITHIN THE BOOK ONLY

TIGHT BINDING BOOK

UNIVERSAL
LIBRARY

OU_158848

UNIVERSAL
LIBRARY

Osmania University Library

Call No. 514.5/T24P Accesion No. G.11719

Author Taylor, J. M.

Title Plane and spherical trigonometry.

This book should be returned on or before the date last marked below

PLANE AND SPHERICAL TRIGONOMETRY

WITH ANSWERS AND TABLES

BY

JAMES M. TAYLOR, A.M., LL.D.

ONE TIME PROFESSOR OF MATHEMATICS, COLGATE UNIVERSITY

NEW YORK

BARNES & NOBLE, INC.

1946

BARNES & NOBLE, INC., 1943

PRINTED IN THE UNITED STATES OF AMERICA

PREFACE

This book is designed for those who wish to master the fundamental principles of Trigonometry and its most important applications. It is adapted to the use of colleges and high schools.

The proofs of formulas are simple but rigorous. The use of directed lines is consistent; the directions of such lines in the figures are usually indicated by arrowheads, and these lines are always read from origin to end. Both trigonometric ratios and trigonometric lines are employed, but at first the ratios are used exclusively until they have become fixed in the mind and have been made familiar by use in the solution of right triangles.

The distinction between identities and equations is recognized in definition, notation, and treatment. The solution of trigonometric equations is scientific and complete. The trigonometric ratios are defined in pairs as reciprocals of each other both to aid the memory and to emphasize one of the most important of their fundamental relations. The addition formulas are proved for positive or negative angles of any quadrant, and from them are deduced the other formulas concerning the functions of two or more angles. When two or more figures are used in a proof, the same phraseology always applies to each figure.

In the first chapter, by means of the right triangle, the pupil is taught some of the uses of Trigonometry before he is required to master the broader ideas and relations of Analytic

Trigonometry; but at the same time the emphasis is so distributed that when the general ideas are taken up they easily replace the special ones.

In Chapter VIII complex number is expressed as an arithmetic multiple of a quality unit in its trigonometric type form, and the fundamental properties of such number are demonstrated. The proof of De Moivre's theorem is simple but complete, and its meaning and uses are illustrated by examples.

In Spherical Trigonometry the fundamental relations of spherical angles and triangles to diedral and triedral angles are illustrated by constructions. The complete solution of the right triangle is discussed by itself, but later the formulas used are shown to be only special cases of the laws of sines and cosines for the oblique triangle. The most useful and interesting problems have been selected and special attention has been given to methods of solution and to arrangement of work.

It is believed that the order of the text is the best for beginners; but, with the exception of a few articles, Chapter I or Chapter X may be omitted by those who are prepared to take up at once the general treatment in Chapter II or Chapter XI. Too much stress cannot be laid on careful and accurate construction and measurement in the first chapters. Chapters VII and VIII and the latter part of Chapter VI may be omitted by those who wish a shorter course.

In writing this book the author has consulted the best authorities, both American and European. Many of the examples have been taken from these sources. The author takes this opportunity to express to many teachers and other friends his appreciation of their valuable suggestions in the course of the preparation of the book.

JAMES M. TAYLOR

CONTENTS

PLANE TRIGONOMETRY

CHAPTER I

TRIGONOMETRIC RATIOS OF ACUTE ANGLES

SECTION		PAGE
1–3.	Trigonometric ratios defined, one-valued	1, 2
4.	Construction of angles having given ratios	3, 4
5, 6.	Approximate values, and changes from 0° to 90°	5–7
7–9.	Trigonometric ratios of angles of triangle and of co-angles	8, 9
10, 11.	Trigonometric ratios of 45°, 30°, 60°	10, 11
12, 13.	Solving right triangles	11–13
14, 15.	Definitions and problems	14–21

CHAPTER II

TRIGONOMETRIC RATIOS OF POSITIVE AND NEGATIVE ANGLES OF ANY SIZE

16.	Positive and negative angles of any size	22, 23
17–19.	Coterminal angles. Quadrants	24, 25
20, 21.	Trigonometric ratios of any angle	26, 27
22, 23.	Laws of quality. $\text{Sin}^{-1}c$, $\cos^{-1}c$, $\cdots$	28–30
24, 25.	Fundamental identities. Proof of identities	31–35
26.	Changes in ratios as angle changes from 0° to 360°	36–38
27.	Trigonometric ratios of 0°, 90°, 180°, 270°	39
28, 29.	Trigonometric ratios of $-A$ and $90° + A$	40–43
30, 31.	Trigonometric ratios of $90° - A$, $180° - A$, $n\,90° \pm A$	44, 45
32, 33.	Trigonometric lines representing the ratios	46–51

CHAPTER III

TRIGONOMETRIC RATIOS OF TWO ANGLES

SECTION		PAGE
34–37.	Trigonometric ratios of the sum and difference of two angles	52–56
38, 39.	Trigonometric ratios of twice and half an angle	57–59
40.	Sums and differences of trigonometric ratios	60–63

CHAPTER IV

SOLUTION OF RIGHT TRIANGLES WITH LOGARITHMS

41–48.	Properties and computation of logarithms	64–68
49.	Right-angled triangles	69–71
50, 51.	Isosceles triangles and regular polygons	72, 73

CHAPTER V

SOLUTION OF TRIANGLES IN GENERAL

52.	Law of sines and law of cosines	74, 75
53–55.	The four cases solved without logarithms	76, 77
56.	Law of tangents	78, 79
57–59.	First three cases solved with logarithms	80–87
60.	Trigonometric ratios of half angles and Case (iv) solved with logarithms	88–91
61.	Areas of triangles	92
62–64.	Circumscribed, inscribed, escribed circles	93, 94

CHAPTER VI

RADIAN MEASURE, GENERAL VALUES, TRIGONOMETRIC EQUATIONS, INVERSE FUNCTIONS

SECTION		PAGE
65–67.	Radian measure of angles	95–97
68.	Principal values	98
69–71.	Angles having the same trigonometric ratio	99, 100
72, 73.	Solution of trigonometric equations	101–104
74.	Trigonometric functions	105
75, 76.	Inverse trigonometric functions	106–109

CHAPTER VII

PERIODS, GRAPHS, IMPORTANT LIMITS, COMPUTATION OF TABLE, HYPERBOLIC FUNCTIONS

77.	Periods of the trigonometric functions	110
78–81.	Graphs of the trigonometric functions	111–114
82.	Limit of the ratio of $\sin\theta$ or $\tan\theta$ to θ	115
83, 84.	Computation of trigonometric functions	116, 117
85, 86.	Hyperbolic functions	118, 119

CHAPTER VIII

COMPLEX NUMBERS. DE MOIVRE'S THEOREM

87.	Quality units ± 1, $\pm\sqrt{-1}$	120
88, 89.	Directed lines and forces	121, 122
90.	Complex numbers	123, 124
91, 92.	General quality unit. Products of quality units	125, 126
93.	De Moivre's theorem. Quotients of quality units	127, 128

Section		Page
94, 95.	Products and quotients of complex numbers	128, 129
96, 97.	The qth roots of $\cos\phi + i\sin\phi$ and $(\cos\phi + i\sin\phi)r$	130, 131
97.	Exponential form for $\cos\phi + i\sin\phi$	132, 133

CHAPTER IX

MISCELLANEOUS EXAMPLES

	Trigonometric identities	134–136
	Trigonometric equations and systems	137–141
	Problems involving triangles	142–146
	Problems involving areas and regular polygons	146, 147

SPHERICAL TRIGONOMETRY

CHAPTER X

DEFINITIONS AND CONSTRUCTIONS

99, 100.	Angles formed by curves, plane sections	149
101.	Diedral and spherical angles	150
102.	Triedral angles and spherical triangles	151–154
103–106.	Definitions and constructions	155–161

CHAPTER XI

RIGHT SPHERICAL TRIANGLES

107, 108.	Formulas for right spherical triangles	162–164
109, 110.	General proof, Napier's rules	165, 166
111–113.	Relations of parts to 90°, two solutions	167–170
114.	Quadrantal and isosceles triangles	171

CHAPTER XII

RELATIONS BETWEEN THE SIDES AND ANGLES OF SPHERICAL TRIANGLES

SECTION		PAGE
115.	Law of sines, laws of cosines	172–175
116.	Half angles in terms of the sides	176–178
117.	Half sides in terms of the angles	179
118, 119.	Napier's analogies, Delambre's analogies	180–182

CHAPTER XIII

SOLUTION OF SPHERICAL TRIANGLES

120–126.	Cases (i), (ii), (iii), (iv), (v), (vi)	183–189
127.	Spherical degree and radian	190
128.	Area of spherical triangle	191
129.	Formulas for spherical excess	192
130.	Area of polygon of n sides	192
131.	Measure of a solid angle	193

CHAPTER XIV

PRACTICAL APPLICATIONS

132.	Geographic problems	194, 195
133.	Inclined angle reduced to a horizontal angle	196
134–136.	Geometric problems	197, 198
137, 138.	Astronomic definitions and problems	199–203

FORMULAS	205-210
ANSWERS	211-234
LOGARITHMIC AND TRIGONOMETRIC TABLES	1-116

PLANE TRIGONOMETRY

CHAPTER I

TRIGONOMETRIC RATIOS OF ACUTE ANGLES

1. Let A denote the *number* of degrees in the acute angle XOB; then A is the *numerical measure*, or *measure*, of this angle, and we can write $\angle XOB = A$.

From any point in either side of the angle XOB, as P, draw PM perpendicular to the other side.




FIG. 1

Observe that O is the vertex of the angle, and M is the foot of the perpendicular drawn from P. This lettering should be fixed in mind so that in the following definitions the lines MP, OM, and OP shall always mean the same lines as in fig. 1.

The six simple ratios (three ratios and their reciprocals) which can be formed with the three lines MP, OM, OP are called the *trigonometric ratios* of the angle XOB, or A.

These ratios are named as follows:

The *ratio*	**MP/OP**	is the **sine** of A;
and its *reciprocal*	**OP/MP**	is the **cosecant** of A.
The *ratio*	**OM/OP**	is the **cosine** of A;
and its *reciprocal*	**OP/OM**	is the **secant** of A.
The *ratio*	**MP/OM**	is the **tangent** of A;
and its *reciprocal*	**OM/MP**	is the **cotangent** of A.

For brevity the *sine* of A is written **sin A**; the *cosine* of A, **cos A**; the *tangent* of A, **tan A**; the *cotangent* of A, **cot A**; the *secant* of A, **sec A**; and the *cosecant* of A, **csc A**.

Observe that *sin A* is a compound symbol which, taken as a whole, denotes a *number*. The same is true of cos A, tan A, etc.

Ex. 1. What four trigonometric ratios of the angle A involve the line MP? the line OM? the line OP?

Ex. 2. What trigonometric ratios are reciprocals of each other?

Ex. 3. Which is the greater, tan A or sec A? cot A or csc A? Why?

Ex. 4. Can sin A or cos A exceed 1? Why?

2. *Any trigonometric ratio of a given angle has only one value.*

Let XOB be any acute angle. Draw $PM \perp OX$, $P'M' \perp OX$, $P''M'' \perp OB$; then, by § 1,




FIG. 2

$$\sin XOB = \frac{MP}{OP}, \frac{M'P'}{OP'},$$

or $$M''P''/OP''. \qquad (1)$$

From the similarity of the △ OMP, $OM'P'$, $OM''P''$ it follows that the three ratios in (1) (or their reciprocals) are all equal; hence sin XOB (or csc XOB) has but one value.

Also, from the similarity of these △, each of the other trigonometric ratios of $\angle XOB$ has only one value.

3. *Two* **acute** *angles are equal if any trigonometric ratio of the one is equal to the same ratio of the other.*

Take O_1P_1 in fig. 3 equal to OP in fig. 2, and draw $P_1M_1 \perp O_1X_1$. We are to prove that

if $$\sin X_1O_1P_1 = \sin XOP,$$

i.e. if $$M_1P_1/O_1P_1 = MP/OP, \qquad (1)$$

then $$\angle X_1O_1P_1 = \angle XOP. \qquad (2)$$

By construction, $O_1P_1 = OP$.

Hence, from (1), $M_1P_1 = MP$.

Therefore, by Geometry, the right triangles $O_1P_1M_1$ and OPM are equal in all their parts.




FIG. 3

Hence $\angle X_1O_1P_1 = \angle XOP$.

In like manner the student should prove the equality of two acute angles when any other trigonometric ratio of the one is equal to the same ratio of the other.

4. *Having given the value of any trigonometric ratio of an acute angle, to construct the angle and obtain the values of its other trigonometric ratios.*

This problem will be illustrated by particular examples.

Ex. 1. If A is an acute angle and $\cos A = 3/5$, construct A and find the values of its other trigonometric ratios.

Here $\cos A = OM/OP = 3/5$.

Hence, if $OP = 5$ units, $OM = 3$ units.

Let O, in fig. 4, be the vertex of the angle A, and OX one of its sides.

On OX, to some scale, lay off OM equal to 3 units, and at M draw $MS \perp OX$.

With O as a center and with a radius equal to 5 units, draw an arc cutting MS in some point as P. Draw OPB.




FIG. 4

Then $\angle XOB = A$.

For $\cos XOB = 3/5 = \cos A$.

Hence, by § 3, $\angle XOB = A$.

Again, $MP = \sqrt{5^2 - 3^2}$ units $= 4$ units.

Hence $\sin A = 4/5$, $\csc A = 5/4$; § 1

$\cos A = 3/5$, $\sec A = 5/3$;

$\tan A = 4/3$, $\cot A = 3/4$.

Observe that 5 is the *numerical measure* of OP, 4 of MP, and 3 of OM.

Ex. 2. If A is an acute angle and $\sin A = 2/3$, construct A and find the values of its other trigonometric ratios.




FIG. 5

Here $\sin A = MP/OP = 2/3$.

Hence, if $OP = 3$ units,

$MP = 2$ units.

At M, in fig. 5, draw $MS \perp OX$ and lay off MP equal to 2 units.

With P as a center and 3 units as a radius, strike an arc cutting OX in some point, as O. Draw OPB.

Then $\angle XOB = A$.

For $\sin XOB = 2/3 = \sin A$.

Hence, by § 3, $\angle XOB = A$.

Again, $OM = \sqrt{3^2 - 2^2}$ units $= \sqrt{5}$ units.

Hence

$$\sin A = 2/3, \quad \csc A = 3/2; \qquad \cos A = \sqrt{5}/3, \quad \sec A = 3/\sqrt{5}; \qquad \tan A = 2/\sqrt{5}, \quad \cot A = \sqrt{5}/2.$$ § 3

If the vertex of the angle A were required to be at some fixed point on OX, as O, we would draw $OK \perp OX$, lay off OQ equal to 2 units, through Q draw QN parallel to OX, and with O as a center and 3 units as a radius, strike an arc cutting QN at P; then draw OPB as before.

By using a protractor, *i.e.* a graduated semicircle, we find that $\angle XOB$, or A, is an angle of about 42°.

Note. The use of polar coördinate paper in Exercise I and § 5 would obviate the need of a protractor and save the student much time.

EXERCISE I

Construct the acute angle A, obtain the values of all its trigonometric ratios, and find its size in degrees, when:

1. $\sin A = 2/5$.
2. $\sin A = 4/5$.
3. $\cos A = 3/4$.
4. $\cos A = 1/3$.
5. $\tan A = 1/4$.
6. $\tan A = 4/3$.
7. $\cot A = 5/2$.
8. $\cot A = 1/3$.
9. $\sec A = 5/3$.
10. $\sec A = 4/3$.
11. $\csc A = 5/2$.
12. $\csc A = 3/2$.
13. $\tan A = 4$, or $4/1$.
14. $\cot A = 7$, or $7/1$.
15. $\tan A = 9$.

16. Express each of the trigonometric ratios of an acute angle A in terms of its sine, writing $(\sin A)^2$ in the form $\sin^2 A$.

In fig. 1, let $OP = 1$.

Then $MP/OP = MP/1$, *i.e.* $\sin A$ is the *measure* of MP.

Whence $MP = \sin A$,

and $OM = \sqrt{OP^2 - MP^2} = \sqrt{1 - \sin^2 A}$.

Hence $\cos A = OM/OP = \sqrt{1 - \sin^2 A}$;

$\therefore \sec A = 1/\sqrt{1 - \sin^2 A}$. § 1

$\tan A = MP/OM = \sin A/\sqrt{1 - \sin^2 A}$;

$\therefore \cot A = \sqrt{1 - \sin^2 A}/\sin A$.

$\csc A = OP/MP = 1/\sin A$.

17. Express each of the trigonometric ratios of an acute angle in terms of its cosine.

In fig. 1, let $OP = 1$.

Then $OM/OP = OM/1$, *i.e.* $\cos A$ is the *measure* of OM.

Whence $OM = \cos A$,

and $MP = \sqrt{OP^2 - OM^2} = \sqrt{1 - \cos^2 A}$, etc.

18. Express each of the trigonometric ratios of an acute angle in terms of its tangent.

In fig. 1, let $OM = 1$.

Then $MP/OM = MP/1$, *i.e.* $\tan A$ is the *measure* of MP.

Whence $MP = \tan A$,

and $OP = \sqrt{OM^2 + MP^2} = \sqrt{1 + \tan^2 A}$, etc.

5. *To find approximately by measurement the values of the trigonometric ratios of any given angle.*

Ex. 1. Find by construction and measurement the values of the six trigonometric ratios of 40°.

With a protractor lay off $\angle XOB = 40°$.

Take OP any convenient length, say 10 units (the longer the better), and draw $PM \perp OX$. By careful measurement we find that

$MP = 6.4$ units,

$OM = 7.7$ units, approximately.




FIG. 6

Hence, as approximate values, we have

$\sin 40° = 6.4/10 = 0.64$, $\csc 40° = 10/6.4 = 1.56$;
$\cos 40° = 7.7/10 = 0.77$, $\sec 40° = 10/7.7 = 1.3$;
$\tan 40° = 6.4/7.7 = 0.83$, $\cot 40° = 7.7/6.4 = 1.2$.

Observe that instead of taking OP equal to 10 units, we could take OM equal to 10 units.

Ex. 2. By construction and measurement find the approximate values of the sine, cosine, and tangent of 5°, 10°, 15°, 20°, 25°, 35°, and compare the results obtained with their values given in the table below.

On a scale of 20 to an inch take OM equal to 100 units and draw $MP \perp OM$. With O as their common vertex and OM as their common lower side, draw the angles 5°, 10°, etc.

Observe that the cosecant, the secant, and the cotangent of any angle can be obtained by taking the reciprocal of the sine, the cosine, and the tangent respectively of the same angle.

Angle	sin	csc	cos	sec	tan	cot
1°	0.0175	57.2987	0.9998	1.0002	0.0175	57.2900
5°	0.0872	11.4737	0.9962	1.0038	0.0875	11.4301
10°	0.1736	5.7588	0.9848	1.0154	0.1763	5.6713
15°	0.2588	3.8637	0.9659	1.0353	0.2679	3.7321
20°	0.3420	2.9238	0.9397	1.0642	0.3640	2.7475
25°	0.4226	2.3662	0.9063	1.1034	0.4663	2.1445
30°	0.5000	2.0000	0.8660	1.1547	0.5774	1.7321
35°	0.5736	1.7434	0.8192	1.2208	0.7002	1.4281
40°	0.6428	1.5557	0.7660	1.3054	0.8391	1.1918
45°	0.7071	1.4142	0.7071	1.4142	1.0000	1.0000
50°	0.7660	1.3054	0.6428	1.5557	1.1918	0.8391
55°	0.8192	1.2208	0.5736	1.7434	1.4281	0.7002
60°	0.8660	1.1547	0.5000	2.0000	1.7321	0.5774
65°	0.9063	1.1034	0.4226	2.3662	2.1445	0.4663
70°	0.9397	1.0642	0.3420	2.9238	2.7475	0.3640
75°	0.9659	1.0353	0.2588	3.8637	3.7321	0.2679
80°	0.9848	1.0154	0.1736	5.7588	5.6713	0.1763
85°	0.9962	1.0038	0.0872	11.4737	11.4301	0.0875
89°	0.9998	1.0002	0.0175	57.2987	57.2900	0.0175

In the above table observe how each trigonometric ratio of A changes as A increases from 1° to 89°.

6. Changes of the trigonometric ratios of the angle A as A increases from 0° to 90°.

In fig. 7 conceive the line OP to revolve from OX to OB, *i.e.* suppose $\angle XOP$, or A, to increase from 0° to 90°.




FIG. 7

When OP coincides with OX,

$$MP = 0, \text{ and } OM = OP.$$

When OP coincides with OB,

$$MP = OP, \text{ and } OM = 0.$$

Hence $\sin 0° = 0$, $\sin 90° = 1$, $\cos 0° = 1$, and $\cos 90° = 0$.

Therefore when A increases from 0° to 90° $\sin A$ *increases* from 0 to 1 and $\cos A$ *decreases* from 1 to 0.

Example. What is the value of $\tan 0°$? $\sec 0°$? $\cot 90°$? $\csc 90°$?

When OP is very near to OB, OM is very small; hence MP/OM is very large, and the nearer OP is to OB, the larger is MP/OM, or $\tan A$. So that as A approaches 90°, $\tan A$ increases rapidly and can exceed any constant number however great; that is, $\tan A$ becomes an infinite (denoted by ∞). Hence as A increases from 0° to 90°, $\tan A$ increases from 0 to ∞; likewise $\sec A$ increases from 1 to ∞.

Similarly, when OP approaches nearer and nearer to OX, OM/MP, or $\cot A$, and OP/MP, or $\csc A$, become infinites.

Hence as the angle A increases from 0° to 90°,

$\sin A$ *increases* from 0 to 1,
$\cos A$ *decreases* from 1 to 0,
$\tan A$ *increases* from 0 to ∞,
$\cot A$ *decreases* from ∞ to 0,
$\sec A$ *increases* from 1 to ∞,
$\csc A$ *decreases* from ∞ to 1.

7. Relations between the sides and angles of a right triangle. Let A and B be the measures of the acute angles of the right triangle ABC, a the measure of the side opposite the angle A, b that of the side opposite B, and c that of the hypotenuse; then, by § 1, we have




FIG. 8

$$\sin A = \frac{a}{c} = \frac{\text{side opposite}}{\text{hypotenuse}}, \qquad \csc A = \frac{c}{a};$$

$$\cos A = \frac{b}{c} = \frac{\text{side adjacent}}{\text{hypotenuse}}, \qquad \sec A = \frac{c}{b};$$

$$\tan A = \frac{a}{b} = \frac{\text{side opposite}}{\text{side adjacent}}, \qquad \cot A = \frac{b}{a}.$$

Similarly we have

$$\sin B = b/c, \qquad \csc B = c/b;$$
$$\cos B = a/c, \qquad \sec B = c/a;$$
$$\tan B = b/a, \qquad \cot B = a/b.$$

8. Complementary angles. Two angles are said to be *complementary* when their sum is 90°.

E.g., the complement of 35° is 90° − 35°, or 55°; the complement of 70° is 90° − 70°, or 20°; the complement of A is 90° − A; and in any right triangle, as ABC fig. 8, the acute angles A and B are complementary angles.

9. Trigonometric ratios of complementary angles. If $\angle CAB = A$, then $\angle CBA = 90° - A$. Hence, by § 7, we have

$$\sin(90° - A) = b/c = \cos A,$$
$$\cos(90° - A) = a/c = \sin A,$$
$$\tan(90° - A) = b/a = \cot A,$$
$$\cot(90° - A) = a/b = \tan A,$$
$$\sec(90° - A) = c/a = \csc A,$$
$$\csc(90° - A) = c/b = \sec A.$$

If we call the *cosine* the co-ratio of the *sine*, the *sine* the co-ratio of the *cosine*, the covangent the co-ratio of the tangent, the tangent the co-ratio of the cotangent, etc., then the six identities above can be *summed up* as follows:




FIG. 9

Any trigonometric ratio of an acute angle is equal to the co-ratio of its complementary angle.

E.g., since 60° and 30° are complementary angles, we have

$$\sin 60° = \cos 30°, \quad \tan 60° = \cot 30°, \quad \csc 60° = \sec 30°.$$

Again, since 45° is the complement of itself, we have

$$\sin 45° = \cos 45°, \quad \tan 45° = \cot 45°, \quad \csc 45° = \sec 45°.$$

Ex. 1. From the upper half of the table in § 5 obtain the lower half.

Since $50° + 40° = 90°$, $\sin 50° = \cos 40° = 0.7660$;
since $55° + 35° = 90°$, $\sin 55° = \cos 35° = 0.8192$;
since $60° + 30° = 90°$, $\sin 60° = \cos 30° = 0.8660$; etc.

Ex. 2. The angle A being acute, find the value of A in the equation

$$\sin A = \cos 2A. \tag{1}$$

If in equation (1) we substitute for $\cos 2A$ its* identical expression $\sin (90° - 2A)$, by Algebra we obtain the equivalent equation (2).

* **Algebraic definitions.** Two *numeral* expressions which denote the same number, or *any* two mathematical expressions which denote equal numbers for all values of their letters, are called **identical expressions.** *E.g.*, the numeral expressions 4×3 and $8 + 4$ are identical, so also are the literal expressions $(a + b)(a - b)$ and $a^2 - b^2$, or $\cos A$ and $\sin (90° - A)$.

An **equality** is the statement that two mathematical expressions denote the same number.

An equality whose members are identical expressions is called an **identity.** An identity is to be *proved.*

An equality whose members are not identical expressions is called an **equation.** An equation is to be *solved.*

The sign of identity, $\equiv$, read "is identical with," is often used instead of the sign of equality $=$ in writing an identity whose members involve one or more letters. *E.g.*, to indicate that the equality $\sin A = \cos (90° - A)$ is an identity and not an equation we write $\sin A \equiv \cos (90° - A)$.

Since we know that any equality which involves only numerals must be an identity, the sign of identity is used only in writing literal identities.

$$\sin A = \sin (90° - 2A). \qquad (2)$$

From (2), by § 3, $A = 90° - 2A$, $\therefore A = 30°$.

Equation (1) is a trigonometric equation, and the only value of the *acute* angle A which will satisfy it is 30°.

EXERCISE II

1. By § 9, cos 30° equals what? sin 60°? cot 35°? tan 15°? sec 85°? csc 76°? sin 73° 14′? cos 65° 43′?

A being an *acute* angle, find its value in each of the following equations:

2. $\sec A = \csc A$.
3. $\tan A = \cot 2A$.
4. $\sin 2A = \cos 3A$.
5. $\tan (A/2) = \cot 2A$.
6. $\sec (75° + A) = \csc 2A$.
7. $\cot (A + 50°) = \tan 7A$.
8. $\sin nA = \cos mA$.
9. $\tan cA = \cot (30° - A)$.

10. **Trigonometric ratios of 45°.** Let ABC be an isosceles right triangle in which




Fig. 10

$$AB = 2 \text{ units},$$

and $$A = B = 45°.$$

Then $$AC = BC = \sqrt{2} \text{ units}.$$

By § 1, $$\sin 45° = \sqrt{2}/2 = \cos 45°,$$

$$\tan 45° = 1 = \cot 45°,$$

$$\sec 45° = \sqrt{2} = \csc 45°.$$

11. **Trigonometric ratios of 30° and 60°.** Let ABD be an equilateral triangle in which $AB = 2$ units. Draw $BC \perp AD$.

Then $$AC = 1,$$

$$BC = \sqrt{3},$$

$$A = 60°,$$

$$\angle ABC = 30°.$$




Fig. 11

By § 1, $\sin 30° = 1/2$, $\csc 30° = 2$;
$\cos 30° = \sqrt{3}/2$, $\sec 30° = 2/\sqrt{3}$;
$\tan 30° = 1/\sqrt{3}$, $\cot 30° = \sqrt{3}$.

Also, by § 1,

$\sin 60° = \sqrt{3}/2$, $\csc 60° = 2/\sqrt{3}$;
$\cos 60° = 1/2$, $\sec 60° = 2$;
$\tan 60° = \sqrt{3}$, $\cot 60° = 1/\sqrt{3}$, or $\sqrt{3}/3$.

To aid the memory observe that sin 30°, sin 45°, and sin 60° are respectively equal to $\sqrt{1}$, $\sqrt{2}$, and $\sqrt{3}$, divided by 2.

It is easy to read off the trigonometric ratios of 30°, 45°, and 60°, when we keep in mind the figures 10 and 11.

Example. By § 9 obtain the values of the trigonometric ratios of 60° from those of 30°, and those of 30° from those of 60°.

12. **Approximate measurements and computations.** The student should remember that in all actual measurements the results are only approximate. It is impossible to measure any quantity with absolute accuracy. The degree of accuracy *sought* will depend upon the importance of the results. The degree of accuracy *secured* will depend upon the instruments, methods, and care which are used. Likewise, in practical computations, a sum, difference, product, or quotient of two approximate values will not have a greater degree of accuracy than that of the least accurate of the two values. *E.g.*, if one numerical measure is accurate to *two* figures and another to *three* figures, their sum, product, or quotient will not in general be accurate to more than *two* figures. If each of two numerical measures has three-figure accuracy, or if one has four-figure accuracy and the other only three-figure accuracy, their product or quotient will not in general have more than three-figure accuracy. The values tabulated in § 5 have only four-figure accuracy.

13. **Solving right triangles.** Of the six parts (three sides and three angles) of a *right triangle*, one part (the right angle) is always known. If, of any right triangle, two other parts are given (one at least being a side), Geometry proves that the triangle is entirely *determined*, and shows how to *construct* it.

Trigonometry shows how to *compute* the *numerical values* of the unknown parts of a triangle when the known parts are sufficient to determine it.

This process is called **solving the triangle.**

Hence, in solving right triangles, we must consider the *two* following cases:

(i) Given *one side* and *one acute angle.*

(ii) Given *any two sides.*

Case (i). Ex. 1. In the right triangle ABC, $A = 35°$ and $BC = 20$ feet; find the numerical values of the other parts.




FIG. 12

Construction. To some scale (as 30 ft. to an inch) construct as accurately as possible a right triangle having the given parts $A = 35°$ and $a = 20$.

Solution. $B = 90° - A = 90° - 35° = 55°$.

Now, the *ratio* of either of the *unknown* sides to the *known* side a is a trigonometric ratio of 35°, and any trigonometric ratio of 35° can be obtained from the table in § 5.

Thus,	$b/a = \cot A = \cot 35°.$	§ 1
	$\therefore b/20 = \cot 35° = 1.4281.$	by table
	$\therefore b = 1.4281 \times 20 = 28.562.$	
Again,	$c/20 = \csc 35° = 1.7434.$	§ 1, table
	$\therefore c = 1.7434 \times 20 = 34.868.$	

If we regard 20 as exact, or at least accurate to four figures, the values of b and c are accurate to only four figures; for cot 35° and csc 35° are accurate to only four figures (§ 12).

Check. Measure AC and AB, and multiply the number of inches in each by the number of feet which an inch represents. We thus obtain

$$b = 28.6, \qquad c = 34.9.$$

As a numerical check we could use

$$a^2 = c^2 - b^2, \text{ or } a^2 = (c + b)(c - b).$$

But for simplicity and to emphasize the importance of accurate construction, we shall, *in this chapter*, use only the *check* by construction and measurement.




FIG. 13

Case (ii). Ex. 2. In the right triangle ABC, $BC = 83.91$ ft. and $AC = 100$ ft.; find the other parts.

Given $\begin{cases} a = 83.91, \\ b = 100; \end{cases}$ to find $\begin{cases} A = 40°, \\ B = 50°, \\ c = 130.54. \end{cases}$

Construct the triangle ABC having the given parts.

Formulas
$$\begin{cases} \tan A = a/b. & (1) \\ B = 90° - A. & (2) \\ c/b = \sec A. & (3) \end{cases}$$

Computation. From (1), $\tan A = 83.91/100$

$= 0.8391 = \tan 40°.$ by table

Hence, by § 3, $A = 40°.$

From (2), $B = 90° - 40° = 50°.$

From (3), $c = 100 \cdot \sec 40°$

$= 100 \times 1.3054 = 130.54.$ by table

Check. By measurement $A = 40°$, $B = 50°$, $AB = 131$ ft. nearly.

The solution above illustrates the five steps which, in the first solutions at least, should be kept separate and distinct.

(i) *Statement* of the problem.

(ii) *Construction* of the triangle.

(iii) Writing the *needed formulas.*

(iv) Making the *computations.*

(v) Applying some *check* or *test* to answers.

EXERCISE III

Solve the right triangle ABC, when:

1. $A = 25°$, $a = 30$.
2. $B = 55°$, $b = 10$.
3. $A = 65°$, $c = 70$.
4. $B = 15°$, $b = 20$.
5. $B = 35°$, $a = 50$.
6. $B = 55°$, $c = 60$.
7. $a = 36.4$, $b = 100$.
8. $a = 23.315$, $b = 50$.
9. $b = 93.97$, $c = 100$.
10. $a = 17.1$, $c = 50$.
11. $B = 75°$, $c = 40$.
12. $A = 10°$, $b = 30$.
13. $A = 20°$, $c = 80$.
14. $B = 25°$, $a = 30$.
15. $a = 30.21$, $c = 33\frac{1}{3}$.
16. $a = 13.4$, $b = 50$.

14. A **vertical line** at any point is the line determined by the plumb line at that point.

A **horizontal line** (or **plane**) at any point is the line (or plane) which is perpendicular to the vertical line at that point.

A **horizontal angle** is an angle whose sides are perpendicular to the vertical line at its vertex.

A **vertical angle** is an angle whose plane contains the vertical line at its vertex.

A vertical angle of which one side is *horizontal* is called an **angle of elevation** or an **angle of depression**, according as the second side is above or below the horizontal side.

NOTE. All vertical lines converge towards the center of the earth. But in the next two definitions any two vertical lines are regarded as parallel. This is approximately true for short distances and is always assumed as true for such distances unless very great accuracy is required.

The **horizontal distance** between two points is the distance from one of the two points to a vertical line through the other.

The **vertical distance** between two points is the distance from one of the two points to the horizontal plane through the other.

E.g., let MP be the vertical line at P and let the horizontal plane at A cut this vertical line in M; then AM is called the *horizontal* distance, and MP is called the *vertical* distance, between the points A and P. Moreover $\angle MAP$ is the *angle* of *elevation* of P, as seen from A. Also, if PN is horizontal at P and in the plane AMP, $\angle NPA$ is the angle of depression of A, as seen from P.




FIG. 14

Now if we assume that the vertical lines at A and P are parallel, the lines AM and NP will be parallel also and the angles MAP and NPA will be equal.

15. **Solving problems.** The practical problems which follow will illustrate the utility of the trigonometric ratios of angles in *computing* heights, distances, angles, areas, etc.

In solving problems it will be helpful to observe the following general method of procedure.

First step. Construct accurately to some convenient scale a drawing which will show the relations of the given angles and lines to those which are required.

Second step. Draw any auxiliary lines which may be helpful in the trigonometric solution. By examining the drawing, fix upon the *simplest* steps which are *necessary* to solve the problem.

Third step. Write the needed formulas. Make the computations, and *check* the answers.

Ex. 1. A man, standing on the bank of a river at P, wishes to find how far he is from a tree at T on the opposite bank. He locates a staff at S so that $PS \perp PT$. By measurement he finds that the horizontal distance $PS = 250$ ft., and that the horizontal angle $PST = 40°$. Find the distance PT.




FIG. 15

By § 1, $PT/PS = \tan 40° = 0.8391.$ by table

$\therefore PT = 250 \text{ ft.} \times 0.8391 = 209.77 \text{ ft.}$

Check. By measurement $PT = 210$ ft. nearly, when $PS = 250$ ft.

Ex. 2. A vertical flagstaff stands on a horizontal plane. At a point 200 ft. from the foot of the staff the angle of elevation of its top is found to be 20°. Find the height of the flagstaff.

Let MP (fig. 14) represent the flagstaff, and A the point from which the angle of elevation is taken.

Then $AM = 200$ ft.,

and $\angle MAP = 20°.$

By § 1, $MP/AM = \tan 20° = 0.364.$ by table

$\therefore MP = 200 \text{ ft.} \times 0.364 = 72.8 \text{ ft.}$

Check. By measurement $MP = 73$ ft. nearly, when $AM = 200$ ft.

Ex. 3. A man wishes to find the height of a tower DB which stands on a horizontal plane. From a point A on this plane he finds the angle of elevation of the top of the tower to be 35°. From a point C, which is in the horizontal plane at A and 100 ft. nearer the tower, he finds the angle of elevation to be 65°. Find the height of the tower.




FIG. 16

Solution 1. Let $DB = y$ ft.

Then $AD/y = \cot 35° = 1.4281,$

and $CD/y = \cot 65° = 0.4663.$

$\therefore 100 = AD - CD$

$= (1.4281 - 0.4663)\, y.$

$\therefore y = 103.97.$

Solution 2. From C draw $CE \perp AB$, thus forming the right triangles ACE and CEB.

Now $\angle CBE = \angle ABD - \angle CBD$

$= 55° - 25° = 30°.$

Let $CE = z$ ft. and $CB = w$ ft.

Then $z/100 = \sin 35° = 0.5736,$ (1)

$w/z = \csc 30° = 2,$ (2)

and $y/w = \sin 65° = 0.9063.$ (3)

Multiplying together (1), (2), and (3), member by member, we obtain

$$y/100 = 1.1472 \times 0.9063, \text{ or } y = 103.97.$$

Check. By measurement $DB = 104$ ft. nearly, when $AC = 100$ ft.

Ex. 4. From the top of a hill 300 ft. higher than the foot of a tree, the angles of depression of the top and the foot of the tree are found to be 20° and 25° respectively. Find the height of the tree.

Let P be the top of the hill, B the foot of the tree, and C its top. In the plane PBC draw PA horizontal at P and prolong it until it intersects the vertical line BC produced in A.




FIG. 17

Then $\angle APC = 20°$ and $\angle APB = 25°$.

Let $BC = x$ ft.

Then $AC = (300 - x)$ ft.

Hence $AP/300 = \cot 25° = 2.1445,$ (1)

and $(300 - x)/AP = \tan 20° = 0.3640.$ (2)

Multiplying together (1) and (2), member by member, we obtain

$$(300 - x)/300 = 2.1445 \times 0.3640.$$

$$\therefore x = 65.82 \text{ nearly.}$$

Check. By measurement $BC = 66$ ft. nearly, when $BA = 300$ ft.

NOTE. All the problems in the following exercise need not be solved before beginning Chapter II. The solution of a few problems at a time, while the student is pursuing the more abstract and theoretic portions of the science, will serve to keep before him its practical utility and maintain his interest.

EXERCISE IV

1. The length of a kite string is 250 yds. and the angle of elevation of the kite is 40° Find the height of the kite, supposing the line of the kite string to be straight. *Ans.* 160.7 yds.

2. A stick 10 ft. in length stands vertically in a horizontal area, and the length of its shadow is 8.391 ft. Find the angle of elevation of the sun. *Ans.* 50°.

3. A tree is broken by the wind so that its two parts form with the ground a right-angled triangle. The upper part makes an angle of 35° with the ground, and the distance on the ground from the trunk to the top of the tree is 50 ft. Find the length of the tree. *Ans.* 96.05 ft.

4. The distance between two towers on a horizontal plane is 60 ft., and the angle of depression of the top of the first as seen from the top of the second, which is 150 ft. high, is 25°. Find the height of the first tower.

5. At a point 200 ft. from the base of an unfinished tower, the angle of elevation of its top is 20°; when completed, the angle of elevation of its top at this point will be 30°. How much higher is the tower to be built?

6. The angle of elevation of the sun is 65° and the length of a tree's shadow on a level plane is 50 ft. Find the height of the tree.

7. A chimney stands on a horizontal plane. At one point in this plane the angle of elevation of the top of the chimney is 30°, at another point 100 feet nearer the base of the chimney the angle of elevation of the top is 45°. Find the height of the chimney.

8. A person standing on the bank of a river observes that the angle subtended by a tree on the opposite bank is 50°; walking 40 ft. from the bank he finds the angle to be 30°. Find the height of the tree and the breadth of the river, if the two points of observation are in the same horizontal line at the base of the tree.

9. The shadow of a tower standing on a horizontal plane is found to be 60 ft. longer when the sun's altitude is 30° than when it is 45°. Find the height of the tower.

10. At a point midway between two towers on a horizontal plane the angles of elevations of their tops are 30° and 60° respectively. Show that one tower is three times as high as the other.

11. Two observers on the same horizontal line and in the same vertical plane with a balloon, on opposite sides of it and 2500 ft. apart, find its angles of elevation to be 35° and 55° respectively. Find the height of the balloon.

12. A man in a balloon observes that the bases of two towers, which are a mile apart on a horizontal plane, subtend an angle of 70°. If he is exactly above the middle point between the towers, find the height of the balloon.

13. From the foot of a tower the elevation of the top of a church spire is 55°, and from the top of the tower, which is 50 ft. high, the elevation is 35°. Find the height of the spire and the distance of the church from the tower, if both stand on the same horizontal plane.

14. From the top of a tower whose height is 108 ft. the angles of depression of the top and bottom of a vertical column standing on a level with the base of the tower are found to be 25° and 35° respectively. Find the height of the column and its distance from the tower.

15. Two pillars of equal height stand on opposite sides of a horizontal roadway which is 100 ft. wide. At a point in the roadway between the pillars the angles of elevation of their tops are 50° and 25° respectively. Find the height of the pillars and the position of the point of observation.

16. A house 50 ft. high and a tower stand on the same horizontal plane. The angle of elevation of the top of the tower at the top of the house is 25°, on the ground it is 55°. Find the height of the tower and its distance from the house.

17. On the top of a bluff is a tower 75 ft. high; from a boat on the bay the angles of elevation of the top and base of the tower are observed to be 25° and 15° respectively. Find the horizontal distance of the boat from the tower, also the distance of the boat from the top of the tower.

18. One of the equal sides of an isosceles triangle is 50 ft. and one of its equal angles is 40°. Find the base, the altitude, and the area of the triangle.

19. The base of an isosceles triangle is 68.4 ft. and each of its equal sides is 100 ft. Find the angles, the height, and the area.

20. The base of an isosceles triangle is 100 ft. and its height is 35.01 ft. Find its equal sides and the angles.

21. The base of an isosceles triangle is 88 ft. and its vertical angle is 70°. Find the height, the equal sides, and area.

22. The base of an isosceles triangle is 100 ft. and the equal angles are each 65°. Find the equal sides, the height, and the area.

23. The height of an isosceles triangle is 50 ft. and its vertical angle is 60°. Find the sides and the area.

24. A man's eye is on a level with and 100 ft. distant from the foot of a flag pole 36.4 ft. high. When he is looking at the top of the pole, what angle does his line of sight make with a line from his eye to the foot of the pole?

25. A circular pond has a pole standing vertically at its center and its top is 100 ft. above the surface. At a point in the circumference the angle subtended by the pole is 20°. Find the radius and the area of the pond.

26. A ladder 33½ ft. long leans against a house and reaches to a point 30.21 ft. from the ground. Find the angle between the ladder and the house and the distance the foot of the ladder is from the house.

27. From the summit of a hill there are observed two consecutive milestones on a straight horizontal road running from the base of the hill. The angles of depression are found to be 10° and 5° respectively. Find the height of the hill.

28. At the foot of a hill the angle of elevation of its summit is observed to be 30°; after ascending the hill 500 ft., up a slope of 20° inclination, the angle of elevation of its summit is found to be 40°. Find the height of the hill if the two points of observation and the summit are in the same vertical plane.

One method of solution is similar to that of the second solution of example 3 in § 15.

29. At the foot of a mountain the angle of elevation of its summit is 35°; after ascending an opposite mountain 3000 ft., up a slope of 15° inclination, the angle of elevation of the summit is 15°. Find the height of the first mountain if the points of observation and the summit are in the same vertical plane.

30. From the extremities of a ship 500 ft. long the angles which the direction of a buoy makes with that of the ship are 60° and 75°. Find the distance of the buoy from the ship, having given that $\cot 75° = 2 - \sqrt{3}$.

Ans. $125(\sqrt{3} + 3)$ ft.

31. There are two posts which are 240 and 80 ft. high respectively. From the foot of the second the elevation of the top of the first is found to be 60°. Find the elevation of the second from the foot of the first.

Ans. 30°.

32. A boy standing c feet behind and opposite the middle of a football goal sees that the angle of elevation of the nearer crossbar is A, and the angle of elevation of the farther one is B. Show that the length of the field is $c(\tan A \cot B - 1)$.

33. A valley is crossed by a horizontal bridge whose length is l. The sides of the valley make angles A and B with the horizon. Show that the height of the bridge above the bottom of the valley is $l/(\cot A + \cot B)$.

34. Two forces of a and b lbs. respectively act in the same direction. Find their resultant. Illustrate the problem geometrically.

35. Two forces of a and b lbs. respectively act in opposite directions. Find their resultant when $a > b$, when $a = b$, and when $a < b$. Illustrate each case geometrically.

36. By two or more experiments verify that, if in **any triangle** ABC the two sides AB and BC represent two forces (both in size and direction), the third side AC will represent their *resultant*, *i.e.* their *sum* in its simplest form.

37. Two forces of 3 and 4 lbs. respectively act at right angles to each other. Show that their resultant is a force of 5 lbs. and that its line of action and that of the first force make an angle whose tangent is $4/3$.

Suggestion. In fig. 4 let OM and MP respectively represent the two forces, then the line OP will represent the resultant.

38. Two forces of a and b lbs. respectively act at right angles. Show that their resultant is a force of $\sqrt{a^2 + b^2}$ lbs., and that its line of action and that of the first force make an angle whose tangent is b/a.

39. Two forces act at right angles. The first is a force of 3 lbs. and the resultant is one of 5 lbs. Show that the second force is one of 4 lbs., and that the lines of action of the first force and the resultant form an angle whose cosine is $3/5$.

40. Two forces act at right angles. The first is a force of a lbs. and the resultant is one of c lbs. Show that the second force is one of $\sqrt{c^2 - a^2}$ lbs. and that the lines of action of the first force and the resultant form an angle whose cosine is a/c.

41. Prove $\sin 6° = \cos 84° > 0.1$,

$\tan 6° = \cot 84° > 0.1$, $\tan 84° = \cot 6° < 10$.

CHAPTER II

TRIGONOMETRIC RATIOS OF POSITIVE AND NEGATIVE ANGLES OF ANY SIZE

16. Positive and negative angles of any size. In the first chapter we studied *acute* angles and considered their *size* only. When, however, we conceive an angle as generated by a rotating line, we see that it can be either *positive* or *negative* and of *any size* whatever.

Thus, suppose a line OP to start from OX and to *rotate* about O *counter-clockwise;* that is, *in a direction opposite to that of the hands of a clock.*




FIG. 18

When OP reaches the position OP_1 it has generated the acute angle XOP_1. When OP reaches the position OP_2 it has generated the obtuse angle XOP_2. When OP reaches OP_3 it has generated the angle XOP_3 (*i.e.* $\angle XOP_2 + \angle P_2OP_3$). When OP reaches OP_4 it has generated the angle XOP_4 (*i.e.* $\angle XOP_3 + \angle P_3OP_4$). When OP reaches OX it has generated an angle of 360°.

If OP continues to rotate, when it reaches OP_1 the second time it has generated the angle 360° + the acute angle XOP_1; when OP reaches OP_1 the third time it has generated the angle 720° + the acute angle XOP_1; and so on for any number of revolutions.

When the rotation of OP is *counter-clockwise*, the angle generated is said to be *positive;* hence, when the rotation of OP is *clockwise*, the angle generated is *negative.*

E.g., in ten minutes the minute hand of a clock generates a *negative* angle of 60°;

in 15 minutes it generates an angle of $-90°$;
" 30 " " " " " " $-180°$;
" 1 hour " " " " " $-360°$;
" $3\frac{1}{2}$ hours " " " " " $-(3 \times 360° + 180°)$;

and so on. If the hands of a clock were to rotate in the *opposite* direction, *i.e. counter-clockwise*, they would generate *positive* angles.

The line OX which marks the *first* position of the rotating line OP is called the **initial** side of the angle XOP_3; and the line OP_3 which marks the *final* position of OP is called the **terminal** side of this angle.

The *size* of an angle gives the *amount* which its *generating line* has *rotated*, and its *quality** gives the *direction* of this rotation.

The **value** of a *positive* or a *negative* angle includes both its *size* and its *quality* as positive or negative.

17. **Coterminal angles.** Any angle, positive or negative, which has the same initial side and the same terminal side as angle A is said to be **coterminal** with A. If any angle, as XOP_2 in fig. 18, is *increased* or *diminished* by 360° (or by any entire multiple of 360°), the resulting angle, whether positive or negative, will have the *same initial* and the *same terminal* side as XOP_2.

* In Algebra the quality of a particular number as positive or negative is denoted by the sign + or −, and this *quality* is often called the *sign* of the number. It is unfortunate, however, to use the same word *sign* as the name both of a symbol and also of the property of number denoted by this symbol. Moreover the introduction of the word *sine* adds another reason for not calling the *quality* of a number its *sign* in Trigonometry.

Hence if n is any integer, positive or negative, then all the angles, and only those, which are or can be made *coterminal* with any angle A are denoted by $\mathbf{n\,360^\circ + A}$. *E.g.*, $2 \cdot 360^\circ + 40^\circ$ is or can be made coterminal with 40°.

Evidently there are as many different angles coterminal with A as there are different entire values for n.

18. **Quadrants.** If, as in fig. 18, the initial side of the angle XOP_1 is produced through the vertex to X', and the perpendicular YOY' drawn through the vertex O, these lines will divide the plane of the angle into four equal parts called **quadrants.** *These quadrants are numbered in the positive direction, reckoning from the initial side of the angle under consideration;* that is, if OX is the *initial* side of the angle considered, then XOY will be the **first** quadrant; YOX' the **second** quadrant; $X'OY'$ the **third** quadrant; and $Y'OX$ the **fourth** quadrant.

If OY is the initial side of the angle considered, then YOX' will be the *first* quadrant; and so on.

For convenience, an angle is said to be *in* (or *of*) that quadrant in which its terminal side lies.

E.g., the angle XOP_2 (fig. 18) is said to be *in* the *second* quadrant, since its terminal side OP_2 lies in that quadrant; the angle XOP_4 is said to be *in* the *fourth* quadrant, since its terminal side OP_4 is in that quadrant. The angle YOP_2 is *in* the *first* quadrant, and YOP_3 is *in* the *second* quadrant, since here OY is the initial side and YOX' is the first quadrant.

Again, $200^\circ = 180^\circ + 20^\circ$, hence an angle of 200° is *in* the *third* quadrant; $880^\circ = 2\,(360^\circ) + 160^\circ$, hence an angle of 880° is *in* the *second* quadrant. An angle of -50° is *in* the *fourth* quadrant, and an angle of -330° is *in* the *first* quadrant. Since $-400^\circ = -360^\circ - 40^\circ$, an angle of -400° is *in* the *fourth* quadrant.

19. Two angles are said to be **complementary** when their *sum* is 90° (§ 8), and **supplementary** when their *sum* is 180°.

E.g., the *complement* of 110° is 90° − 110°, or − 20°;
" " " − 80° " 90° − (− 80°), or 170°;
" " " A " 90° − A;
and " " " − A " 90° − (− A), or 90° + A.
" *supplement* " 135° " 180° − 135°, or 45°;
" " " 235° " 180° − 235°, or − 55°;
" " " A " 180° − A;
and " " " − A " 180° − (− A), or 180° + A.

EXERCISE V

In which quadrant is each of the following angles?

1. 5/3 right angles?
2. $3\frac{2}{3}$ right angles?
3. $17\frac{1}{2}$ right angles?
4. 150°? 317°?
5. 847°? 1111°?
6. − 35°? − 140°?
7. − 225°? − 300°?
8. − 415°? − 842°?
9. 942°? − 1174°?
10. Construct the angles in examples 5, 7, 9.
11. Give two positive and two negative angles, each of which is coterminal with 45°; 30°; 100°; 200°; − 10°; − 100°.

Find the complement and the supplement of:

12. 165°.
13. 228°.
14. 295° 17′ 14″.
15. 314° 22′ 17″.
16. − 32° 14′ 21″.
17. − 165° 28′ 42″.

Find the smallest positive angle coterminal with:

18. 420°. 19. 895°. 20. − 330°. 21. − 740°. − 22. − 1123°.

20. **Positive and negative lines.** If two lines extend in *opposite* directions and one of them is regarded as *positive*, the other will be *negative*. A positive or a negative line is called a *directed line*, and is *read in the direction in which it extends* or is supposed to be traced.




FIG. 19

Of the directed line AB, A is called the **origin** and B the **end.**

E.g., as a directed line, AB extends from its *origin* A towards its *end* B, and CD extends from its *origin* C towards its *end* D.

If we call AB positive, BA or CD will be negative.

Hence $AB = -BA$, or $AB + BA = 0$.

The *numerical measure* of a positive or a negative line is a positive or a negative real number. *E.g.*, if AB is four units in *length* and is regarded as positive in *direction*, then

$$AB = +4 \text{ units and } BA = -4 \text{ units.}$$

21. **Trigonometric ratios of positive or negative angles of any size.** In each of the four figures below, let A denote any angle, positive or negative, which is coterminal with the angle XOP. In each figure a curved arrow indicates the smallest positive value of A, and a dotted arrow the smallest in *size* of its negative values.




FIG. 20

From any point in the *terminal* side OP, as P, draw MP *perpendicular* to the *initial* side OX or OX produced through O.

In each of the four figures we have *three directed lines*, OM, OP, and MP. The *origin* of the directed line OM or OP is at the *vertex* of the angle, and the origin of MP is in the initial side of the angle or in that side produced.

OM is regarded as *positive* when it extends in the direction of the initial side of the angle, *OX*; and hence it is *negative* when it extends in the opposite direction, *OX'*. Thus *OM* is positive in fig. *a* or *d*, and negative in fig. *b* or *c*.

MP is regarded as *positive* when it extends upward, or into the *first* or *second* quadrant; hence it is *negative* when it extends downward, or into the *third* or *fourth* quadrant. Thus *MP* is positive in fig. *a* or *b*, and negative in fig. *c* or *d*.

OP in every position extends in the direction of the terminal side of the angle and is regarded as *positive*.

Observe that in each figure *P* is a point in the *terminal* side; *MP* gives the *distance* and *direction* of *P* from the initial side *OX*, and *OM* gives the *distance* and *direction* of *MP* from the vertex *O*.

Ex. 1. What is the quality of *MP* and *OM* respectively when *A* is in the first quadrant? the second quadrant? the third quadrant? the fourth quadrant?

Ex. 2. The angle *A* is in one of which two quadrants when *MP* is positive? *MP* negative? *OM* positive? *OM* negative?

The six simple ratios (three ratios and their reciprocals) which can be formed with the three *directed* lines, *MP*, *OM*, and *OP*, are called the *trigonometric ratios* of the angle *A*.

The following definitions do not differ from those in § 1 except in their *generality*, which follows from the use of positive and negative angles and lines.

The *ratio* **MP / OP** is the **sine of A**;
and its *reciprocal* **OP / MP** is the **cosecant of A.**
The *ratio* **OM / OP** is the **cosine of A**;
and its *reciprocal* **OP / OM** is the **secant of A.**
The *ratio* **MP / OM** is the **tangent of A**;
and its *reciprocal* **OM / MP** is the **cotangent of A.**

If two angles are or can be made coterminal, any trigonometric ratio of the one is evidently equal to the same trigonometric ratio of the other.

Since any angle denoted by $n \cdot 360° + A$, where n is any real integer, can be made coterminal with A, it follows that

Any trigonometric ratio of **(n · 360° + A)** *is equal to the same trigonometric ratio of* **A.**

Example. Find a positive acute angle whose trigonometric ratios are equal to those of 420°; 760°; 1120°; − 340°; − 660°.

Since 1120°, or $3 \cdot 360° + 40°$, is coterminal with 40°, any trigonometric ratio of 1120° is equal to the same ratio of 40°.

22. **Laws of quality of the trigonometric ratios.** Two reciprocal trigonometric ratios must evidently have the same quality.

Since OP is always positive, the reciprocal ratios sin A and csc A have the same quality as MP.

Hence **sin A** *or* **csc A** *is positive when* A *is in the first or the second quadrant, and negative when* A *is in the third or the fourth quadrant.*

The reciprocal ratios cos A and sec A have the same quality as OM.

Hence **cos A** *or* **sec A** *is positive when* A *is in the first or the fourth quadrant, and negative when* A *is in the second or the third quadrant.*

The reciprocal ratios tan A and cot A are positive or negative according as MP and OM are like or opposite in quality.

Hence **tan A** *or* **cot A** *is positive when* A *is in the first or the third quadrant, and negative when* A *is in the second or the fourth quadrant.*

Observe that when A is in the first quadrant all its trigonometric ratios are positive, and when A is in any other quadrant *only two* of its six ratios are *positive,* and these two are reciprocals.

The figure below, where XOY is the first quadrant, may help to fix in mind the very important laws of quality given above.




FIG. 21

E.g., the angle 500° is in the second quadrant; hence all its trigonometric ratios are negative except its sine and cosecant. The angle $-300°$ is in the first quadrant; hence all its ratios are positive.

Example. What is the quality of each trigonometric ratio of 103°? $-135°$? 235°? $-75°$? 325°? $-325°$? 660°? 1100°?

23. **$\sin^{-1}c$, $\cos^{-1}c$, ...** *If* $\sin A = c$, then

$$A = \textit{any angle whose sine is } c.$$

The customary expression for *any angle whose sine is* c is $\sin^{-1}c$, read *any angle whose sine is* c, or briefly, *angle sine* c.

Thus, if $\sin A = c$, $A = \sin^{-1}c$, *and conversely.*

A similar meaning is given to the expressions, $\cos^{-1}b$, $\tan^{-1}a$, $\cot^{-1}a$, $\sec^{-1}h$, $\csc^{-1}k$.

E.g., $\sin^{-1}(1/2)$ denotes *any angle whose sine* is $1/2$; hence it denotes any angle which is *coterminal* with 30° or 150°; that is,

$$\sin^{-1}(1/2) = n \cdot 360° + 30° \text{ or } n \cdot 360° + 150°,$$

where n is any integer, positive or negative, including 0. § 17

Again, $\tan^{-1}1 = n \cdot 360° + 45°$ or $n \cdot 360° + 225°$.

Ex. 1. If $A = \cot^{-1}(-1)$, what are the values of A?

Ex. 2. If $A = \cos^{-1}(-1/2)$, what are the values of A?

Ex. 3. Given $A = \sin^{-1}(4/5)$, to construct A and find its other trigonometric ratios.

Since $\sin A$ is $+$, the angle A is in the first or the second quadrant.

Draw OX, at O draw $OY \perp OX$, and lay off OD equal to 4 units. Through D draw $P'P$ parallel to OX. From O as a center and with a radius equal to 5 units describe an arc cutting $P'DP$ in some points, as P' and P. Draw OP and OP'. Then A, or $\sin^{-1}(4/5)$, is *any angle* which is *coterminal* with XOP or XOP'.




FIG. 22

Hence A, or $\sin^{-1}(4/5)$, is the acute angle $XOP + n \cdot 360°$, or the obtuse angle $XOP' + n \cdot 360°$, where n is any integer, positive or negative, including zero.

Here $OM = +3$ and $OM' = -3$.

Hence $\sin A = 4/5$, $\csc A = 5/4$; § 21

$\cos A = \pm 3/5$, $\sec A = \pm 5/3$;

and $\tan A = \pm 4/3$, $\cot A = \pm 3/4$.

When, as above, any trigonometric ratio of A has two values which are written together, we shall consider the *upper* sign as belonging to the trigonometric ratio of the *least positive value* of A. Thus, if A is in the first or the second quadrant, we shall write $\tan A = \pm 4/3$; while if A is in the second or the third quadrant, we shall write $\tan A = \mp 4/3$; and so on.

EXERCISE VI

Construct A and find its other five trigonometric ratios when:

1. $A = \sin^{-1}(-2/3)$.
2. $A = \tan^{-1}(5/2)$.
3. $A = \tan^{-1}(-3)$.
4. $A = \cos^{-1}(2/3)$.
5. $A = \sin^{-1}(-7/8)$.
6. $A = \tan^{-1}7$.
7. $A = \cos^{-1}(-3/7)$.
8. $A = \cot^{-1}(5/3)$.
9. $A = \cos^{-1}(-4/5)$.
10. $A = \sec^{-1}2$.
11. $A = \sec^{-1}(-3/2)$.
12. $A = \csc^{-1}(-5/3)$.
13. Express each of the trigonometric ratios of A in terms of $\sin A$.

If $\sin A$ is positive, A is in the first or the second quadrant.

In fig. 22, let $OP = 1$.

Then $\sin A$ is the *measure* of MP or $M'P'$.

Whence $MP = M'P' = \sin A$,

$OM = \sqrt{1 - \sin^2 A}$, $OM' = -\sqrt{1 - \sin^2 A}$.

Hence $\cos A = \pm\sqrt{1 - \sin^2 A}$, $\sec A = \pm 1/\sqrt{1 - \sin^2 A}$;

$\tan A = \pm \sin A/\sqrt{1 - \sin^2 A}$, $\cot A = \pm \sqrt{1 - \sin^2 A}/\sin A$.

If $\sin A$ is negative, A is in the third or the fourth quadrant, and

$\cos A = \mp\sqrt{1 - \sin^2 A}$, $\sec A = \mp 1/\sqrt{1 - \sin^2 A}$.

24. **Fundamental relations between the trigonometric ratios of any angle A.**

From the definitions of the trigonometric ratios of A, we have

$$\sin A \csc A \equiv 1, \quad \cos A \sec A \equiv 1, \quad \tan A \cot A \equiv 1. \qquad [1]$$

$$\tan A \equiv \frac{MP}{OM} \equiv \frac{MP/OP}{OM/OP} \equiv \frac{\sin A}{\cos A}. \qquad [2]$$

Taking the reciprocals of the members of [2], we obtain

$$\cot A \equiv \cos A/\sin A. \qquad [3]$$

In each of the figures in § 21, we have

$$\overline{MP}^2 + \overline{OM}^2 \equiv \overline{OP}^2. \qquad (1)$$

Dividing the members of (1) by $\overline{OP}^2$, we obtain

$$(MP/OP)^2 + (OM/OP)^2 \equiv 1. \qquad (2)$$

If, for brevity, we write $(\sin A)^2$ and $(\cos A)^2$ in the form $\sin^2 A$ and $\cos^2 A$, from (2) we obtain

$$\sin^2 A + \cos^2 A \equiv 1. \qquad [4]$$

Dividing the members of (1) by $\overline{OM}^2$, we obtain

$$(MP/OM)^2 + 1 \equiv (OP/OM)^2,$$

or

$$\tan^2 A + 1 \equiv \sec^2 A. \qquad [5]$$

Dividing the members of (1) by $\overline{MP}^2$, we obtain

$$1 + (OM/MP)^2 \equiv (OP/MP)^2,$$

or

$$\cot^2 A + 1 \equiv \csc^2 A. \qquad [6]$$

The identities [1] $\cdots$ [6] express the *more important* of the *numberless relations* that exist between the trigonometric ratios of any angle A.

For brevity $(\sin A)^n$, $(\cos A)^n$, etc., are written in the form $\sin^n A$, $\cos^n A$, etc., as above, *except* when $n = -1$.

By § 23, $\sin^{-1} c$ is used to denote *any angle whose sine is* c; hence the reciprocal of $\sin A$ should never be written in the form $\sin^{-1} A$, but in the form $(\sin A)^{-1}$ or $1/\sin A$.

Ex. 1. State identities [1] $\cdots$ [6] in words.

Ex. 2. $\sec A = -4$; find the values of the other ratios of A.
Since $\sec A$ is $-$, A is in the second or the third quadrant. § 22

$$\sec A = -4; \qquad \therefore \cos A = -1/4. \qquad \text{by [1]}$$
$$\sin A = \pm\sqrt{1-\cos^2 A} \qquad \text{by [4]}$$
$$= \pm\sqrt{1-1/16} = \pm\sqrt{15}/4.$$
$$\therefore \csc A = \pm 4/\sqrt{15} = \pm 4\sqrt{15}/15. \qquad \text{by [1]}$$
$$\tan A = \sin A/\cos A = \mp\sqrt{15}. \qquad \text{by [2]}$$
$$\cot A = \mp 1/\sqrt{15} = \mp\sqrt{15}/15. \qquad \text{by [1]}$$

Check. Construct A from $\sec A = -4$, and then find the other trigonometric ratios of A, as in § 23.

Ex. 3. Express the other trigonometric ratios of A in terms of $\sin A$.

$$\csc A \equiv 1/\sin A. \qquad \text{by [1]}$$
$$\cos A \equiv \pm\sqrt{1-\sin^2 A}. \qquad \text{by [4]}$$
$$\therefore \sec A \equiv \pm 1/\sqrt{1-\sin^2 A}. \qquad \text{by [1]}$$
$$\tan A \equiv \sin A/\cos A \qquad \text{by [2]}$$
$$\equiv \pm \sin A/\sqrt{1-\sin^2 A}.$$
$$\therefore \cot A \equiv \pm\sqrt{1-\sin^2 A}/\sin A. \qquad \text{by [1]}$$

When $\sin A$ is positive A is in the first or the second quadrant; when A is in the first quadrant all the trigonometric ratios of A are $+$; when A is in the second quadrant only $\sin A$ and $\csc A$ are $+$. The signs as written above are for $\sin A$ *positive.*

Check. Find these relations as in example 13 of Exercise VI.

EXERCISE VII

By § 24, compute the other trigonometric ratios of A, having given :

1. $\sin A = -2/3$.
2. $\cos A = 1/3$.
3. $\sin A = 0.2$.
4. $\cos A = -3/4$.
5. $\tan A = -4/3$.
6. $\cot A = -2$.
7. $\cot A = 3/2$.
8. $\tan A = 2.5$.
9. $\csc A = -\sqrt{3}$.
10. $\sec A = 4$.
11. $\tan A = -\sqrt{7}$.
12. $\cos A = m/c$.

Express each of the trigonometric ratios of A in terms of :

13. $\cos A$. 14. $\tan A$. 15. $\cot A$. 16. $\sec A$. 17. $\csc A$.

25. **Proofs of identities.** Of the different ways of proving an identity, the three following are the more common and important.

(i) *Derive the required identity from one or more known identities.*

Ex. 1. Prove that $\pm\sqrt{\sec^2 A + \csc^2 A} \equiv \tan A + \cot A$. (1)

Adding identities [5] and [6] in § 24, we obtain

$$\sec^2 A + \csc^2 A \equiv \tan^2 A + 2 + \cot^2 A$$
$$\equiv (\tan A + \cot A)^2. \qquad \text{by Algebra, [1]}$$

Extracting the square root of both members of the last identity, we obtain identity (1).

(ii) *Reduce one member of the required identity to the form of the other member, using any known identities.*

Ex. 2. Prove that $\sqrt{\dfrac{1-\cos A}{1+\cos A}} \equiv \csc A - \cot A$.

$$\csc A - \cot A \equiv \frac{1}{\sin A} - \frac{\cos A}{\sin A} \qquad \text{by [1], [3]}$$
$$\equiv \frac{1-\cos A}{\sqrt{1-\cos^2 A}} \qquad \text{by Algebra, [4]}$$
$$\equiv \sqrt{\frac{(1-\cos A)^2}{1-\cos^2 A}} \equiv \sqrt{\frac{1-\cos A}{1+\cos A}}. \qquad \text{by Algebra}$$

(iii) *Reduce one member to its simplest form, and then reduce the other member to the same form.*

When an identity contains any other trigonometric ratios than the sine and cosine, it is usually best in this method to replace these other ratios by their values in terms of the sine and cosine.

Ex. 3. Prove that

$$\sin^2 A \tan A + \cos^2 A \cot A + 2 \sin A \cos A \equiv \tan A + \cot A. \qquad (1)$$

$$\text{First member} \equiv \sin^2 A \frac{\sin A}{\cos A} + \cos^2 A \frac{\cos A}{\sin A} + 2 \sin A \cos A$$

$$\equiv \frac{\sin^4 A + \cos^4 A + 2 \sin^2 A \cos^2 A}{\sin A \cos A} \qquad \text{by Algebra}$$

$$\equiv \frac{(\sin^2 A + \cos^2 A)^2}{\sin A \cos A} \qquad \text{by Algebra}$$

$$\equiv 1/(\sin A \cos A). \qquad \text{by [4]}$$

Similarly show by [3], [4], and Algebra, that

$$\text{second member} \equiv 1/(\sin A \cos A).$$

From the last two identities we obtain identity (1).

EXERCISE VIII

Prove each of the following identities:

1. $\cos A \tan A \equiv \sin A.$ — Obtain from [2]
2. $\sin A \sec A \equiv \tan A.$ — From [2] by [1]
3. $\cos A \csc A \equiv \cot A.$ — From [3] by [1]
4. $\sin A \cot A \equiv \cos A.$
5. $\cos^2 A - \sin^2 A \equiv 1 - 2 \sin^2 A.$ — From [4] by Algebra
6. $\cos^2 A - \sin^2 A \equiv 2 \cos^2 A - 1.$
7. $\dfrac{\sin A}{1 + \cos A} \equiv \dfrac{1 - \cos A}{\sin A}.$ — From [4] by Algebra
8. $\dfrac{1 + \sin A}{\cos A} \equiv \dfrac{\cos A}{1 - \sin A}.$

9. $\dfrac{\sec A + 1}{\tan A} \equiv \dfrac{\tan A}{\sec A - 1}$. From [5] by Algebra

10. $\sec A + \tan A \equiv 1/(\sec A - \tan A)$.

11. $(1 + \tan^2 A)\cos^2 A \equiv 1$. From [5] by [1]

12. $(1 + \cot^2 A)\sin^2 A \equiv 1$.

13. $\sin^2 A + \sin^2 A \tan^2 A \equiv \tan^2 A$. From [2] by [1], [5]

14. $(\csc^2 A - 1)\sin^2 A \equiv \cos^2 A$.

15. $\cos^4 A - \sin^4 A + 1 \equiv 2\cos^2 A$.

$$\cos^4 A - \sin^4 A + 1 \equiv (\cos^2 A + \sin^2 A)(\cos^2 A - \sin^2 A) + 1$$
$$\equiv \cos^2 A + (1 - \sin^2 A) \equiv 2\cos^2 A.$$

16. $\tan^2 A/(1 + \tan^2 A) \equiv \sin^2 A$.

17. $\dfrac{\sqrt{1 - \sin^2 A}}{\sin A} \equiv \dfrac{\cos A}{\sqrt{1 - \cos^2 A}}$.

18. $\cot^2 A - \cos^2 A \equiv \cot^2 A \cos^2 A$.

19. $\sec^2 A + \csc^2 A \equiv \sec^2 A \csc^2 A$.

20. $\tan A + \cot A \equiv \sec A \csc A$.

21. $\dfrac{\cot A \cos A}{\cot A + \cos A} \equiv \dfrac{\cot A - \cos A}{\cot A \cos A}$.

22. $\tan A + \cot A \equiv \dfrac{\sec^2 A + \csc^2 A}{\sec A \csc A}$.

23. $1/\sqrt{\sec^2 A - 1} \equiv \sqrt{\csc^2 A - 1}$.

24. $\dfrac{1 + \tan^2 A}{1 + \cot^2 A} \equiv \dfrac{\sin^2 A}{\cos^2 A}$; $\dfrac{\csc A}{\cot A + \tan A} \equiv \cos A$.

25. $\dfrac{\cos A}{1 - \tan A} + \dfrac{\sin A}{1 - \cot A} \equiv \sin A + \cos A$.

26. $\sin^3 A \cos A + \cos^3 A \sin A \equiv \sin A \cos A$

27. $\sin^2 A \cos^2 A + \cos^4 A \equiv 1 - \sin^2 A$.

28. $\sqrt{\dfrac{1 - \sin A}{1 + \sin A}} \equiv \sec A - \tan A$.

29. $\dfrac{\sin A}{1+\cos A}+\dfrac{1+\cos A}{\sin A}\equiv 2\csc A.$

30. $1/(\cot A+\tan A)\equiv \sin A\cos A.$

31. $1/(\sec A-\tan A)\equiv \sec A+\tan A.$

32. $\dfrac{1-\tan A}{1+\tan A}\equiv\dfrac{\cot A-1}{\cot A+1}.$

33. $\dfrac{1-\tan^2 A}{1+\tan^2 A}\equiv\cos^2 A-\sin^2 A.$

34. $\csc A/(\cot A+\tan A)\equiv\cos A.$

35. $\csc^4 A(1-\cos^4 A)-2\cot^2 A\equiv 1.$

26. **Changes of the trigonometric ratios of A as A increases from 0° to 360°.** To simplify this discussion, let OP have the same length in all of its positions.

Changes of sin A. Let $A = XOP$, and let OP revolve counter-clockwise about O from the position OX.




FIG. 23

While A increases from 0° to 90°,
MP increases from 0 to OP;
hence MP/OP, or sin A, increases from 0 to + 1.
While A increases from 90° to 180°,
MP decreases from OP to 0;
hence MP/OP, or sin A, decreases from + 1 to 0.
While A increases from 180° to 270°,
MP decreases from 0 to $-OP$;
hence MP/OP, or sin A, decreases from 0 to − 1.
While A increases from 270° to 360°,
MP increases from $-OP$ to 0;
hence MP/OP, or sin A, increases from − 1 to 0.

Changes of cos A.

While A increases from 0° to 90°,
OM decreases from OP to 0;
hence OM/OP, or cos A, decreases from + 1 to 0.
While A increases from 90° to 180°,
OM decreases from 0 to $-OP$;
hence OM/OP, or cos A, decreases from 0 to − 1.

Similarly the pupil should obtain the other changes of cos A given in the table below.

Changes of tan A. Let XOP approach 90° or 270° (either from a less or a greater value) so that OM decreases in *size* to 1/2 its value the first second of time, to 1/2 its remaining value the next second, to 1/2 its second remaining value the third second, and so on indefinitely. Then, since MP increases slightly, MP/OM, or tan A, more than doubles its value the first second of time, more than doubles its new value the next second, more than doubles its last value the third second, and so on indefinitely. Thus tan A will exceed in *arithmetic* (or *absolute*) *value any assignable constant number however great;* that is, when A approaches very near 90° or 270°, tan $A = +\infty$ or $-\infty$.

Also, when $A = 0°$, $180°$, or $360°$, $MP = 0$, and therefore $\tan A = 0$.

Hence we have the changes of $\tan A$ found in the table below.

Changes of cot A. Let XOP approach $0°$, $180°$, or $360°$ (either from a less or greater value) so that MP decreases in *size* to $1/2$ its value the first second of time, to $1/2$ its new value the next second, and so on; then OM/MP, or $\cot A$, becomes $+\infty$ or $-\infty$; that is, when A approaches near $0°$, $180°$, or $360°$, $\cot A = +\infty$ or $-\infty$.

Also, when $A = 90°$ or $270°$, $OM = 0$, and therefore $\cot A = 0$.

Hence we have the changes of $\cot A$ given in the table below.

Similarly the changes of $\sec A$ and $\csc A$, which are tabulated below, should be proved by the student.

By remembering that two reciprocal numbers are *like in quality,* that when the one increases the other decreases, and that their corresponding values are reciprocals of each other, the changes of $\csc A$, $\sec A$, and $\cot A$ are known from the changes of $\sin A$, $\cos A$, and $\tan A$ respectively.

A *increases* from	0° to 90°	90° to 180°	180° to 270°	270° to 360°
sin A varies from	0 to +1	+1 to 0	0 to −1	−1 to 0
csc A " "	+∞ to +1	+1 to +∞	−∞ to −1	−1 to −∞
cos A " "	+1 to 0	0 to −1	−1 to 0	0 to +1
sec A " "	+1 to +∞	−∞ to −1	−1 to −∞	+∞ to +1
tan A increases from	0 to +∞	−∞ to 0	0 to +∞	−∞ to 0
cot A decreases "	+∞ to 0	0 to −∞	+∞ to 0	0 to −∞

From what precedes it follows that:

The tangent or the cotangent can have any real value.

The sine or the cosine can have any value from -1 *to* $+1$ *inclusive.*

The secant or the cosecant can have any value from $-\infty$ *to* -1 *or from* $+1$ *to* $+\infty$ *inclusive.*

Observe that neither the sine nor the cosine can have a value greater than + 1 or less than − 1; and that neither the secant nor the cosecant can have any value between − 1 and + 1.

E.g., + 3/4 is the sine of some angle, the cosine of some angle, the tangent of some angle, or the cotangent of some angle; but it can be neither the secant nor the cosecant of any angle. Again, − 3/2 can be neither the sine nor the cosine of any angle.

27. **Trigonometric ratios of 0°, 90°, 180°, 270°.** When $A = 90°$ or 270°, $MP = +OP$ or $-OP$ and $OM = 0$; hence $\tan A$ or $\sec A$ assumes the form $\pm OP/0$. Now the division of OP by zero is impossible; hence, strictly speaking, 90° or 270° has no tangent or secant. But when A approaches very near to 90° or 270°, by § 26 $\tan A$ or $\sec A$ is $+\infty$ or $-\infty$; hence it is customary to say that *the tangent or secant of* 90° *or* 270° *is* ∞, meaning thereby that however near A approaches to 90° or 270°, $\tan A$ or $\sec A$ is $+\infty$ or $-\infty$.

Again, when $A = 0°$ or 180°, $MP = 0$ and $OM = +OP$ or $-OP$; hence $\cot A$ or $\csc A$ assumes the form $\pm OP/0$. Therefore, strictly speaking, 0° or 180° has no cotangent or cosecant. But when A approaches very near to 0° or 180°, by § 26 $\cot A$ or $\csc A$ is $+\infty$ or $-\infty$; hence it is customary to say that *the cotangent or cosecant of* 0° *or* 180° *is* ∞.

The trigonometric ratios of 0°, 90°, 180°, and 270° are tabulated below. To aid the memory, the reciprocal ratios are grouped together.

Angle	0°	90°	180°	270°
sine	0	+ 1	0	− 1
cosecant	∞	+ 1	∞	− 1
cosine	+ 1	0	− 1	0
secant	+ 1	∞	− 1	∞
tangent	0	∞	0	∞
cotangent	∞	0	∞	0

NOTE. Putting $OP = a$, tan 90° assumes the form $a/0$, where $a \neq 0$. The form $a/0$ could be used as the tangent of 90°; then, whether we regarded $a/0$ as a symbol without numerical meaning, as a symbol of impossibility, or as a symbol of absolute infinity, when $a/0$ appeared as the tangent of A, the value of A would be known as definitely as when the tangent of A is any finite number.

28. **The trigonometric ratios of $-A$ in terms of the ratios of A.**




FIG. 24

In each figure let A denote any angle, positive or negative, which is coterminal with XOP; then $-A$ will be coterminal with XOP'. Angle A is in the first quadrant in fig. a, in the second quadrant in fig. b; and so on.

Take $OP = OP'$, and draw $PM \perp OX$ and $P'M' \perp OX$.

Then in each figure the acute angles MOP and $M'OP'$ will be equal in size. Hence any two corresponding sides of the $\triangle OMP$ and $OM'P'$ will be equal in length. Therefore, as directed lines,

$$M'P'/OP' \equiv -MP/OP, \quad i.e. \quad \sin(-A) \equiv -\sin A, \qquad (1)$$

and

$$OM'/OP' \equiv OM/OP, \quad i.e. \quad \cos(-A) \equiv \cos A. \qquad (2)$$

Dividing (1) by (2), $\tan(-A) \equiv -\tan A$.
Dividing (2) by (1), $\cot(-A) \equiv -\cot A$.
From (2) by [1], $\sec(-A) \equiv \sec A$.
From (1) by [1], $\csc(-A) \equiv -\csc A$.

Identity (1) states that $\sin(-A)$ and $\sin A$ are *arithmetically equal* but *opposite in quality*; that is, when $\sin(-A)$ is $-$, $\sin A$ is $+$; and when $\sin(-A)$ is $+$, $\sin A$ is $-$.

Identity (2) states that $\cos(-A)$ and $\cos A$ are *arithmetically equal* and *like in quality*.

The six identities just proved can be summed up as follows:

Any trigonometric ratio of $-$ **A** *is equal arithmetically to the same ratio of* **A**; *but only the* **cosines** (*or the secants*) *of* $-$ **A** *and* **A** *are like in quality.*

E.g., $\sin(-35°) = -\sin 35°$, $\cos(-98°) = \cos 98°$,
$\tan(-212°) = -\tan 212°$, $\csc(-317°) = -\csc 317°$.

Ex. 1. Express each trigonometric ratio of $-22°$ in terms of a ratio of $22°$.

Ex. 2. Express each trigonometric ratio of $320°$ in terms of a ratio of a positive angle less than $45°$.

An angle of $320°$ is coterminal with one of $-40°$; hence any trigonometric ratio of $320°$ is equal to the same ratio of $-40°$ (§ 21).

Whence
$\sin 320° = \sin(-40°) = -\sin 40°$,
$\cos 320° = \cos(-40°) = \cos 40°$,
$\tan 320° = \tan(-40°) = -\tan 40°$, etc.

Similarly the trigonometric ratios of *any angle in the* **fourth** *quadrant* can be found in terms of those of some positive acute angle.

Ex. 3. Express each trigonometric ratio of $-325°$ in terms of a ratio of a positive angle less than $45°$.

An angle of $-325°$ is coterminal with one of $35°$; hence

$\sin(-325°) = \sin 35°$, $\cos(-325°) = \cos 35°$, etc.

Similarly the trigonometric ratios of *any angle in the* **first** *quadrant* can be found in terms of those of some positive acute angle.

29. **The trigonometric ratios of $90° + A$ in terms of the ratios of A.** In each figure let A denote any angle, positive or

negative, which is coterminal with XOP, and let $POP' = 90°$; then $A + 90°$, or $90° + A$, is coterminal with XOP'.




FIG. 25

Take $OP = OP'$, and draw $PM \perp OX$ and $P'M' \perp OX$. Then the acute angles MOP and $M'P'O$ will be equal in size. Hence any two corresponding sides of the $\triangle MOP$ and $M'OP'$ will be equal in length. Therefore, as directed lines,

$$M'P'/OP' \equiv OM/OP, \quad \textit{i.e.} \quad \textbf{sin (90° + A)} \equiv \textbf{cos A}; \quad (1)$$

and $$OM'/OP' \equiv -MP/OP, \quad \textit{i.e.} \quad \textbf{cos (90° + A)} \equiv -\textbf{ sin A}. \quad (2)$$

$$\therefore \tan(90° + A) \equiv -\cot A, \qquad \cot(90° + A) \equiv -\tan A,$$

$$\sec(90° + A) \equiv -\csc A, \qquad \csc(90° + A) \equiv \sec A.$$

Since the angle A is 90° less than the angle $90° + A$, the six identities just proved can be summed up as follows:

Any trigonometric ratio of an angle is equal arithmetically to the co-ratio of **this angle less 90°**, *but only the* **sine** (*or the cosecant*) *of the first angle has the same quality as the co-ratio of the second angle.*

E.g., since $130° - 90° = 40°$, we have

$$\sin 130° = \cos 40°, \quad \tan 130° = -\cot 40°;$$
$$\cos 130° = -\sin 40°, \quad \cot 130° = -\tan 40°.$$

Ex. 1. Express in terms of a trigonometric ratio of some positive angle less than 45° each trigonometric ratio of 126°; 492°; $-220°$.

$$\sin 126° = \cos 36°, \quad \cos 126° = -\sin 36°, \text{ etc.} \qquad \S\ 29$$

An angle of 492° is coterminal with one of 132°; hence

$$\sin 492° = \sin 132° = \cos 42°; \qquad \S\S\ 21, 29$$
$$\cos 492° = \cos 132° = -\sin 42°; \text{ etc.}$$

An angle of $-220°$ is coterminal with one of 140°; hence

$$\sin(-220°) = \sin 140° = \cos 50° = \sin 40; \qquad \S\S\ 21, 29, 9$$
$$\cos(-220°) = \cos 140° = -\sin 50° = -\cos 40°; \text{ etc.}$$

Similarly the trigonometric ratios of *any angle in the* second *quadrant* can be found in terms of those of some positive acute angle less than 45°.

Ex. 2. Express in terms of a trigonometric ratio of some positive angle less than 45° each trigonometric ratio of $-130°$; 230°.

$$\sin(-130°) = -\sin 130° = -\cos 40°; \qquad \S\S\ 28, 29$$
$$\cos(-130°) = \cos 130° = -\sin 40°;$$
$$\tan(-130°) = -\tan 130° = \cot 40°.$$

Applying § 29 *twice* in succession and then § 9 once, we have

$$\sin 230° = \cos 140° = -\sin 50° = -\cos 40°;$$
$$\cos 230° = -\sin 140° = -\cos 50° = -\sin 40°;$$
$$\tan 230° = -\cot 140° = \tan 50° = \cot 40°; \text{ etc.}$$

Similarly we can find, in terms of the trigonometric ratios of a positive angle less than 45°, the ratios of any positive or negative angle in the *third* quadrant.

The principles in §§ 9, 28, 29 have an important bearing on the construction and use of trigonometric tables and on the solution of triangles. By them, as is seen above, the trigonometric ratios of any angle can be expressed in terms of the trigonometric ratios of some positive angle less than 45°. Hence, from a table which contains the trigonometric ratios of all angles between 0° and 45°, we can obtain the trigonometric ratios of any angle whatever.

30. **Trigonometric ratios of complementary and supplementary angles.** Applying § 29 twice and then § 28 once, we obtain

$$\sin(180°-A) \equiv \cos(90°-A) \equiv -\sin(-A) \equiv \sin A; \quad (1)$$
$$\cos(180°-A) \equiv -\sin(90°-A) \equiv -\cos(-A) \equiv -\cos A; \quad (2)$$
$$\tan(180°-A) \equiv -\cot(90°-A) \equiv \tan(-A) \equiv -\tan A. \quad (3)$$

Comparing the last members of (1), (2), (3) with their first members we have

(i) *Any trigonometric ratio of an angle is equal arithmetically to the* **same** *ratio of its supplement; but only the* **sines** *(or the cosecants) of two supplementary angles have the same quality.*

E.g., $\sin 150° = \sin 30°$, $\tan 165° = -\tan 15°$;
$\cos 135° = -\cos 45°$, $\cot 155° = -\cot 25°$.

Ex. 1. Express in terms of a trigonometric ratio of its supplement each trigonometric ratio of 125°; 143°; 157°.

Comparing the last members of (1), (2), (3) with their second members we have § 9 generalized; that is,

(ii) *Any trigonometric ratio of an angle is equal to the* **co-ratio** *of its complement.*

Ex. 2. Applying § 29 *three* times in succession and § 28 once, we have

$\sin(270° \pm A) \equiv \cos(180° \pm A) \equiv -\sin(90° \pm A) \equiv -\cos(\pm A) \equiv -\cos A$;
$\cos(270° \pm A) \equiv -\sin(180° \pm A) \equiv -\cos(90° \pm A) \equiv \sin(\pm A) \equiv \pm\sin A$;
$\tan(270° \pm A) \equiv -\cot(180° \pm A) \equiv \tan(90° \pm A) \equiv -\cot(\pm A) \equiv \mp\cot A$.

Ex. 3. Prove (ii) by putting $-A$ for A in (1) and (2) of § 29.

31. **Trigonometric ratios of $n \cdot 90° \pm A$, in terms of the ratios of A.** To obtain in terms of a trigonometric ratio of A any trigonometric ratio of $n \cdot 90° + A$ (where n is a positive integer), we apply § 29 n times in succession; and to obtain in terms of a ratio of A any ratio of $n \cdot 90° - A$, we first apply § 29 n times and then § 28 once. In each case we change from ratio to *co*-ratio n times; hence

(i) *When* **n** *is* **even**, *any trigonometric ratio of* **n · 90° ± A** *is equal arithmetically to the* **same** *ratio of* **A**.

(ii) *When* **n** *is* **odd**, *any trigonometric ratio of* **n · 90° ± A** *is equal arithmetically to the* **co-ratio** *of* **A**.

When A is a positive acute angle, any trigonometric ratio of A is positive; hence

(iii) *The two trigonometric ratios in* (i) *or* (ii) *will be opposite in quality when, and only when, the ratio of* **n · 90 ± A** *is negative for* **A** *positive and acute.*

Any positive angle can be written in the form $n \cdot 90° \pm A$ where A has some positive value less than 45°.

E g., $580° = 6 \cdot 90° + 40°$; here n is even, and the angle is in the third quadrant. Hence, by (i) and § 22, we have

$$\sin 580° = \sin (6 \cdot 90° + 40°) = -\sin 40°;$$
$$\cos 580° = \cos (6 \cdot 90° + 40°) = -\cos 40°;$$
$$\tan 580° = \tan (6 \cdot 90° + 40°) = \tan 40°; \text{ etc.}$$

Again, $270° + A \equiv 3 \cdot 90° + A$; here n is odd, and $270° + A$ is in the fourth quadrant when $A < 90°$. Hence, by (ii) and (iii), we have

$$\sin (270° + A) \equiv -\cos A, \qquad \tan (270° + A) \equiv -\cot A;$$
$$\cos (270° + A) \equiv \sin A, \qquad \cot (270° + A) \equiv -\tan A; \text{ etc.}$$

Example. Express in terms of a trigonometric ratio of A each trigonometric ratio of $180° + A$; $180° - A$; $270° - A$; $360° \pm A$.

EXERCISE IX

Express each of the following trigonometric ratios in terms of the ratio of some positive acute angle less than 45°.

1. sin 168°.
2. tan 187°.
3. cos 287°.
4. sin 834°.
5. sin (− 65°).
6. cos (− 84°).
7. tan (− 246°).
8. cos (− 428°).
9. cos 1410°.
10. tan 1145°.
11. cot 1054°.
12. sec 1327°.
13. csc 756°.
14. tan (− 196° 54′).
15. cot (− 236° 21′).

16. Prove $\sin 420° \cdot \cos 390° + \cos(-300°) \cdot \sin(-330°) = 1$.

17. Prove $\cos 570° \cdot \sin 510° - \sin 330° \cdot \cos 390° = 0$.

32. **Trigonometric lines representing the trigonometric ratios.** Any trigonometric ratio is a positive or a negative *number*, but it can always be *represented* by a *directed line*, as below.

Let A denote any angle coterminal with $\angle XOP$ in each of the four figures. Take OP as a *positive unit line*, and draw $PM \perp OX$.

Then $\sin A = MP/OP =$ *the numerical measure of* MP; (1)

hence **sin A** *is represented by the directed line* **MP.**

Also, $\cos A = OM/OP =$ *the numerical measure of* OM; (2)

hence **cos A** *is represented by the directed line* **OM.**




FIG. 26

To obtain directed lines which shall represent the four other trigonometric ratios, draw $OY \perp OX$ at O, and take

$$OX = OY = OP = \text{a } \textit{positive unit line.}$$

At X draw $XT \perp OX$, at Y draw $YC \perp OY$, and prolong each until it meets the final side OP (produced through P or O) in some point as T or C.

According to the laws assumed in § 21 for the quality of MP, OM, and OP, the directed line XT is *positive* or *negative* according as it extends upward or downward from its origin X; YC is positive or negative according as it extends to the right or to the left from its origin Y; and OT or OC is positive or negative according as it extends from the origin O in the direction of the final side OP or in the opposite direction.

E.g., XT or YC is + in fig. *a* or *c*, and − in fig. *b* or *d*.
OT is + in fig. *a* or *d*, and − in fig. *b* or *c*.
OC is + in fig. *a* or *b*, and − in fig. *c* or *d*.

In each figure the triangles OMP, OXT, and OYC, being mutually equiangular, are similar.

In each of the four figures we find that

$\tan A = MP/OM = XT/OX =$ *the numerical measure of* XT; (3)
hence **tan A** *is represented by the directed line* **XT**.

$\cot A = OM/MP = YC/OY =$ *the numerical measure of* YC; (4)
hence **cot A** *is represented by the directed line* **YC**.

$\sec A = OP/OM = OT/OX =$ *the numerical measure of* OT; (5)
hence **sec A** *is represented by the directed line* **OT**.

$\csc A = OP/MP = OC/OY =$ *the numerical measure of* OC; (6)
hence **csc A** *is represented by the directed line* **OC**.

The directed lines which represent the trigonometric ratios of an angle are called the *trigonometric lines* of that angle.

The relations in (1) to (6) can be written briefly

$$\sin A = MP, \ \cos A = OM, \ \tan A = XT,$$
$$\cot A = YC, \ \sec A = OT, \ \csc A = OC.$$

Since the trigonometric lines *represent* graphically the trigonometric ratios, or, in other words, the trigonometric ratios are the numbers which *measure* the trigonometric lines, it follows that if we prove any relation between the trigonometric lines, we know that the same relation exists between the corresponding trigonometric ratios, and *vice versa.*

33. **Use of trigonometric lines in proofs and discussions.** To fix in the pupil's mind the trigonometric lines which represent the trigonometric ratios, to help familiarize him with the use of directed lines to represent positive and negative real numbers, and to show him how the use of the trigonometric lines sometimes simplifies trigonometric proofs and discussions, we give below illustrative examples, which can be taken or omitted at the option of the teacher.

Ex. 1. Using trigonometric lines, prove the relations in § 24.

In each of the four figures in § 32 we have

$$\overline{MP}^2 + \overline{OM}^2 \equiv \overline{OP}^2, \quad \therefore \sin^2 A + \cos^2 A \equiv 1;$$

$$\overline{OX}^2 + \overline{XT}^2 \equiv \overline{OT}^2, \quad \therefore 1 + \tan^2 A \equiv \sec^2 A;$$

$$\overline{OY}^2 + \overline{YC}^2 \equiv \overline{OC}^2, \quad \therefore 1 + \cot^2 A \equiv \csc^2 A;$$

$$XT/OX \equiv MP/OM, \quad \therefore \tan A \equiv \sin A/\cos A;$$

$$YC/OY \equiv OM/MP, \quad \therefore \cot A \equiv \cos A/\sin A;$$

$$OT/OX \equiv OP/OM, \quad \therefore \sec A \equiv 1/\cos A;$$

$$OC/OY \equiv OP/ON, \quad \therefore \csc A \equiv 1/\sin A.$$

Ex. 2. Using the trigonometric lines, determine the quality of each trigonometric ratio in each quadrant.

In the figures of § 32, the quality of MP, or $\sin A$, is easily determined. So also is the quality of OM, or $\cos A$.

XT, or $\tan A$, is positive when A is in the first or the third quadrant, and negative when A is in the second or the fourth quadrant.

OT, or $\sec A$, extends in the direction of OP, and is therefore positive when A is in the first or the fourth quadrant; and OT, or $\sec A$, extends in the direction opposite to that of OP, and is therefore negative when A is in the second or the third quadrant.

In like manner determine the quality of YC, or $\cot A$, and of OC, or $\csc A$.

Ex. 3. Using trigonometric lines, trace the changes of the trigonometric ratios of A while A increases from 0° to 360°.

In the figures of § 32, the changes of MP, or $\sin A$, and of OM, or $\cos A$, are easily followed.

While A increases from 0° to 90° (fig. a), XT beginning at zero increases without limit as A approaches 90°; *i.e.* $\tan A$ increases from 0 to $+\infty$.

While A increases from 90° to 180° (fig. b), XT is at first of infinite length and negative, and becomes 0 when $A = 180°$; *i.e.* $\tan A$ increases from $-\infty$ to 0.

While A increases from 180° to 270° (fig. c), XT beginning at zero increases without limit as A approaches 270°; *i.e.* $\tan A$ increases from 0 to $+\infty$.

While A increases from 270° to 360° (fig. d), XT is at first of infinite length and negative, and becomes 0 when $A = 360°$; *i.e.* $\tan A$ increases from $-\infty$ to 0.

In like manner the student should trace the changes of $\cot A$, $\sec A$, and $\csc A$.

Ex. 4. Using the trigonometric lines, find the trigonometric ratios of $180° - A$ and $180° + A$ in terms of those of A, when A is in the first quadrant.

Let the angles XOP, $M'OP'$, and $M''OP''$ be equal in size; then if A is coterminal with XOP, $180° - A$ will be coterminal with XOP', and $180° + A$ will be coterminal with XOP''.

Draw the trigonometric lines of A, $180° - A$, and $180° + A$.




FIG. 27

Then $M'P' \equiv MP$, $\therefore \sin (180° - A) \equiv \sin A$;
$OM' \equiv -OM$, $\therefore \cos (180° - A) \equiv -\cos A$;
$XT' \equiv -XT$, $\therefore \tan (180° - A) \equiv -\tan A$;
$YC' \equiv -YC$, $\therefore \cot (180° - A) \equiv -\cot A$;
$OT' \equiv -OT$, $\therefore \sec (180° - A) \equiv -\sec A$;
$OC' \equiv OC$, $\therefore \csc (180° - A) \equiv \csc A$.

Again, $M''P'' \equiv -MP$, $\therefore \sin (180° + A) \equiv -\sin A$;
$OM'' \equiv -OM$, $\therefore \cos (180° + A) \equiv -\cos A$;
$XT \equiv XT$, $\therefore \tan (180° + A) \equiv \tan A$;
$YC \equiv YC$, $\therefore \cot (180° + A) \equiv \cot A$.

OT and OC are both negative when the angle is XOP''.

Hence $\sec(180° + A) \equiv -\sec A$, $\csc(180° + A) \equiv -\csc A$.

A similar proof could be given when A is in any one of the other three quadrants.

Ex. 5. Using the trigonometric lines, find the trigonometric ratios of $-A$ in terms of those of A.

In each figure of § 28, let

$$OP = OP' = \text{a positive unit line.}$$

Then $MP \equiv \sin A$, $OM \equiv \cos A$,

$M'P' \equiv \sin(-A)$, $OM' \equiv \cos(-A)$.

But in each figure we have

$$M'P' \equiv -MP, \qquad OM' \equiv OM.$$

Hence $\sin(-A) \equiv -\sin A$, $\cos(-A) \equiv \cos A$. (1)

From the identities (1) we can obtain the other relations as in § 28.

The student should draw the other trigonometric lines of A and $-A$ in each of the four figures in § 28, and prove the last four identities by the use of these lines.

Ex. 6. Using the trigonometric lines, find the trigonometric ratios of $90° + A$ in terms of those of A.

In each figure of § 29, let

$$OP = OP' = \text{a positive unit line.}$$

Then $MP \equiv \sin A$, $OM \equiv \cos A$,

$M'P' \equiv \sin(90° + A)$, $OM' \equiv \cos(90° + A)$.

But in each figure we have

$$M'P' \equiv OM, \qquad OM' \equiv -MP.$$

Hence $\sin(90° + A) \equiv \cos A$, $\cos(90° + A) \equiv -\sin A$. (1)

From the identities (1) we can obtain the other relations as in § 29.

But the student should draw the other trigonometric lines of A and $90° + A$ in each of the four figures in § 29, and prove the last four identities by the use of these lines.

Ex. 7. Using the trigonometric lines, find the trigonometric ratios of $90° - A$ in terms of those of A, when A is in the first quadrant.

If in figs. 26 we had taken

$$OX = OP = OY = r \text{ units},$$

then the lines MP, OM, XT, etc., would not be the trigonometric lines of the angle XOP, but r times these lines; that is, we would have

$$MP \equiv r \sin XOP, \qquad OM \equiv r \cos XOP,$$
$$XT \equiv r \tan XOP, \qquad YC \equiv r \cot XOP, \text{ etc.}$$

In figs. 26 let X be the origin of arcs, and let the arc XP be positive or negative according as its generating point P moves counter-clockwise or clockwise; then the arc XP in each figure will have the same numerical measure in *arc-degrees* as the angle XOP, which this arc subtends at the center, has in *angle-degrees*. Hence, when the measure of an arc is given in *arc-degrees*, we know the measure of its subtended angle at its center in *angle-degrees*, and *vice versa*.

When, for convenience, as in spherical trigonometry, we speak of the *trigonometric ratios or lines of an arc*, we mean the *trigonometric ratios or lines of the angle which this arc subtends at its center*.

E.g., $\sin(\text{arc } XP)$, or $\sin XP$, means the sine of the angle XOP which the arc XP subtends at its center O;

$\cos(\text{arc } XP)$, or $\cos XP$, means $\cos(\angle XOP)$;
$\tan(\text{arc } XP)$, or $\tan XP$, means $\tan(\angle XOP)$;
$\cot(\text{arc } XP)$, or $\cot XP$, means $\cot(\angle XOP)$; etc.

CHAPTER III

TRIGONOMETRIC RATIOS OF TWO ANGLES

34. **Sine and cosine of the sum of two angles.** Let XOR and ROC be any two positive acute angles.

Then $$\angle XOR + \angle ROC = \angle XOC.$$

Let A denote any angle, positive or negative, coterminal with $\angle XOR$, and B any angle coterminal with $\angle ROC$.

Then the sum $A + B$ will be coterminal with $\angle XOC$.




FIG. 28

The sum $A + B$ may be in the first quadrant, as in fig. a, or in the second quadrant, as in fig. b.

In each figure, from any point on OC, as P, draw $PN \perp OR$ and $PM \perp OX$; also draw $NQ \perp OX$, and $ND \perp MP$.

Then the triangles DPN and QON will be similar.

Now $$MP \equiv QN + DP.$$

By § 21, $$QN \equiv \sin A \cdot ON.$$

Again, $$DP/NP \equiv OQ/ON \equiv \cos A;$$

whence $$DP \equiv \cos A \cdot NP.$$

Hence $MP \equiv \sin A \cdot ON + \cos A \cdot NP.$

$\therefore MP/OP \equiv \sin A \cdot ON/OP + \cos A \cdot NP/OP.$ (1)

Substituting for the ratios in (1) their names, we have

$$\sin(A + B) \equiv \sin A \cos B + \cos A \sin B. \quad [7]$$

Again, $OM \equiv OQ - DN$

$\equiv \cos A \cdot ON - \sin A \cdot NP.$

$\therefore OM/OP \equiv \cos A \cdot ON/OP - \sin A \cdot NP/OP.$

$$\therefore \cos(A + B) \equiv \cos A \cos B - \sin A \sin B. \quad [8]$$

Observe that thus far [7] and [8] are proved only when the angles A and B are both in the first quadrant. In § 35 it will be shown that these relations hold true in whatever quadrant A or B is.

35. **General proof of [7] and [8].**

$\sin(A + 90° + B) \equiv \sin(90° + A + B)$

$\equiv \cos(A + B)$ § 29

$\equiv \cos A \cos B + (-\sin A)\sin B$ by [8]

$\equiv \sin(A + 90°)\cos B + \cos(A + 90°)\sin B.$ (1)

Again, $\cos(A + 90° + B) \equiv \cos(90° + A + B)$

$\equiv -\sin(A + B)$ § 29

$\equiv (-\sin A)\cos B - \cos A \sin B$ by [7]

$\equiv \cos(A + 90°)\cos B - \sin(A + 90°)\sin B.$ (2)

Now in whatever quadrant A is, $A + 90°$ is in the next quadrant. Hence, from (1) and (2), it follows that if [7] and [8] are true when A is in any one quadrant, they are true also when A is in the next quadrant. But, by § 34, [7] and [8] are true when A is in the first quadrant; hence they are true when A is in the second quadrant; and so on. Hence [7] and [8] hold true in whatever quadrant A is.

The same reasoning applies to B. Hence [7] and [8] hold true for all values of A and B, positive or negative.

Formulas [7] and [8], often called the **addition formulas**, are very important and should be memorized.

So many theorems can be deduced from the formulas [7] and [8] that they are often called the *fundamental* formulas of trigonometry.

EXERCISE X

1. State in words identities [7] and [8], as generalized in § 35.

$$\left.\begin{matrix}\text{The sine of the } \textit{sum} \\ \text{of any two angles}\end{matrix}\right\} \equiv \left\{\begin{matrix}\sin \textit{first} \cdot \cos \textit{second} \\ + \cos \textit{first} \cdot \sin \textit{second}.\end{matrix}\right.$$

2. $\sin 75° = \sin (30° + 45°)$

$= \sin 30° \cos 45° + \cos 30° \sin 45°$ by [7]

$= \frac{1}{2} \cdot \frac{\sqrt{2}}{2} + \frac{\sqrt{3}}{2} \cdot \frac{\sqrt{2}}{2} = \frac{\sqrt{2} + \sqrt{6}}{4}.$

3. Putting $75° = 30° + 45°$ and using [8], find $\cos 75°$.

4. Putting $15° = 45° + (-30°)$, find $\sin 15°$ and $\cos 15°$

5. Putting $15° = 60° + (-45°)$, find $\sin 15°$ and $\cos 15°$.

6. Putting $90° = 60° + 30°$, find $\sin 90°$ and $\cos 90°$.

7. Putting $0° = 45° + (-45°)$, find $\sin 0°$ and $\cos 0°$

A and B being positive acute angles, find the values of $\sin (A + B)$ and $\cos (A + B)$, having given

8. $\sin A = 2/5$, $\cos B = 1/3$. 9. $\sin A = 2/3$, $\cos B = 1/4$.

10. Putting $90° + A$ for A in [7], deduce [8].

11. Putting $90° + A$ for A in [8], deduce [7].

12. Prove [7] and [8], using trigonometric lines, A and B being in the first quadrant.

Take $OP = +1$.

Then $MP = \sin (A + B)$,

$ON = \cos B$, $NP = \sin B$.

$\therefore DP = NP \cos DPN = \sin B \cos A$.

$QN = ON \sin A = \cos B \sin A$.

$\therefore \sin (A + B) = QN + DP = \sin A \cos B + \cos A \sin B$.

36. Sine and cosine of the difference of two angles. Substituting $-B$ for B in [7], we have

$$\sin(A - B) \equiv \sin A \cos(-B) + \cos A \sin(-B).$$

$$\therefore \textbf{sin (A} - \textbf{B)} \equiv \textbf{sin A cos B} - \textbf{cos A sin B.} \qquad [9]$$

Substituting $-B$ for B in [8], we have

$$\cos(A - B) \equiv \cos A \cos(-B) - \sin A \sin(-B).$$

$$\therefore \textbf{cos (A} - \textbf{B)} \equiv \textbf{cos A cos B} + \textbf{sin A sin B.} \qquad [10]$$

Formulas [9] and [10] are often called the **subtraction formulas.**

EXERCISE XI

1. State in words identities [9] and [10].

$$\left.\begin{array}{r}\text{The sine of the } \textit{difference} \\ \text{of any two angles}\end{array}\right\} \equiv \left\{\begin{array}{l}\sin \textit{first} \cdot \cos \textit{second} \\ -\cos \textit{first} \ \sin \textit{second}.\end{array}\right.$$

2. Putting $15° = 45° - 30°$, find $\sin 15°$ by [9] and $\cos 15°$ by [10].

3. Putting $15° = 60° - 45°$, find $\sin 15°$ and $\cos 15°$.

A and B being positive acute angles, find the values of $\sin(A - B)$ and $\cos(A - B)$, having given

4. $\sin A = 1/4$, $\sin B = 1/3$.

5. $\cos A = 2/3$, $\cos B = 3/4$.

Prove each of the following identities:

6. $\sin(A + B)\sin(A - B) \equiv \sin^2 A \cos^2 B - \cos^2 A \sin^2 B$

$$+ (\sin^2 A \sin^2 B - \sin^2 A \sin^2 B)$$
$$\equiv \sin^2 A (\cos^2 B + \sin^2 B) - \sin^2 B(\cos^2 A + \sin^2 A)$$
$$\equiv \sin^2 A - \sin^2 B.$$

Observe that $\sin^2 A \sin^2 B - \sin^2 A \sin^2 B$ is added above as one form of zero.

7. $\cos(A + B)\cos(A - B) \equiv \cos^2 A - \sin^2 B$.

8. $\sin(A + B)\cos B - \cos(A + B)\sin B \equiv \sin A$.

9. $\sin(A + B) + \cos(A - B) \equiv (\sin A + \cos A)(\sin B + \cos B)$

10. $\sin A \cos(B - C) - \sin B \cos(A - C) \equiv \sin(A - B) \cos C$.

11. $\tan A + \tan B \equiv \sin (A + B)/(\cos A \cos B)$.

12. $\cot B - \cot A \equiv \sin (A - B)/(\sin A \sin B)$.

13. Prove [9] and [10] geometrically, using trigonometric lines, when A, B, and $A - B$ are in the first quadrant.




FIG. 29

Let XOR and ROC be any two acute angles, $\angle ROC$ being negative and $\angle XOC$ being positive.

Then $\angle XOC = \angle XOR + \angle ROC$.

Let A denote any angle coterminal with XOR, and $-B$ any angle coterminal with ROC.

Then $A + (-B)$, or $A - B$, will be coterminal with XOC.

Take OP equal to $+1$.

Draw $PM \perp OX$, $PN \perp OR$, $NQ \perp OX$, and $PD \perp QN$.

Now $NP = \sin (-B) = -\sin B$, $ON = \cos (-B) = \cos B$,

and $\sin (A - B) = MP = QN - DN$.

Also, $QN = ON \cdot \sin XOR = \cos B \sin A$,

and $DN = (-NP) \cos DNP = \sin B \cos A$.

$\therefore \sin (A - B) = QN - DN = \sin A \cos B - \cos A \sin B$.

Again, $OQ = ON \cos XOR = \cos B \cos A$,

and $DP = (-NP) \sin DNP = \sin B \sin A$.

$\therefore \cos (A - B) = OM = OQ + DP = \cos A \cos B + \sin A \sin B$.

37. **Tangent of the sum and difference of two angles.** Divide the members of [7] by those of [8]; then by [2] we have

$$\tan (A + B) \equiv \frac{\sin A \cos B + \cos A \sin B}{\cos A \cos B - \sin A \sin B}. \qquad (1)$$

To express $\tan (A + B)$ in terms of $\tan A$ and $\tan B$ we divide the numerator and denominator of the fraction in (1) by $\cos A \cos B$; then by formula [2] we obtain

$$\tan (A + B) \equiv \frac{\tan A + \tan B}{1 - \tan A \tan B}. \qquad [11]$$

Substituting $-B$ for B in [11], we obtain

$$\tan (A - B) \equiv \frac{\tan A - \tan B}{1 + \tan A \tan B}. \qquad [12]$$

EXERCISE XII

1. State in words identities [11] and [12].

$$\left.\begin{matrix}\text{The tangent of the } \textit{sum} \\ \text{of any two angles}\end{matrix}\right\} \equiv \left\{\begin{matrix}\text{the } \textit{sum} \text{ of their tangents} \\ \hline 1 - \textit{product} \text{ of their tangents}\end{matrix}\right.$$

2. Putting $75° = 45° + 30°$, find $\tan 75°$ by [11].

3. Putting $15° = 60° - 45°$, find $\tan 15°$ by [12].

4. If $\tan A = -1/2$ and $\tan B = 3$, find $\tan(A + B)$ and $\tan(A - B)$.

5. If $\tan A = -2$ and $\tan B = -3$, find $\tan(A + B)$ and $\tan(A - B)$.

Prove each of the following identities:

6. $\tan(45° + A) \equiv \dfrac{1 + \tan A}{1 - \tan A}$.

7. $\tan(45° - A) \equiv \dfrac{1 - \tan A}{1 + \tan A}$.

8. $\cot(A + B) \equiv \dfrac{\cot A \cot B - 1}{\cot B + \cot A}$.

9. $\cot(A - B) \equiv \dfrac{\cot A \cot B + 1}{\cot B - \cot A}$.

10. Prove identity [12] by dividing [9] by [10].

11. Prove the identities in examples 8 and 9 by taking the reciprocals of the members of [11] and [12] respectively.

12. Find $\tan(A + B)$ and $\tan(A - B)$ in terms of $\cot A$ and $\cot B$.

13. Find $\cot(A + B)$ and $\cot(A - B)$ in terms of $\tan A$ and $\tan B$.

38. **Trigonometric ratios of twice an angle in terms of the ratios of the angle.** Substituting A for B in [7], we have

$$\sin(A + A) \equiv \sin A \cos A + \cos A \sin A;$$

that is

$$\boldsymbol{\sin 2A \equiv 2 \sin A \cos A.} \qquad [13]$$

Substituting A for B in [8], we obtain

$$\left.\begin{aligned}\cos 2A &\equiv \cos^2 A - \sin^2 A \quad \text{(i)} \\ &\equiv 1 - 2\sin^2 A \quad \text{(ii)} \\ &\equiv 2\cos^2 A - 1. \quad \text{(iii)}\end{aligned}\right\} \qquad [14]$$

To derive (ii) or (iii) from (i), we use identity [4].

Substituting A for B in [11], we obtain

$$\boldsymbol{\tan 2A \equiv \frac{2 \tan A}{1 - \tan^2 A}.} \qquad [15]$$

EXERCISE XIII

1. State in words identities [13], [14], and [15].

$$\sin \textit{ twice an angle} \equiv 2 \sin \textit{ angle} \cdot \cos \textit{ angle}.$$
$$\cos \textit{ twice an angle} \equiv (\cos \textit{ angle})^2 - (\sin \textit{ angle})^2.$$

2. From the trigonometric ratios of 30°, find sin 60°, cos 60°, tan 60°

3. From the trigonometric ratios of 60°, find sin 120°, cos 120°, tan 120°.

4. Express $\sin 6A$, $\cos 6A$, $\tan 6A$ in terms of the trigonometric ratios of $3A$.

5. Express $\sin 3A$, $\cos 3A$, $\tan 3A$ in terms of the trigonometric ratios of $3A/2$.

Prove each of the following identities:

6. $\cot 2A \equiv \dfrac{\cot^2 A - 1}{2 \cot A}$.

7. $\csc 2A \equiv (\sec A \csc A)/2$.

8. $\sin^2 A \equiv \dfrac{1 - \cos 2A}{2}$.

9. $\cos^2 A \equiv (1 + \cos 2A)/2$.

10. $\sec 2A \equiv \dfrac{\sec^2 A}{2 - \sec^2 A} \equiv \dfrac{1 + \tan^2 A}{1 - \tan^2 A}$.

11. $\cos 4A \equiv 2\cos^2 2A - 1 \equiv 2(1 - 2\sin^2 A)^2 - 1$
$\equiv 8\sin^4 A - 8\sin^2 A + 1$.

12. $\sin 4A \equiv 4 \sin A \cos A - 8 \sin^3 A \cos A$.

39. **Trigonometric ratios of half an angle in terms of the cosine of the angle.** Solving (ii) and (iii) of [14] for $\sin^2 A$ and $\cos^2 A$ respectively and putting $A/2$ for A, we obtain

$$\sin \frac{A}{2} \equiv \sqrt{\frac{1 - \cos A}{2}}, \qquad [16]$$

and

$$\cos \frac{A}{2} \equiv \sqrt{\frac{1 + \cos A}{2}}. \qquad [17]$$

Divide [16] by [17], $\tan \dfrac{A}{2} \equiv \sqrt{\dfrac{1 - \cos A}{1 + \cos A}}$. [18]

EXERCISE XIV

1. State in words identities [16], [17], and [18].

$$\sin \textit{half an angle} \equiv \text{square root of } \frac{1 - \cos \textit{angle}}{2} \qquad [16]$$

2. Find $\sin 22\frac{1}{2}°$, $\cos 22\frac{1}{2}°$, $\tan 22\frac{1}{2}°$, from $\cos 45°$.

$$\sin 22\tfrac{1}{2}° = \sqrt{\frac{1 - \cos 45°}{2}} = \sqrt{\frac{1 - \sqrt{2}/2}{2}} = \frac{\sqrt{2 - \sqrt{2}}}{2}$$

3. Find $\sin 15°$, $\cos 15°$, $\tan 15°$, from $\cos 30°$.

4. $\cos A = 1/3$, find the sine, cosine, and tangent of $A/2$.

5. $\cos A = a$; find the sine, cosine, and tangent of $A/2$.

6. Express $\sin A$, $\cos A$, and $\tan A$ in terms of $\cos 2A$.

7. Express $\sin 2A$, $\cos 2A$, and $\tan 2A$ in terms of $\cos 4A$.

8. Express $\sin 3A$, $\cos 3A$, and $\tan 3A$ in terms of $\cos 6A$.

Prove each of the following identities:

9. $\cot^2 \frac{A}{2} \equiv \frac{1 + \cos A}{1 - \cos A} \equiv \left(\frac{\sin A}{1 - \cos A}\right)^2 \equiv \left(\frac{1 + \cos A}{\sin A}\right)^2.$

10. $\tan^2 \frac{A}{2} \equiv \left(\frac{\sin A}{1 + \cos A}\right)^2 \equiv \left(\frac{1 - \cos A}{\sin A}\right)^2 \equiv (\csc A - \cot A)^2.$

11. $\sec^2 \frac{A}{2} \equiv \frac{2 \sec A}{\sec A + 1}.$ **12.** $\csc^2 \frac{A}{2} \equiv \frac{2 \sec A}{\sec A - 1}.$

13. Express $\cos^4 A$ in terms of $\cos 2A$ and $\cos 4A$.

$$(\cos^2 A)^2 \equiv (\tfrac{1}{2} + \tfrac{1}{2} \cos 2A)^2$$
$$\equiv \tfrac{1}{4} + \tfrac{1}{2} \cos 2A + \tfrac{1}{4} \cos^2 2A$$
$$\equiv \tfrac{1}{4} + \tfrac{1}{2} \cos 2A + \tfrac{1}{4} (\tfrac{1}{2} + \tfrac{1}{2} \cos 4A).$$
$$\therefore \cos^4 A \equiv \tfrac{3}{8} + \tfrac{1}{2} \cos 2A + \tfrac{1}{8} \cos 4A.$$

14. Prove $\sin^4 A \equiv \frac{3}{8} - \frac{1}{2} \cos 2A + \frac{1}{8} \cos 4A.$

15. Prove $\sin^2 A \cos^2 A \equiv \frac{1}{8} - \frac{1}{8} \cos 4A.$

Suggestion. $\sin^2 A \cos^2 A \equiv (\sin A \cos A)^2 \equiv \frac{1}{4} \sin^2 2A.$

16. Prove $\sin^2 A \cos^4 A \equiv \frac{1}{16} + \frac{1}{8} \sin^2 2A \cdot \cos 2A - \frac{1}{16} \cos 4A.$

Suggestion. $\sin^2 A \cos^4 A \equiv (\sin A \cos A)^2 \cdot \cos^2 A.$

40. **Sum and difference of sines and cosines.** Adding and subtracting [7] and [9], and [8] and [10], we obtain

$$\sin(A+B)+\sin(A-B) \equiv 2\sin A\cos B; \quad (1)$$

$$\sin(A+B)-\sin(A-B) \equiv 2\cos A\sin B; \quad (2)$$

$$\cos(A+B)+\cos(A-B) \equiv 2\cos A\cos B; \quad (3)$$

$$\cos(A+B)-\cos(A-B) \equiv -2\sin A\sin B. \quad (4)$$

$$\left.\begin{array}{l}\text{Let} \quad A+B \equiv C \quad \text{and} \quad A-B \equiv D.\\ \text{Then} \quad A \equiv (C+D)/2, \quad B \equiv (C-D)/2.\end{array}\right\} \quad (5)$$

Substituting in (1) $\cdots$ (4) the values in (5), we obtain

$$\sin C+\sin D \equiv 2\sin\frac{C+D}{2}\cos\frac{C-D}{2}. \quad [19]$$

$$\sin C-\sin D \equiv 2\cos\frac{C+D}{2}\sin\frac{C-D}{2}. \quad [20]$$

$$\cos C+\cos D \equiv 2\cos\frac{C+D}{2}\cos\frac{C-D}{2}. \quad [21]$$

$$\cos C-\cos D \equiv -2\sin\frac{C+D}{2}\sin\frac{C-D}{2}. \quad [22]$$

By formulas [19] $\cdots$ [22], a sum or a difference of the sines or the cosines of two angles is transformed into a product. Hence these formulas, often called **product formulas**, are useful in adapting other formulas to the use of logarithms.

E.g., $\sin 7A+\sin 5A \equiv 2\sin\frac{1}{2}(7A+5A)\cos\frac{1}{2}(7A-5A)$

$\equiv 2\sin 6A\cos A.$

$\therefore \log(\sin 7A+\sin 5A) \equiv \log 2+\log\sin 6A+\log\cos A.$

Again, $\cos 8A-\cos 2A \equiv -2\sin\frac{1}{2}(8A+2A)\sin\frac{1}{2}(8A-2A)$

$\equiv -2\sin 5A\sin 3A.$

By the converses of formulas (1) $\cdots$ (4), a *product* involving sines or cosines or both is transformed into a *sum* or a *difference* of sines or cosines.

EXERCISE XV

1. State in words identities [19] $\cdots$ [22].

The *sum* of the *sines* of any *two angles* $\Big\} \equiv 2 \sin$ *half* sum $\cdot \cos$ *half* difference.

Prove each of the following identities:

2. $\sin 60° + \sin 30° = 2 \sin 45° \cos 15°$. by [19]

3. $\sin 50° + \sin 10° = 2 \sin 30° \cos 20°$.

4. $\cos 75° + \cos 15° = 2 \cos 45° \cos 30°$. by [21]

5. $\cos 80° - \cos 20° = -2 \sin 50° \sin 30°$.

6. $\sin 7A - \sin 3A = 2 \cos 5A \sin 2A$.

7. $\dfrac{\sin 7A - \sin 5A}{\cos 7A + \cos 5A} \equiv \dfrac{2 \cos 6A \sin A}{2 \cos 6A \cos A} \equiv \tan A$.

8. $\dfrac{\sin A + \sin 3A}{\cos A + \cos 3A} \equiv \tan 2A$.

9. $\dfrac{\sin C + \sin D}{\sin C - \sin D} \equiv \tan \dfrac{C + D}{2} \cdot \cot \dfrac{C - D}{2} \equiv \dfrac{\tan \frac{1}{2}(C + D)}{\tan \frac{1}{2}(C - D)}$.

10. $\dfrac{\sin C + \sin D}{\cos C + \cos D} \equiv \tan \dfrac{C + D}{2}$.

11. $\dfrac{\sin C + \sin D}{\cos C - \cos D} \equiv -\cot \dfrac{C - D}{2} \equiv \cot \dfrac{D - C}{2}$.

12. $\dfrac{\sin C - \sin D}{\cos C + \cos D} \equiv \tan \dfrac{C - D}{2}$.

13. $\dfrac{\sin C - \sin D}{\cos C - \cos D} \equiv -\cot \dfrac{C + D}{2}$.

14. $\dfrac{\cos C + \cos D}{\cos C - \cos D} \equiv -\cot \dfrac{C + D}{2} \cdot \cot \dfrac{C - D}{2}$

$\equiv \cot \frac{1}{2}(C + D) \cot \frac{1}{2}(D - C)$.

15. Given $\sin A = 1/2$, $\sin B = 1/3$, to find $\sin(A + B)$, $\sin(A - B)$, $\cos(A + B)$, $\cos(A - B)$, $\sin 2A$, $\sin 2B$, $\cos 2A$, $\cos 2B$: (1) when A and B are both in the first quadrant; (2) when A is in the first and B is in the second quadrant.

16. From the answers to example 15, find in the simplest way $\tan(A+B)$, $\tan(A-B)$, $\cot(A+B)$, $\cot(A-B)$, $\sec(A+B)$, $\csc(A+B)$, $\tan 2A$, $\cot 2A$, $\sec 2B$, $\csc 2B$, in cases (1) and (2).

EXERCISE XVI

Examples for Review

Prove each of the following identities:

1. $\dfrac{\sin(x+y)}{\sin(x-y)} \equiv \dfrac{\tan x + \tan y}{\tan x - \tan y}$.

2. $\dfrac{\cos(x+y)}{\cos(x-y)} \equiv \dfrac{1-\tan x \tan y}{1+\tan x \tan y}$.

3. $\dfrac{\cos(x+y)}{\sin x \cos y} \equiv \cot x - \tan y$.

4. $\dfrac{\cos(x-y)}{\cos x \sin y} \equiv \tan x + \cot y$.

5. $\cos 2A \equiv \dfrac{2-\sec^2 A}{\sec^2 A}$.

6. $\sec 2A \equiv \dfrac{\csc^2 A}{\csc^2 A - 2}$.

7. $\sin 2A \equiv \dfrac{2\tan A}{1+\tan^2 A}$.

8. $\dfrac{\sin 3A - \sin A}{\cos 3A + \cos A} \equiv \tan A$.

9. Express $\sin(3x/4)$, $\cos(3x/4)$, and $\tan(3x/4)$ in terms of $\cos(3x/2)$.

10. Express $\sin(3x/4)$, $\cos(3x/4)$, and $\tan(3x/4)$ in terms of the trigonometric ratios of $3x/8$.

Prove each of the following identities:

11. $(\sin A + \cos A)^2 \equiv 1 + \sin 2A$.

12. $(\sin A - \cos A)^2 \equiv 1 - \sin 2A$.

13. $\tan A + \cot A \equiv 2\csc 2A$.

14. $\cot A - \tan A \equiv 2\cot 2A$.

15. $\dfrac{\tan A + \tan B}{\cot A + \cot B} \equiv \tan A \tan B$.

16. Given $\sin A = 2/3$, $\cos B = 1/2$, to find (1) $\sin(A+B)$, $\sin(A-B)$, $\cos(A+B)$, $\cos(A-B)$, $\sin 2A$, $\cos 2A$, $\sin 2B$, $\cos 2B$; (2) $\tan(A+B)$, $\cot(A+B)$, $\tan(A-B)$, $\cot(A-B)$, $\tan 2A$, $\cot 2A$, $\tan 2B$, $\cot 2B$.

Prove each of the following identities:

17. $\dfrac{\cot A + \cot B}{\cot A - \cot B} \equiv \csc(B-A)\sin(B+A)$.

18. $\dfrac{\sin(A+B)\sin(A-B)}{\cos^2 A\cos^2 B} \equiv \tan^2 A - \tan^2 B.$

19. $\dfrac{\tan^2 A - \tan^2 B}{1-\tan^2 A\tan^2 B} \equiv \tan(A+B)\tan(A-B).$

20. $\sqrt{2}\sin(A \pm 45°) \equiv \sin A \pm \cos A.$

21. $2\sin(45° - A)\cos(45° + B) \equiv \cos(A-B) - \sin(A+B).$

22. $2\sin(45° + A)\cos(45° + B) \equiv \cos(A+B) + \sin(A-B).$

23. $2\sin(45° + A)\cos(45° - B) \equiv \cos(A-B) + \sin(A+B).$

24. $\cot(A+45°) \equiv \dfrac{\cot A - 1}{\cot A + 1} \equiv \sqrt{\dfrac{1-\sin 2A}{1+\sin 2A}} \equiv \dfrac{1-\sin 2A}{\cos 2A}.$

25. $\cot(A-45°) \equiv \dfrac{\cot A + 1}{1-\cot A} \equiv \dfrac{\tan A + 1}{\tan A - 1}.$

26. $\tan(A \pm 45°) + \cot(A \mp 45°) \equiv 0.$

27. $\sin 9x - \sin 7x \equiv 2\cos 8x \sin x.$

28. $\cos 7x + \cos 5x \equiv 2\cos 6x \cos x.$

29. $\dfrac{\sin 3x - \sin x}{\cos x - \cos 3x} \equiv \cot 2x.$

30. $\dfrac{\sin 5x - \sin 2x}{\cos 2x - \cos 5x} \equiv \cot\dfrac{7x}{2}.$

31. $\dfrac{\sin A + \sin B}{\cos A - \cos B} \equiv \dfrac{\cos A + \cos B}{\sin B - \sin A}.$

32. $\tan(x/2 + 45°) \equiv \tan x + \sec x.$

33. Find $\sin A$ and $\cos A$ when they are proportional to any two real numbers, as a and b.

$$\frac{\sin^2 A}{a^2} = \frac{\cos^2 A}{b^2} = \frac{\sin^2 A + \cos^2 A}{a^2 + b^2} = \frac{1}{a^2+b^2}.$$

$$\therefore \sin A = \pm a/\sqrt{a^2+b^2},\ \cos A = \pm b/\sqrt{a^2+b^2}.$$

34. Find $\sin A$ and $\cos A$ when they are proportional to 3 and 4.

35. Find $\cos A$, $\cos B$, and $\cos C$, when they are proportional to any three real numbers, as a, b, and c, and

$$\cos^2 A + \cos^2 B + \cos^2 C = 1.$$

$$\frac{\cos^2 A}{a^2} = \frac{\cos^2 B}{b^2} = \frac{\cos^2 C}{c^2} = \frac{\cos^2 A + \cos^2 B + \cos^2 C}{a^2+b^2+c^2} = \frac{1}{a^2+b^2+c^2}, \text{ etc.}$$

CHAPTER IV

SOLUTION OF RIGHT TRIANGLES WITH LOGARITHMS

41. In Chapter I, right triangles were solved without logarithms. In general, however, arithmetic computations are much abbreviated by using logarithms. It is assumed that the student is already familiar with the theory of logarithms from the study of Algebra; but to bring to mind those properties of logarithms which adapt them to shortening arithmetic computations, a brief review is given below.

42. **Logarithms.** If $a^x = N,$ (1)

then x, the exponent of a, is called *the logarithm of* **N** *to the base* **a**, which is written in symbols

$$x = \log_a N. \tag{2}$$

Equations (1) and (2) are equivalent; (2) is the *logarithmic* form of writing the relation between a, x, and N given in (1).

E.g., since $3^2 = 9$, 2 is the logarithm of 9 to the base 3; *i.e.* $+2 = \log_3 9$.

Since $2^{-3} = 1/8$, $-3 = \log_2 (1/8)$.

Since $4^{3/2} = 8$, $+3/2 = \log_4 8$.

Ex. 1. Express in the logarithmic form each of the following relations:

$3^4 = 81$, $4^3 = 64$, $6^3 = 216$, $n^c = b$, $5^{-3} = 1/125$, $3^{-5} = 1/243$.

Ex. 2. Express in the exponential form each of the following relations:

$\log_5 125 = 3$, $\log_2 32 = 5$, $\log_4 64 = 3$,

$\log_c M = b$, $\log_2 (1/16) = -4$.

Ex. 3. When the base is 10, what is the logarithm of 1? 10? 100? 1000? 10000? 100000? 0.1? 0.01? 0.001? 0.0001? 0.00001?

Ex. 4. What is the number when the base is 10 and the logarithm is 0? 1? 2? 3? -1? -2? -3? -4?

43. **Properties of logarithms.** Since *logarithms* are *exponents*, from the general laws of exponents we obtain the following *general properties of logarithms to any base.*

(i) *The logarithm of the* **product** *of two or more arithmetic numbers is equal to the* **sum** *of the logarithms of the factors.*

Let $M = a^x, \ N = a^y.$

Then $M \times N = a^{x+y}.$

Hence $\log_a (M \times N) = x + y = \log_a M + \log_a N.$

(ii) *The logarithm of the* **quotient** *of two arithmetic numbers is equal to the logarithm of the dividend* **minus** *the logarithm of the divisor.*

Let $M = a^x, \ N = a^y.$

Then $M \div N = a^{x-y}.$

Hence $\log_a (M \div N) = x - y = \log_a M - \log_a N.$

(iii) *The logarithm of any* **power** *of an arithmetic number is equal to the logarithm of the number* **multiplied** *by the exponent of the power.*

Let $M = a^x.$

Then, for all real values of p, we have

$$M^p = a^{px}.$$

Hence $$\log_a (M^p) = px = p \log_a M. \qquad (1)$$

If $p = 1/r$, from (1) it follows that

(iv) *The logarithm of any* **root** *of an arithmetic number is equal to the logarithm of the number* **divided** *by the index of the root.*

An expression is said to be *adapted to logarithmic computation* when it involves only *products, quotients, powers,* or *roots.*

E.g., $x^c y^{1/r} / z^8$ is *adapted to logarithmic computation;* for we have

$$\log_a (x^c y^{1/r} / z^8) = c \log_a x + (1/r) \log_a y - 8 \log_a z. \qquad (1)$$

Observe that only the *arithmetic* value of a product, quotient, power, or root is obtained by logarithms; the quality must be determined by the *laws of quality.*

Logarithms do not aid in the operation of addition or of subtraction. But when, as in formulas [19] ··· [22], a sum or a difference is identical with a product, the sum or difference can be obtained by computing the product.

E.g., $\log_a(x^2 - y^2) = \log_a[(x + y)(x - y)] = \log_a(x + y) + \log_a(x - y)$.

44. **Common logarithms.** The logarithms used for *abridging arithmetic computations* are those to the base 10; for this reason logarithms to the base 10 are called *common logarithms.*

Thus the common logarithm of a number answers the question, *What power of* 10 *is the number?*

Most numbers are incommensurable powers of 10; hence most common logarithms are incommensurable numbers, whose approximate values we usually express decimally.

E.g., the *common* logarithm

of any number between 10 and 100 lies between +1 and +2;
of any number between 1 and 10 lies between 0 and +1;
of any number between 0.1 and 1 lies between −1 and 0;
of any number between 0.01 and 0.1 lies between −2 and −1; etc.

Hence the common logarithm

of any number between 10 and 100 is +1 + a *positive* decimal;
of any number between 1 and 10 is 0 + a *positive* decimal;
of any number between 0.1 and 1 is −1 + a *positive* decimal;
of any number between 0.01 and 0.1 is −2 + a *positive* decimal.

45. **Characteristic and mantissa.** A logarithm is said to be in the *type form* when it is expressed as the sum of an *integer*, positive or negative, and a *positive decimal fraction;* in this form the integer is called the **characteristic**, and the fraction the **mantissa.**

In the following pages, when no base is written the base 10 is understood.

A negative characteristic, as −1, is usually written in the form 1 or $9 - 10$; −2 in the form $\bar{2}$ or $8 - 10$; etc.

The second form, which is usually the more convenient for negative characteristics, is sometimes used even when the characteristic is positive.

E.g., $\log 434.1 = 2.63759$; $+2$ is the characteristic and $+.63759$ is the mantissa; $\log 0.0769 = \bar{2}.88593$, or $8.88593 - 10$; -2, or $8 - 10$, is the characteristic, and $+.88593$ is the mantissa.

In the first form of writing a negative characteristic, the sign $-$ is written above the characteristic to show that this sign affects the characteristic only. One practical advantage of the second form is that we can make the *positive* part of any logarithm as large as we please, or the *negative* part any multiple of 10 we please.

E.g., $\log 0.0769 = \bar{2}.88593 = 8.88593 - 10 = 18.88593 - 20 = \cdots$.
Also, $\log 434.1 = 2.63759 = 12.63759 - 10 = 22.63759 - 20 = \cdots$.

46. The **characteristic of the common logarithm** of a number is found by the following simple rule:

Calling **units'** *place the* **zero***th place, if the first significant figure in any number* **M** *is in the* **n***th place, then the characteristic of log* **M** *is* $+\mathbf{n}$ *or* $-\mathbf{n}$, *according as this first figure is to the left or to the right of units' place.*

E.g., when the first significant figure of a number, as 5348, is in the third place to the left of units' place, then the number lies between 10^3 and 10^4; hence its common logarithm is $+3$ + a mantissa.

Again, when the first significant figure of a number, as 0.00071, is in the fourth place to the right of units' place, then the number lies between 10^{-4} and 10^{-3}; hence its common logarithm is -4 + a mantissa.

Let the first significant figure in the number M be in the nth place to the left of units' place; then M lies between 10^n and 10^{n+1}; that is,

$$M = 10^{n + \text{a positive decimal.}}$$

$$\therefore \log M = {}^{+}n + \text{a mantissa.}$$

Again, let the first significant figure in the number M be in the nth place to the right of units' place; then M lies between 10^{-n} and $10^{-(n-1)}$; that is,

$$M = 10^{-n + \text{a positive decimal.}}$$

$$\therefore \log M = {}^{-}n + \text{a mantissa.}$$

47. *If the expressions of two numbers differ only in the position of the decimal point, the two numbers have the same mantissa.*

When, in the expression of a number, a change is made in the position of the decimal point, the number is multiplied or divided by some entire power of 10; that is, an integer is added to or subtracted from its logarithm; therefore *its mantissa is not changed.*

E.g., $34.271 \times 10^3 = 34271.$

$\therefore \log 34.271 + 3 = \log 34271.$ § 43, (i)

Hence the mantissa for 34.271 equals the mantissa for 34271.

48. A convenient **formula for computing the common logarithms** of whole numbers is

$$\log (z+1) \equiv \log z + 2m\left(\frac{1}{2z+1} + \frac{1}{3(2z+1)^3} + \cdots\right) \quad \text{(a)}$$

where $m = 0.434294$, and z is any whole number.

For the proof of identity (a) see § 97 in Taylor's Calculus or § 322 in Taylor's College Algebra.

To compute $\log 2$, put $z = 1$ in (a); to compute $\log 3$, put $z = 2$; to compute $\log 4$, we have $\log 4 = 2 \log 2$; to compute $\log 5$, put $z = 4$; and so on.

The series in (a) converges more and more rapidly as z increases.

NOTE. Before proceeding farther in this chapter, the student should familiarize himself with the use of logarithmic tables, both of natural numbers and of the trigonometric ratios of angles.

An explanation of the tables will be found in the introduction to them.




FIG. 30

49. **Right-angled triangles.** Review § 13.

Case (i). EX. 1. In the right triangle ABC, $A = 48°\ 17'$, and $AB = 324$ ft.; solve the triangle.

Given $\begin{cases} A = 48^\circ\ 17', \\ c = 324\,; \end{cases}$ to find $\begin{cases} B = 41^\circ\ 43', \\ a = 241.85, \\ b = 215.6. \end{cases}$

Construct the triangle ABC, having the given parts.

Formulas $\begin{cases} B = 90' - A = 41^\circ\ 43', \\ a = c \sin A, \\ b = c \cos A. \end{cases}$

Logarithmic formulas $\begin{cases} \log a = \log c + \log \sin A, \\ \log b = \log c + \log \cos A. \end{cases}$

$$\begin{array}{rr} \log c = 2.51055 & \log c = 2.51055 \\ \log \sin A = \underline{9.87300 - 10} & \log \cos A = \underline{9.82311 - 10} \\ \therefore \log a = 2.38355 & \therefore \log b = 2.33366 \\ \therefore a = 241.85. & \therefore b = 215.6. \end{array}$$

In Chapter I we *checked*, or *verified*, the calculated values by construction and measurement. But these values are more usually checked, or tested, by using some known relation between the sides and angles which has not been employed in solving the triangle. Thus, in the example above, we might use either the relation $a^2 = c^2 - b^2$ or $\tan A = a/b$ as a check; but the former is the better.

Check. $a^2 = (c + b)(c - b)$.

Here $c + b = 539.6$,
$c - b = 108.4$.

$$\begin{array}{rr} \log (c + b) = 2.73207 \\ \log (c - b) = \underline{2.03503} \\ \therefore \log a = 4.76710/2 \\ = 2.38355. \end{array}$$

As this value of $\log a$ is the same as that obtained in the solution above, the answers are probably correct to four figures.

Before using the tables the student should *make a complete outline of the computation* (such as he would have by erasing the second members of the equations following the logarithmic formulas).

NOTE 1. The direction above enables the student to save time by writing at once all the logarithms that are found at one place in the table. Thus we find $\log \sin A$ and $\log \cos A$ at the same time; then having both $\log a$ and $\log b$, we next find a and b.

NOTE 2. When the student has become familiar with logarithmic computations, he need not write the logarithmic formulas. By a glance

at the trigonometric formulas he will know how to combine the logarithms in the computation and can arrange his work accordingly.

NOTE 3. As a check formula, we use $a^2 = (c + b)(c - b)$ or $b^2 = (c + a)(c - a)$, according as $c - b$ or $c - a$ is the greater.




FIG. 31

Case (ii). Ex. 2. In the right triangle ABC, $AB = 18.7$ ft. and $CB = 16.98$ ft.; solve the triangle.

Given $\begin{cases} c = 18.7, \\ a = 16.98; \end{cases}$ to find $\begin{cases} A = 65^\circ\ 14', \\ B = 24^\circ\ 46', \\ b = 7.8339. \end{cases}$

Construct the triangle ABC, having the given parts.

Formulas $\begin{cases} \sin A = a/c, \\ B = 90^\circ - A, \\ b = a \cot A. \end{cases}$

Logarithmic formulas $\begin{cases} \log \sin A = \log a - \log c, \\ \log b = \log a + \log \cot A. \end{cases}$

$$\begin{array}{rr} \log a = 11.22994 - 10 & \log a = 1.22994 \\ \log c = \underline{1.27184} & \log \cot A = \underline{9.66404 - 10} \\ \log \sin A = 9.95810 - 10 & \therefore \log b = 0.89398 \\ \therefore A = 65^\circ\ 14', \ \therefore B = 24^\circ\ 46'. & \therefore b = 7.834. \end{array}$$

Check. $a^2 = (c + b)(c - b)$.

Here $\begin{array}{l} c + b = 26.534, \\ c - b = 10.866. \end{array}$

$$\begin{array}{rl} \log (c + b) & = 1.42380 \\ \log (c - b) & = \underline{1.03607} \\ \therefore \log a & = 2.45987/2 \\ & = 1.22994. \end{array}$$

As this value of $\log a$ is the same as that obtained from the table, the answers are probably correct to four places.

Ex. 3. Given $\begin{cases} a = 194.5, \\ b = 233.5; \end{cases}$

to find $\begin{cases} A = 39^\circ\ 47'\ 36'', \\ B = 50^\circ\ 12'\ 24'', \\ c = 303.9. \end{cases}$




FIG. 32

Construct triangle ABC, having the given parts.

Formulas $\begin{cases} \tan A = a/b, \\ B = 90^\circ - A, \\ c = b \sec A = b/\cos A. \end{cases}$

$$\log a = 12.28892 - 10 \qquad \log b = 12.36829 - 10$$
$$\log b = \underline{\ 2.36829\ } \qquad \log \cos A = \underline{\ 9.88557 - 10\ }$$
$$\log \tan A = \ 9.92063 - 10 \qquad \therefore \log c = \ 2.48272$$
$$\therefore A = 39^\circ\ 47'\ 36''. \qquad \therefore c = 303.89.$$
$$\therefore B = 50^\circ\ 12'\ 24''. .$$

Observe that the subtraction above is simplified by writing the characteristic 2 of $\log a$ and $\log b$ in the form $12 - 10$, and the characteristic 1 of $\log \cos A$ in the form $9 - 10$.

Check. $b^2 = (c + a)(c - a)$.

Here $c + a = 498.4$,
$c - a = 109.4$.

$$\log (c + a) = 2.69758$$
$$\log (c - a) = \underline{2.03902}$$
$$\therefore \log b = \underline{4.73660}\,/2$$
$$= 2.36830.$$

As this computed value of $\log b$ differs by only .00001 from that found in the table, the computed parts are probably correct to four places.

EXERCISE XVII

Solve the triangle ABC, having given:

1. $B = 67^\circ$, $a = 5$.
2. $A = 38^\circ$, $a = 8.09$.
3. $A = 15^\circ$, $c = 7$.
4. $B = 50^\circ$, $b = 20$.
5. $a = 0.35$, $c = 0.62$.
6. $a = 273$, $b = 418$.
7. $b = 58.6$, $c = 76.3$.
8. $A = 9^\circ$, $b = 937$.
9. $a = 3.414$, $b = 2.875$.
10. $A = 46^\circ\ 23'$, $c = 5278.6$.
11. $a = 529.3$, $c = 902.7$.
12. $B = 23^\circ\ 9'$, $b = 75.48$.
13. $B = 18^\circ\ 38'$, $c = 2.5432$.
14. $A = 31^\circ\ 45'$, $a = 48.04$.
15. $b = 617.57$, $c = 729.59$.
16. $B = 82^\circ\ 6'\ 18''$, $a = 89.32$.

50. **Isosceles triangles.** In an isosceles triangle the perpendicular from the vertex to the base divides the isosceles triangle into two equal right triangles. Hence any two parts which determine one of these right triangles determine also the isosceles triangle.

In this and the next article we shall use the following notation in isosceles triangles:

r = one of the equal sides,
c = base,
h = altitude,
A = one of the equal angles,
C = angle at the vertex,
Q = area of the triangle.




FIG. 33

Ex. 1. Given r and c; to find A, C, h, and Q.

$$A = \cos^{-1}(c/2r), \quad C = 180° - 2A,$$
$$h = \sqrt{r^2 - (c/2)^2} = \sqrt{(r + c/2)(r - c/2)}.$$

Also, $h = r \sin A$ or $h = (c/2) \tan A$.

$$Q = ch/2.$$

51. **Regular polygons.** Lines drawn from the center of a regular polygon of n sides to the vertices divide the polygon into n equal isosceles triangles; and the perpendiculars from the center to the sides of the polygon divide these n equal isosceles triangles into $2n$ equal right triangles.

Hence any two parts which determine one of these equal right triangles determine also the regular polygon.

Using the notation given in fig. 34, we have

$$C/2 = 360°/(2n) = 180°/n.$$

If p = the perimeter of the polygon and F = the area, we have

$$p = nc, \quad F = ph/2.$$

CA, or r, is the radius of the circumscribed circle and CD, or h, is the radius of the inscribed circle.




FIG. 34

EXERCISE XVIII

In an isosceles triangle, having given:

1. c and A; find C, r, h.

2. h and C; find A, r, c.

3. c and h; find A, C, r.

4. $c = 2.352$, $C = 69° 49'$; find r, h, A, Q.

5. $h = 7.4847$, $A = 76° 14'$; find r, c, C, Q.

6. A barn is 40×80 ft., the pitch of the roof is $45°$; find the length of the rafters and the area of both sides of the roof, the horizontal projection of the cornice being 1 ft.

7. One side of a regular decagon is 1; find r, h, F.

8. The perimeter of a regular dodecagon is 70; find r, h, F.

9. In a regular octagon $h = 1$; find r, c, F.

10. The area of a regular heptagon is 7; find r, h, p.

11. The side of a regular octagon is 24 ft.; find h and r; also find the difference between the areas of the octagon and the inscribed circle, and the difference between the areas of the octagon and the circumscribed circle.

12. The side of a regular heptagon is 14 ft.; find the magnitudes as in example 11.

13. Each side of a regular polygon of n sides is c; show that the radius of the circumscribed circle is equal to $(c/2) \csc (180°/n)$, and the radius of the inscribed circle is equal to $(c/2) \cot (180°/n)$.

14. The radius of a circle is k; show that each side of a regular inscribed polygon of n sides is $2k \sin (180°/n)$, and that each side of a regular circumscribed polygon is $2k \tan (180°/n)$.

15. The area of a regular polygon of sixteen sides inscribed in a circle is 100 sq. in.; find the area of a regular polygon of fifteen sides inscribed in the same circle.

16. The radius of a circle is 10; find the area between the perimeters of two regular polygons of thirty-six sides each, one circumscribing the circle and the other inscribed in it.

CHAPTER V

SOLUTION OF TRIANGLES IN GENERAL

52. The two following relations which the sides of any triangle bear to the sines and cosines of its angles are fundamental in the study and solution of triangles. They are called the *law of sines* and the *law of cosines* respectively.

Law of sines. *The sides of a triangle are proportional to the sines of their opposite angles.*




FIG. 35

Let A, B, C denote the *numerical* measures of the angles of the triangle ABC, and a, b, c the *numerical* measures of its sides.

From C draw $CD \perp BA$, or BA produced.

In fig. x, A is acute; in fig. y, A is obtuse.

In each figure we have

by § 7, $$\sin B = p/a, \tag{1}$$

by § 21, $$\sin A = DC/AC = p/b. \tag{2}$$

Dividing the members of (2) by those of (1), we obtain

$$\sin A/\sin B = a/b, \text{ or } a/\sin A = b/\sin B. \tag{3}$$

Similarly, or by symmetry from (3), we obtain

$$a/\sin A = c/\sin C, \text{ or } b/\sin B = c/\sin C.$$

Hence $$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}. \qquad [23]$$

Observe that if $C = 90°$, $\sin C = 1$ and [23] gives

$$a/c = \sin A \text{ and } b/c = \sin B,$$

which are the known relations in the right-angled triangle.

In § 62 each ratio in [23] will be shown *to be equal to the diameter of the circle circumscribed about the triangle* ABC.

Law of cosines. *In any triangle the square of any side is equal to the sum of the squares of the other two sides minus twice the product of these two sides into the cosine of their included angle.*

In figures 35 regard AD, DB, and AB as *directed* lines. Then in each figure we have

$$AD + DB = AB; \quad \therefore DB = c - AD. \qquad (1)$$

Squaring both members of (1) and adding p^2, we obtain

$$(\overline{DB}^2 + p^2) = c^2 + (\overline{AD}^2 + p^2) - 2\,c \cdot AD. \qquad (2)$$

In each figure $\overline{DB}^2 + p^2 = a^2$, $\overline{AD}^2 + p^2 = b^2$,

and $$AD/AC = \cos A.$$

Whence $$AD = b \cos A.$$

Substituting these values in (2), we obtain

$$\mathbf{a^2 = b^2 + c^2 - 2\,bc \cos A.} \qquad [24]$$

Similarly, or by symmetry from [24], we obtain

$$b^2 = a^2 + c^2 - 2\,ac \cos B, \qquad (1)$$

$$c^2 = a^2 + b^2 - 2\,ab \cos C. \qquad (2)$$

Observe that if $A = 90°$, [24] becomes $a^2 = b^2 + c^2$, which is the known relation between the sides when $A = 90°$.

Solving [24] for $\cos A$, (1) for $\cos B$, etc., we obtain

$$\mathbf{\cos A = \frac{b^2 + c^2 - a^2}{2\,bc}, \quad \cos B = \frac{a^2 + c^2 - b^2}{2\,ac}}, \text{ etc.} \qquad [25]$$

The form of the law of cosines in [25] is useful in finding any angle of a triangle from its sides.

53. If of the six parts of any triangle we have given any *three* (*one*, at least, being a *side*), the triangle, as we know by Geometry, is *determined* and can be *constructed*. Hence, in the numerical *solution* of triangles by Trigonometry, we must consider the following *four* cases, the given parts being:

(i) *One side and two angles.*

(ii) *Two sides and the angle* **opposite** *one of them.*

(iii) *Two sides and their* **included** *angle.*

(iv) *Three sides.*

In solving triangles we frequently use the two following geometric properties of triangles:

I. *The sum of the three angles is equal to* 180°.

II. *The greater angle is opposite the greater side, and* vice versa.

54. Cases (i) and (ii). If two of the three known parts of a triangle are a *side* and its *opposite angle*, a fourth part can evidently be found by the law of sines.

Hence cases (i) and (ii) can be solved by the properties I and II in § 53 and the law of sines.

Ex. 1. Given $\begin{cases} A = 65°, \\ B = 40°, \\ a = 50; \end{cases}$ to find $\begin{cases} C = 75°, \\ b = 35.46, \\ c = 53.29. \end{cases}$




FIG. 36

Construct the triangle BAC having the given parts.

Formulas $\begin{cases} C = 180° - (A + B) = 75°, \\ b = a \sin B / \sin A, & (1) \\ c = a \sin C / \sin A. & (2) \end{cases}$

Using the table in § 5, we obtain from (1) and (2),

$$b = 50 \sin 40° / \sin 65°$$
$$= 50 \times 0.6428 / 0.9063 = 35.46,$$

and $$c = 50 \times 0.9659 / 0.9063 = 53.29.$$

Check. By construction and measurement.

Ex. 2. Given $A = 50°$, $C = 65°$, $c = 30$; find B, a, b.

Ex. 3. Given $\begin{cases} A = 60°, \\ a = 3\sqrt{2}, \\ b = 2\sqrt{3} \end{cases}$ to find $\begin{cases} B = 45°, \\ C = 75°, \\ c = 4.73. \end{cases}$

Construct the triangle ABC, having the given parts.

Observe that only *one* such triangle can be constructed.




FIG. 37

Formulas $\begin{cases} \sin B = b \sin A / a, & (1) \\ C = 180° - (A + B), \\ c = a \sin C / \sin A. & (2) \end{cases}$

Since $b < a$, $B < A$, *i.e.* $B < 60°$.

From (1), $$\sin B = \frac{2\sqrt{3}}{3\sqrt{2}} \sin 60° = \frac{\sqrt{2}}{2}.$$

Hence, by § 10, $B = 45°$, since $B < 60°$.

$$C = 180° - (A + B) = 180° - 105° = 75°.$$

From (2), $$c = 3\sqrt{2} \times 0.9659 \div (\sqrt{3}/2) = 4.73.$$

Check. By construction and measurement.

Ex. 4. If $C = 60°$, $a = 2$, $c = \sqrt{6}$, find b, A, B.

Ex. 5. If $A = 30°$, $a = 9$, $b = 6$, find B, C, c, having given $\sin 19° 28' = 1/3$ and $\sin 130° 32' = 0.76$.

55. Cases (iii) and (iv). If *two sides* of a triangle and their *included angle* are known, the *third* side can be found by [24]; if the *three sides* are known, *each angle* can be found by [25]. Hence cases (iii) and (iv) can be solved by the law of cosines.

Ex. 1. Given $\begin{cases} A = 60°, \\ b = 8, \\ c = 5; \end{cases}$ to find $\begin{cases} a = 7, \\ B = \cos^{-1}(1/7), \\ C = \cos^{-1}(11/14). \end{cases}$

Formulas
$$\begin{cases} a^2 = b^2 + c^2 - 2bc\cos A, & (1) \\ \cos B = (a^2 + c^2 - b^2)/(2ac), & (2) \\ \cos C = (a^2 + b^2 - c^2)/(2ab). & (3) \end{cases}$$

From (1), $a^2 = 8^2 + 5^2 - 2 \cdot 8 \cdot 5 \cdot (1/2) = 49.$

From (2), $\cos B = (7^2 + 5^2 - 8^2)/(2 \cdot 7 \cdot 5) = 1/7.$

From (3), $\cos C = (7^2 + 8^2 - 5^2)/(2 \cdot 7 \cdot 8) = 11/14.$

$\therefore a = 7, \quad B = \cos^{-1}(1/7), \quad C = \cos^{-1}(11/14).$

Check. By construction and measurement.

Ex. 2. If $a = 7$, $b = 3$, $c = 5$, find A, B, C, having given $11/14 = \cos 38° 13'$, $13/14 = \cos 21° 47'$.

$$\cos A = \frac{b^2 + c^2 - a^2}{2bc} = \frac{3^2 + 5^2 - 7^2}{2 \cdot 3 \cdot 5} = -\frac{1}{2}.$$

$$\cos B = \frac{a^2 + c^2 - b^2}{2ac} = \frac{7^2 + 5^2 - 3^2}{2 \cdot 7 \cdot 5} = \frac{13}{14}.$$

$$\cos C = \frac{a^2 + b^2 - c^2}{2ab} = \frac{7^2 + 3^2 - 5^2}{2 \cdot 7 \cdot 3} = \frac{11}{14}.$$

$\therefore A = 120°, \quad B = 21° 47', \quad C = 38° 13'.$

Check. $A + B + C = 120° + 21° 47' + 38° 13' = 180°.$

Ex. 3. If $a = 2$, $b = 3$, $c = 4$, find A, B, C, having given $7/8 = \cos 28° 57'$, $11/16 = \cos 46° 34'$, $1/4 = \cos 75° 31'$.

56. Since the law of cosines involves *sums*, it is not adapted to computation by logarithms. Hence, to solve cases (iii) and (iv) by logarithms, we must deduce other formulas, one of which is the law of tangents below.

Law of tangents. *The sum of any two sides of a triangle is to their difference as the tangent of half the sum of their opposite angles is to the tangent of half their difference.*

From the law of sines, we have

$$a/b = \sin A / \sin B. \qquad (1)$$

By principles of proportion, from (1), we obtain

$$\frac{a+b}{a-b} = \frac{\sin A + \sin B}{\sin A - \sin B}$$

$$= \frac{2\sin\frac{1}{2}(A+B)\cos\frac{1}{2}(A-B)}{2\cos\frac{1}{2}(A+B)\sin\frac{1}{2}(A-B)} \quad \text{by [19], [20]}$$

$$= \tan\tfrac{1}{2}(A+B)/\tan\tfrac{1}{2}(A-B). \qquad [26]$$

Since $\tan\frac{1}{2}(A+B) = \tan\frac{1}{2}(180^\circ - C)$

$$= \tan(90^\circ - C/2) = \cot(C/2),$$

from [26] we obtain

$$\tan\frac{A-B}{2} = \frac{a-b}{a+b}\cot\frac{C}{2}. \qquad [27]$$

As a check, [26] is the more convenient form, while for solving triangles, [27] is the preferable form of this law.

Example. If $a = \sqrt{3}$, $b = 1$, $C = 30^\circ$, find A, B, c, having given

$$\cot 15^\circ = (\sqrt{3}+1)/(\sqrt{3}-1).$$

By [27], $$\tan\frac{A-B}{2} = \frac{a-b}{a+b}\cot\frac{C}{2}$$

$$= \frac{\sqrt{3}-1}{\sqrt{3}+1}\cot 15^\circ = 1.$$

Hence $\frac{1}{2}(A-B) = 45^\circ$. (1)

Also, $\frac{1}{2}(A+B) = \frac{1}{2}(180^\circ - C) = 75^\circ$. (2)

Adding (1) and (2), $A = 120^\circ$.

Subtracting (1) from (2), $B = 30^\circ$.

Since $C = B$, we have $c = b = 1$.

Check. By construction and measurement.

SOLUTION OF OBLIQUE TRIANGLES WITH LOGARITHMS

57. Case (i) Given one side and two angles.

Ex. 1. Given $\begin{cases} a = 180, \\ A = 38^\circ, \\ B = 75^\circ\,43'; \end{cases}$ to find $\begin{cases} C = 66^\circ\,17', \\ b = 283.33, \\ c = 267.68. \end{cases}$

Construct triangle ABC, having the given parts.

Formulas
$$\begin{cases} C = 180° - (A + B) = 66° 17', \\ b = a \sin B / \sin A, \\ c = a \sin C / \sin A. \end{cases}$$

Logarithmic formulas
$$\begin{cases} \log b = \log a + \log \sin B - \log \sin A, \\ \log c = \log a + \log \sin C - \log \sin A. \end{cases}$$




FIG. 38

$\log a = 2.25527$	$\log a = 2.25527$
$\log \sin B = \underline{9.98636 - 10}$	$\log \sin C = \underline{9.96168 - 10}$
$\therefore \log (a \sin B) = 12.24163 - 10$	$\therefore \log (a \sin C) = 12.21695 - 10$
$\log \sin A = \underline{9.78934 - 10}$	$\log \sin A = \underline{9.78934 - 10}$
$\therefore \log b = 2.45229$	$\therefore \log c = 2.42761$
$\therefore b = 283.33$	$\therefore c = 267.68$

Check.
$$\frac{b + a}{b - a} = \frac{\tan \frac{1}{2}(B + A)}{\tan \frac{1}{2}(B - A)}. \qquad (1)$$

$b + a = 463.33.$	$(B + A)/2 = 56° 51' 30''.$
$b - a = 103.33.$	$(B - A)/2 = 18° 51' 30''.$
$\log (b + a) = 2.66589$	$\log \tan \frac{1}{2}(B + A) = 10.18514 - 10$
$\log (b - a) = \underline{2.01423}$	$\log \tan \frac{1}{2}(B - A) = \underline{9.53347 - 10}$
$\log \text{quotient} = .65166$	$\log \text{quotient} = .65167$

As the logarithms of the two members of (1) differ by only 1 in the fifth place, the value of b is correct to four places.

Similarly we can check the value of c.

EXERCISE XIX

Solve each of the following triangles:

1. Given $B = 60° 15'$, $C = 54° 30'$, $a = 100$.

2. Given $A = 45° 41'$, $C = 62° 5'$, $b = 100$.

3. Given $B = 70° 30'$, $C = 78° 10'$, $a = 102$.

4. Given $A = 55°$, $B = 65°$, $c = 270$.

5. Given $a = 123$, $B = 29° 17'$, $C = 135°$.

6. Given $b = 1006.62$, $A = 44°$, $C = 70°$.

7. A ship S can be seen from each of two points A and B on the shore. By measurement, $AB = 800$ ft., $\angle SAB = 67° 43'$, and $\angle SBA = 74° 21' 16''$. Find the distance of the ship from A.

8. A flag pole A is observed from two points B and C, 1863 ft. apart. Given $\angle BCA = 36° 43'$ and $\angle CBA = 57° 21'$, find the distance of the flag pole from the nearer point.

9. To determine the distance of a hostile fort A from a place B, a line BC and the angles ABC and BCA were measured and found to be 322.55 yd., $60° 34'$, and $56° 10'$ respectively. Find the distance AB.

10. A balloon is directly over a straight level road, and between two points on the road from which it is observed. The points are 15847 ft. apart, and the angles of elevation are found to be $49° 12'$ and $53° 29'$ respectively. Find the distance of the balloon from each point of observation.

11. To find the distance from a point A to a point B on the opposite side of a river, a line AC and the angles CAB and ACB were measured and found to be 315.32 ft., $58° 43'$, and $57° 13'$ respectively. Find the distance AB.

12. From points A and B, at the bow and stern of a ship respectively, the foremast, C, of another ship is observed. The points A and B are 300 ft. apart; the angles ABC and BAC are found to be $65° 31'$ and $110° 46'$ respectively. What is the distance between the points A and C of the two ships?

58. Case (ii). **Given two sides and an angle opposite one of them.** Let a, b, A be the given parts. Then, to find B, C, c, we have

$$\sin B = b \sin A / a, \qquad (1)$$
$$C = 180° - (A + B),$$
$$c = a \sin C / \sin A.$$

Since two supplementary angles have the same sine (§ 30), the relation in (1) gives in general two values for B, both of which are to be taken unless one is excluded by some geometric property of triangles, as I or II in § 53.

We have to consider the three following cases:

I, when $a > b$; II, when $a = b$; III, when $a < b$.

I. *When* **a > b** *and* A *is acute or obtuse, then* A > B; *hence* B is **acute**, *and there is but one triangle having the given parts.*

II. *When* **a = b** *and* A *is acute, then* A = B; *hence* B *is* **acute** *and the triangle is isosceles.*

In this case the triangle can be solved by the method in § 50 or by the law of sines and the relation $A + B + C = 180°$.

If $a = b$ and $A =$ or $> 90°$, the triangle is impossible. Why?

NOTE. Example 1 below and the first three examples in Exercise XX may be solved before Case III is considered.




FIG. 39

III. *When* **a < b** *and* A *is acute, there are* **two** *triangles,* **one,** *or* **no** *triangle, having the given parts, according as* **a >, =,** *or* **< b sin A.**

Geometric proof. In each figure, let $\angle XAC = A$ and $AC = b$.

Draw $CD \perp AX$; then in each figure **CD = b sin A.**

With C as a center and a as a radius, describe the arc mn.

If $a > b \sin A$ (*i.e.* if $a > CD$), the arc mn will cut AX (fig. x) in two points, B_1 and B_2, on the side of A toward D, and there will be two unequal triangles having the parts a, b, A, *viz.*, the triangles ACB_1 and ACB_2. Hence B has the two values $\angle AB_1C$ and $\angle AB_2C$, which are supplementary.

If $a = b \sin A$, the arc mn will touch AX at D (fig. y); hence $B = 90°$ and only the right-angled triangle ACD has the given parts.

If $a < b \sin A$, the arc mn will not meet AX (fig. z); hence no triangle can be constructed with the given parts.

E.g., if $a = 5$, $b = 7$, and $A = 30°$, then $a < b$ and $a > b \sin A$; hence there will be two triangles having these parts.

If $a < b$ and $A =$ or $> 90°$, the triangle is *impossible.* Why?

Trigonometric proof. From the law of sines,

$$\sin B = b \sin A / a, \text{ or } (b/a) \sin A. \qquad (1)$$

Also $$A < B \text{ and } A + B < 180°. \qquad (2)$$

If $a > b \sin A$, $b \sin A / a < 1$, whence from (1), $\sin B < 1$; hence B has two unequal values, which are supplementary.

Since $a < b$, $b/a > 1$, whence from (1), $\sin B > \sin A$; hence each of the two supplementary values of B will satisfy both the conditions in (2).

Therefore B has two values and there are two different triangles having the given parts (fig. x).

If $a = b \sin A$, $\sin B = 1$ in (1), whence $B = 90°$; hence the required triangle is right angled at B (fig. y).

If $a < b \sin A$, $\sin B > 1$, which is impossible; hence the triangle is impossible (fig. z).

From the trigonometric proof, it follows that if $a < b$ and A is acute, there are *two* triangles, *one*, or *no* triangle, according as log sin B is *negative*, *zero*, or *positive.* Why?




FIG. 40

Ex. 1. Given $\begin{cases} a = 250, \\ b = 240, \\ A = 72^\circ\ 4'; \end{cases}$

to find $\begin{cases} B = 65^\circ\ 58'\ 24'', \\ C = 41^\circ\ 57'\ 36'', \\ c = 175.69. \end{cases}$

Here $a > b$ and $A < 90^\circ$; hence $B < 90^\circ$ and there is only one triangle having the given parts.

Construct the triangle ABC, having the given parts.

Formulas $\begin{cases} \sin B = b \sin A / a, \\ C = 180^\circ - (A + B), \\ c = a \sin C / \sin A. \end{cases}$

$$\begin{array}{rl|rl} \log b = & 2.38021 & \log a = & 2.39794 \\ \log \sin A = & \underline{9.97837 - 10} & \log \sin C = & \underline{9.82517 - 10} \\ \therefore \log (b \sin A) = & 12.35858 - 10 & \therefore \log (a \sin C) = & 12.22311 - 10 \\ \log a = & \underline{2.39794} & \log \sin A = & \underline{9.97837 - 10} \\ \therefore \log \sin B = & 9.96064 - 10 & \therefore \log c = & 2.24474 \end{array}$$

$$\therefore B = 65^\circ\ 58'\ 24''. \qquad \therefore c = 175.69.$$

$$C = 180^\circ - (72^\circ\ 4' + 65^\circ\ 58'\ 24'') = 41^\circ\ 57'\ 36''.$$

Check. $$\frac{b + c}{b - c} = \frac{\tan \frac{1}{2}(B + C)}{\tan \frac{1}{2}(B - C)}. \qquad (1)$$

Here

$$\begin{array}{rl|rl} & b + c = 415.69, & & \frac{1}{2}(B + C) = 53^\circ\ 58'; \\ & b - c = 64.31, & & \frac{1}{2}(B - C) = 12^\circ\ 0'\ 24''. \\ \log (b + c) = & 2.61877 & \log \tan \frac{1}{2}(B + C) = & 10.13821 - 10 \\ \log (b - c) = & \underline{1.80828} & \log \tan \frac{1}{2}(B - C) = & \underline{9.32772 - 10} \\ \log \text{quotient} = & .81049 & \log \text{quotient} = & .81049 \end{array}$$

As the logarithms of the two members of (1) are equal, the values obtained above are correct.

Ex. 2. How many triangles are there which have the following parts?

(i) $a = 70, \quad b = 90, \quad A = 30^\circ.$

(ii) $a = 40, \quad b = 80, \quad A = 30^\circ.$

(iii) $a = 20, \quad b = 50, \quad A = 30^\circ.$

(iv) $a = 70, \quad b = 75, \quad A = 60^\circ.$

Ex. 3. Given $\begin{cases} a = 732, \\ b = 1015, \\ A = 40°; \end{cases}$ to find $\begin{cases} B = 63° 2' 20'' \text{ or } 116° 57' 40'', \\ C = 76° 57' 40'' \text{ or } 23° 2' 20'', \\ c = 1109.4 \text{ or } 445.66. \end{cases}$

Here $a < b$ and $a > b \sin A$; hence by III there are two solutions. Construct the two triangles ACB_1 and ACB_2, having the given parts.

Formula for B. $\sin B = b \sin A / a$.

$$\begin{aligned} \log b &= 3.00647 \\ \log \sin A &= 9.80807 - 10 \\ \therefore \log (b \sin A) &= 12.81454 - 10 \\ \log a &= 2.86451 \\ \therefore \log \sin B &= 9.95003 - 10 \end{aligned}$$

$$\therefore B_1 = 63° 2' 20'', \quad B_2 = 116° 57' 40''.$$

To find the unknown parts of ACB_1, we have

$$\angle ACB_1 = 180° - (A + B_1) = 76° 57' 40''.$$
$$AB_1 = a \sin ACB_1 / \sin A.$$




FIG. 41

To find the unknown parts of ACB_2, we have

$$\angle ACB_2 = 180° - (A + B_2) = 23° 2' 20''.$$
$$AB_2 = a \sin ACB_2 / \sin A.$$

$$\begin{aligned} \log a &= 2.86451 \\ \log \sin ACB_1 &= 9.98866 - 10 \\ \therefore \log (a \sin B_1) &= 12.85317 - 10 \\ \log \sin A &= 9.80807 - 10 \\ \therefore \log AB_1 &= 3.04510 \\ \therefore AB_1 &= 1109.4. \end{aligned}$$

$$\begin{aligned} \log a &= 2.86451 \\ \log \sin ACB_2 &= 9.59257 - 10 \\ \therefore \log (a \sin B_2) &= 12.45708 - 10 \\ \log \sin A &= 9.80807 - 10 \\ \therefore \log AB_2 &= 2.64901 \\ \therefore AB_2 &= 445.66. \end{aligned}$$

Check. $$\frac{c + b}{c - b} = \frac{\tan \frac{1}{2}(C + B)}{\tan \frac{1}{2}(C - B)} \qquad (1)$$

Here	$c + b = 2124.4,$	$\frac{1}{2}(C + B) = 70°;$
	$c - b = 94.4,$	$\frac{1}{2}(C - B) = 6° 57' 40''.$
	$\log (c + b) = 3.32723$	$\log \tan \frac{1}{2}(C + B) = 10.43893 - 10$
	$\log (c - b) = 1.97497$	$\log \tan \frac{1}{2}(C - B) = 9.08670 - 10$
	$\log \text{quotient} = 1.35226$	$\log \text{quotient} = 1.35223$

The equality of these logarithms to five figures verifies the answers to four figures.

EXERCISE XX

Solve the following triangles:

1. Given $a = 145,$ $b = 178,$ $B = 41° 10'.$
2. Given $b = 573,$ $c = 394,$ $B = 112° 4'.$
3. Given $a = 5.98,$ $b = 3.59,$ $A = 63° 50'.$
4. Given $a = 140.5,$ $b = 170.6,$ $A = 40°.$
5. Given $b = 74.1,$ $c = 64.2,$ $C = 27° 18'.$
6. Given $a = 27.89,$ $b = 22.71,$ $B = 65° 38'.$
7. Given $b = 45.21,$ $c = 50.3,$ $B = 40° 32' 7''.$
8. Given $a = 34,$ $b = 22,$ $B = 30° 20'.$
9. Given $a = 55.55,$ $b = 66.66,$ $B = 77° 44' 40''.$
10. Given $a = 309,$ $b = 360,$ $A = 21° 14' 25''.$
11. Given $b = 19,$ $c = 18,$ $C = 15° 49'.$

59. Case (iii). **Given two sides and their included angle.** Let a, b, C be the given parts. Then, to find A, B, c, we have

$$\tan \frac{A - B}{2} = \frac{a - b}{a + b} \cot \frac{C}{2}, \tag{1}$$

$$(A + B)/2 = 90° - C/2, \tag{2}$$

$$c = a \sin C / \sin A. \tag{3}$$

From (1) we obtain $(A - B)/2$. Having given $(A - B)/2$ and $(A + B)/2$, we readily obtain A and B.

Then c can be found by (3).

Example. Given $\begin{cases} a = 540, \\ b = 420, \\ C = 52° 6'; \end{cases}$ to find $\begin{cases} A = 78° 17' 40'', \\ B = 49° 36' 20'', \\ c = 435.15. \end{cases}$

Formulas
$$\begin{cases} \tan\dfrac{A-B}{2} = \dfrac{a-b}{a+b}\cot\dfrac{C}{2}, \\ (A+B)/2 = 90^\circ - C/2 = 63^\circ\ 57', \\ c = a\sin C/\sin A. \end{cases}$$

Here $a + b = 960,\ a - b = 120,\ C/2 = 26^\circ\ 3'.$

$\log(a-o) =$	2.07918	$\log a =$	2.73239
$\log\cot(C/2) =$	0.31086	$\log\sin C =$	9.89712 − 10
$\therefore$ log product $=$	12.39004 − 10	$\therefore$ log product $=$	12.62951 − 10
$\log(a+b) =$	2.98227	$\log\sin A =$	9.99087 − 10
$\therefore \log\tan\frac{1}{2}(A-B) =$	9.40777 − 10	$\therefore \log c =$	2.63864
$\therefore (A-B)/2 =$	$14^\circ\ 20'\ 40''$.	$\therefore c =$	435.15

Also $(A + B)/2 = 63^\circ\ 57'.$

$\therefore A = 78^\circ\ 17'\ 40'',$

and $B = 49^\circ\ 36'\ 20''.$

To check A and B, use $\sin A/a = \sin B/b$.

To check c we could use $c = b\sin C/\sin B$.

EXERCISE XXI

Solve each of the following triangles:

1. Given $a = 266,$ $b = 352,$ $C = 78^\circ.$
2. Given $b = 91.7,$ $c = 31.2,$ $A = 33^\circ\ 7'\ 9''.$
3. Given $a = 960,$ $b = 720,$ $C = 25^\circ\ 40'.$
4. Given $a = 886,$ $b = 747,$ $C = 71^\circ\ 54'.$
5. Given $b = 41.02,$ $c = 45.49,$ $A = 62^\circ\ 9'\ 38''.$

6. Two trees A and B are on opposite sides of a pond. The distance of A from a point C is 297.6 ft., the distance of B from C is 864.4 ft., the angle ACB is $87^\circ\ 43'\ 12''$. Find the distance AB.

7. Two mountains A and B are respectively 9 and 13 miles from a town C, and the angle ACB is $71^\circ\ 36'\ 37''$. Find the distance between the mountains.

8. Two points A and B are visible from a third point C, but not from each other. The distances AC, BC, and the angle ACB were measured and found to be 1321 ft., 1287 ft., and $61^\circ\ 22'$ respectively. Find the distance AB.

9. From a point 3 mi. from one end of an island and 7 mi. from the other end, the island subtends an angle of $33^\circ\ 55'\ 15''$. Find the length of the island.

10. Two stations A and B on opposite sides of a mountain are both visible from a third station C. The distance AC, BC, and the angle ACB were measured and found to be 11.5 mi., 9.4 mi., and 59° 31′ respectively. Find the distance from A to B.

11. Two trains leave the same station at the same time on straight tracks that form an angle of 21° 12′. Their average speeds are 40 mi. and 50 mi. an hour respectively. How far apart will they be at the end of the first thirty minutes?

60. Case (iv). **Given the three sides.** To solve this case we first obtain formulas for the sine, cosine, and tangent of $A/2$, $B/2$, and $C/2$ in terms of the three sides a, b, c.

$$\left.\begin{aligned} &\text{Let} && 2s = a + b + c. \\ &\text{Then} && 2(s-a) = b + c - a, \\ & && 2(s-b) = a + c - b, \\ & && 2(s-c) = a + b - c. \end{aligned}\right\} \tag{1}$$

By [16] and [17], we have

$$\sin^2(A/2) \equiv (1 - \cos A)/2,$$
$$\cos^2(A/2) \equiv (1 + \cos A)/2.$$

Substituting for $\cos A$ its value given in [25], we obtain

$$\sin^2\frac{A}{2} = \frac{1}{2}\left(1 - \frac{b^2+c^2-a^2}{2bc}\right) \qquad \cos^2\frac{A}{2} = \frac{1}{2}\left(1 + \frac{b^2+c^2-a^2}{2bc}\right)$$

$$= \frac{a^2-(b-c)^2}{4bc} \qquad = \frac{(b+c)^2-a^2}{4bc}$$

$$= \frac{(a-b+c)(a+b-c)}{4bc} \qquad = \frac{(b+c+a)(b+c-a)}{4bc}$$

$$= \frac{4(s-b)(s-c)}{4bc}. \qquad = \frac{4s(s-a)}{4bc}. \quad \text{by (1)}$$

$$\left.\begin{aligned} &\therefore \sin\frac{A}{2} = \sqrt{\frac{(s-b)(s-c)}{bc}}. \qquad \therefore \cos\frac{A}{2} = \sqrt{\frac{s(s-a)}{bc}}. \\ &\text{Dividing,} \qquad \tan\frac{A}{2} = \sqrt{\frac{(s-b)(s-c)}{s(s-a)}}. \end{aligned}\right\} \text{[28]}$$

Observe that s is the *half-perimeter*, a the side *opposite*, and b and c the sides *including* the angle A.

Ex. 1. State in words the relations in [28].

Ex. 2. Write the values of the sine, cosine, and tangent of $B/2$; $C/2$.

Since the trigonometric ratios of $A/2$, $B/2$, $C/2$ must all be positive (?), only the positive roots in [28] are taken.

Formulas [28] enable us to obtain any angle of a triangle from the sides, either through its sine, its cosine, or its tangent.

Ex. 3. If $a = 13$, $b = 14$, $c = 15$, find A, B, C, having given $1/2 = \tan 26° 34'$, $4/7 = \tan 29° 45'$, $2/3 = \tan 33° 41'$.

Here $s = (13 + 14 + 15)/2 = 21$, $\quad s - a = 21 - 13 = 8$,

$s - b = 21 - 14 = 7$, $\quad s - c = 6$.

Hence $\tan \dfrac{A}{2} = \sqrt{\dfrac{7 \cdot 6}{21 \cdot 8}} = \dfrac{1}{2} = \tan 26° 34'$.

$\therefore A/2 = 26° 34'$, or $A = 53° 8'$.

Again, $\tan \dfrac{B}{2} = \sqrt{\dfrac{8 \cdot 6}{21 \cdot 7}} = \dfrac{4}{7} = \tan 29° 45'$.

$\therefore B/2 = 29° 45'$, or $B = 59° 30'$.

Similarly $C/2 = 33° 41'$, or $C = 67° 22'$.

Check. $A + B + C = 53° 8' + 59° 30' + 67° 22' = 180°$.

Ex. 4. If $a = 35$, $b = 84$, $c = 91$, find A, B, C, having given $\tan 11° 19' = 1/5$, and $\tan 33° 41' = 2/3$.

Ex. 5. If $a = 13$, $b = 14$, $c = 15$, find the sines of $A/2$, $B/2$, $C/2$.

If we multiply the value of $\tan(A/2)$ in [28] by 1 in the form $\sqrt{s-a}/\sqrt{s-a}$, the expression for $\tan(A/2)$ can be put in the more symmetrical form

$$\tan \frac{A}{2} = \frac{1}{s-a} \sqrt{\frac{(s-a)(s-b)(s-c)}{s}}.$$

Letting $$r = \sqrt{(s-a)(s-b)(s-c)/s}, \qquad [29]$$

we have $\tan(A/2) = r/(s-a)$.

Similarly $\tan(B/2) = r/(s-b)$, $\tan(C/2) = r/(s-c)$. $\qquad [30]$

When all the angles are required, the tangent formulas [30] are the best, as they involve the fewest logarithms.

In § 63 it will be proved that r in [29] is the radius of the circle inscribed in the triangle ABC.

Ex. 6. Given $\begin{cases} a = 130, \\ b = 123, \\ c = 77; \end{cases}$ to find $\begin{cases} A = 77^\circ\ 19'\ 9'', \\ B = 67^\circ\ 22'\ 49'', \\ C = 35^\circ\ 18'\ 2''. \end{cases}$

Formulas

$$\begin{cases} r = \sqrt{(s-a)(s-b)(s-c)/s}, \\ \tan(A/2) = r/(s-a), \\ \tan(B/2) = r/(s-b), \\ \tan(C/2) = r/(s-c). \end{cases}$$

Here $s = 165,\ s - a = 35,\ s - b = 42,\ s - c = 88.$

$$\begin{aligned} \log(s-a) &= 1.54407 & \therefore \log\tan(A/2) &= 9.90309 - 10, \\ \log(s-b) &= 1.62325 & \log\tan(B/2) &= 9.82391 - 10, \\ \log(s-c) &= 1.94448 & \log\tan(C/2) &= 9.50268 - 10; \\ \therefore \log\text{product} &= 5.11180 & \text{whence } A/2 &= 38^\circ\ 39'\ 34.6'', \\ \log s &= 2.21748 & B/2 &= 33^\circ\ 41'\ 24.4'', \\ \therefore \log r &= 2.89432/2 & C/2 &= 17^\circ\ 39'\ 1''. \\ &= 11.44716 - 10. \end{aligned}$$

Check. $A + B + C = 77^\circ\ 19'\ 9'' + 67^\circ\ 22'\ 49'' + 35^\circ\ 18'\ 2'' = 180^\circ.$

EXERCISE XXII

Solve each of the following triangles:

1. Given $a = 56,$ $b = 43,$ $c = 49.$
2. Given $a = 8.5,$ $b = 9.2,$ $c = 7.8.$
3. Given $a = 61.3,$ $b = 84.7,$ $c = 47.6.$
4. Given $a = 705,$ $b = 562,$ $c = 639.$
5. Given $a = .0291,$ $b = .0184,$ $c = .0358.$
6. Given $a = 85,$ $b = 127,$ $A = 26^\circ\ 26'.$
7. Given $a = 5.953,$ $b = 9.639,$ $C = 134^\circ.$
8. Given $a = 3019,$ $b = 6731,$ $c = 4228.$
9. Given $a = 60.935,$ $c = 76.097,$ $A = 133^\circ\ 41'.$

10. Given $b = 74.806$, $c = 98.738$, $C = 81° 47'$.

11. Given $b = 129.21$, $c = 28.63$, $A = 27° 13'$.

12. Given $a = 2.51$, $b = 2.79$, $c = 2.33$.

13. Given $a = 32.163$, $c = 27.083$, $C = 52° 24' 16''$.

14. Given $a = 74.8$, $c = 124.09$, $B = 83° 26' 52''$.

15. Given $a = 86.062$, $c = 63.576$, $A = 19° 12' 43''$.

16. Given $a = 93.272$, $b = 81.512$, $C = 58°$.

17. The sides of a triangular field are 534 ft., 679.47 ft., and 474.5 ft. Find the angles.

18. A pole 13 ft. long is placed 6 ft. from the base of an embankment, and reaches 8 ft. up its face. Find the slope of the embankment.

19. A point P is 13581 in. from one end of a wall 12342 in. long, and 10025 in. from the other end. What angle does the wall subtend at the point P?

20. The distances between three cities A, B, and C are as follows: $AB = 165$ mi., $AC = 72$ mi., and $BC = 185$ mi. B is due east from A. In what direction is C from A?

21. Under what visual angle is an object 7 ft. long seen when the eye of the observer is 5 ft. from one end of the object and 8 ft. from the other end?

22. Prove $\sin A = 2\sqrt{s(s-a)(s-b)(s-c)}/(bc)$.

23. Prove $\cos A = s(s-a)/(bc) - (s-b)(s-c)/(bc)$.

24. If $a = 18$, $b = 24$, $c = 30$, show that $\sin A = 3/5$.

25. *The sides of a triangle can be substituted for the sines of their opposite angles, and* vice versa, *when they are involved homogeneously in the numerator and denominator of a fraction, or in both members of an equation.*

For this substitution is the multiplication of each term by the equal numbers, $a/\sin A$, $b/\sin B$, $c/\sin C$, or their reciprocals.

E.g., $\sin A = \sin(180° - A) = \sin(B + C)$.

$\therefore \sin A = \sin B \cos C + \sin C \cos B$. by [7]

Multiplying the first term by $a/\sin A$, the second by $b/\sin B$, and the third by $c/\sin C$, we obtain

$$\left.\begin{aligned} \mathbf{a = b\cos C + c\cos B.} \\ \text{Similarly} \quad b = a\cos C + c\cos A, \\ \text{and} \quad c = a\cos B + b\cos A. \end{aligned}\right\} \tag{1}$$

26. Prove $\dfrac{2c^2 + a^2}{3abc} = \dfrac{2\sin^2 C + \sin^2 A}{3b\sin A\sin C}$.

27. Multiplying the equations in (1) of example 25 by $-a$, b, and c respectively, and adding, we obtain the law of cosines,

$$b^2 + c^2 - a^2 = 2bc\cos A.$$

28. Prove the relations in (1) of example 25 directly from a figure.

Suggestion. See the figures in § 52.

61. **Area of a triangle.**

(i) *In terms of two sides and the sine of their included angle.*

Let F denote the area of any triangle, as ABC in § 52.

Then $$\mathbf{F = BA \cdot DC/2 = bc\sin A/2.} \tag{31}$$

(ii) *In terms of the three sides.*

By [31] and [13], we have

$$F = bc\sin(A/2)\cos(A/2).$$

Hence, by [28], $$\mathbf{F = \sqrt{s(s-a)(s-b)(s-c)}.} \tag{32}$$

(iii) *In terms of one side and the sines of the angles.*

In [31], putting for c its value $b\sin C/\sin B$ (obtained from the law of sines), we have

$$\mathbf{F = \frac{b^2\sin A\sin C}{2\sin B}} \tag{33}$$

EXERCISE XXIII

1. State [31], [32], [33] in words.
2. Given $A = 75°$, $b = 10$, $c = 40$; to find F.
3. Find the areas of the triangles in examples 1–4 in Exercise XXI.
4. Find the areas of the triangles in examples 1–4 in Exercise XX.
5. Find the areas of the triangles in examples 1–4 in Exercise XXII.
6. Find the areas of the triangles in examples 1–4 in Exercise XIX.

62. **Circumscribed circle.** Let D denote the diameter of the circle circumscribed about the triangle ABC.

Through C draw the diameter COH, and join HB.




FIG. 42

Then $$\angle A = \angle H,$$

$$\angle CBH = 90°,$$

and $$CH = D.$$

$$\therefore \sin A = \sin H = a/D.$$

$$\therefore a/\sin A = D. \qquad (1)$$

Compare (1) with [23].

Example. Find the radii of the circles circumscribed about the triangles in examples 1–4 in Exercise XIX.

63. **Inscribed circle.** Let r denote the radius of the circle inscribed in the triangle ABC. Join the center O with the points of contact D, E, F. Draw OA, OB, OC.




FIG. 43

Then $$OD = OE = OF = r.$$

$$\triangle ABC = \triangle BOC + \triangle COA + \triangle AOB.$$

$$\therefore F = ar/2 + br/2 + cr/2$$

$$= r(a + b + c)/2 = rs. \qquad \S 60$$

Hence $r = F/s,$

or by [32], $r = \sqrt{(s-a)(s-b)(s-c)}/s.$ (1)

Compare (1) with [29].

Example. Find the radii of the inscribed circles of the triangles in examples 1–4 in Exercise XXII.

64. An **escribed circle** of a triangle is a circle which is tangent to one side of the triangle and to each of the other two sides produced.

Ex. 1. If r_a denotes the radius of the escribed circle tangent to the side a, prove that

$$r_a = F/(s-a) = \sqrt{s(s-b)(s-c)}/(s-a).$$

$$\triangle ABC = \triangle ACD + \triangle ABD - \triangle BCD.$$

$$\therefore F = r_a(b + c - a)/2$$

$$= r_a(s-a).$$




Fig. 44

Ex. 2. Find the radii of the three escribed circles of the triangles in examples 1–3 in Exercise XXII.

CHAPTER VI

RADIAN MEASURE, GENERAL VALUES, TRIGONOMETRIC EQUATIONS, INVERSE FUNCTIONS

65. A **radian** is an angle which, when placed at the center of a circle, intercepts between its sides an arc equal in length to the radius of the circle.

That is, if arc AB is equal to the radius OA, then

angle AOB = a radian.




FIG. 45

66. **Constant value of the radian.** In fig. 45, let

$$\text{arc } AB = OA = r \text{ units.}$$

Then, by Geometry, we have the following proportion:

$$\angle AOB : 180^\circ = \text{arc } AB : \text{semicircumference,}$$

i.e. $$\text{a radian} : 180^\circ = r : \pi r.$$

From this proportion, we have

$$\pi \text{ radians} = 180^\circ = 2 \text{ right angles.} \qquad [34]$$

Formula [34] expresses the relation between *radians*, *degrees*, and *right angles*, and should be fixed in mind.

From [34], a radian $= (180/\pi)^\circ$, or $(180/3.1416)^\circ$ (1)

$= 57^\circ.295779$, or $57^\circ.3$, approximately (2)

$= 57^\circ\ 17'\ 44''.8$, approximately. (3)

From [34], $1^\circ = (\pi/180)$ radian, (4)

or a right angle $= 90^\circ = (\pi/2)$ radians. (5)

Hence $270^\circ = (3\pi/2)$ radians,

and $360^\circ = 2\pi$ radians. (6)

Ex. 1. Express in radians the angle 8° 15′.

$$8° 15′ = (33/4)° = (33/4)(\pi/180) \text{ radian} \quad \text{by (4)}$$
$$= 0.144 \text{ radian, approximately.}$$

Ex. 2. Express in radians the sum of the three angles of a triangle.

Ex. 3. Express in degrees the angle 5/8 radian.

$$5/8 \text{ radian} = (5/8)(57° 17′ 44″.8) \quad \text{by (3)}$$
$$= 35° 48′ 35″.5.$$

67. **Radian measure of angles.** In fig. 45, by Geometry, we have

$$\angle AOC : \angle AOB = \text{arc } ABC : \text{arc } AB. \tag{1}$$

Let $\angle AOC = N$ radians,

$\text{arc } ABC = s$ units,

and $\text{arc } AB = OA = r$ units.

Substituting these values in proportion (1), we obtain

$$N \text{ radians} : 1 \text{ radian} = s : r.$$
$$\therefore \mathbf{N = s/r.} \qquad [35]$$

That is, *the number of radians in an angle at the center of a circle is equal to the intercepted arc divided by the radius.*

Cor. If $r = 1$, $N = s$.

The number of radians in an angle is called its **radian** (or *circular*) **measure.**

When the measure of an angle is given in terms of π or any other numeral or numerals and no angular unit is expressed, the radian is always understood as the unit.

E.g., the angle 2 is an angle of 2 radians, and the angle $\pi/2$ is an angle of $\pi/2$ radians.

The fraction 22/7 gives the correct value of π to two places of decimals, and for many purposes this value is sufficiently accurate.

Ex. 1. An angle at the center of a circle whose radius is 5 ft. intercepts an arc of 3 ft. Find the angle in degrees.

$$\text{The angle} = (3/5) \text{ radian} \qquad \S\ 67$$
$$= (3/5)(180/\pi)° = 34°\tfrac{4}{11}. \qquad \S\ 66$$

Ex. 2. An angle of 42° 20′ is at the center of a circle whose radius is 10 ft. Find the length of the arc intercepted between its sides.

Let x = the *number* of feet in the intercepted arc.

Then $x/10$ = the *number* of radians in 42° 20′, or $(127/3)°$

$= (127/3)(\pi/180)$. by [34]

$\therefore x = (127/54)(22/7) = 7\frac{74}{189}$, approximately.

Hence the intercepted arc is approximately $7\frac{74}{189}$ ft. long.

Ex. 3. From [35] find s in terms of N and r, and r in terms of s and N.

EXERCISE XXIV

1. Express in radians two positive and two negative angles each of which is coterminal with $\pi/4$; $5\pi/4$; $3\pi/2$; $5\pi/2$; $\pi/3$; $2\pi/3$; $\pi/6$; $5\pi/6$.

Express in degrees each of the following angles:

2. $2\pi/3$. 3. $5\pi/3$. 4. 5π. 5. $3\pi/4$.

Express in radians each of the following angles:

6. 45°. 8. 90°. 10. 97° 25′. 12. 43° 25′ 36″.

7. 135°. 9. 270°. 11. 175° 13′. 13 38° 17′ 23″.

Find the complement and the supplement of:

14. $\pi/4$. 15. $2\pi/3$. 16. $3\pi/4$. 17. $5\pi/3$.

Find the trigonometric ratios of each of the following angles:

18. $\pi/6$. 19. $\pi/4$. 20. $\pi/3$. 21. $\pi/2$. 22. π.

23. Two angles of a triangle are 1/2 and 2/5. Find the third angle in radians, also in degrees.

24. The difference between the two acute angles of a right-angled triangle is $\pi/7$. Find the angles in radians, also in degrees.

25. Express in radians, also in degrees, the angle subtended at the center of a circle by an arc whose length is 15 ft., the radius of the circle being 20 ft.

26. The diameter of a graduated circle is 6 ft., and the graduations on its rim are 5′ apart. Find the distance from one graduation to the next.

27. Find the radius of a globe which is such that the distance between two places on the same meridian whose latitudes differ by 1° 10′ may be half an inch.

28. The value of the divisions on the outer rim of a graduated circle is 5′ and the distance between successive graduations is 0.1 in. Find the radius of the circle.

29. Assuming the earth to be a sphere and the distance between two points 1° apart to be $69\frac{1}{2}$ mi., find the radius of the earth.

68. **Principal values.** If $\sin\theta = -1/2$, we know that θ is *any* angle which is coterminal with $-\pi/6$ or $-5\pi/6$. Of this series of values the *smallest in size*, $-\pi/6$, is called the *principal* value of θ.

The *principal value* of an angle having a given trigonometric ratio is the angle, *smallest in size*, which has this ratio.

Hence, if $\sin\theta$ or $\csc\theta$ is positive, the principal value of θ lies between 0 and $\pi/2$; if $\sin\theta$ or $\csc\theta$ is negative, the principal value of θ lies between $-\pi/2$ and 0.

If $\tan\theta$ or $\cot\theta$ is +, the principal value of θ lies between 0 and $\pi/2$; if $\tan\theta$ or $\cot\theta$ is −, the principal value of θ lies between $-\pi/2$ and 0.

If $\cos\theta$ or $\sec\theta$ is +, the principal value of θ lies between 0 and $\pi/2$, *preference being given to the positive value;* if $\cos\theta$ or $\sec\theta$ is −, the principal value of θ lies between $\pi/2$ and π.

69. **Values of θ in the equation $\sin\theta = \sin A$ or $\csc\theta = \csc A$.**

Let $\angle XOP = A$, $\angle XOP' = \pi - A$.

Then $\sin XOP' = \sin XOP$, $\csc XOP' = \csc XOP$,

and any angle which has the same sine or cosecant as A is, or can be made, coterminal with A or $\pi - A$.




FIG. 46

In this chapter n will denote any positive or negative integer, including zero.

When n is *even*, $n\pi + A$ includes all the angles, and only those, which are coterminal with A.

Now, when n is *even*,

$$n\pi + A \equiv n\pi + (-1)^n A. \tag{1}$$

Again, when n is *odd*, $n-1$ is *even*, and $(n-1)\pi + (\pi - A)$ includes all the angles, and only those, which are coterminal with $\pi - A$.

But when n is odd,

$$(n-1)\pi + (\pi - A) \equiv n\pi - A \equiv n\pi + (-1)^n A. \tag{2}$$

From (1) and (2) it follows that the expression $n\pi + (-1)^n A$ includes all the angles, and only those, which are coterminal with A or $\pi - A$.

Hence *the general expression* $\mathbf{n\pi + (-1)^n A}$ *includes all the angles, and only those, which have the same sine or cosecant as* A.

That is, *the general value of* θ *in the equation*

$$\sin\theta = \sin A \ (or \ \csc\theta = \csc A) \ \textit{is} \ \mathbf{n\pi + (-1)^n A}.$$

E.g., if $\sin\theta = \sin(\pi/3)$, then $\theta = n\pi + (-1)^n \pi/3$.

Example. Find the general value of θ, if $\sin\theta = -1/2$. (1)

The principal value of θ in (1) is $-\pi/6$.

Substituting for $-1/2$ in (1) its identical expression $\sin(-\pi/6)$, we obtain the equivalent equation in *type form*,

$$\sin\theta = \sin(-\pi/6). \tag{2}$$

$$\therefore \theta = n\pi + (-1)^n(-\pi/6)$$

$$= n\pi - (-1)^n \cdot \pi/6. \tag{3}$$

By using the principal value of θ in (2), we obtain the simplest expression for θ in (3).

Sometimes, however, in solving an equation it is advantageous to use some other than the principal value of the unknown angle.

Observe that the unit understood with θ and A is the radian. If the degree were the unit, we would write $\theta = n \cdot 180° + (-1)^n A$.

70. Values of θ in the equation $\cos\theta = \cos A$ or $\sec\theta = \sec A$.




FIG. 47

Let $\angle XOP = A$, $\angle XOP' = -A$.

Then $\cos XOP' = \cos XOP$,

and $\sec XOP' = \sec XOP$,

and any angle which has the same cosine or secant as A is, or can be made, coterminal with A or $-A$.

Now $2n\pi \pm A$ includes all the angles, and only those, which are coterminal with A or $-A$.

Hence $2n\pi \pm A$ *includes all the angles, and only those, which have the same cosine or secant as* A.

That is, *the general value of* θ *in the equation*

$$\cos\theta = \cos A \text{ (or } \sec\theta = \sec A) \text{ is } 2n\pi \pm A.$$

E.g., if $\cos\theta = \cos(\pi/9)$, then $\theta = 2n\pi \pm \pi/9$, or $2n \cdot 180° \pm 20°$.

Example. Find the general value of θ, if $\cos\theta = -\sqrt{3}/2$.

Substituting for $-\sqrt{3}/2$ its identical expression $\cos(5\pi/6)$, we obtain the equivalent equation in *type form*,

$$\cos\theta = \cos(5\pi/6).$$

$$\therefore \theta = 2n\pi \pm 5\pi/6, \text{ or } 2n \cdot 180° \pm 150°.$$

71. Values of θ in the equation $\tan\theta = \tan A$ or $\cot\theta = \cot A$.

Let $\angle XOP = A$, $\angle XOP' = \pi + A$.

Then $\tan XOP' = \tan XOP$, $\cot XOP' = \cot XOP$,

and any angle which has the same tangent or cotangent as A is, or can be made, coterminal with A or $\pi + A$.

When n is *even*, $n\pi + A$ includes all the angles, and only those, which are coterminal with A.




FIG. 48

When n is *odd*, $n-1$ is *even*, and $(n-1)\pi + (\pi + A)$, *i.e.* $n\pi + A$, includes all the angles, and only those, which are coterminal with $\pi + A$.

Hence $n\pi + A$ *includes all the angles, and only those, which have the same tangent or cotangent as* A.

That is, *the general value of* θ *in the equation*

$$\tan\theta = \tan A \text{ (or } \cot\theta = \cot A) \text{ is } n\pi + A.$$

E.g., if $\cot\theta = \cot(-\pi/5)$, $\theta = n\pi + (-\pi/5)$, or $n\pi - \pi/5$.

Example. Find the general value of θ, if $\tan\theta = -\sqrt{3}$.

Substituting for $-\sqrt{3}$ its identical expression $\tan(-\pi/3)$, we obtain the equivalent equation in *type form*,

$$\tan\theta = \tan(-\pi/3).$$
$$\therefore \theta = n\pi - \pi/3, \text{ or } n\cdot 180° - 60°.$$

72. **A trigonometric equation** is an equation which involves one or more trigonometric ratios of one or more *unknown* angles, as $\tan\theta = 1$ or $2\sin^2\theta + \sqrt{3}\cos\theta + 1 = 0$.

To **solve** a trigonometric equation is to obtain an expression for all the angles which will satisfy it.

The *first step* in solving a trigonometric equation is to solve it *algebraically* for some trigonometric ratio of the unknown angle; the *second step* is to apply one or more of the principles in §§ 69–71.

Some elementary types of trigonometric equations are solved below.

Ex. 1. Solve the equation $\sin^2\theta = 1/4$.

First step. $\sin\theta = \pm 1/2$.

Second step. $\therefore \sin\theta = \sin(\pm\pi/6)$.

$\therefore \theta = n\pi + (-1)^n(\pm\pi/6) = n\pi \pm \pi/6$. § 69

Ex. 2. Solve the equation $\cos^2\theta = 1/2$.

Denote the two values of $\cos\theta$ by $\cos\theta_1$ and $\cos\theta_2$.

Then $\cos\theta_1 = \sqrt{2}/2 = \cos(\pi/4)$, (1)

and $\cos\theta_2 = -\sqrt{2}/2 = \cos(5\pi/4)$. (2)

From (1), $\theta_1 = 2n_1\pi \pm \pi/4$. (3)

From (2), $\theta_2 = 2n_2\pi \pm 5\pi/4 = (2n_2 \pm 1)\pi \pm \pi/4$. (4)

When n is *even*, $n\pi \pm \pi/4$ includes $2n_1\pi \pm \pi/4$ in (3); and when n is *odd*, $n\pi \pm \pi/4$ includes $(2n_2 \pm 1)\pi \pm \pi/4$ in (4).

Hence $$\theta = n\pi \pm \pi/4.$$

Observe that, by using $5\pi/4$ instead of the principal value of θ_2 in (2), the two expressions for θ in (3) and (4) are more readily combined into one expression.

Ex. 3. Solve the equation $2\sin^2\theta + \sqrt{3}\cos\theta + 1 = 0.$ (1)

Putting for $\sin^2\theta$ its identical expression $1 - \cos^2\theta$, we obtain the equivalent equation

$$2\cos^2\theta - \sqrt{3}\cos\theta - 3 = 0, \tag{2}$$

which involves only one function of the unknown angle θ.

Factor, $$(\cos\theta - \sqrt{3})(2\cos\theta + \sqrt{3}) = 0. \tag{3}$$

By Algebra, (3) is equivalent to the two equations

$$\cos\theta = \sqrt{3}, \qquad \cos\theta = -\sqrt{3}/2.$$

Now, by § 26, $\cos\theta = \sqrt{3}$ is impossible,

and $$\cos\theta = -\sqrt{3}/2 = \cos(5\pi/6)$$

gives $$\theta = 2n\pi \pm 5\pi/6. \qquad \S\ 70$$

Ex. 4. Solve the equation $\tan 5\theta = \cot 2\theta.$

Substituting for $\cot 2\theta$ its identical expression $\tan(\pi/2 - 2\theta)$, we obtain the equivalent equation

$$\tan 5\theta = \tan(\pi/2 - 2\theta).$$
$$\therefore 5\theta = n\pi + (\pi/2 - 2\theta). \qquad \S\ 71$$
$$\therefore \theta = (n\pi + \pi/2)/7.$$

Ex. 5. Solve $\tan\theta\sec\theta = -\sqrt{2}.$ (1)

Putting for $\sec\theta$ its identical expression $\sqrt{\tan^2\theta + 1}$, we obtain the equivalent equation

$$\tan\theta\sqrt{\tan^2\theta + 1} = -\sqrt{2}. \tag{2}$$

Square, $$\tan^4\theta + \tan^2\theta = 2.$$

Factor, $$(\tan^2\theta + 2)(\tan^2\theta - 1) = 0.$$

Hence $$\tan\theta = \pm\sqrt{-2} \text{ or } \pm 1. \tag{3}$$

Now $\tan\theta = \pm\sqrt{-2}$ is impossible.

Since $\tan\theta\sec\theta$ is negative in (1), $\tan\theta$ and $\sec\theta$ are opposite in quality, whence θ is in the third or fourth quadrant.

Hence $\tan\theta = +1$ gives $\theta = 2n\pi + 5\pi/4,$

and $\tan\theta = -1$ gives $\theta = 2n\pi - \pi/4.$

Observe that the solutions of (3) which do not satisfy (1) were introduced by squaring (2).

Ex. 6. Given $\sin\theta = -1/2$ and $\tan\theta = 1/\sqrt{3}$; to find the general value of θ.

Since $\sin\theta$ is $-$, and $\tan\theta$ is $+$, θ must be in the third quadrant.

The smallest positive angle in the third quadrant which will satisfy $\sin\theta = -1/2$ is $7\pi/6$, and this angle satisfies also $\tan\theta = 1/\sqrt{3}$.

Hence $\theta = 2n\pi + 7\pi/6$, or $2n \cdot 180° + 210°$.

EXERCISE XXV

Solve each of the following equations:

1. $\sin^2\theta = 1$.
2. $\csc^2\theta = 2$.
3. $\tan^2\theta = 1$.
4. $\cot^2\theta = 3$.
5. $\cos^2\theta = 1/4$.
6. $\sec^2\theta = 4/3$.
7. $2\sin^2\theta + 3\cos\theta = 0$.
8. $\cos^2\theta - \sin\theta = 1/4$.
9. $2\sqrt{3}\cos^2\theta = \sin\theta$.
10. $\sin^2\theta - 2\cos\theta + 1/4 = 0$.
11. $\sin\theta + \cos\theta = \sqrt{2}$.
12. $4\sec^2\theta - 7\tan^2\theta = 3$.
13. $\tan\theta + \cot\theta = 2$.
14. $\tan^2\theta - (1 + \sqrt{3})\tan\theta + \sqrt{3} = 0$.
15. $\cot^2\theta + (\sqrt{3} + 1/\sqrt{3})\cot\theta + 1 = 0$.
16. $\tan^2\theta + \cot^2\theta = 2$.
17. $\tan\theta + \sec\theta = 3$.
18. $2\sin\theta = 1 + \cos\theta$.
19. $\sin 5\theta = 1/\sqrt{2}$.
20. $\cos 5\theta = \cos 4\theta$.
21. $\cot\theta = \tan r\theta$.
22. $\sin 2\theta = \cos 3\theta$.
23. $\cos m\theta = \sin r\theta$.
24. $\sin\theta\cos\theta = 1/2$.
25. $\sin\theta\cos\theta = -\sqrt{3}/4$.
26. $\sec\theta\csc\theta = -2$.
27. $\tan 2\theta\tan\theta = 1$.

Find the most general value of θ that satisfies:

28. $\cos\theta = -1/\sqrt{2}$ and $\tan\theta = 1$.
29. $\cot\theta = -\sqrt{3}$ and $\csc\theta = -2$.
30. If $\cos(A - B) = 1/2$ and $\sin(A + B) = 1/2$, find the smallest positive values of A and B and also their general values.

31. If $\tan(A-B)=1$ and $\sec(A+B)=2/\sqrt{3}$, find the smallest positive values of A and B and also their general values.

73. The *addition* and *subtraction formulas* and those for the sum and difference of sines or cosines are often useful in solving certain types of trigonometric equations.

E.g., take the equation $\mathbf{a\sin\theta + b\cos\theta = c}$, where $b>0$. (1)

Let A denote the principal value of $\tan^{-1}(a/b)$; then $\tan A \equiv a/b$, and from the fundamental relations in § 24 we obtain

$$\sin A \equiv a/\sqrt{a^2+b^2}, \qquad \cos A \equiv b/\sqrt{a^2+b^2}. \tag{2}$$

Dividing both members of (1) by $\sqrt{a^2+b^2}$ and substituting for the resulting coefficients of $\sin\theta$ and $\cos\theta$ their values given in (2), we have

$$\sin A\sin\theta + \cos A\cos\theta = c/\sqrt{a^2+b^2}. \tag{3}$$

Let B denote the principal value of $\cos^{-1}(c/\sqrt{a^2+b^2})$; then $\cos B \equiv c/\sqrt{a^2+b^2}$, and by [10] from (3) we obtain

$$\cos(\theta - A) = \cos B.$$

$$\therefore \theta - A = 2n\pi \pm B. \qquad \S\ 70$$

$$\therefore \theta = 2n\pi + A \pm B, \text{ or } 2n\cdot 180 + A \pm B. \tag{4}$$

In (4) we have the solution of any equation of the type (1) when a and c are real and $c <$ or $= \sqrt{a^2+b^2}$, arithmetically, b being positive.

Ex. 1. Solve $4\sin\theta + 3\cos\theta = 5$, given $\tan 53^\circ\,7'\,45'' = 4/3$.

Here $$A \equiv \tan^{-1}(4/3) \equiv 53^\circ\,7'\,45'',$$

and $$B \equiv \cos^{-1}(5/\sqrt{4^2+3^2}) \equiv \cos^{-1}1 \equiv 0.$$

$$\therefore \theta = 2n\cdot 180^\circ + 53^\circ\,7'\,45''.$$

Ex. 2. Solve $\sin\theta + \sin 5\theta = \sin 3\theta$. (1)

By [19], $$\sin\theta + \sin 5\theta \equiv 2\sin 3\theta\cos 2\theta. \tag{2}$$

From (1) by (2), $2\sin 3\theta\cos 2\theta = \sin 3\theta$.

$$\therefore \sin 3\theta(2\cos 2\theta - 1) = 0.$$

From $\sin 3\theta = 0$, $3\theta = n\pi$.

From $\cos 2\theta = 1/2$, $2\theta = 2n\pi \pm \pi/3$.

Hence $\theta = n\pi/3$ or $n\pi \pm \pi/6$.

EXERCISE XXVI

Solve each of the following equations:

1. $\sin\theta + \sin 7\theta = \sin 4\theta$.
2. $\cos\theta + \cos 3\theta = \cos 2\theta$.
3. $\sin\theta - \sin 3\theta = \cos 2\theta$.
4. $\cos\theta + \cos 7\theta = \cos 4\theta$.
5. $\sin 4\theta - \sin 2\theta = \cos 3\theta$.
6. $\sin 7\theta = \sin\theta + \sin 3\theta$.
7. $\sin\theta + \sin 3\theta + \sin 5\theta = 0$.
8. $\cos\theta + \cos 2\theta + \cos 3\theta = 0$.
9. $\sqrt{3}\cos\theta + \sin\theta = \sqrt{2}$.
10. $\sin\theta + \cos\theta = \sqrt{2}$.
11. $\sqrt{3}\sin\theta - \cos\theta = \sqrt{2}$.
12. $\sin\theta + \cos\theta = \sqrt{2}\cos(\pi/5)$.
13. $5\sin\theta + 2\cos\theta = \sqrt{29}$, given $\tan 68° 12' = 5/2$.
14. $2\sin\theta - 3\cos\theta = \sqrt{13}/2$, given $\tan 33° 41' 24'' = 2/3$.

74. **Trigonometric functions.** A quantity whose value depends upon one or more other quantities is called a **function** of these quantities.

E.g., the circumference or the area of a circle is a function of the radius; the area of a rectangle is a function of the base and the altitude; the volume of a rectangular parallelopiped is a function of the three dimensions.

Since the trigonometric ratios of an angle depend upon the size of the angle, they are often called the *trigonometric functions* of the angle.

Beside the six trigonometric functions defined in § 21, there are two others which are frequently used:

$1 - \cos A$ is called the **versed sine** of A, written **vers** A.

$1 \quad \sin A$ is called the **coversed sine** of A, written **covers** A.

As a ratio, $\quad \text{vers } A \equiv (OP - OM)/OP \equiv MX$ in figs. 26,

and $\quad \text{covers } A \equiv (OP - MP)/OP \equiv NY$ in figs. 26.

NOTE. After the analogy of vers A and covers A many other trigonometric ratios, or functions, of A might be invented and named.

E.g., $1 + \cos A$, or $(OP + OM)/OP$, is sometimes called the *suversed sine* of A, and $\sec A - 1$, or $(OP - OM)/OM$, the *external secant* of A.

Observe that the trigonometric lines defined in § 32 are also functions of the angle or of its measuring arc.

But by the trigonometric functions we usually mean the trigonometric ratios.

75. **Inverse trigonometric functions.**

By § 23, if $c = \sin\theta$, then $\theta = \sin^{-1}c$. (1)

As the value of $\sin\theta$ depends on the value of the angle θ, so the value of $\sin^{-1}c$ depends on the value of c.

Hence, on the one hand, *the sine is a function of the angle*, and, on the other hand, *the angle is a function of the sine.*

An angle is often called the *inverse function* of any one of its trigonometric ratios. Thus $\sin^{-1}c$ is often read *inverse sine* c; $\cos^{-1}c$, *inverse cosine* c; $\tan^{-1}c$, *inverse tangent* c, etc.

NOTE. If A denotes all the angles which have the same sine, then $\sin^{-1}(\sin A) \equiv A$ and $\sin(\sin^{-1}c) \equiv c$; hence, if we regard **sin** as denoting the operation of *finding the sine of* and $\sin^{-1}$ as denoting the operation of *finding the angle whose sine is*, then $\sin^{-1}$ and *sin* denote *inverse* operations, *i.e.* operations each of which *undoes* what the other *does.* For this reason $\sin^{-1}c$ is called the *inverse sine* of c.

$\sin^{-1}c$ is read also *anti-sine* c, or *arc sine* c.

For each value of θ, $\sin\theta$ has a *single definite value.*

For each value of c, $\sin^{-1}c$ has, by § 23, an *indefinite number of values.*

Thus the *trigonometric functions* are **single-valued,** while the *inverse trigonometric functions* are **multiple-valued.**

E.g., if $\tan\theta = 1$, $\theta = \tan^{-1}1 = n\pi + \pi/4$, and the *principal* value of $\tan^{-1}1$ is $\pi/4$.

If $\cos\theta = 1/2$, $\theta = \cos^{-1}(1/2) = 2n\pi \pm \pi/3$, and the *principal* value of $\cos^{-1}(1/2)$ is $\pi/3$.

If $\sin\theta = \sqrt{2}/2$, $\theta = \sin^{-1}(\sqrt{2}/2) = n\pi + (-1)^n\pi/4$, and the *principal* value of $\sin^{-1}(\sqrt{2}/2)$ is $\pi/4$.

Example. If a and c are positive and $c < 1$, and the inverse functions are restricted to their principal values, show that

$$\sin^{-1}c + \cos^{-1}c = \pi/2, \quad \tan^{-1}a + \cot^{-1}a = \pi/2.$$

76. Sum and difference of two inverse tangents.

To prove $\tan^{-1} m \pm \tan^{-1} n \equiv \tan^{-1} \dfrac{m \pm n}{1 \mp mn}$. [36]

Let $A \equiv \tan^{-1} m, \qquad B \equiv \tan^{-1} n.$ (1)

Then $\tan A \equiv m, \qquad \tan B \equiv n.$ (2)

Using the notation in (1), [36] becomes

$$A \pm B \equiv \tan^{-1} \frac{m \pm n}{1 \mp mn}, \text{ or } \tan (A \pm B) \equiv \frac{m \pm n}{1 \mp mn}. \quad (3)$$

To prove (3), by § 37 we have

$$\tan (A \pm B) \equiv \frac{\tan A \pm \tan B}{1 \mp \tan A \tan B}$$

$$\equiv (m \pm n)/(1 \mp mn). \qquad \text{by (2)}$$

The proof above illustrates the method of procedure in establishing relations between inverse functions.

Ex. 1. Prove that $\sin^{-1}(3/5) + \sin^{-1}(8/17) = \sin^{-1}(77/85)$. (1)

Let $A \equiv \sin^{-1}(3/5), \qquad B \equiv \sin^{-1}(8/17).$ (2)

Then $\sin A \equiv 3/5, \qquad \sin B \equiv 8/17.$ (3)

$\therefore \cos A \equiv 4/5, \qquad \cos B \equiv 15/17.$ (4)

Using the notation in (2), (1) becomes

$$A + B \equiv \sin^{-1}(77/85), \text{ or } \sin (A + B) \equiv 77/85. \quad (5)$$

To prove (5), by [7] we have

$$\sin (A + B) \equiv \sin A \cos B + \cos A \sin B$$

$$\equiv \frac{3}{5} \cdot \frac{15}{17} + \frac{4}{5} \cdot \frac{8}{17} \equiv \frac{77}{85}. \qquad \text{by (3), (4)}$$

Ex. 2. Prove that $\cos^{-1}(4/5) + \tan^{-1}(3/5) = \tan^{-1}(27/11)$. (1)

Let $A \equiv \cos^{-1}(4/5), \qquad B \equiv \tan^{-1}(3/5).$ (2)

Then $\cos A \equiv 4/5, \quad \tan A \equiv 3/4, \quad \tan B \equiv 3/5.$ (3)

Using the notation in (2), (1) becomes

$$A + B \equiv \tan^{-1}(27/11), \text{ or } \tan (A + B) \equiv 27/11. \quad (4)$$

To prove (4), by [11] and (3) we have

$$\tan(A+B) \equiv \frac{3/4+3/5}{1-(3/4)(3/5)} \equiv \frac{27}{11}.$$

Ex. 3. Prove that $2\tan^{-1}(1/3)+\tan^{-1}(1/7)=\pi/4$. (1)

Let $A \equiv \tan^{-1}(1/3)$, $B \equiv \tan^{-1}(1/7)$. (2)

Then $\tan A \equiv 1/3$, $\tan B \equiv 1/7$. (3)

Using the notation in (2), (1) becomes

$$2A+B \equiv \pi/4, \quad \text{or} \quad \tan(2A+B) \equiv \tan(\pi/4) = 1. \tag{4}$$

By [15], $$\tan 2A \equiv \frac{2\tan A}{1-\tan^2 A} \equiv \frac{2/3}{1-1/9} \equiv \frac{3}{4}. \tag{5}$$

To prove (4), by [11], (3), and (5) we have

$$\tan(2A+B) \equiv \frac{3/4+1/7}{1-(3/4)(1/7)} \equiv 1.$$

Ex. 4. Solve the equation $\tan^{-1}2x+\tan^{-1}3x=\pi/4$. (1)

By § 76, $$\tan^{-1}2x+\tan^{-1}3x \equiv \tan^{-1}\frac{2x+3x}{1-6x^2}. \tag{2}$$

From (1) by (2), $$\tan^{-1}\frac{2x+3x}{1-6x^2}=\frac{\pi}{4}. \tag{3}$$

From (3), $$\frac{2x+3x}{1-6x^2}=\tan\frac{\pi}{4}=1.$$

$$\therefore x = 1/6 \text{ or } -1.$$

$x = 1/6$ satisfies (1) for the principal values of $\tan^{-1}2x$ and $\tan^{-1}3x$.

$x = -1$ satisfies (1) for the values

$$\tan^{-1}(-2) = 116^\circ\ 33'\ 55'',$$
$$\tan^{-1}(-3) = -71^\circ\ 33'\ 55''.$$

Ex. 5. Solve the equation $\tan^{-1}\frac{x+1}{x-1}+\tan^{-1}\frac{x-1}{x}=\tan^{-1}(-7)$. (1)

$$\tan^{-1}\frac{x+1}{x-1}+\tan^{-1}\frac{x-1}{x} \equiv \tan^{-1}\frac{2x^2-x+1}{1-x}. \tag{2}$$

From (1) by (2), $$\frac{2x^2-x+1}{1-x}=-7, \text{ or } x=2.$$

$x = 2$ satisfies (1) when for $\tan^{-1}(-7)$ we take $98^\circ\ 7'\ 48''$.

EXERCISE XXVII

1. Find the value of vers $(\pi/6)$, vers $(\pi/4)$, vers $(\pi/3)$, vers $(3\pi/4)$, vers 0, vers $(\pi/2)$, vers π, vers $(3\pi/2)$.

2. Find the value of covers $(\pi/6)$, covers $(\pi/4)$, covers $(\pi/3)$, covers $(3\pi/4)$, covers 0, covers $(\pi/2)$, covers π, covers $(3\pi/2)$.

3. Express in radians the general value of

$\sin^{-1}(\sqrt{2}/2)$; $\sin^{-1}(-\sqrt{3}/2)$; $\cos^{-1}(\sqrt{3}/2)$; $\cos^{-1}(-1/2)$; $\tan^{-1}(\sqrt{3}/3)$; $\tan^{-1}(-\sqrt{3})$; $\cot^{-1}(-1)$; $\cot^{-1}(\sqrt{3}/3)$.

Prove each of the following relations for *principal* values:

4. $\tan^{-1}2 + \tan^{-1}0.5 = \pi/2$.

5. $\tan^{-1}7 + \tan^{-1}3 = 153° 26' 6''.5$, given $0.5 = \tan 26° 33' 53''.5$.

6. $\tan^{-1}\dfrac{m}{n} - \tan^{-1}\dfrac{m-n}{m+n} \equiv \dfrac{\pi}{4}$.

7. $\tan^{-1}(1/7) + \tan^{-1}(1/13) = \tan^{-1}(2/9)$.

8. $2\tan^{-1}(2/3) = \tan^{-1}(2/3) + \tan^{-1}(2/3) = \tan^{-1}(12/5)$.

9. $\tan^{-1}(3/4) + \tan^{-1}(3/5) - \tan^{-1}(8/19) = \pi/4$.

Add $\tan^{-1}(3/5)$ to $\tan^{-1}(3/4)$ and then subtract $\tan^{-1}(8/19)$.

10. $\sin^{-1}(3/5) + \sin^{-1}(8/17) = \sin^{-1}(77/85)$.

11. $\cos^{-1}(4/5) + \cos^{-1}(12/13) = \cos^{-1}(33/65)$.

12. $\cos^{-1}(4/5) + \tan^{-1}(3/5) = \tan^{-1}(27/11)$.

Solve each of the following equations:

13. $\tan^{-1}x + \tan^{-1}(1-x) = \tan^{-1}(4/3)$.

14. $\tan^{-1}\dfrac{x-1}{x-2} + \tan^{-1}\dfrac{x+1}{x+2} = \dfrac{\pi}{4}$.

15. $\tan^{-1}x + 2\cot^{-1}x = 2\pi/3$.

16. $\tan^{-1}(x+1) + \tan^{-1}(x-1) = \tan^{-1}(8/31)$.

17. $\cos^{-1}\dfrac{x^2-1}{x^2+1} + \tan^{-1}\dfrac{2x}{x^2-1} = \dfrac{2\pi}{3}$.

18. $\sin^{-1}x + \sin^{-1}2x = \pi/3$.

19. $\sin^{-1}(5/x) + \sin^{-1}(12/x) = \pi/2$.

Suggestion. Observe that $\sin^{-1}(5/x)$ and $\sin^{-1}(12/x)$ are complementary angles.

CHAPTER VII

PERIODS, GRAPHS, IMPORTANT LIMITS, COMPUTATION OF TABLE, HYPERBOLIC FUNCTIONS

77. **Periods of the trigonometric functions.** As an angle increases from 0 to 2π radians, its sine first increases from 0 to 1, then decreases from 1 to -1, and finally increases from -1 to 0. As the angle increases from 2π to 4π radians, the sine again goes through this same series of changes. Thus the sine goes through all its changes while the angle increases by 2π radians. This is expressed by saying that the **period** *of the sine is* 2π.

Similarly the cosine, secant, or cosecant goes through all its changes while the angle increases by 2π radians.

The tangent or cotangent, however, goes through all its changes while the angle increases from 0 to π radians.

Hence *the* **period** *of the sine, cosine, secant, or cosecant is* 2π *radians; while the* **period** *of the tangent or cotangent is* π *radians.*

Since, as the angle increases, each trigonometric function goes through again and again the same series of values, these functions are called **periodic functions.**

78. **Curve of sines.** Let $OX = OP_1 = +1$,

$$\angle XOP_1 = \pi/6,$$

and

$$\angle XOP_2 = \pi/3.$$

Then, if

$$\theta = \angle XOP,$$




FIG. 49

we have, when

$$\theta = 0,\ \pi/6,\ \pi/3,\ \pi/2,\ 2\pi/3,\ 5\pi/6,\ \pi,\ 7\pi/6,\ 4\pi/3,\ \cdots;$$

$$\sin\theta = 0,\ M_1P_1,\ M_2P_2,\ OP_3,\ M_2P_2,\ M_1P_1,\ 0,\ -M_1P_1,\ -M_2P_2,\ \cdots.$$

The series of values through which $\sin\theta$ passes as the angle θ increases can be graphically represented by means of the points of a curve constructed as follows:

Let OX and OY in fig. 50 be two fixed straight lines at right angles to each other, and let the number of radians in θ be represented by directed lines along OX.

Take $OR = \pi$ units, *i.e.* about $3\frac{1}{7}$ units of length; also take $RX = \pi$ units, and $OX' = -\pi$ units.

Then OR will represent π; OX will represent 2π; and OX' will represent $-\pi$.




FIG. 50

Lay off on OX the distances representing 0, $\pi/6$, $\pi/3$, $\pi/2$, $2\pi/3$, etc. At N, the end of $\pi/6$, draw $NP \perp OX$ and equal to M_1P_1 in fig. 49; at the end of $\pi/3$ draw a perpendicular equal to M_2P_2; and so on. Through the ends P, P', P'', $\cdots$ of these perpendiculars draw a smooth curve.

Then if from any point in this curve, as P, we draw $PN \perp OX$, the directed line NP represents the sine of the angle whose radian measure is represented by the directed line ON.

This curve, called the *curve of sines*, or *sinusoid*, consists of portions similar to $OP''RQX$ placed one after another.

This illustrates graphically that the *period* of the sine is 2π.

79. **Curve of cosines.** Using fig. 49, we obtain, when

$\theta = 0,\ \pi/6,\ \pi/3,\ \pi/2,\ 2\pi/3,\ 5\pi/6,\ \pi,\ 7\pi/6,\ 4\pi/3,\ \cdots$

$\cos\theta = +1,\ OM_1,\ OM_2,\ 0,\ -OM_2,\ -OM_1,\ -1,\ -OM_1,\ -OM_2,\ \cdots$

Lay off on OX the distances representing $0, \pi/6, \pi/3, \pi/2, 2\pi/3$, etc. At the points thus determined erect perpendiculars equal to $OX, OM_1, OM_2, 0, -OM_2$, etc., and trace a curve through the points P, P', P'', etc.

The curve thus obtained is called the *curve of cosines.*




FIG. 51

Observe that the curve of cosines has the same form as the curve of sines. These two curves differ only in their position with reference to the origin O.

80. **Curve of tangents.** Using fig. 49, where $XOP = 2\pi/5$, we obtain, when

$$\theta = 0, \pi/6, \pi/3, 2\pi/5, \pi/2, -\pi/6, -\pi/3, -2\pi/5, -\pi/2, \cdots,$$
$$\tan\theta = 0, XT_1, XT_2, XT, \infty, -XT_1, -XT_2, -XT, -\infty, \cdots.$$

Proceeding as in § 78, we obtain the curve represented by the continuous lines in fig. 52. This graph is called the *curve of tangents.*

Since $\tan(\pi/2) = \infty$, the curve of tangents will have no point on RK, but the infinite branch $P'P''$ will approach indefinitely near to the line RK without ever touching it. The same is true of the infinite branch P_2P_3 with reference to the line R_1K_1.

The *curve of tangents* will evidently consist of an unlimited number of similar but disconnected branches, any one of which is parallel to the branch P_3OP''.

Curve of cotangents. Using fig. 49, by § 30, we obtain, when

$\theta = 0,\ \pi/10,\ \pi/6,\ \pi/3,\ \pi/2,\ 2\pi/3,\ 5\pi/6,\ 9\pi/10,\ \pi,\ \cdots,$
$\cot\theta = \infty,\ XT,\ XT_2,\ XT_1,\ 0,\ -XT_1,\ -XT_2,\ -XT,\ -\infty, \cdots.$




FIG. 52

Proceeding as above, we obtain the curve represented by the dotted lines in fig. 52 as three of the infinite number of disconnected branches of the *curve of cotangents.*

81. **Curve of secants.** Using fig. 49, we obtain, when

$\theta = 0,\ \pi/6,\ \pi/3,\ 2\pi/5,\ \pi/2,\ -\pi/6,\ -\pi/3,\ -2\pi/5,\ -\pi/2, \cdots,$
$\sec\theta = +1,\ OT_1,\ OT_2,\ OT,\ \infty,\ OT_1,\ OT_2,\ OT,\ \infty,\ \cdots.$

Proceeding as above, we obtain BPK and $B'P'K'$ as two branches of the *curve of secants;* repetitions of these two branches make up the rest of the curve.

Similarly the *curve of cosecants* can be constructed, three branches of which are represented by the dotted curved lines in fig. 53.




FIG. 53

82. *$\mathbf{Lt\,(\sin\theta/\theta) \equiv lt(\tan\theta/\theta) \equiv 1}$, *when* $\theta \doteq 0$, *the unit of* θ *being the radian.*

Let θ be the radian measure of any positive acute angle AOP. Draw the arc AP, the chord AP, $PM \perp OA$, $AT \perp OA$.

* When, according to its law of change, a *variable* will become and remain less in size than any assignable constant value but will never become zero, the *variable* is called an *infinitesimal*, or is said *to approach zero as its limit.*

When a variable approaches a constant so that their *difference* is an *infinitesimal*, the variable is said *to approach the constant as its limit*, or the constant is said to be the *limit* of the variable.

Lt $(\sin\theta/\theta)$ is read *the limit of* $\sin\theta/\theta$; $\theta \doteq 0$ is read θ *approaches* 0 *as its limit* or θ *is an infinitesimal.*

The reciprocal of an infinitesimal is an *infinite* and is denoted by ∞.

Any number which is neither an infinitesimal nor an infinite is called a *finite* number

Then $\triangle OAP < \text{sector } OAP < \triangle OAT.$ (1)

By Geometry, the area of the sector OAP is $OA \cdot \text{arc } AP/2$. Hence, from (1), we have

$$OA \cdot MP < OA \cdot \text{arc } AP < OA \cdot AT. \quad (2)$$

Dividing each member of (2) by $\overline{OA}^2$, we obtain

$$MP/OP < \text{arc } AP/OA < AT/OA;$$

that is, $$\sin\theta < \theta < \tan\theta. \quad (3)$$

Dividing the members of (3) first by $\sin\theta$ and then by $\tan\theta$, we have

$$1 < \theta/\sin\theta < \sec\theta, \quad (4)$$

and $$\cos\theta < \theta/\tan\theta < 1.$$

Let $\theta \doteq 0.$

Then $\sec\theta \doteq 1,$

and $\cos\theta \doteq 1.$




FIG. 54

Hence the ratio $\theta/\sin\theta$ or the ratio $\theta/\tan\theta$ lies between 1 and a variable whose limit is 1; hence the limit of each of these ratios is 1.

Now $-\theta/\sin(-\theta) \equiv -\theta/(-\sin\theta) \equiv \theta/\sin\theta.$

Hence $\text{lt}[-\theta/\sin(-\theta)] \equiv \text{lt}(\theta/\sin\theta) \equiv 1$, when $\theta \doteq 0.$

Also, $\text{lt}[-\theta/\tan(-\theta)] \equiv \text{lt}(\theta/\tan\theta) \equiv 1.$

Hence the theorem holds true whether θ is positive or negative.

Example. To find $\sin 1'$ and $\cos 1'$.

By § 66, $$1' = (0.00\ 029\ 088\ 821 +) \text{ radian.} \quad (1')$$

By (3) and (1'), $$\sin 1' < 1' \text{ in radians} < 0.00\ 029\ 088\ 822. \quad (2')$$

Again, $$\cos 1' = \sqrt{1 - \sin^2 1'} > \sqrt{1 - (.0003)^2} > .99\ 999\ 99.$$

Hence, to seven places,

$$\cos 1' = 0.99\ 999\ 99+. \quad (3')$$

By (4), $$\sin\theta > \theta\cos\theta.$$

$$\therefore \sin 1' > (1' \text{ in radians})\cos 1'.$$

$$\therefore \sin 1' > 0.00\ 029\ 088\ 821 \times 0.99\ 999\ 99 \qquad \text{by (1')}, \text{(3')}$$
$$> 0.00\ 029\ 088\ 821 \times (1 - 0.00\ 000\ 01),$$
$$\text{or} \qquad \sin 1' > 0.00\ 029\ 088\ 820+. \qquad (4')$$

From (2') and (4') it follows that to ten places

$$\sin 1' = 0.00\ 029\ 088\ 82+, \qquad (5')$$

the eleventh figure being 0 or 1.

This example affords a good illustration of the use of corollary 1, below.

Two very important corollaries to the theorem above are the following:

COR. 1. *If* θ *is very small, it can be substituted for either* $\sin\theta$ *or* $\tan\theta$ *in approximate calculations; or* vice versa.

COR. 2. *If* θ *is an infinitesimal and it is substituted for either* $\sin\theta$ *or* $\tan\theta$ *in any function, the limit of the function will not be changed.*

83. Convenient **formulas for computing the sine and cosine** of any angle are

$$\sin\phi \equiv \phi - \frac{\phi^3}{\lfloor 3} + \frac{\phi^5}{\lfloor 5} - \frac{\phi^7}{\lfloor 7} + \frac{\phi^9}{\lfloor 9} - \frac{\phi^{11}}{\lfloor 11} + \cdots, \qquad (b)$$

$$\cos\phi \equiv 1 - \frac{\phi^2}{\lfloor 2} + \frac{\phi^4}{\lfloor 4} - \frac{\phi^6}{\lfloor 6} + \frac{\phi^8}{\lfloor 8} - \frac{\phi^{10}}{\lfloor 10} + \cdots, \qquad (c)$$

where ϕ is the radian measure of the angle.

For the proof of (b) and (c), see § 94 in Taylor's Calculus.

The sine of any angle is arithmetically equal to the sine or cosine of some angle not greater than $\pi/4$; hence its value can be computed by taking ϕ in (b) or (c) not greater than $\pi/4$.

Likewise the cosine of any angle can be computed by taking ϕ in (c) or (b) not greater than $\pi/4$.

Observe that for $\phi < \pi/4$ the series in (b) or (c) converges rapidly, and only a few terms need to be computed.

Having found the value of the sine and the cosine, the logarithmic sine and cosine can be obtained from a table of logarithms of numbers. The logarithmic tangent can then be

found by subtracting log cos from log sin, and log cot by subtracting log sin from log cos, or log tan from 0.

Example. Compute sin 11° 12′ 23″ and cos 11° 12′ 23″.

By § 66,

$$11° = (0.01\ 745\ 329\ 252 \times 11) \text{ radian} = 0.19\ 198\ 621\ 772 \text{ radian.}$$
$$12′ = (0.00\ 029\ 088\ 821 \times 12) \quad " \quad = 0.00\ 349\ 065\ 852 \quad "$$
$$23″ = (0.00\ 000\ 484\ 814 \times 23) \quad " \quad = 0.00\ 011\ 150\ 722 \quad "$$
$$\therefore \phi = 11° 12′ 23″ \quad = 0.19\ 558\ 838\ 346 \quad "$$

Substituting this value for ϕ in (b) and (c), from the first three terms we obtain

$$\phi = 0.19\ 558\ 838 \qquad 1 = 1.00\ 000\ 000$$
$$\phi^5/\lfloor 5 = \ .00\ 000\ 238 \qquad \phi^4/\lfloor 4 = \ .00\ 006\ 098$$
$$.19\ 559\ 076 \qquad 1.00\ 006\ 098$$
$$\phi^3/\lfloor 3 = \ .00\ 124\ 703 \qquad \phi^2/\lfloor 2 = \ .01\ 912\ 741$$
$$\therefore \sin\phi = \ .19\ 434\ 373 \qquad \therefore \cos\phi = \ .98\ 093\ 357$$

The sine is correct to five places and the cosine to four places.

84. **Simpson's method of computing a trigonometric table** is the following:

Suppose the table is to be at intervals of $1′$.

Putting $(n-1)\,1′$ for A and $1′$ for B in (1) and (3) of § 40, we obtain

$$\sin n\,1′ \equiv 2\cos 1′ \sin(n-1)\,1′ - \sin(n-2)\,1′. \qquad (1)$$
$$\cos n\,1′ \equiv 2\cos 1′ \cos(n-1)\,1′ - \cos(n-2)\,1′. \qquad (2)$$

Putting 30° for A in (1) and (4) of § 40, we obtain

$$\sin(30° + B) \equiv \cos B - \sin(30° - B). \qquad (3)$$
$$\cos(30° + B) \equiv \cos(30° - B) - \sin B. \qquad (4)$$

Calculate sin $1′$ and cos $1′$ as in § 82 or by the series in § 83.

Then giving to n in (1) and (2) the values 2, 3, 4, etc., successively, we obtain the sines and cosines of angles up to 30° at intervals of $1′$.

E.g., when $n = 2$, (1) and (2) become

$$\sin 2′ = 2\cos 1′ \sin 1′ - \sin 0′ = 2\cos 1′ \sin 1′,$$

and

$$\cos 2′ = 2\cos 1′ \cos 1′ - \cos 0′ = 2\cos^2 1′ - 1, \cdots.$$

To obtain the sines and cosines of angles from 30° to 45°, we give to B in (3) and (4) the values 1′, 2′, 3′, etc., successively, making use of the results previously obtained by (1) and (2).

E.g., when $B = 1'$, (3) and (4) become

$$\sin 30° 1' = \cos 1' - \sin 29° 59',$$

and

$$\cos 30° 1' = \cos 29° 59' - \sin 1', \cdots.$$

85. **The hyperbolic functions.** One form of the *exponential series* is

$$e^x \equiv 1 + x + \frac{x^2}{\lfloor 2} + \frac{x^3}{\lfloor 3} + \frac{x^4}{\lfloor 4} + \frac{x^5}{\lfloor 5} + \cdots, \qquad \text{(d)}$$

where e is the base of natural logarithms.

For the proof of (d), see § 95 in Taylor's Calculus, or § 326 in the College Algebra.

Putting $x = 1$, we obtain $e = 2.718281$.

The functions $(e^x - e^{-x})/2$ and $(e^x + e^{-x})/2$ are found to have properties analogous to those of $\sin x$ and $\cos x$, and to have to the hyperbola relations analogous to those which $\sin x$ and $\cos x$ have to the circle; for these reasons the first has been named the *hyperbolic sine of* x (*sinh* x), and the second the *hyperbolic cosine of* x (*cosh* x). Thus we have

$$\left.\begin{aligned} \sinh x &\equiv (e^x - e^{-x})/2, \\ \cosh x &\equiv (e^x + e^{-x})/2. \end{aligned}\right\} \qquad [37]$$

Following the analogy of the trigonometric functions, we define the ratio of $\sinh x$ to $\cosh x$ as the *hyperbolic tangent of* x (*tanh* x).

Thus,

$$\tanh x \equiv \frac{\sinh x}{\cosh x} \equiv \frac{e^x - e^{-x}}{e^x + e^{-x}}. \qquad [38]$$

The reciprocals of $\tanh x$, $\cosh x$, $\sinh x$ are called respectively the *hyperbolic cotangent of* x (*coth* x), the *hyperbolic secant of* x (*sech* x), and the *hyperbolic cosecant of* x (*csch* x).

86. The **relations between the hyperbolic functions** are in general analogous to, and sometimes the same as, the corresponding relations between the trigonometric functions.

E.g., $(e^x + e^{-x})^2/4 - (e^x - e^{-x})^2/4 \equiv 1.$

$$\therefore \cosh^2 x - \sinh^2 x \equiv 1.$$

Again, $$\cosh(-x) \equiv \frac{e^{-x} + e^x}{2} \equiv \cosh x,$$

and $$\sinh(-x) \equiv \frac{e^{-x} - e^x}{2} \equiv -\sinh x.$$

Also, $$\sinh 2x \equiv \frac{e^{2x} - e^{-2x}}{2} \equiv 2\frac{e^x - e^{-x}}{2} \cdot \frac{e^x + e^{-x}}{2}.$$

$$\therefore \sinh 2x \equiv 2 \sinh x \cosh x.$$

Again, $$\sinh x \cosh y \equiv (e^x - e^{-x})(e^y + e^{-y})/4$$

$$\equiv (e^{x+y} - e^{-x+y} + e^{x-y} - e^{-x-y})/4, \quad (1)$$

and $$\cosh x \sinh y \equiv (e^x + e^{-x})(e^y - e^{-y})/4$$

$$\equiv (e^{x+y} + e^{-x+y} - e^{x-y} - e^{-x-y})/4. \quad (2)$$

Adding (1) and (2), we obtain

$$\sinh x \cosh y + \cosh x \sinh y \equiv [e^{x+y} - e^{-(x+y)}]/2$$

$$\equiv \sinh(x + y).$$

Example. Prove $\sinh(x-y) \equiv \sinh x \cosh y - \cosh x \sinh y.$

$$\cosh(x + y) \equiv \cosh x \cosh y + \sinh x \sinh y.$$

$$\cosh(x - y) \equiv \cosh x \cosh y - \sinh x \sinh y.$$

The notation for the inverse hyperbolic functions is the same as that for the inverse trigonometric functions.

EXERCISE XXVIII

Prove each of the following identities:

1. $\tanh^2 x + \operatorname{sech}^2 x \equiv 1.$
2. $\coth^2 x - \operatorname{csch}^2 x \equiv 1.$
3. $\tanh(x + y) \equiv \dfrac{\tanh x + \tanh y}{1 + \tanh x \tanh y}.$
4. $\sinh 3x \equiv 3 \sinh x + 4 \sinh^3 x.$
5. $\cosh 3x \equiv 4 \cosh^3 x - 3 \cosh x.$
6. $\sinh^{-1} x \equiv \cosh^{-1}\sqrt{1 + x^2} \equiv \tanh^{-1}(x/\sqrt{1 + x^2}).$
7. $\tanh^{-1} x + \tanh^{-1} y \equiv \tanh^{-1}\dfrac{x + y}{1 + xy}.$

CHAPTER VIII

COMPLEX NUMBERS. DE MOIVRE'S THEOREM

87. The quality units, ± 1, $\pm\sqrt{-1}$. Let $ABA'B'$ be a circle whose radius OA is 1 unit in length.

Then if OA = the unit $^{+}1$, OA' = the unit $^{-}1$.

Now $\overline{OA} \times (^{-}1) = OA'$; that is, if $\overline{OA}$ is multiplied by $^{-}1$, $\overline{OA}$ is reversed in direction and becomes $\overline{OA'}$. Suppose that $\overline{OA}$ reverses its direction by revolving about O in the plane of the figure; then, as $^{-}1 = (^{+}\sqrt{-1})^2$ or $(^{-}\sqrt{-1})^2$, it follows that $\overline{OA}$ will be reversed in direction if it is multiplied twice in succession by either $^{+}\sqrt{-1}$ or $^{-}\sqrt{-1}$. Hence it may be assumed that the effect of $\sqrt{-1}$ or $^{-}\sqrt{-1}$ as a multiplier will be to revolve $\overline{OA}$ through $\pi/2$. Suppose that $^{+}\sqrt{-1}$, as a multiplier, revolves $\overline{OA}$ in the positive direction, or counter-clockwise; then $^{-}\sqrt{-1}$ will revolve $\overline{OA}$ in the negative direction, or clockwise.




FIG. 55

That is, $\overline{OA} \times {}^{+}\sqrt{-1} = \overline{OB}$, $\quad \overline{OA} \times {}^{-}\sqrt{-1} = \overline{OB'}$.

Putting $^{+}1$ for $\overline{OA}$ and assuming the commutative law, we have

$$\overline{OB} = \sqrt{-1}, \qquad \overline{OB'} = {}^{-}\sqrt{-1}.$$

For brevity we shall denote $\sqrt{-1}$ by i and $^{-}\sqrt{-1}$ by $-i$.

The quality units $^{+}1$ and $^{-}1$ are often called *real* units, and arithmetic multiples of these units are called ***real numbers.***

The quality units i and $-i$ are called *imaginary* units, and arithmetic multiples of these units are called *imaginary numbers.*

Observe that $+i$ and $-i$ or $+1$ and -1 include both the idea of the *arithmetic* 1 and that of *oppositeness* to each other.

Since $+1 \times +1 = +1$ or $-1 \times -1 = +1$, $+1$ or -1 *is its own reciprocal.*

Since $+i \times -i = +1$, $+i$ and $-i$ *are reciprocals of each other.*

Hence i and $-i$ *are both opposites and reciprocals of each other.*

Since $(-i)^2 = i^2 = -1$, *the square of either imaginary unit is* -1.

Also, $(+i)^3 = -i$ and $(-i)^3 = i$; that is, *the cube of either imaginary unit is equal to the other.*

Again, $(-i)^4 = i^4 = +1$; that is, *the fourth power of either imaginary unit is* $+1$.

88. A **directed line** or a **directed force** is a line or force whose *value* includes not only its *magnitude* but also its *direction.* *E.g.*, $\overline{OA}$, $\overline{OB}$, $\overline{OA'}$, $\overline{OB'}$, $\overline{A'A}$, $\overline{BB'}$, in fig. 55, are directed lines.

A directed line is often called a **vector.**

Two directed lines or forces are equal when they have the same length or size and the same direction.

Hence, if two vectors are equal and their *origins* coincide, their *ends* also will coincide.

If a directed line or force is parallel to one of two perpendicular lines, as AOA' and BOB' in fig. 55, we can express both its magnitude and its direction by a real or an imaginary number. To enlarge our number concept so that we can, by the sum of a real and an imaginary number, express the magnitude and direction of any directed line or force which is parallel to *any* line whatever in a given plane, as AOB in fig. 55, we need the principle of vector addition given below.

89. In fig. 55, we have

$$\overline{OA'} + \overline{A'A} \equiv \overline{OA}, \qquad \overline{OB} + \overline{BB'} \equiv \overline{OB'},$$

$$\overline{OA} + \overline{AA'} \equiv \overline{OA'}, \qquad \overline{OB'} + \overline{B'B} \equiv \overline{OB}.$$

Each of these identities illustrates the following law of vector addition:

If the end of one vector is the origin of a second vector, the sum of these two vectors in its simplest form is the vector extending from the origin of the first vector to the end of the second vector.

Thus, in its simplest form, the sum of the vectors $\overline{AB}$ and $\overline{BC}$ in fig. 56 is the vector $\overline{AC}$.

That is, $$\overline{AB} + \overline{BC} \equiv \overline{AC}. \qquad (1)$$

The meaning of (1) is that transference from A to B followed by transference from B to C is *identical in result* with transference from A to C.




FIG 56

Or, a point P moving from A to C along AC goes the distance AB in the direction AB plus the distance BC in the direction BC.

Again, if two directed forces are represented by the vectors $\overline{AB}$ and $\overline{BC}$, by the parallelogram of forces we know that their *resultant* (*i.e.* their *sum* in its simplest form) is represented by the vector $\overline{AC}$.

Identity (1) is absurd when, as in Geometry, we consider only the length of lines; it becomes true when, and only when, the *value* of each line includes both its *length* and its *direction*.

90. **Complex numbers.** If a and b are real numbers, then $a + ib$ is called a *complex number*, *i.e.* a complex number in the *common form* is the sum of a real and an imaginary number.

To construct $a + ib$, lay off $\overline{OM} = a$ and $\overline{MP} = ib$; then $a + ib = \overline{OM} + \overline{MP} = \overline{OP}$.

Thus the vector $\overline{OP}$ represents the complex number $a + ib$, or $a + ib$ is the *numerical measure* of the vector $\overline{OP}$.




FIG. 57

Take OH equal to 1 unit in length and draw $HR \perp OM$.

Let $\mathrm{r} \equiv$ the *arithmetical value* of $\sqrt{a^2 + b^2}$. (1)

Then, from the right triangle OMP, we know that

$$\mathrm{r} = \text{the } \textit{number} \text{ of units in } \overline{OP}.$$

From the similarity of the triangles ORH and OMP, we have

$$\overline{OR} = a/r, \qquad \overline{RH} = ib/r.$$

Hence $$\overline{OH} = \overline{OR} + \overline{RH} = a/r + ib/r.$$

That is, $a/r + ib/r$ denotes $\overline{OH}$, the unit vector of $\overline{OP}$.

r is called the **arithmetic value**, or **modulus**, of the complex number $a + ib$, and $a/r + ib/r$ its **quality unit.**

$$\text{If } \angle MOP = \phi, \text{ then } a/r = \cos\phi, \; b/r = \sin\phi. \tag{2}$$

$$\therefore a/r + ib/r = \cos\phi + i\sin\phi. \tag{3}$$

$$\therefore a + ib \equiv (a/r + ib/r)\, r = (\cos\phi + i\sin\phi)\, r. \tag{4}$$

$(\cos\phi + i\sin\phi)\, r$ is the *trigonometric form* of a complex number in which $\cos\phi + i\sin\phi$ is the quality unit and r the modulus.

Either $(a/r + ib/r)r$ or $(\cos\phi + i\sin\phi)r$ in (4) is called **the type form** of the complex number $a + ib$.

Hence a complex number in the *type form* is an arithmetic multiple of a quality unit.

The angle ϕ is called the **angle**, or **amplitude**, of the complex number $a + ib$. Between $-\pi$ and $+\pi$ there is one, and only one, value of ϕ which will satisfy equations (2). This value of ϕ is called its *principal value.*

If ϕ' denotes the principal value of ϕ, the general value of ϕ is $2n\pi + \phi'$, where n is any integer. Thus the angle, or amplitude, of a complex number is *many-valued.*

When $b = 0$, $a + ib = a$, a *real* number;

when $a = 0$, $a + ib = ib$, an *imaginary* number.

Thus $a + ib$ includes reals and imaginaries as particular cases.

Ex. 1. Reduce the complex number $-1-\sqrt{-3}$ to the trigonometric type form.

Here $a = -1, \quad b = -\sqrt{3}.$

$\therefore r = \sqrt{1+3} = 2.$ by (1)

Hence $\cos\phi = -1/2, \quad \sin\phi = -\sqrt{3}/2.$ by (2)

Since $\cos\phi$ and $\sin\phi$ are both $-$, ϕ is in the third quadrant; hence its principal value is $-2\pi/3$.

$$\therefore -1-\sqrt{-3} = [\cos(-2\pi/3) + i\sin(-2\pi/3)] \cdot 2.$$

Hence the *arithmetic value*, or modulus, of $-1-\sqrt{-3}$ is 2, and its quality unit is represented by a unit vector which makes the angle $-2\pi/3$ with the vector representing $+1$.

Ex. 2. Reduce the complex number $2-\sqrt{-5}$ to the algebraic type form.

Here $a = +2, \quad b = -\sqrt{5}; \quad \therefore r = 3.$

$$\therefore 2-\sqrt{-5} = [2/3 + i(-\sqrt{5}/3)]\,3.$$

Ex. 3. Reduce the unit $\sin\phi - i\cos\phi$ to the trigonometric type form.

$$\sin\phi - i\cos\phi = \cos(\phi - 90°) + i\sin(\phi - 90°).$$

Thus the *angle* of the quality unit $\sin\phi - i\cos\phi$ is $\phi - 90°$.

EXERCISE XXIX

Represent graphically and reduce to the type form:

1. $1+\sqrt{-1}$.
2. $1-\sqrt{-1}$.
3. $-1-i$.
4. $-1+\sqrt{-3}$.
5. $-\sqrt{3}+i$.
6. $-\sqrt{3}-i$.
7. $3-i4$.
8. $-3+i2$.
9. $-6-i8$.
10. $-\sqrt{5}-i\sqrt{11}$.
11. $\sin\phi + i\cos\phi$.
12. $-\sin\theta + i\cos\theta$.

13. By constructing the sum in each member, show that

$$(a+ib)+(x+iy) \equiv (a+iy)+(x+ib) \equiv (a+x)+i(b+y),$$

and thus prove geometrically that the commutative and associative laws of addition hold true for complex numbers.

91. General quality unit $\cos\phi + i\sin\phi$.

Let ABA' be a circle whose radius is 1, and let $\overline{OA}$ = the unit $^+1$.




FIG. 58

Then
$$\text{if } \phi \equiv AOP, \quad \cos\phi + i\sin\phi \equiv \overline{OP};$$
$$\text{if } \phi \equiv AOP_1', \quad \cos\phi + i\sin\phi \equiv \overline{OP_1}';$$
$$\text{if } \phi \equiv AOP_1, \quad \cos\phi + i\sin\phi \equiv \overline{OP_1};$$
$$\text{if } \phi \equiv AOP', \quad \cos\phi + i\sin\phi \equiv \overline{OP'}.$$

That is, the quality unit $\cos\phi + i\sin\phi$ is represented by the *unit vector* which makes the angle ϕ with the vector representing $^+1$.

The following important particular cases of $\cos\phi + i\sin\phi$ should be carefully noted:

When $\phi = 0$, $\cos\phi + i\sin\phi = \cos 0 + i\sin 0 = {}^+1$.

When $\phi = \pm\pi/2$,
$$\cos\phi + i\sin\phi = \cos(\pm\pi/2) + i\sin(\pm\pi/2) = {}^{\pm}i.$$

When $\phi = \pm\pi$,
$$\cos\phi + i\sin\phi = \cos(\pm\pi) + i\sin(\pm\pi) = {}^-1.$$

These results are evident also from the figure.

92. **Product of quality units.** By the distributive law of multiplication, we obtain

$$(\cos\phi_1 + i\sin\phi_1)(\cos\phi_2 + i\sin\phi_2)$$
$$\equiv \cos\phi_1\cos\phi_2 + i\cos\phi_1\sin\phi_2 + i\sin\phi_1\cos\phi_2 + i^2\sin\phi_1\sin\phi_2$$
$$\equiv \cos\phi_1\cos\phi_2 - \sin\phi_1\sin\phi_2 + i(\sin\phi_1\cos\phi_2 + \cos\phi_1\sin\phi_2)$$
$$\equiv \cos(\phi_1 + \phi_2) + i\sin(\phi_1 + \phi_2). \qquad \S\ 34$$

Hence, in general, we have

$$(\cos\phi_1 + \mathrm{i}\sin\phi_1)(\cos\phi_2 + \mathrm{i}\sin\phi_2)\cdots(\cos\phi_n + \mathrm{i}\sin\phi_n)$$
$$\equiv \cos(\phi_1 + \phi_2 + \cdots + \phi_n) + \mathrm{i}\sin(\phi_1 + \phi_2 + \cdots + \phi_n). \quad [39]$$

That is, *the product of two or more quality units is a quality unit whose angle is the sum of the angles of the factors.*

Observe that, to multiply $\cos\phi_1 + i\sin\phi_1$ by $\cos\phi_2 + i\sin\phi_2$, we add the angle ϕ_2 of the multiplier to the angle ϕ_1 of the multiplicand.

Again, to obtain the multiplier $\cos\phi_2 + i\sin\phi_2$ from the *primary unit* $\cos 0 + i\sin 0$, we add the angle ϕ_2 of the multiplier to the angle 0 of the *primary unit.*

Hence the product is obtained by doing to the multiplicand just what is done to the *primary unit* to obtain the multiplier.

93. **De Moivre's theorem.**

(i) If $$\phi = \phi_1 = \phi_2 = \cdots = \phi_n,$$

then, from [39] of § 92, we obtain

$$(\cos\phi + i\sin\phi)^n \equiv \cos n\phi + i\sin n\phi. \qquad (1)$$

That is, *the* n*th power of a quality unit is a quality unit whose angle is* n *times the angle of the base.*

(ii) Taking the nth root of each member of (1), we obtain

$$(\cos n\phi + i\sin n\phi)^{1/n} \equiv \cos\phi + i\sin\phi.$$

Putting ϕ for $n\phi$ and therefore ϕ/n for ϕ, we have

$$(\cos\phi + i\sin\phi)^{1/n} \equiv \cos(\phi/n) + i\sin(\phi/n). \qquad (2)$$

Let s be a positive integer, then, from (2), we obtain

$$(\cos\phi + i\sin\phi)^{s/n} \equiv [\cos(\phi/n) + i\sin(\phi/n)]^s$$
$$\equiv \cos(s\phi/n) + i\sin(s\phi/n). \quad (3)$$

(iii) By § 92,

$$(\cos\phi + i\sin\phi)[\cos(-\phi) + i\sin(-\phi)] \equiv \cos 0 + i\sin 0 \equiv +1.$$

Hence

$\cos(-\phi) + i\sin(-\phi)$ is the reciprocal of $\cos\phi + i\sin\phi$.

That is, $(\cos\phi + i\sin\phi)^{-1} \equiv \cos(-\phi) + i\sin(-\phi)$. (4)

Let p be any positive integer or fraction. Then, from (4),

$$(\cos\phi + i\sin\phi)^{-p} \equiv [\cos(-\phi) + i\sin(-\phi)]^p$$
$$\equiv \cos(-p\phi) + i\sin(-p\phi). \quad (5)$$

From (1), (3), and (5) it follows that for any commensurable real value of n, we have

$$(\cos\phi + i\sin\phi)^n \equiv \cos n\phi + i\sin n\phi. \qquad [40]$$

Formula [40] is called *De Moivre's theorem.*

Cor. 1. From (2), $\cos(\phi/n) + i\sin(\phi/n)$ *is one of the* n*th roots of* $\cos\phi + i\sin\phi$.

Cor. 2. By § 28,

$$\cos(-\phi) + i\sin(-\phi) \equiv \cos\phi - i\sin\phi.$$

Hence, by (4), $\cos\phi - i\sin\phi$ is the reciprocal of $\cos\phi + i\sin\phi$.

That is, *the conjugate quality units* $\cos\phi + i\sin\phi$ *and* $\cos\phi - i\sin\phi$ *are reciprocals of each other.*

In fig. 58 observe that $\overline{OP}$ and $\overline{OP_1}$ represent *reciprocal,* or *conjugate,* quality units, while $\overline{OP}$ and $\overline{OP'}$ represent *opposite* quality units. When $\overline{OP}$ coincides with $\overline{OB}$, $\overline{OP_1}$ and $\overline{OP'}$ both coincide with $\overline{OB'}$; this illustrates that the *reciprocal,* or conjugate, of i is also the *opposite* of i. When $\overline{OP}$ coincides with $\overline{OA}$ or $\overline{OA'}$, $\overline{OP_1}$ does also; that is, either $+1$ or -1 is its own reciprocal.

94. To divide by the quality unit $\cos\phi + i\sin\phi$, we multiply by its reciprocal $\cos(-\phi) + i\sin(-\phi)$, or $\cos\phi - i\sin\phi$.

Ex. 1. $$\frac{\cos\phi_1 + i\sin\phi_1}{\cos\phi_2 + i\sin\phi_2} \equiv (\cos\phi_1 + i\sin\phi_1)[\cos(-\phi_2) + i\sin(-\phi_2)]$$
$$\equiv \cos(\phi_1 - \phi_2) + i\sin(\phi_1 - \phi_2).$$

Ex. 2. $$\frac{(\cos\phi + i\sin\phi)^5}{(\cos\theta - i\sin\theta)^7} \equiv (\cos\phi + i\sin\phi)^5(\cos\theta + i\sin\theta)^7$$
$$\equiv (\cos 5\phi + i\sin 5\phi)(\cos 7\theta + i\sin 7\theta)$$
$$\equiv \cos(5\phi + 7\theta) + i\sin(5\phi + 7\theta).$$

EXERCISE XXX

Prove each of the following identities:

1. $(\cos 0 + i\sin 0)^3 = +1$, $[\cos(2\pi/3) + i\sin(2\pi/3)]^3 = +1$, $[\cos(4\pi/3) + i\sin(4\pi/3)]^3 = +1$.

Hence each of these three quality units is a cube root of $+1$.

2. $[\cos(\pi/5) \pm i\sin(\pi/5)]^5 = -1$, $[\cos(3\pi/5) \pm i\sin(3\pi/5)]^5 = -1$, $(\cos\pi \pm i\sin\pi)^5 = -1$.

Observe that $\cos\pi + i\sin\pi \equiv \cos\pi - i\sin\pi$.

3. $[\cos(\pi/6) \pm i\sin(\pi/6)]^6 = [\cos(\pi/2) \pm i\sin(\pi/2)]^6$
$= [\cos(5\pi/6) \pm i\sin(5\pi/6)]^6 = -1$.

4. What is proved by examples 2 and 3? Illustrate the meaning of examples 1, 2, 3 by vectors.

Express as a quality unit each of the following:

5. $\dfrac{(\cos\theta + i\sin\theta)^6}{(\cos\phi - i\sin\phi)^5}$.

6. $\dfrac{(\cos\theta - i\sin\theta)^{3/2}}{(\cos\phi - i\sin\phi)^{5/3}}$.

7. $\dfrac{(\cos\theta + i\sin\theta)(\cos\phi + i\sin\phi)}{(\cos\beta + i\sin\beta)(\cos\gamma + i\sin\gamma)}$.

8. $\dfrac{[\cos(\pi/6) - i\sin(\pi/6)]^{11/2}}{[\cos(\pi/6) + i\sin(\pi/6)]^{1/2}}$.

9. $\dfrac{(\cos\phi + i\sin\phi)^4}{(\sin\theta + i\cos\theta)^5}$.

10. By De Moivre's theorem prove identities (1) and (2).

$$\cos n\phi \equiv \cos^n \phi - \frac{n(n-1)}{\lfloor 2} \cos^{n-2} \phi \sin^2 \phi + \frac{n(n-1)(n-2)(n-3)}{\lfloor 4} \cos^{n-4} \phi \sin^4 \phi - \cdots. \quad (1)$$

$$\sin n\phi \equiv n \cos^{n-1} \phi \sin \phi - \frac{n(n-1)(n-2)}{\lfloor 3} \cos^{n-3} \phi \sin^3 \phi + \frac{n(n-1)(n-2)(n-3)(n-4)}{\lfloor 5} \cos^{n-5} \phi \sin^5 \phi - \cdots. \quad (2)$$

$$\cos n\phi + i \sin n\phi \equiv (\cos \phi + i \sin \phi)^n \equiv \cos^n \phi + i \frac{n}{1} \cos^{n-1} \phi \sin \phi + i^2 \frac{n(n-1)}{\lfloor 2} \cos^{n-2} \phi \sin^2 \phi + i^3 \frac{n(n-1)(n-2)}{\lfloor 3} \cos^{n-3} \phi \sin^3 \phi + \cdots. \quad (3)$$

Substituting for i^2, i^3, $\cdots$ their values, and equating the real parts and the imaginary parts in (3), we obtain (1) and (2).

95. Products and quotients of complex numbers. Multiplying by a quality unit affects only the *quality* of the product, and multiplying by an arithmetic number, or modulus, affects only the *size* of the product; whence the result is evidently independent of the order of these operations. Therefore the commutative and associative laws of multiplication hold for the moduli and quality units of complex numbers.

Hence we have the following theorems:

(i) *The product of two or more complex numbers is equal to the product of their quality units into the product of their moduli.*

(ii) *The quotient of two complex numbers is equal to the quotient of their quality units into the quotient of their moduli.*

(iii) *The* m*th power of any complex number is equal to the* m*th power of its quality unit into the* m*th power of its modulus, where* m *is any real number.*

96. *The quality unit* $\cos\phi + i\sin\phi$ *has* q, *and only* q, *unequal* q*th roots.*

If n is any integer, then, by § 21, we have

$$\cos\phi + i\sin\phi \equiv \cos(2n\pi + \phi) + i\sin(2n\pi + \phi).$$

$$\therefore (\cos\phi + i\sin\phi)^{1/q} \equiv [\cos(2n\pi + \phi) + i\sin(2n\pi + \phi)]^{1/q}$$

$$\equiv \cos\frac{2n\pi + \phi}{q} + i\sin\frac{2n\pi + \phi}{q}. \quad (1)$$

If in (1) we give to n the values $0, 1, 2, 3, 4, \cdots, q-1$, in succession, we obtain the following q qth roots of $\cos\phi + i\sin\phi$:

$$\left.\begin{array}{ll} n = 0, & \cos(\phi/q) + i\sin(\phi/q), \\ n = 1, & \cos\dfrac{2\pi + \phi}{q} + i\sin\dfrac{2\pi + \phi}{q}, \\ n = 2, & \cos\dfrac{4\pi + \phi}{q} + i\sin\dfrac{4\pi + \phi}{q}, \\ \cdots & \cdots \end{array}\right\} \quad (2)$$

The angles of any two of the roots in (2) differ by less than 2π; hence no two of these angles can have equal cosines and equal sines. Therefore the q qth roots in (2) are unequal.

If we give to n the values $q, q+1, q+2, \cdots$, or $-1, -2, -3, \cdots$, we obtain qth roots equal to those in (2).

Hence $\cos\phi + i\sin\phi$ *has* q, *and only* q, *unequal* q*th roots.*

97. *Any complex number has* q, *and only* q, *unequal* q*th roots.*

$$[(\cos\phi + i\sin\phi)r]^{1/q} \equiv (\cos\phi + i\sin\phi)^{1/q} r^{1/q}. \quad (1)$$

The quality unit $\cos\phi + i\sin\phi$ has q, and only q, unequal qth roots, and the arithmetic number r has only one qth root; whence the second member of (1) has q, and only q, unequal values.

Hence to find the q qth roots of any complex number, reduce the number to the type form, find the q qth roots of its quality unit, and multiply each by the qth root of the modulus.

Observe that an *algebraic number* has q unequal qth roots because its *quality unit* has q unequal qth roots.

Ex. 1. Find the three cube roots of -27.

$$-27 = (-1)\cdot 27 = (\cos\pi + i\sin\pi)\cdot 27.$$
$$\therefore \sqrt[3]{-27} = (\cos\pi + i\sin\pi)^{1/3}\cdot 3.$$
$$(\cos\pi + i\sin\pi)^{1/3} \equiv \cos\frac{2n\pi+\pi}{3} + i\sin\frac{2n\pi+\pi}{3};$$

when $n = 0$, $\equiv \cos(\pi/3) + i\sin(\pi/3) = 1/2 + i\sqrt{3}/2$;

when $n = 1$, $\equiv \cos\pi + i\sin\pi = -1$;

when $n = 2$, $\equiv \cos(5\pi/3) + i\sin(5\pi/3) = 1/2 - i\sqrt{3}/2$.

Hence $\sqrt[3]{-27} = -3,\ (1/2 \pm i\sqrt{3}/2)\ \ 3.$

Ex. 2. Find the four fourth roots of $8 + 8\sqrt{-3}$.

$$8 + 8\sqrt{-3} = (1/2 + i\sqrt{3}/2)\cdot 16 = [\cos(\pi/3) + i\sin(\pi/3)]\cdot 16.$$
$$\therefore \sqrt[4]{8 + 8\sqrt{-3}} = [\cos(\pi/3) + i\sin(\pi/3)]^{1/4}\ \ 2.$$
$$[\cos(\pi/3) + i\sin(\pi/3)]^{1/4} \equiv \cos\frac{2n\pi + \pi/3}{4} + i\sin\frac{2n\pi+\pi/3}{4};$$

when $n = 0$, $\equiv \cos(\pi/12) + i\sin(\pi/12)$;
when $n = 1$, $\equiv \cos(7\pi/12) + i\sin(7\pi/12)$;
when $n = 2$, $\equiv \cos(13\pi/12) + i\sin(13\pi/12)$;
when $n = 3$, $\equiv \cos(19\pi/12) + i\sin(19\pi/12)$. } (1)

Multiplying each of the four units in (1) by 2, we obtain the four required fourth roots.

EXERCISE XXXI

Find all the values of:

1. $1^{1/3}$.
2. $(-1)^{1/3}$.
3. $1^{1/6}$.
4. $(-1)^{1/6}$.
5. $16^{1/4}$.
6. $32^{1/5}$.
7. $(-243)^{1/5}$.
8. $(-i)^{1/6}$.
9. $(4\sqrt{3} + i4)^{1/3}$.
10. $(1 - i\sqrt{3})^{1/4}$.
11. $(1 + \sqrt{-1})^{1/6}$.
12. $(\sqrt{3} - \sqrt{-1})^{2/5}$.

13. Solve the equation $x^4 - x^3 + x^2 - x + 1 = 0$. (1)

Multiply by $(x + 1)$, $x^5 + 1 = 0$, or $x = (-1)^{1/5}$.

Multiplying by $x + 1$ introduces the root -1, the other four of the five fifth roots of -1 are the roots of equation (1).

14. Solve the equation $x^{12} - 1 = 0$.

Factor, $(x^8 - 1)(x^8 + 1)(x^3 - i)(x^3 + i) = 0$.

The twelve roots, $1^{1/3}$, $(-1)^{1/3}$, $i^{1/3}$, $(-i)^{1/3}$, are readily found by De Moivre's theorem.

15. Solve the equation $x^7 + x^4 + x^3 + 1 = 0$.

Factor, $(x^4 + 1)(x^3 + 1) = 0$.

16. Solve the equation $x^7 + 1 = 0$.

98. **Exponential form for $\cos\phi + i \sin\phi$.** If in series (d) of § 85 we replace x by $i\phi$, we obtain the series (1).

$$1 + i\phi + \frac{(i\phi)^2}{\lfloor 2} + \frac{(i\phi)^3}{\lfloor 3} + \frac{(i\phi)^4}{\lfloor 4} + \frac{(i\phi)^5}{\lfloor 5} + \cdots \qquad (1)$$

$$\equiv \left(1 - \frac{\phi^2}{\lfloor 2} + \frac{\phi^4}{\lfloor 4} - \frac{\phi^6}{\lfloor 6} + \cdots\right) + i\left(\phi - \frac{\phi^3}{\lfloor 3} + \frac{\phi^5}{\lfloor 5} - \frac{\phi^7}{\lfloor 7} + \cdots\right) \quad \text{§ 87}$$

$$\equiv \cos\phi + i \sin\phi. \qquad \text{by (b), (c), § 83}$$

That is, *series* (1) *is equal to a quality unit whose angle is* ϕ.

If, as is suggested by (d) in § 85, we *define* $e^{i\phi}$ as an *exponential symbol* for the series (1), we have

$$e^{i\phi} \equiv \cos\phi + i \sin\phi. \qquad (2)$$

That is, $e^{i\phi}$ *is an exponential symbol for a quality unit whose angle is* ϕ.

Substituting $-\phi$ for ϕ in (2), we obtain

$$e^{-i\phi} \equiv \cos\phi - i \sin\phi. \qquad (3)$$

From (2) and (3), $e^{i\phi}$ and $e^{-i\phi}$ denote reciprocal quality units.

From (2) and §§ 92 and 94, it follows that

$$e^{i\phi_1} \cdot e^{i\phi_2} \cdot e^{i\phi_3} \equiv e^{i(\phi_1 + \phi_2 + \phi_3)}, \qquad e^{i\theta} \cdot e^{-i\phi} \equiv e^{i(\theta - \phi)},$$

$$e^{i\phi} \div e^{i\theta} \equiv e^{i\phi} \cdot e^{-i\theta} \equiv e^{i(\phi - \theta)}, \quad (e^{i\phi})^2 \equiv e^{i2\phi}.$$

That is, $e^{i\phi}$ *obeys the fundamental laws of exponents.*

The unit of ϕ is the radian. Why?

Putting 1 for ϕ in (2), we obtain

$$e^{i} \equiv \cos 1 + i \sin 1.$$

That is, e^{i} denotes a quality unit whose angle is a radian.

Example. What does e^{-i} denote? e^{0}?

Observe that for all values of ϕ the arithmetic value of $e^{i\phi}$ is 1. Hence, as ϕ varies from $-\infty$ to $+\infty$, $e^{i\phi}$ varies in quality only.

From (2) it follows that any complex number

$$(\cos \phi + i \sin \phi)\, r$$

can be written in the form $e^{i\phi}r$, or $e^{i\phi}e^{r}$, where $e^{r} \equiv r$.

Defining $e^{i\phi + x}$ as denoting the series

$$1 + \frac{i\phi + x}{1} + \frac{(i\phi + x)^2}{\lfloor 2} + \frac{(i\phi + x)^3}{\lfloor 3} + \cdots,$$

we can easily prove the law $e^{i\phi} \cdot e^{x} \equiv e^{i\phi + x}$.

That is, $e^{i\phi + x}$ *denotes a complex number whose quality unit is* $e^{i\phi}$ *and whose modulus is* e^{x}.

Since $\qquad a \equiv e^{\log_e a}, \qquad a^{x} \equiv e^{x \log_e a};$

hence $\qquad a^{i\phi} \equiv e^{i\phi \log_e a}$ will define $a^{i\phi}$.

That is, $a^{i\phi}$ *denotes a quality unit whose angle is* $\phi \log_e a$.

Again, $\quad a^{i\phi} \cdot a^{x} \equiv e^{i\phi \log_e a} \cdot e^{x \log_e a} \equiv (e^{\log_e a})^{i\phi + x} \equiv a^{i\phi + x}$.

That is, $a^{i\phi + x}$ *denotes a complex number whose quality unit is* $a^{i\phi}$ *and whose modulus is* a^{x}.

From (2) and (3) by subtracting and adding we obtain

$$\sin \phi \equiv \frac{e^{i\phi} - e^{-i\phi}}{i\,2}, \qquad \cos \phi \equiv \frac{e^{i\phi} + e^{-i\phi}}{2}. \tag{4}$$

The values in (4) are known as Euler's exponential values of $\sin \phi$ and $\cos \phi$.

Compare (4) with [37] in § 85, and observe that if i is omitted in these values of $\sin \phi$ and $\cos \phi$ we have $\sinh \phi$ and $\cosh \phi$.

CHAPTER IX

MISCELLANEOUS EXAMPLES

EXERCISE XXXII

Express all the angles which are coterminal with :

1. $45°$. 2. $132°$. 3. $-35°$. 4. $-100°$. 5. $\pi/6$.

Find all the other trigonometric ratios of A when :

6. $\sin A = 4/7$. 8. $\cos A = -3/8$. 10. $\sec A = 7/4$.

7. $\tan A = 3/2$. 9. $\cot A = -7/5$. 11. $\csc A = -5/4$.

12. In what quadrant is A in each of the examples 6–11 inclusive? Construct A in each.

In terms of a function of an angle less than $45°$ express :

13. $\sin 94°$. 16. $\cot 320°$. 19. $\cos(-175°)$.

14. $\cos 128°$. 17. $\sec 190°$. 20. $\tan(-200°)$.

15. $\tan 215°$. 18. $\sin(-75°)$. 21. $\cot(-300°)$.

In terms of each of the other functions of A find the value of :

22. $\sin A$. 24. $\tan A$. 26. $\sec A$.

23. $\cos A$. 25. $\cot A$. 27. $\csc A$.

IDENTITIES

Prove each of the following identities :

28. $(\tan A + \cot A)\sin A \cos A \equiv 1$.

29. $(\sec A - \tan A)(\sec A + \tan A) \equiv 1$.

30. $(\csc A - \cot A)(\csc A + \cot A) \equiv 1$.

31. $(\sin B - \cos B)^2 \equiv 1 - 2\sin B \cos B$.

32. $\sin B + \cos B \equiv \sqrt{2}\cos(B - \pi/4)$.

33. $\sin B - \cos B \equiv -\sqrt{2}\cos(B + \pi/4)$.

34. $\sin(A + \pi/3) + \sin(A - \pi/3) \equiv \sin A$.

35. $\cos(A + \pi/6) + \cos(A - \pi/6) \equiv \sqrt{3}\cos A$.

36. $(\cot A + \tan B)/(\tan A + \cot B) \equiv \cot A \tan B$.

37. $1 - \tan^4 A \equiv 2\sec^2 A - \sec^4 A$.

38. $\sec B/(1 + \cos B) \equiv (\tan B - \sin B)/\sin^3 B$.

39. $\sec^2 A \csc^2 A \equiv \tan^2 A + \cot^2 A + 2$.

40. $\tan B + \sec B \equiv \tan(B/2 + \pi/4)$.

41. $(1 + \tan B)/(1 - \tan B) \equiv (\cot B + 1)/(\cot B - 1)$.

42. $\sin A/(1 + \cos A) + (1 + \cos A)/\sin A \equiv 2\csc A$.

43. $\sec^{-3} A - \sin^3 A \equiv (\cos A - \sin A)(1 + \sin A \cos A)$.

44. $(\sin A \cos B + \cos A \sin B)^2 + (\cos A \cos B - \sin A \sin B)^2 \equiv 1$.

45. $\cot A - \tan A \equiv 2\cot 2A$.

46. $\sec 2A \equiv \sec^2 A/(2 - \sec^2 A)$.

47. $2\sec 2A \equiv \sec(A + \pi/4)\sec(A - \pi/4)$.

48. $\sin 2A \equiv 2\tan A/(1 + \tan^2 A)$.

49. $2\sin A + \sin 2A \equiv 2\sin^3 A/(1 - \cos A)$.

50. Find $\sin(A + B + C)$ in terms of the sine and cosine of A, B, C.

Applying formula [7] twice and [8] once, we obtain

$$\begin{aligned}\sin(A + B + C) &\equiv \sin(A + B)\cos C + \cos(A + B)\sin C \\ &\equiv (\sin A \cos B + \cos A \sin B)\cos C \\ &\quad + (\cos A \cos B - \sin A \sin B)\sin C \\ &\equiv \sin A \cos B \cos C + \cos A \sin B \cos C \\ &\quad + \cos A \cos B \sin C - \sin A \sin B \sin C. \qquad (1)\end{aligned}$$

If A, B, C are the angles of a triangle, $\sin(A + B + C) = \sin 180° = 0$. Hence, from (1), we obtain

$$\sin A \cos B \cos C + \cos A \sin B \cos C + \cos A \cos B \sin C = \sin A \sin B \sin C.$$

51. Applying formula [8] twice and [7] once, prove

$$\begin{aligned}\cos(A + B + C) &\equiv \cos A \cos B \cos C - \cos A \sin B \sin C \\ &\quad - \sin A \cos B \sin C - \sin A \sin B \cos C. \qquad (2)\end{aligned}$$

52. Find $\tan(A+B+C)$ in terms of $\tan A$, $\tan B$, $\tan C$.

Applying formula [11] three times, we obtain

$$\tan(A+B+C) \equiv \frac{\tan(A+B)+\tan C}{1-\tan(A+B)\tan C}$$

$$\equiv \frac{\dfrac{\tan A+\tan B}{1-\tan A\tan B}+\tan C}{1-\dfrac{\tan A+\tan B}{1-\tan A\tan B}\tan C}$$

$$\equiv \frac{\tan A+\tan B+\tan C-\tan A\tan B\tan C}{1-\tan A\tan B-\tan A\tan C-\tan B\tan C}. \quad (3)$$

If A, B, C are the angles of a triangle, $\tan(A+B+C)=\tan 180^\circ=0$. Hence, from (3),

$$\tan A+\tan B+\tan C=\tan A\tan B\tan C.$$

53. Putting $A \equiv B \equiv C$ in (1), (2), (3) of examples 50, 51, 52, prove

$$\sin 3A \equiv 3\sin A(1-\sin^2 A)-\sin^3 A$$

$$\equiv 3\sin A-4\sin^3 A, \quad (4)$$

$$\cos 3A \equiv 4\cos^3 A-3\cos A, \quad (5)$$

$$\tan 3A \equiv \frac{3\tan A-\tan^3 A}{1-3\tan^2 A}. \quad (6)$$

Identity (5) is useful in solving cubic equations. See example 112.

54. Writing $3A \equiv 2A+A$, prove (4), (5), (6) in example 53 by using [7], [8], [11], [13], [14], and [15].

55. Substituting θ for $3A$ in (4) and (5) of example 53, we obtain

$$\sin\theta \equiv 3\sin(\theta/3)-4\sin^3(\theta/3),$$

$$\cos\theta \equiv 4\cos^3(\theta/3)-3\cos(\theta/3).$$

Prove each of the following identities:

56. $\sin 4A \equiv 4\sin A\cos A-8\sin^3 A\cos A$

$\equiv 8\cos^3 A\sin A-4\cos A\sin A.$

57. $\cos 4A \equiv 1-8\cos^2 A+8\cos^4 A$

$\equiv 1-8\sin^2 A+8\sin^4 A.$

58. $\cos 780^\circ = 1/2.$

59. $\sin 1485^\circ = \sqrt{2}/2.$

60. $\cos 2550^\circ = \sqrt{3}/2.$

61. $\sin(-3000^\circ) = -\sqrt{3}/2.$

62. $\tan(-2190^\circ) = -\sqrt{3}/3.$

Equations

In what quadrant is A in each of the following equations?

63. $\sin A \cos A = -2/3$.

64. $\sin A \tan A = 4$.

65. $\sec A \tan A = -3$.

66. $\cot A + 3 \sin A = 0$.

67. Solve the equation $\sin 2\theta = 2 \cos \theta$. (1)

Substituting for $\sin 2\theta$ its identical expression $2 \sin \theta \cos \theta$, from (1) by Algebra we obtain the equivalent equation

$$2 \sin \theta \cos \theta = 2 \cos \theta, \text{ or } \cos \theta (\sin \theta - 1) = 0.$$

From $\cos \theta = 0$, $\quad \theta = n\pi \pm \pi/2$. § 70

From $\sin \theta = 1$, $\quad \theta = n\pi + (-1)^n \pi/2$. § 69

Hence $n\pi \pm \pi/2$ includes all the values of θ in (1).

Solve each of the following equations:

68. $\cos 2\theta = 2 \sin \theta$.

69. $\cos \theta = \sin 2\theta$.

70. $\sin \theta = \cos 2\theta$.

71. $\tan A \tan 2A = 2$.

72. $\cos A + \cos 2A = 0$.

73. $\cot A \tan 2A = 3$.

74. $4 \cos 2A + 3 \cos A = 1$.

75. $\sin \theta \sec 2\theta = 1$.

76. $\cot \theta \tan 2\theta = \sec 2\theta$.

77. $\sin 2\theta = 3 \sin^2 \theta - \cos^2 \theta$.

78. $\sin \theta + \cos 2\theta = 4 \sin^2 \theta$.

79. $\sin 2\theta = \cos 4\theta$.

80. $\sec x + \tan x = \pm \sqrt{3}$.

81. $\tan x + 2\sqrt{3} \cos x = 0$.

82. $2 \sin^2 x - 2 = -\sqrt{2} \cos x$.

83. $\cos^2 y + 2 \sin^2 y - \frac{5}{2} \sin y = 0$.

84. $\sin \theta + \sin 2\theta = 1 - \cos 2\theta$.

85. $\cos y - \cos 2y = 1$

86. $\sin (45° + z) + \cos (45° - z) = 1$.

87. $\sec 2z + 1 = 2 \cos z$.

88. $\cos 2z = a(1 - \cos z)$.

89. $\tan 2y \tan y = 1$.

90. $\sec \theta = 2 \tan \theta + 1/4$.

91. $\sin^{-1} x + \sin^{-1} (x/2) = 120°$.

92. $\sin^{-1} z + 2 \cos^{-1} z = 210°$.

93. $\tan^{-1} y + 2 \cot^{-1} y = 135°$.

94. $\tan^{-1} \dfrac{2z}{1 - z^2} = 60°$.

95. $\tan^{-1} z + \tan^{-1} 2z = \tan^{-1} 3\sqrt{3}$.

96. $\tan x + \tan 2x = 0$.

97. $\tan^2 x + \cot^2 x = 10/3$.

98. $4 \cos 2\theta + 6 \sin \theta = 5$.

99. $\sin A + \cos A = \sec A$.

100. $\sin(\theta + 30°) \sin(\theta - 30°) = 1/2$.

Systems of Equations

101. Solve for r and θ the system

$$\left.\begin{aligned} r \sin \theta &= a, \quad (1) \\ r \cos \theta &= b. \quad (2) \end{aligned}\right\} \quad \text{(a)}$$

Divide (1) by (2), $\tan \theta = a/b$, or $\theta = \tan^{-1}(a/b)$.

Square (1) and (2) and add,

$$r^2(\sin^2 \theta + \cos^2 \theta) = a^2 + b^2.$$

$$\therefore r = \sqrt{a^2 + b^2}.$$

102. Solve for r, θ, and ϕ the system

$$\left.\begin{aligned} r \cos \phi \sin \theta &= a, \quad (1) \\ r \cos \phi \cos \theta &= b, \quad (2) \\ r \sin \phi &= c. \quad (3) \end{aligned}\right\} \quad \text{(a)}$$

Divide (1) by (2), $\tan \theta = a/b$, or $\theta = \tan^{-1}(a/b)$. (4)

Square (1) and (2) and add,

$$r^2 \cos^2 \phi = a^2 + b^2. \quad (5)$$

From (5), $r \cos \phi = \sqrt{a^2 + b^2}$. (6)

Divide (3) by (6), $\tan \phi = c/\sqrt{a^2 + b^2}$, or $\phi = \tan^{-1}(c/\sqrt{a^2 + b^2})$.

Square (3) and add (5),

$$r = \sqrt{a^2 + b^2 + c^2}. \quad (7)$$

103. Solve for x and y the system

$$\left.\begin{aligned} \sin x + \sin y &= a, \quad (1) \\ \cos x + \cos y &= b. \quad (2) \end{aligned}\right\} \quad \text{(a)}$$

By § 40 we obtain from system (a) the equivalent system (b).

$$\left.\begin{aligned} 2 \sin \tfrac{1}{2}(x + y) \cos \tfrac{1}{2}(x - y) &= a, \quad (3) \\ 2 \cos \tfrac{1}{2}(x + y) \cos \tfrac{1}{2}(x - y) &= b. \quad (4) \end{aligned}\right\} \quad \text{(b)}$$

Divide (3) by (4), $\tan \tfrac{1}{2}(x + y) = a/b$. (5)

Hence $\sin \tfrac{1}{2}(x + y) = \pm a/\sqrt{a^2 + b^2}$. (6)

Substituting the value of $\sin \tfrac{1}{2}(x + y)$ in (3), we obtain

$$\cos \tfrac{1}{2}(x - y) = \pm \sqrt{a^2 + b^2}/2. \quad (7)$$

From (5), $x + y = 2\tan^{-1}(a/b)$. (8)
From (7), $x - y = 2\cos^{-1}(\pm\sqrt{a^2+b^2}/2)$. (9) } (c)
Hence $x = \tan^{-1}(a/b) + \cos^{-1}(\pm\sqrt{a^2+b^2}/2)$,
and $y = \tan^{-1}(a/b) - \cos^{-1}(\pm\sqrt{a^2+b^2}/2)$.

104. Solve the system

$$\left.\begin{aligned}\sin x - \sin y &= a,\\ \cos x - \cos y &= b.\end{aligned}\right\}$$

105. Solve for x and y the system

$$\left.\begin{aligned}x\sin A + y\sin B &= a, \quad (1)\\ x\cos A + y\cos B &= b. \quad (2)\end{aligned}\right\} \quad (a)$$

Since (1) and (2) are each linear algebraic equations in x and y, system (a) is solved as a linear algebraic system.

106. Solve for r and θ the system

$$\left.\begin{aligned}r\sin(\theta + A) &= a,\\ r\cos(\theta + B) &= b.\end{aligned}\right\} \quad (a)$$

By [7] and [8], from (a) we obtain the equivalent system (b).

$$\left.\begin{aligned}r\sin\theta\cos A + r\cos\theta\sin A &= a,\\ r\cos\theta\cos B - r\sin\theta\sin B &= b.\end{aligned}\right\} \quad (b)$$

Solve (b) as an algebraic linear system in $r\sin\theta$ and $r\cos\theta$ as the unknowns.

The resulting system can then be solved for r and θ as in example 101.

107. Solve the system

$$\left.\begin{aligned}\cos(x + y) + \cos(x - y) &= 2, \quad (1)\\ \sin(x/2) + \sin(y/2) &= 0, \quad (2)\end{aligned}\right\} \quad (a)$$

for values of x and y less than 2π.

By [8] and [10], from (1) we obtain the equivalent equation

$$\cos x\cos y - \sin x\sin y + \cos x\cos y + \sin x\sin y = 2,$$

or
$$\cos x\cos y = 1. \quad (3)$$

From (3), $\cos x$ and $\cos y$ are both $+1$ or both -1. Why?

Hence x and y are both coterminal with 0 or both coterminal with π.

The solution $x = 0$, $y = 0$ of (3) satisfies (2); also the solution $x = \pi$, $y = -\pi$, or $x = -\pi$, $y = \pi$ of (3) satisfies (2).

Observe that either $x = \pi$, $y = \pi$, or $x = -\pi$, $y = -\pi$ is a solution of (3), but neither is a solution of (2).

108. Solve for R and F the system

$$\left.\begin{aligned} W - F\sin h - R\cos h &= 0,\\ W - F\cos h - R\sin h &= 0. \end{aligned}\right\}$$

Observe that this system is algebraic and linear in R and F.

109. Eliminate θ from the system

$$\left.\begin{aligned} x &= r(\theta - \sin\theta), \qquad (1)\\ y &= r(1 - \cos\theta). \qquad (2) \end{aligned}\right\}$$

From (2), $\quad y = r\operatorname{vers}\theta, \quad$ or $\quad \theta = \operatorname{vers}^{-1}(y/r).$ (3)

From (2), $\quad \cos\theta = (r - y)/r. \quad \therefore \sin\theta = \pm\sqrt{2ry - y^2}/r.$ (4)

From (1), (3), (4), $x = r\operatorname{vers}^{-1}(y/r) \mp \sqrt{2ry - y^2}.$ (5)

110. Eliminate θ from the system

$$\left.\begin{aligned} a\cos\theta + b\sin\theta &= c, \qquad (1)\\ d\cos\theta + e\sin\theta &= f. \qquad (2) \end{aligned}\right\}$$

Solving the system for $\cos\theta$ and $\sin\theta$, we obtain

$$\sin\theta = \frac{af - cd}{ae - bd}, \qquad \cos\theta = \frac{ce - bf}{ae - bd}. \tag{3}$$

Squaring the members of equations (3) and adding, we obtain

$$\frac{(af - cd)^2 + (ce - bf)^2}{(ae - bd)^2} = \sin^2\theta + \cos^2\theta = 1.$$

$$\therefore (ae - bd)^2 = (af - cd)^2 + (ce - bf)^2.$$

111. Eliminate θ from the system

$$a\cos\theta + b\sin\theta = c, \qquad b\cos\theta - a\sin\theta = d.$$

112. Solve the cubic equation $\quad x^3 - 3px + q = 0.$ (1)

Putting $x = z/n$, we obtain

$$z^3 - 3pn^2z + qn^3 = 0. \tag{2}$$

Now by (5) in example 53, we have the identity

$$\cos 3A \equiv 4\cos^3 A - 3\cos A,$$

or $$\cos^3 A - (3/4)\cos A - \cos(3A)/4 \equiv 0. \tag{3}$$

Comparing identity (3) with equation (2), we see that $\cos A$ is a root of (2) when n and A satisfy the conditions

$$3pn^2 = 3/4, \text{ and } qn^3 = -\cos(3A)/4.$$

Hence $$n = 1/(2\sqrt{p}),$$

and $$\cos 3A = -4qn^3 = -q/(2p^{3/2}). \qquad (4)$$

Observe that (4) can always be solved when p is positive and $q/(2p^{3/2})$ is arithmetically equal to or less than 1.

If A_1 is the principal value of A which satisfies (4), then the values $A_1 + 2\pi/3$ and $A_1 + 4\pi/3$ also satisfy it.

Hence the roots of equation (1) are

$$\cos A_1/n, \cos(A_1 + 2\pi/3)/n, \text{ and } \cos(A_1 + 4\pi/3)/n,$$

i.e. $$2\sqrt{p}\cos A_1, 2\sqrt{p}\cos(A_1 + 2\pi/3), \text{ and } 2\sqrt{p}\cos(A_1 + 4\pi/3).$$

By Algebra, we know that the general cubic equation

$$y^3 + 3ay^2 + by + c = 0$$

can be transformed into one of the type (1) by putting $y = x - a$.

113. Solve $$x^3 + 6x^2 + 9x + 3 = 0.$$

Putting $x = y - 2$, we obtain $$y^3 - 3y + 1 = 0.$$

Putting $y = z/n$, we obtain $$z^3 - 3n^2z + n^3 = 0.$$

Now $$\cos^3 A - (3/4)\cos A - (1/4)\cos 3A \equiv 0.$$

Hence $$z = \cos A, \text{ when } n^2 = 1/4 \text{ and } n^3 = -\cos 3A/4,$$

i.e. when $$n = 1/2, \text{ and } \cos 3A = -1/2 = \cos 120°.$$

$$\therefore 3A_1 = 120°, \text{ or } A_1 = 40°.$$

Hence $$z = \cos 40°, \cos(40° + 120°), \text{ or } \cos(40° + 240°).$$

$$\therefore y = 2\cos 40°, 2\cos 160°, \text{ or } 2\cos 280°.$$

$$\therefore x = -2 + 2\cos 40°, -2 - 2\cos 20°, \text{ or } -2 + 2\cos 80°.$$

Having given $\sin 15° = (\sqrt{3} - 1)/(2\sqrt{2})$, and $\cos 15° = (\sqrt{3} + 1)/(2\sqrt{2})$, solve each of the following equations:

114. $x^3 - 24x - 32 = 0.$

115. $x^3 - 6x^2 + 6x + 8 = 0.$

116. $2x^3 - 3x - 1 = 0.$

117. $x^3 + 3x^2 - 1 = 0.$

118. $x^3 + 4x^2 + 2x - 1 = 0.$

EXERCISE XXXIII

TRIANGLES

1. Two towers are 3 mi. apart on a plain. The angle of depression of one, from a balloon directly above the other, is observed to be 8° 15′. How high is the balloon?

2. The shadow of a tree 101.3 ft. high is found to be 131.5 ft. long. Find the elevation of the sun.

3. A rock on the bank of a river is 130 ft. above the water level. From a point just opposite the rock on the other bank of the river the angle of elevation of the rock is 14° 30′ 21″. Find the width of the river.

4. A rope 38 ft. long, when fastened to the top of a tree 29 ft. high, just reaches a point in the plane of the foot of the tree. Find the angle which the rope makes with the ground.

5. A window in a house is 24 ft. from the ground. Find the inclination of a ladder placed 8 ft. from the side of the building and reaching the window.

6. A ladder 40 ft. long reaches a window 33 ft. high, on one side of a street. Its foot being at the same point, it will reach a window 21 ft. high on the opposite side of the street. Find the width of the street.

7. A lighthouse 54 ft. high is situated on a rock. The angle of elevation of the top of the lighthouse, as observed from a ship, is 4° 52′, and the angle of elevation of the top of the rock is 4° 2′. Find the height of the rock and its distance from the ship.

8. A man standing south of a tower, on the same horizontal plane, observes its angle of elevation to be 54° 16′; he goes east 100 yd., and then finds its angle of elevation to be 50° 8′. Find the height of the tower.

9. A pole is fixed on the top of a mound, and the angles of elevation of the top and the bottom of the pole are 60° and 30° respectively. Prove that the length of the pole is twice the height of the mound.

10. Given that the radius of the earth is 3963 mi., and that it subtends an angle of 57′ 2″ at the moon. Find the distance of the moon from the earth.

11. Given that the radius of the earth is 3963 mi., and that it subtends an angle of 9″ at the sun. Find the distance of the sun from the earth.

12. Solve example 1 in § 57 by the principles of right triangles.

The given parts are a side and two angles.
In fig. 38 draw $AH \perp BC$.
In the right triangle AHB, compute the sides c and BH.
Then compute c in the right triangle HCA.

13. Solve the first four examples in Exercise XIX by the principles of right triangles.

14. Solve example 1 in § 58 by the principles of right triangles.

The given parts are two sides and an angle opposite one of them.
In fig. 39 draw $CH \perp AB$.
Compute the sides CH and AH in $\triangle ABH$.
Then compute B and HB in $\triangle HBC$.

15. Solve examples 1, 3, 5, and 7 in Exercise XX by the principles of right triangles.

16. Solve the example in § 59 by the principles of right triangles.

The given parts are two sides and their included angle.
In $\triangle ABC$ draw $BH \perp CA$.
Compute CH and BH in $\triangle CHB$.
Compute A and c in triangle BHA.

17. Solve the first four examples in Exercise XXI by the principles of right triangles.

18. Solve example 6 in § 60 by the principles of right triangles.

The given parts are the three sides.
In the $\triangle ABC$ draw $AH \perp BC$ and let $x = HC$.

Then $\quad b^2 - x^2 = \overline{AH}^2 = c^2 - (a - x)^2.$

Hence $\quad b^2 - x^2 = c^2 - a^2 - x^2 + 2ax.$

$$\therefore x = (a^2 + b^2 - c^2)/(2a).$$

Whence HC and b are known in $\triangle HAC$, and c and BH in $\triangle BAH$.

19. Solve the first four examples in Exercise XXII by the principles of right triangles.

20. A tree stands at a distance from a straight road and between two milestones. At one milestone the line to the tree is observed to make an angle of 25° 15′ with the road, and at the other an angle of 45° 17′. Find the distance of the tree from the road.

21. From the decks of two ships at C and D, 880 yd. apart, a cloud A, in the same vertical plane as C and D and between them, is observed. Its angle of elevation at C is found to be 35°, and at D 64°. Find the height of the cloud above the surface of the sea, the height of the eye in each case being 21 ft.

22. To determine the distance between two ships at sea, an observer noted the interval between the flash and report of a gun fired on board each ship, and measured the angle which the two ships subtended. The intervals were 4 seconds and 6 seconds respectively, and the angle 48° 42′. Find the distance between the ships, the velocity of sound being 1142 ft. per second.

23. In order to find the breadth of a river a base line of 500 yd. was measured in a straight line close to one side of it, and at each extremity of the base the angle subtended by the other end and a tree upon the opposite bank was measured. These angles were 53° and 79° 12′ respectively. Find the breadth of the river.

24. A straight road leads from a town A to a town B, 12 mi. distant; another road, making an angle of 77° with the first, goes from A to a town C, 7 mi. distant. Find the distance between the towns B and C.

25. Two lighthouses A and B are 11 mi. apart. A ship C is observed from them to make the angles $BAC = 31° 13′ 31″$ and $ABC = 21° 46′ 8″$. Find the distance of the ship from A.

26. Two posts A and B are separated by a swamp. To find the distance between them a point C is so taken that both posts are visible from it. By measurement, $AC = 1272.5$ ft., $BC = 2012.4$ ft., and $\angle ACB = 41° 9′ 11″$. Find the distance AB.

27. Two buoys A and B are one half mile apart. Find the distance from A to a point C on the shore if the angles ABC and BAC are 77° 7′ and 67° 17′ respectively.

28. The elevation of the top of a spire at one station, A, was 23° 50′ 15″, and the horizontal angle at this station between the spire and another

station, B, was 93° 4′ 15″. The horizontal angle at B was 54° 28′ 30″, and the distance between the stations 416 ft. Find the height of the spire.

29. In order to find the distance of a battery at B from a fort at F, distances BA and AC were measured to points A and C from which both the fort and the battery were visible, the former distance being 2000 and the latter 3000 yd. The following angles were then measured: $\angle BAF = 34° 10'$, $\angle FAC = 74° 42'$, and $\angle FCA = 80° 10'$. Find the distance of the fort from the battery.

30. The distances of two islands from a buoy are 3 and 4 mi. respectively. The islands are 2 mi. apart. Find the angle subtended by the islands at the buoy.

31. Two rocks in a bay are c yd. apart, and from the top of a cliff in the same vertical plane with the rocks their respective angles of depression are A and $3A$. Show that the height of the cliff is $c \sin 3A / (2 \cos A)$.

32. A person wishes to find the distance between two places A and B on opposite sides of a brook. He walks from B to a bridge 2 mi. away. Crossing this he continues his walk 6 mi. in the same direction to C, which he knows to be 3 mi. from A. If A is 4 mi. from the bridge, show that $AB = 5.86$ mi., nearly.

33. A person at the top of a mountain observes the angle of depression of an object in the horizontal plane beneath to be 45°; turning through an angle of 30° he finds the depression of another object in the plane to be 30°. Show that the distance between the objects is equal to the height of the mountain.

34. From a window on a level with the bottom of a steeple the angle of elevation of the top of the steeple was 40°. At another window 18 ft. vertically above the former, the angle of elevation was 37° 30′. Find the height of the steeple.

35. Find what angle a tower will subtend at a distance equal to six times the height of the tower. Find where an observer must station himself that the angle of elevation may be double the former angle.

36. Two ships are a mile apart. The angular distance of the first ship from a fort on the shore, as observed from the second ship, is 35° 14′ 10″; the angular distance of the second ship from the fort, observed from the first ship, is 42° 11′ 53″. Find the distance in feet from each ship to the fort.

37. The sides of a triangle are 17, 21, 28. Prove that the length of a line bisecting the greatest side and drawn from the vertex of the opposite angle is 13.

38. Along the bank of a river is drawn a base line of 500 ft. The angular distance of one end of this line from an object on the opposite side of the river, as observed from the other end of the line, is 53°; the angular distance of the second extremity from the same object, observed from the first extremity, is 79° 12′. Find the breadth of the river.

39. Two forces, one of 410 lb. and the other of 320 lb., make an angle of 51° 37′. Find the size and direction of their resultant.

40. An unknown force combined with one of 128 lb. produces a resultant of 200 lb., and this resultant makes an angle of 18° 24′ with the known force. Find the size and direction of the unknown force.

Areas and Regular Polygons

41. Two sides of a parallelogram are 59.8 ch. and 37.05 ch., and the included angle is 72° 10′. Find the area.

42. The three sides of a triangle are 49 ch., 50.25 ch., and 25.69 ch. Find the area.

43. One side of a regular pentagon is 25. Find the area.

44. One side of a regular decagon is 46. Find the area.

45. In a circle with a diameter of 125 ft. find the area of a sector with an arc of 22°.

46. In a circle with a diameter of 50 ft. find the area of a segment with an arc of 280°.

47. A building is 37.54 ft. wide and the slope of the roof is 43° 36′. Find the length of the rafters.

48. What angle at the center of a circle does a chord which is 4/7 of the radius subtend?

49. The side of a regular pentagon is 2. Find the radius of the inscribed circle.

50. The side of a regular decagon is 23.41 ft. Find the radius of the inscribed circle.

51. The perimeter of a regular polygon of 11 sides is 23.47 ft. Find the radius of the circumscribed circle.

52. The perimeter of a regular heptagon inscribed in a circle is 12. Find the radius of the circle.

53. Find the perimeter of a regular decagon circumscribed about a unit circle.

54. Find the perimeter of a polygon of 11 sides inscribed in a unit circle.

55. The perimeter of an equilateral triangle is 17.2 ft. Find the area of the inscribed circle.

SPHERICAL TRIGONOMETRY

CHAPTER X

DEFINITIONS AND CONSTRUCTIONS

99. **Angles formed by curves.** Let QA and SB be any two curves in space having the point P in common, and let PN be tangent to QA, and PM tangent to SB, at P; then the angle made by the arcs PB and PA at P is the angle MPN formed by their tangents at this point.




FIG. 59

100. **Plane sections of a sphere.** By Geometry we know that *every section of a sphere made by a plane is a circle.* If the plane passes through the center of the sphere, the plane section is a *great circle;* if not, the section is a *small circle.*

101. **Diedral and spherical angles.** Of the *diedral angle* formed by the intersecting planes $AODF$ and $AOEG$, the half planes $AODF$ and $AOEG$ are the *faces* and the intersection OA is the *edge.* If the lines PN and PM are drawn in the faces AOF and AOG respectively, perpendicular to the edge OA at the point P, then the plane angle NPM, which varies directly as the diedral angle E-AO-D,




FIG. 60

is called the *plane angle of the diedral angle* and is taken as its *measure.*

A diedral angle is said to be *right, acute,* or *obtuse* according as its plane angle is right, acute, or obtuse.

About O, any point in the edge OA, as a center and with any radius OA let a sphere be described. Let the arcs AB and AC be the intersections of the faces of the diedral angle with the surface of this sphere; then the angle BAC is called a **spherical angle.** Hence, by § 100, the sides of a spherical angle are arcs of great circles.

NOTE. Since the shortest distance measured on the surface of a sphere between two points of that surface is an arc of a great circle, the arc of a great circle on a spherical surface corresponds to the straight line in a plane.

The tangents AD and AE to the arcs AB and AC respectively, at A, will lie in the planes BOA and COA respectively, and be perpendicular to OA at A. Hence, by § 99,

$$\angle BAC = \angle DAE = \angle NPM = D\text{-}OA\text{-}E.$$




FIG. 61

That is, *a spherical angle is equal to the plane angle of the diedral angle formed by the planes of its sides.*

Example. Make a drawing on cardboard like fig. 61. Cut it partly through and bend it along the line OA, thus forming the diedral angle $B\text{-}AO\text{-}C$ and the spherical angle BAC. Cause these angles to vary from 180° to 0°. What will $\angle NPM$ or $\angle DAE$ do? How will $\angle QPR$ or $\angle QPS$ vary?

102. **Triedral angles and spherical triangles.** When three planes, as OAB, OBC, OCA, meet in a common point, as O, they are said to form a *triedral angle.* The common point O is called the *vertex;* the intersections OA, OB, OC are called

the *edges;* the portions of the planes between the edges, as OAB, OBC, OCA, are called the *faces:* the plane angles COA, AOB, BOC are called the *face angles;* and the diedral angles whose edges are OA, OB, OC are called the *diedral angles* of the triedral angle.




FIG. 62

About the vertex O as a center and with any radius OC let a sphere be described. Let the arcs AB, BC, CA be the intersections of the faces of the triedral angle $O\text{-}ABC$ with the surface of the sphere; then the portion of this surface which is bounded by these arcs is called a *spherical triangle.*

Hence *the sides of a spherical triangle, which by* § 100 *are arcs of great circles, measure the face angles of its triedral angle at the center of the sphere; and its angles, which by* § 101 *are spherical angles, measure the diedral angles of the triedral angle.*

Observe that these relations are independent of the length of the radius of the sphere.

With the triedral angle $O\text{-}ABC$ at the center of the sphere O, and the corresponding spherical triangle ABC, we shall use the following notation. Let A, B, C denote in *angle degrees* the plane angles of the diedral angles whose edges are OA, OB, OC respectively; then they will denote also in *angle degrees* the spherical angles whose vertices are A, B, C respectively. Let a, b, c denote in *angle degrees* the face angles BOC, COA, AOB respectively; then they will denote also in *arc degrees* the sides BC, CA, AB respectively.

NOTE. Before undertaking the study of Spherical Trigonometry the student should have reviewed those portions of Geometry which relate to triedral angles and spherical triangles.




FIG. 63

Example. Make a drawing on cardboard like fig. 63, and cut it along the dotted lines. Cut it partly through and bend it along OA and OC, thus forming the triedral angle O-ABC and the sides and angles of the spherical triangle ABC. Observe that the plane angles A', B', C' will both measure the diedral angles OA, OB, OC respectively, and be equal to the spherical angles A, B, C respectively.

103. **Convex spherical triangles.** Let ABA', ACA', BCB' be any three planes which have only the center of the sphere, O, in common; then they will divide the entire surface of the sphere into *eight* spherical triangles. The surface of the hemisphere C-$AB.A'B'$ will be divided into four triangles, viz., CAB, $CB.A'$, $CA'B'$, $CB'A$. Each part of any one of the last three will be equal to, or the supplement of, some part of the first, CAB. Any triangle on the other hemisphere C'-$AB.A'B'$ will be symmetrical with some one on the first hemisphere. Each part of any one of these triangles is less than 180°. Such triangles are called **convex** spherical triangles.




FIG. 64

Any spherical triangle which has a side greater than 180°, as $ABC'B'C$, is made up of three or five of these eight *convex* triangles and has one or two *reëntrant* angles.

The parts of either one of these *reëntrant* triangles are easily found when we know those of the *convex* triangle ABC.

In elementary spherical trigonometry, therefore, we restrict our attention to *convex* spherical triangles. Hereafter by

spherical triangles we shall mean *convex* spherical triangles, unless it is otherwise stated.

Example. Construct in cardboard the reëntrant spherical triangle ABC, having given $a = 300°$, $b = 60°$, $c = 50°$.

Observe that in one of the *two* reëntrant spherical triangles having these sides, A is a reëntrant angle, and in the other B and C are reëntrant angles. If either side of a reëntrant angle is produced through the vertex it enters the triangle.

The common perimeter of these reëntrant triangles can be cut in *four* points by an arc of a great circle. Also $b + c < a$.

If the sides of these reentrant triangles are produced, one triangle will be divided into *three* and the other into *five convex* triangles.

NOTE. The following exercise is given to illustrate further and make more familiar the relations between spherical triangles and their corresponding triedrals at the center of the sphere. This exercise is not essential to the course and may be omitted at the option of the teacher.

EXERCISE XXXIV

Construct in cardboard the six parts of a spherical triangle in each of the three following principal cases.

1. *Given the three sides*, $a = 65°$, $b = 55°$, $c = 35°$.

Interchange the places of a and c in fig. 65 and construct a second triangle. Are the two triangles congruent or symmetrical?

To measure any angle C of the spherical triangle ABC in fig. 65, at any point P on OC draw $MPN \perp OC$, intersecting OA in M' and OB in N'. On OB' take OS equal to ON' and draw $M'S$. Construct a plane triangle with PM', PN', and $M'S$ as sides; then the angle opposite the side equal to $M'S$ will be equal to the spherical angle C.




FIG. 65

When a and b are obtuse, MPN will not intersect OA or OB. In this case *form the triedral angle O-ABC*. Taking M and N, any convenient points on the perpendiculars to OC at P, construct a plane triangle with PM, PN, and MN as sides; then the angle opposite the side equal to MN will be equal to C.

2. *Given two sides and their included angle,* $a = 65°$, $b = 40°$, $C = 75°$.

Draw $NPM \perp OC$ at any point P on OC. With PM and PN as two sides and 75° as their included angle construct a triangle $M'N'P'$. With M as a center and $M'N'$ as a radius draw arc rk; with O as a center and ON as a radius draw arc ns cutting rk in Q. Draw the radius OQB'; then arc AB' will be the third side of the required triangle. How many triangles are possible? Are they congruent or symmetrical?




FIG. 66

Observe that whenever a, b, and C are each less than 180°, there is one triangle having the given parts.

3. *Given two sides and the angle opposite one of them, as* a, b, A.

Construct in the two cases, *when* $A < 90°$ and *when* $A > 90°$.

When $A < 90°$. Make a drawing on cardboard, like fig. 67, in which arc $AC = b$, $OB = OA$, and $BC' = a$. Cut out the sector and the circle;




FIG. 67

and cut partly through and bend along the diameter AOA', thus forming a lune. Cut two small blocks at angle A, as x in fig. 67. Tack semicircle AMA' to a board, and tacking the blocks (x) back of ACA', form a lune whose angle is A. Let the plane through OC perpendicular to AMA' intersect AMA' in OM. Denote $\angle MOC$ in angle degrees or its measuring arc MC in arc degrees by p.

Placing OC' on OC and OB in the plane AMA', and varying the size of a, we reach the following conclusions.

(1) When the value of a lies between p and b, and also between p and $180° - b$, there are *two* triangles having the given parts.

(2) When $a = p$, the ΔABC is right angled at B.

(3) When the value of a lies between p and b and not between p and $180° - b$, or between p and $180° - b$ and not between p and b, there is *one* triangle having the given parts.

Observe that when $A < 90°$ and $a < p$, *no* triangle is *possible*.

When $A > 90°$. Make the construction and show that (1), (2), and (3) hold true, as when $A < 90°$.

Observe that when $a > 90°$ and $a > p$, *no* triangle is *possible*.

NOTE. For a permanent class-room model it is better to make the lune whose angle is A out of half-inch soft wood and paste on each face a semicircular protractor.

4. How many triangles are possible when

(i) $A = 60°$, $a = 70°$, $b = 80°$, $p = 58° 31'.5$?

(ii) $A = 60°$, $a = 58° 31'.5$, $b = 80°$, $p = 58° 31'.5$?

(iii) $A = 60°$, $a = 80°$, $b = 70°$, $p = 54° 28'.1$?

(iv) $A = 60°$, $a = 54°$, $b = 80°$, $p = 58° 31'.5$?

5. By inspecting fig. 63 determine what are the limits of the sum of the sides of a convex spherical triangle, or of the sum of the face angles of a triedral angle; of the sum of the diedral angles of a triedral angle, or of the sum of the angles of a convex spherical triangle.

6. Construct in cardboard a spherical quadrilateral whose sides are 40°, 50°, 60°, 70° respectively. Are its angles determined?

104. Definitions and theorems. For the purpose of ready reference we give below certain definitions and theorems of Geometry upon which the proofs and discussions in Spherical Trigonometry depend.

(i) *Theorem. A line drawn in one face of a right diedral angle perpendicular to the edge is perpendicular to the other face.*

(ii) *Theorem. If from the foot of a perpendicular to a plane a straight line is drawn at right angles to any line of the plane, and its intersection with that line is joined to any point of the perpendicular, this last line will be perpendicular to the line of the plane.*

(iii) *Theorem. A spherical angle is measured by the arc of a great circle described from its vertex as a pole and included between its sides, produced if necessary.*

(iv) *Definition.* A *quadrantal triangle* is a spherical triangle one of whose sides is a quadrant.

(v) *Definition.* With the vertices of any spherical triangle ABC as poles let great circles be described, and let A' be that intersection of the circles described with B and C as poles which lies on the same side of BC as A does, and let B' and C' be similar intersections; then the spherical triangle $A'B'C'$ is called the *polar triangle of* ABC.

Observe that, by § 103, there will be *eight* spherical triangles formed by the three great circles whose poles are A, B, and C respectively. Of these eight only the triangle $A'B'C'$ is called the polar triangle of ABC.

(vi) *Theorem. If one spherical triangle is the polar triangle of a second, then the second is also the polar triangle of the first.*

(vii) *Theorem. Let* A'B'C' *be the polar triangle of* ABC; *then*

$$A = 180° - a', \qquad A' = 180° - a,$$
$$B = 180° - b', \qquad B' = 180° - b,$$
$$C = 180° - c', \qquad C' = 180° - c.$$

(viii) *Definition.* A *lune* is a portion of a spherical surface bounded by the halves of two great circles.

(ix) *Theorem. If from any point* P *on a hemisphere* PN *and* PM *are the two perpendiculars to the circumference of its base, and if* PN > PM, *then* PN *is the longest arc of a great circle which can be drawn from* P *to this base, and* PM *is the shortest.*

105. As a review preparatory to the geometric constructions in § 106 we give the following **problems on great circles.**

(1) *To draw a great circle through two given points.*

About each of the two given points as a pole describe a great circle; about either of their intersections as a pole describe a great circle; this great circle will be the one required.

(2) *To lay off on a great circle an arc of* n°.

Separate the points of the dividers by a distance equal to the chord of an arc of $n°$, which is equal to $2r \sin(n°/2)$. Place the points of the dividers on the great circle, and the intercepted arc will be the one required.

(3) *To construct a great circle making with a given great circle an angle of* n°, *the vertex being given.*

About the given vertex as a pole describe a great circle. On this circle and measured from the given circle lay off an arc of $n°$. Through the end of this arc and the given vertex draw a great circle; this circle will be the one required.

(4) *To find the poles of a given great circle.*

About each of any two points of the given circle (not the ends of the same diameter) as a pole describe a great circle; the two intersections of these two circles will be the poles required.

(5) *Through a given point to draw a great circle perpendicular to a given great circle.*

Find a pole of the given circle by (4). Through this pole and the given point draw a great circle by (1); this circle will be the one required.

106. **Construction of triangles.** The actual construction of spherical triangles on a spherical blackboard in each of the following six cases will add much to the clearness of the student's concepts about spherical geometry, and will place him in an advantageous position with respect to the work which follows.

These constructions are not essential to the course, but they are strongly recommended if the student has the time and opportunity to make them.

To construct the spherical triangle ABC :

I. *Given the three sides* a, b, c.

On any great circle lay off an arc equal to one of the sides, as a. About one end of the arc a as a pole describe a circle with a *polar distance* equal to b; about the other end of arc a as a pole describe a circle with a polar distance equal to c. Join by arcs of great circles either of the two points of intersection of the last two circles with the ends of arc a; the triangle thus formed will be the required triangle.

How many triangles are possible? Are these two triangles congruent or symmetrical?

Ex. 1. Given $a = 80°$, $b = 75°$, $c = 50°$, construct the triangle ABC.

Ex. 2. Given $a = 100°$, $b = 80°$, $c = 125°$; construct the triangle ABC.

Ex. 3. Measure the angles of the triangle ABC in example 2.

Ex. 4. Given $a = 130°$, $b = 120°$, $c = 140°$; construct the triangle ABC.

II. *Given the three angles* A, B, C.

Compute the sides a', b', c' of the polar triangle $A'B'C'$; construct $A'B'C'$ by the method in case I; draw ABC, the polar triangle of $A'B'C'$; then ABC will be the triangle required.

How many triangles are possible? Are they congruent or symmetrical?

Ex. 1. Given $A = 80°$, $B = 75°$, $C = 65°$; construct the triangle ABC.

Ex. 2. Measure the sides of the triangle ABC in example 1.

Ex. 3. Compare this case with the corresponding case in plane triangles.

III. *Given two sides and their included angle, as* a, b, C.

Recalling the corresponding case in plane triangles, the student will be able to construct the triangle ABC in this case.

How many triangles are possible? Are they congruent or symmetrical?

Ex. 1. Given $a = 85°$, $b = 115°$, $C = 75°$; construct the triangle ABC.

Ex. 2. Measure A, B, and c of the triangle ABC in example 1.

IV. *Given two angles and their included side, as* A, B, c.

Recalling the corresponding case in plane triangles, the student will be able to construct the triangle ABC in this case.

How many triangles are possible? Are they congruent or symmetrical?

Ex. 1. Given $A = 85°$, $B = 75°$, $c = 65°$; construct the triangle ABC.

Ex. 2. Measure a, b, C of the triangle ABC in example 1.

V. *Given two sides and an angle opposite one of them, as* a, b, A.

In the figures on p. 159 $A < 90°$. The student should draw two similar figures in which $A > 90°$.

Construct the lune $AMA'N$ whose angle is A (figs. 68).

On ANA' lay off arc AC equal to b. About C as a pole and with a polar distance equal to a describe a circle. The intersection of this circle with the arc AMA' between A and A'




FIG. 68

will be the third vertex B; join B and C with the arc of a great circle; then ABC will be the triangle required.

Review the corresponding case in plane triangles in § 58.

Discussion. From C draw an arc of a great circle perpendicular to the arc AMA', and denote its length in arc degrees by p.

The circle whose pole is C and whose polar distance is a will cut the great circle $AMA'K$ in two points, be tangent to it at one point, or lie entirely above or entirely below it.

That a *convex* triangle may be possible, a point of intersection or a point of tangency must be on the semicircle AMA' between A and A'.

Four cases arise:

(i) When this circle intersects the arc AMA' (fig. x) in two points as B_1 and B_2 between A and A', there are two triangles AB_1C and AB_2C which have the given parts.

(ii) When this circle is tangent to AMA' (fig. x) at some point M between A and A', *i.e.* when $a = p$, the angle B of the required triangle is a right angle.

The two solutions in case (i) here become equal.

(iii) When this circle intersects the arc AMA' (fig. y) in one, and only one, point between A and A', there is one, and only one, convex triangle ABC which has the given parts.

(iv) When this circle does not intersect or touch the arc AMA' (fig. x) at any point between A and A', there is no *convex* triangle having the given parts.

These four cases may be stated otherwise as follows:

There are *two* convex triangles when the value of a lies between p and b and also between p and $180° - b$.

There is *one* convex triangle when $a = p$, or when the value of a lies between p and b and not between p and $180° - b$, or between p and $180° - b$ and not between p and b.

No triangle (concave or convex) is possible when $A < 90°$ and $a < p$, or when $A > 90°$ and $a > p$ [see (ix) in § 104].

NOTE. In case (i) or (ii) *no reëntrant* triangle is possible; in case (iii) there is always *one* reëntrant triangle having the given parts; in case (iv) there are *two*, *one*, or *no* reëntrant triangles having the given parts, according as the circle whose pole is C cuts or touches the arc AKA' between A and A' in *two*, *one*, or *no* points.

VI. *Given two angles and the side opposite one of them, as* A, B, a.

Compute the parts a', b', A' of the polar triangle $A'B'C'$; construct the triangle $A'B'C'$ by the method in case V; draw the triangle ABC, the polar of $A'B'C'$; then the triangle ABC will be the one required.

Ex. 1. Given $a = 65°$, $b = 85°$, $A = 60°$; construct the triangle ABC.

Ex. 2. Measure B, C, c of the triangle ABC in example 1.

Ex. 3. Given $A = 50°$, $B = 40°$, $a = 45°$; construct the triangle ABC.

Ex. 4. Measure b, c, C of the triangle ABC in example 3.

Ex. 5. Given $a = 25°$, $b = 65°$, $A = 50°$; construct the triangle ABC.

Ex. 6. Measure B, C, c of the triangle ABC in example 5.

Ex. 7. Given $A = 70°$, $C = 85°$, $b = 80°$; construct the triangle ABC.

Ex. 8. If the angle A (figs. 68, x, and 68, y) were constructed on the other side of the arc AMA', would the triangles having the given parts be congruent or symmetrical with those in the figures?

CHAPTER XI

RIGHT SPHERICAL TRIANGLES

107. **Spherical trigonometry** treats of the relations between the six parts (three sides and three angles) of a spherical triangle and of its solution.

By § 102 these relations are the same as those between the six parts (three face and three diedral angles) of a triedral angle. Hence if we prove any relation between the parts of a triedral angle, we know that the same relation exists between the corresponding parts of a spherical triangle, and conversely.

108. **Relations between the sides and angles of a right spherical triangle.** Let ABC be a right spherical triangle, C the right angle, and a and b each less than 90°. Draw the radii OA, OB, OC, thus forming the triedral angle $O\text{-}ABC$.




FIG. 69

Take $OP = OK = 1$. From K draw $KD \perp OA$, from P draw $PE \perp OC$, from E draw $EA' \perp OA$, and join $A'P$.

Then, by (i) in § 104, PE is perpendicular to the plane OCA.

Hence $\angle PEA' = 90°$.

By (ii) in § 104, $PA' \perp OA$.

Therefore, by § 101, we have

$$\angle EA'P = A.$$

In the two similar triangles OEA' and OKD,

$$OE/OK = OA'/OD.$$

$$\therefore \cos a = \cos c/\cos b,$$

or
$$\cos c = \cos a \cos b. \tag{1}$$

In $\triangle A'EP$, $\sin A = EP/A'P$,

or
$$\left.\begin{aligned}\sin A &= \sin a/\sin c.\\ \text{By symmetry,}\quad \sin B &= \sin b/\sin c.\end{aligned}\right\} \tag{2}$$

Again,
$$\cos A = \frac{A'E}{A'P} = \frac{A'E/OA'}{A'P/OA'} = \frac{\tan A'OE}{\tan A'OP},$$

or
$$\left.\begin{aligned}\cos A &= \tan b/\tan c.\\ \text{By symmetry,}\quad \cos B &= \tan a/\tan c.\end{aligned}\right\} \tag{3}$$

Also,
$$\tan A = \frac{EP}{A'E} = \frac{EP/OE}{A'E/OE} = \frac{\tan EOP}{\sin A'OE},$$

or
$$\left.\begin{aligned}\tan A &= \tan a/\sin b.\\ \text{By symmetry,}\quad \tan B &= \tan b/\sin a.\end{aligned}\right\} \tag{4}$$

Again, $\sin A \equiv \tan A \cos A$, § 24

and
$$\tan A \cos A = \frac{\tan a}{\sin b}\cdot\frac{\tan b}{\tan c} \quad \text{by (3), (4)}$$
$$= (\tan a/\tan c)/\cos b \quad \text{§ 24}$$
$$= \cos B/\cos b. \quad \text{by (3)}$$

Hence
$$\left.\begin{aligned}\sin A &= \cos B/\cos b.\\ \text{By symmetry,}\quad \sin B &= \cos A/\cos a.\end{aligned}\right\} \tag{5}$$

From (1), (5),
$$\cos c = \cot A \cot B. \tag{6}$$

Observe that since $a < 90°$ and $b < 90°$, $\cos c$ is positive in the figure; hence $c < 90°$ when a and b are both less than 90°.

Example. Taking BC as the base, on OA taking $OM = 1$, from M drawing $MN \perp OB$, etc., deduce the value of $\sin B$ in (2), $\cos B$ in (3), and $\tan B$ in (4), geometrically.

NOTE 1. In § 109 it will be proved that these relations hold true when either a or b or both a and b are greater than 90°. This general proof may be omitted in the first reading at the option of the teacher.

NOTE 2. The student should memorize the ten formulas (1) to (6) above or their word statement (1) to (6) below, or use Napier's rules, which are found in § 110. Opinions differ as to which is the better thing to do, but *one must be done thoroughly.* If Napier's rules are used, the exercise below may be omitted and the reproduction of the proofs of the formulas (1) to (6) may be deferred until these rules are learned.

The relations (1) to (6) may be stated in words as follows:

cos *hypotenuse* = *product of* cosines *of sides.* (1)

sin *angle* = sin *side opposite* / sin *hypotenuse.* (2)

cos *angle* = tan *side adjacent* / tan *hypotenuse.* (3)

tan *angle* = tan *side opposite* / sin *side adjacent.* (4)

sin *angle* = cos *remaining angle* / cos *side adjacent.* (5)

cos *hypotenuse* = *product of* cotangents *of angles.* (6)

NOTE. Compare the relations (2), (3), (4) with the corresponding relations in plane triangles (§ 7). Observe that no one of these formulas involves the right angle.

EXERCISE XXXV

1. Write the equations for finding A, a, and c from b and B.

To find A, we select (5), which involves A, B, b, and obtain

$$\sin A = \cos B / \cos b.$$

To find a, we select (4), which involves a, b, B, and obtain

$$\sin a = \tan b / \tan B.$$

To find c, we select (2), which involves c, b, B, and obtain

$$\sin c = \sin b / \sin B.$$

2. Write the equations for finding a, A, B from b and c.

3. Write the equations for finding a, b, B from A and c.

4. Write the equations for finding A, b, c from a and B.

109. **General proof of relations (1) to (6) in § 108.**

I. *Both sides about the right angle less than* 90°.

This case was proved in § 108.

II. *One side about the right angle less than* 90° *and the other side greater than* 90°.

In the spherical triangle ABC, let $C = 90°$, $a > 90°$, and $b < 90°$.

Produce the arcs a and c to meet in some point, as B', thus forming the lune BB' and the right-angled triangle $AB'C$. The sides b and $180° - a$ will each be less than 90°; hence, by § 108, in the triangle ACB' we have




FIG. 70

$$\cos (180° - c) = \cos b \cos (180° - a).$$

$$\therefore \cos c = \cos b \cos a.$$

Again, $$\cos (180° - A) = \tan b \cot (180° - c).$$

$$\therefore \cos A = \tan b \cot c = \tan b / \tan c.$$

In like manner the other relations in (1) to (6) can be proved for the triangle ABC.

III. *Both sides about the right angle greater than* 90°.

In $\triangle ABC$ (fig. 71) let $C = 90°$, $a > 90°$, $b > 90°$.

Produce the arcs a and b to meet in some point, as C', thus forming the lune CC' and the right-angled triangle ABC'.

The sides $180° - a$ and $180° - b$ will each be less than 90°; hence, by § 108, in the triangle ABC' we have

$$\cos c = \cos (180° - a) \cos (180° - b).$$

$$\therefore \cos c = \cos a \cos b.$$

Again, $\cos(180° - A) = \tan(180° - b)\cot c$.




FIG. 71

$\therefore \cos A = \tan b \cot c$

$= \tan b / \tan c$.

In like manner the other relations in (1) to (6) can be proved for the triangle ABC'.

110. **Napier's rules.** Denote *the complement of* A by **co-A**, etc.

If in the ten equations (1) to (6) in § 108 we substitute for each function of A, B, or c the equal co-function of co-A, co-B, or co-c, we obtain the ten following relations:

$\sin a = \cos(\text{co-}c)\cos(\text{co-}A)$ or $\tan b \tan(\text{co-}B)$.	}	from (2), (4)
$\sin b = \cos(\text{co-}c)\cos(\text{co-}B)$ or $\tan a \tan(\text{co-}A)$.	}	
$\sin(\text{co-}A) = \cos a \cos(\text{co-}B)$ or $\tan b \tan(\text{co-}c)$.	}	from (3), (5)
$\sin(\text{co-}B) = \cos b \cos(\text{co-}A)$ or $\tan a \tan(\text{co-}c)$.	}	
$\sin(\text{co-}c) = \cos a \cos b$ or $\tan(\text{co-}A)\tan(\text{co-}B)$.		from (1), (6)

The quantities a, b, co-A, co-B, co-c which appear in the equations above are called **circular parts**.




FIG. 72

As in fig. 72, write (co-) before A, B, and c.

Choose any *circular part*, as a; then the two circular parts, b and co-B, which are next to a in the figure, are said to be *adjacent* to the *middle part* a; while the two circular parts, co-c and co-A, which are each separated from a by an intervening part in the figure, are said to be *opposite* to a.

Example. In each equation above, taking the circular part in the first member as the middle part, show that the second member contains either the *cosines* of the two *opposite* parts or the *tangents* of the two *adjacent* parts.

The ten equations above can be stated in the two following simple rules, called *Napier's rules of circular parts.*

I. *The sine of any circular part is equal to the product of the tangents of the two adjacent circular parts.*

II. *The sine of any circular part is equal to the product of the cosines of the two opposite circular parts.*

EXERCISE XXXVI

1. By Napier's rules write each of the ten equations in § 110, and from them write the ten equations in § 108.

2. Write each of the ten equations in § 108 directly from Napier's rules.

3. Write the equations for finding b, B, and c from a and A.

To find b from a and A, we select b as the *middle* part, and from rule I we obtain

$$\sin b\,[= \tan a \tan (\text{co-}A)] = \tan a \cot A. \qquad (1)$$

To find B from a and A, we select co-A as the middle part, and from rule II we obtain

$$\sin (\text{co-}A)\,[= \cos a \cos (\text{co-}B)] = \cos a \sin B.$$
$$\therefore \sin B = \cos A / \cos a. \qquad (2)$$

To find c from a and A, we select a as the middle part, and obtain

$$\sin a\,[= \cos (\text{co-}c) \cos (\text{co-}A)] = \sin c \sin A. \qquad (3)$$
$$\therefore \sin c = \sin a / \sin A.$$

The bracketed work in (1), (2), (3) should be done mentally.

4. Solve examples 2, 3, and 4 in Exercise XXXV.

111. Relation of parts to 90°.

I. *The hypotenuse is less than* 90° *when the sides about the right angle are in the same quadrant, and it is greater than* 90° *when these sides are in different quadrants; and conversely.*

From $\cos c = \cos a \cos b$ § 108

it follows that when a and b are in the same quadrant $\cos c$ is positive; hence c is less than 90°; and conversely.

When a and b are in different quadrants $\cos c$ is negative; hence c is greater than 90°; and conversely.

Example. If either a or b is 90°, c also is 90°; and conversely.

II. *Either oblique angle and its opposite side are in the same quadrant.*

From $\sin A = \cos B / \cos b$ § 108

it follows (since $\sin A$ is always positive) that $\cos B$ and $\cos b$ are both positive or both negative; hence B and b are both less than 90° or both greater than 90°.

Ex. 1. If $b = 90°$, $B = 90°$, and conversely. If $A = 90°$, $B = b$.

Ex. 2. If $b < 90°$ and $c > 90°$, show that $B < 90°$, $a > 90°$, $A > 90°$.

Ex. 3. If $b > 90°$ and $a < 90°$, show that $B > 90°$, $A < 90°$, $c > 90°$.

Ex. 4. If $B > 90°$ and $a < 90°$, show that $b > 90°$, $A < 90°$, $c > 90°$.

NOTE. Observe that when two parts of a right triangle are given the two foregoing principles determine the relation of each of the other parts to 90°, except when the two parts are *a side and its opposite angle*. In this case, as will be shown in § 112, there are two solutions.

112. **Case of two solutions.** When the given parts are *a side and its opposite angle*, each required part is found through its sine (example 1 in Exercise XXXV or example 3 in Exercise XXXVI); hence the formulas give supplementary values for each required part, and we obtain two solutions.

That in this case there are two solutions is easily seen geometrically. For in $\triangle ABC$ (fig. 73) let $C = 90°$ and let a and A be the given parts. Complete the lune AA'; then $\angle A' = \angle A$, and the $\triangle A'BC$ also has the given parts a and A. Hence there are two $\triangle ABC$ and $A'BC$ which have the given parts, and in which any two corresponding required parts are supplementary.




FIG. 73

Ex. 1. When $a = A$, $\sin b = \sin B = \sin c = 1$; hence each required part is 90°, and the two solutions are equal.

Ex. 2. When $A < 90°$ and $a > A$, or when $A > 90°$ and $a < A$, $\sin b > 1$, $\sin B > 1$, $\sin c > 1$; hence the triangle is impossible.

113. In **solving right triangles** observe the following steps:

(1) Clearly state the problem.

(2) Write the equations for finding *each* of the required parts directly from the given parts.

(3) Solve these equations. To determine the relation of each required part to 90°, use the principles in § 111.

Or when the required part is found through its cosine, tangent, or cotangent, its relation to 90° can be determined by noting the quality of its function.

(4) As a *check*, use a relation involving the three required parts.

Example. What is the reason for finding *each* required part directly from the given parts?

EXERCISE XXXVII

1. Given $\begin{cases} C = 90°, \\ b = 40°, \\ c = 63° 56', \end{cases}$ to find $\begin{cases} a = 54° 59' 47'', \\ A = 65° 45' 58'', \\ B = 45° 41' 28''. \end{cases}$

By § 111, $a < 90°$, A [illegible] $90°$, B [illegible] $90°$.

Formulas $\begin{cases} \cos a = \cos c / \cos b, \\ \cos A = \cot c \tan b, \\ \sin B = \sin b / \sin c. \end{cases}$

Logarithmic formulas $\begin{cases} \log \cos a = \log \cos c - \log \cos b, \\ \log \cos A = \log \cot c + \log \tan b, \\ \log \sin B = \log \sin b - \log \sin c. \end{cases}$

$\log \cos c = 19.64288 - 20$
$\log \cos b = \underline{9.88425 - 10}$
$\therefore \log \cos a = 9.75863 - 10$
$\therefore a = 54° 59' 47''.$

$\log \sin b = 19.80807 - 20$
$\log \sin c = \underline{9.95341 - 10}$
$\therefore \log \sin B = 9.85466 - 10$
$\therefore B = 45° 41' 28''.$

Check. $\cos A = \cos a \sin B.$

$\log \cot c = 9.68946 - 10$
$\log \tan b = \underline{9.92381 - 10}$
$\therefore \log \cos A = 9.61327 - 10$
$\therefore A = 65° 45' 58''.$

$\log \cos a = 9.75863 - 10$
$\log \sin B = \underline{9.85466 - 10}$
$\therefore \log \cos A = 9.61329 - 10$

2. Given $\begin{cases} C = 90°, \\ a = 134°, \\ A = 105°, \end{cases}$ to find $\begin{cases} b_1 = 16°\ 6'\ 33'', \ b_2 = 163°\ 53'\ 27'', \\ B_1 = 21°\ 52'\ 31'', \ B_2 = 158°\ 7'\ 29'', \\ c_1 = 131°\ 51'\ 55'', \ c_2 = 48°\ 8'\ 5''. \end{cases}$

Formulas $\begin{cases} \sin b = \tan a \cot A, \\ \sin B = \cos A / \cos a, \\ \sin c = \sin a / \sin A. \end{cases}$

$\log \tan a = 0.01516$ $\qquad$ $\log \sin a = 19.85693 - 20$

$\log \cot A = 9.42805 - 10$ $\qquad$ $\log \sin A = 9.98494 - 10$

$\therefore \log \sin b = 9.44321 - 10$ $\qquad$ $\therefore \log \sin c = 9.87199 - 10$

$\therefore b = 16°\ 6'\ 33''$ or $163°\ 53'\ 27''$. $\qquad$ $\therefore c = 48°\ 8'\ 5''$ or $131°\ 51'\ 55''$.

Check. $\sin b = \sin B \sin c$.

$\log \cos A = 19.41300 - 20$ $\qquad$ $\log \sin B = 9.57123 - 10$

$\log \cos a = 9.84177 - 10$ $\qquad$ $\log \sin c = 9.87199 - 10$

$\therefore \log \sin B = 9.57123 - 10$ $\qquad$ $\therefore \log \sin b = 9.44322 - 10$

$\therefore B = 21°\ 52'\ 31''$ or $158°\ 7'\ 29''$.

By § 111, when $b < 90°$, $B < 90°$ and $c > 90°$; and when $b > 90°$, $B > 90°$ and $c < 90°$. Hence the values of b, B, and c are grouped as above.

3. Show that the triangle ABC is impossible when $C = 90°$, $a = 47°$, $A = 93°$; also when $C = 90°$, $a = 52°$, $A = 90°$.

Solve the triangle ABC in which $C = 90°$ and check the results, given:

4. $a = 70°\ 28'$, $c = 98°\ 18'$.
5. $a = 36°\ 25'\ 30''$, $b = 85°\ 40'$.
6. $c = 120°\ 20'\ 30''$, $a = 47°\ 30'\ 40''$.
7. $c = 78°\ 25'$, $A = 36°\ 42'\ 30''$.
8. $A = 53°\ 23'$, $c = 108°$.
9. $a = 122°\ 15'$, $B = 14°\ 20'$.
10. $a = 108°\ 45'$, $B = 37°\ 42'$.
11. $A = 63°\ 18'$, $B = 37°\ 47'$.
12. $A = 106°$, $B = 64°$.
13. $a = 47°\ 40'$, $A = 30°\ 43'$.
14. $a = 64°\ 29'$, $A = 78°\ 10'$.
15. $c = 78°\ 20'$, $B = 47°\ 50'$.
16. $c = 84°\ 47'$, $b = 39°\ 43'$.
17. $A = 124°\ 30'$, $b = 25°\ 40'$.
18. $B = 100°$, $b = 106°$.
19. $A = 76°\ 15'$, $B = 49°\ 3'$.

20. Write all the groups of three elements that can be formed from a, b, c, A, B, such as abc, abA, etc.

21. Write the formula which involves the elements of each group in example 20.

Observe that from examples 20 and 21 it follows that the ten formulas in § 108 are necessary and sufficient to express each unknown part of a right triangle in terms of any two known parts.

114. **Solution of quadrantal and isosceles triangles.** The polar triangle [(vii), § 104] of a *quadrantal spherical triangle* is right angled. Hence to solve a quadrantal triangle we can solve its polar triangle and from this obtain the required parts of the quadrantal triangle.

If a spherical triangle is bi-quadrantal, two of its angles are right angles, and the vertical angle of this isosceles triangle is measured by its opposite side. If a triangle is tri-quadrantal, all its angles are right angles.

In an *isosceles spherical triangle* the arc drawn from the vertex at right angles to the base bisects the base and the vertical angle, thus forming two right spherical triangles of which two parts besides the right angle will be known when any two parts of the isosceles triangle are given.

EXERCISE XXXVIII

1. Given $a = 66° 32'$, $b = 59° 43'$, $c = 90°$; to find A, B, C.
2. Given $a = 123° 48' 24''$, $C = 67° 12'$, $c = 90°$; to find A, B, b.
3. Given $C = 136° 4'$, $B = 140°$, $c = 90°$; to find a, b, A.
4. Given $b = c = 81° 24'$, $A = 72° 40'$; to find a, B, C.
5. Given $a = b = 54° 20'$, $c = 72° 54'$; to find A, B, C.
6. Given $a = b = 54° 30'$, $C = 71°$; to find A, B, c.
7. Given $a = b$, $c = 116° 40'$, $C = 127° 46'$; to find a, b, A, B.

CHAPTER XII

RELATIONS BETWEEN THE SIDES AND ANGLES OF SPHERICAL TRIANGLES

115. Law of sines and laws of cosines.

Law of sines. Let ABC (fig. 74) be any spherical triangle.
In fig. x, $A < 90°$ and $C < 90°$, or $A > 90°$ and $C > 90°$.
In fig. y, $A > 90°$ and $C < 90°$.
From B draw $BD \perp CA$ or CA produced.

In $\triangle BCD$, $\sin p = \sin a \sin C$. § 108

Since $\sin DAB = \sin A$, § 30




FIG. 74

in $\triangle ABD$, $\sin p = \sin c \sin DAB = \sin c \sin A$.

Hence $\sin a \sin C = \sin c \sin A$.

$$\therefore \sin a / \sin A = \sin c / \sin C. \tag{1}$$

Similarly, or by symmetry from (1), we obtain

$$\sin a / \sin A = \sin b / \sin B.$$

Hence $$\frac{\sin a}{\sin A} = \frac{\sin b}{\sin B} = \frac{\sin c}{\sin C}. \tag{41}$$

That is, *the sines of the sides of a spherical triangle are proportional to the sines of the opposite angles.*

Ex. 1. Compare [41] with [23] in Plane Trigonometry.

Observe that when two of three known parts of a spherical triangle are a side and its opposite angle, a fourth part can always be obtained by the law of sines. Compare § 54.

Law of cosines for the sides.

In figures 74 regard AD, DC, and AC, or b, as directed arcs; then in each figure we have

$$b = AD + DC, \text{ or } DC = b - AD. \tag{1}$$

By § 108, $\tan AD = \tan c \cos A,$ (2)

and
$$\begin{aligned} \cos a &= \cos DC \cos p \\ &= \cos (b - AD) \cos p \qquad \text{by (1)} \\ &= \cos b \cos AD \cos p + \sin b \sin AD \cos p. \end{aligned} \tag{3}$$

By § 108, $\cos AD \cos p = \cos c.$ (4)

Whence $\cos p = \cos c / \cos AD.$

$$\begin{aligned} \therefore \sin AD \cos p &= \cos c \tan AD \\ &= \cos c \tan c \cos A \qquad \text{by (2)} \\ &= \sin c \cos A. \end{aligned} \tag{5}$$

Substituting in (3) for $\cos AD \cos p$ and $\sin AD \cos p$ their values in (4) and (5), we obtain

$$\textbf{cos a} = \textbf{cos b cos c} + \textbf{sin b sin c cos A}. \qquad [42]$$

Similarly, or by symmetry from [42], we have

$$\cos b = \cos c \cos a + \sin c \sin a \cos B,$$

$$\cos c = \cos a \cos b + \sin a \sin b \cos C.$$

That is, *the cosine of any side of a spherical triangle is equal to the product of the cosines of the other two sides plus the product of the sines of these two sides and the cosine of their included angle.*

Observe that (2) holds true in fig. y, since $\tan AD$ is negative and $\cos A = -\cos DAB$.

Ex. 2. Compare [42] with [24] in Plane Trigonometry.

Law of cosines for the angles.

Let $A'B'C'$ be the polar triangle of ABC.

By [42], $\cos a' = \cos b' \cos c' + \sin b' \sin c' \cos A'$.

Substituting for a', b', c', A' their equals, $180° - A$, $180° - B$, $180° - C$, $180° - a$ respectively, we obtain

$$\cos(180° - A) = \cos(180° - B)\cos(180° - C) + \sin(180° - B)\sin(180° - C)\cos(180° - a).$$

$$\therefore \textbf{cos A} = -\textbf{ cos B cos C} + \textbf{ sin B sin C cos a.} \qquad [43]$$

Similarly, or by symmetry from [43], we have

$$\cos B = -\cos C \cos A + \sin C \sin A \cos b,$$

$$\cos C = -\cos A \cos B + \sin A \sin B \cos c.$$

Ex. 3. State formula [43] in words.

Cor. From [42], $\cos A = (\cos a - \cos b \cos c) / (\sin b \sin c)$. (1)

The denominator $\sin b \sin c$ in (1) is always positive.

If a differs more from 90° than does b or c, then $\cos a > \cos b \cos c$, arithmetically; whence from (1) $\cos A$ and $\cos a$ have the same quality.

Hence A *and* a *are in the same quadrant when* a *differs more from* 90° *than does* b *or* c.

From [43], $\cos a = (\cos A + \cos B \cos C) / (\sin B \sin C)$. (2)

Hence a *and* A *are in the same quadrant when* A *differs more from* 90° *than does* B *or* C.

Note. The law of cosines for the sides is *fundamental* and *most important* in Spherical Trigonometry, for it can be proved directly (example 7, Exercise XXXIX), and from it the law of sines can be deduced; and from these two laws Napier's rules and all the other formulas of Spherical Trigonometry can be obtained. As the law of cosines is not adapted to logarithmic computation, we must deduce from it other formulas which are. Before doing so, however, we shall, in Exercise XXXIX, illustrate how oblique triangles can be solved by the laws above. This exercise is not essential to the course and may be

EXERCISE XXXIX

1. Write the equations for finding the three angles from the three sides. Compare § 55.

From [42], $\cos A = (\cos a - \cos b \cos c) / (\sin b \sin c)$.

From [41], $\sin B = \sin b \sin A / \sin a$,

$\sin C = \sin c \sin A / \sin a$

2. Write the equations for finding the three sides from the three angles.

From [43], $\cos a = (\cos A + \cos B \cos C) / (\sin B \sin C)$.

From [41], $\sin b = \sin a \sin B / \sin A$,

$\sin c = \sin a \sin C / \sin A$.

3. Write the equations for finding A, B, c from a, b, C.

Observe that when *two sides and their included angle* are known, the third side can be found by [42] and the other two angles by [41]. Compare § 55.

4. Write the equations for finding A, b, c from B, C, a.

Observe that when *two angles and their included side* are known, the third angle can be found by [43] and the other two sides by [41].

5. Write the equations for finding A, C, c from a, b, B.

Find A by [41]. To find c we use [42]; but as this equation involves both $\sin c$ and $\cos c$, its solution for $\sin c$ would involve radicals. This illustrates the necessity of deducing from [42] other formulas that will be simpler for this case and its converse.

6. Prove the law of sines geometrically when each side is less than 90°.

Take $OP = 1$. Draw $PD \perp OCB$, $DE \perp OB$, and $DF \perp OC$, and join PE and PF; then $PE \perp OB$ and $PF \perp OC$.

$\therefore \angle DFP = C$, and $\angle DEP = B$.

Hence, in $\triangle DFP$,

$$\sin C = DP / \sin b.$$

In $\triangle DEP$,

$$\sin B = DP / \sin c.$$




FIG. 75

$\therefore \sin B / \sin C = \sin b / \sin c$, or $\sin b / \sin B = \sin c / \sin C$.

7. Prove the law of cosines geometrically when each side is less than 90°.

Take $OP = 1$. In the face COA draw $PD \perp OA$ at P, and in the face BOA draw $PE \perp OA$ at P; then $\angle DPE = A$ and $\angle COB = a$.




FIG. 76

Also $OD = \sec b$ and $OE = \sec c$.

In $\triangle DOE$,

$$DE^2 = \sec^2 b + \sec^2 c - 2 \sec b \sec c \cos a. \quad (1)$$

In $\triangle DPE$,

$$DE^2 = \tan^2 b + \tan^2 c - 2 \tan b \tan c \cos A. \quad (2)$$

Subtracting (2) from (1) and using [5], we obtain

$$0 = 2 - 2 \sec b \sec c \cos a + 2 \tan b \tan c \cos A.$$

$$\therefore \cos a = \cos b \cos c + \sin b \sin c \cos A.$$

8. Draw the figures and deduce the formulas for $\cos b$ and $\cos c$.

9. By means of polar triangles derive the formulas for $\cos B$ and $\cos C$ from those for $\cos b$ and $\cos c$.

10. Putting $C = 90°$ in the law of sines and the law of cosines, deduce the relations (1), (2), (5), (6) in § 108.

11. From [42] and (1) in § 108 deduce (3) in § 108.

12. Deduce (4) in § 108 by dividing (2) by (3) and then using (1).

116. Half angles in terms of the sides.

From [42], $$\cos A = \frac{\cos a - \cos b \cos c}{\sin b \sin c}. \quad (1)$$

By [16], $$\sin^2(A/2) \equiv (1 - \cos A)/2. \quad (2)$$

From (1), (2), $$\sin^2 \frac{A}{2} = \frac{\cos b \cos c + \sin b \sin c - \cos a}{2 \sin b \sin c}$$

By [10], $$= \frac{\cos(b - c) - \cos a}{2 \sin b \sin c}$$

By [22], $$= \frac{\sin \frac{1}{2}(a - b + c) \sin \frac{1}{2}(a + b - c)}{\sin b \sin c}. \quad (3)$$

Again, $$\cos^2(A/2) \equiv (1 + \cos A)/2.$$

Hence $$\cos^2\frac{A}{2} = \frac{\cos a + \sin b \sin c - \cos b \cos c}{2 \sin b \sin c}$$

$$= \frac{\cos a - \cos(b+c)}{2 \sin b \sin c}$$

$$= \frac{\sin \frac{1}{2}(a+b+c) \sin \frac{1}{2}(b+c-a)}{\sin b \sin c}. \qquad (4)$$

Let $a + b + c = 2s$; then $b + c - a = 2(s - a)$,

$$a - b + c = 2(s - b), \qquad a + b - c = 2(s - c).$$

Substituting these values in (3) and (4), we obtain

$$\left.\begin{aligned} \sin\frac{A}{2} &= \sqrt{\frac{\sin(s-b)\sin(s-c)}{\sin b \sin c}}, \\ \cos\frac{A}{2} &= \sqrt{\frac{\sin s \sin(s-a)}{\sin b \sin c}}. \\ \text{Dividing, } \tan\frac{A}{2} &= \sqrt{\frac{\sin(s-b)\sin(s-c)}{\sin s \sin(s-a)}}. \end{aligned}\right\} \qquad [44]$$

Similarly, or by symmetry from [44], we have

$$\left.\begin{aligned} \sin\frac{B}{2} &= \sqrt{\frac{\sin(s-a)\sin(s-c)}{\sin a \sin c}}, & \sin\frac{C}{2} &= \sqrt{\frac{\sin(s-a)\sin(s-b)}{\sin a \sin b}}; \\ \cos\frac{B}{2} &= \sqrt{\frac{\sin s \sin(s-b)}{\sin a \sin c}}, & \cos\frac{C}{2} &= \sqrt{\frac{\sin s \sin(s-c)}{\sin a \sin b}}; \\ \tan\frac{B}{2} &= \sqrt{\frac{\sin(s-a)\sin(s-c)}{\sin s \sin(s-b)}}, & \tan\frac{C}{2} &= \sqrt{\frac{\sin(s-a)\sin(s-b)}{\sin s \sin(s-c)}}. \end{aligned}\right\} \qquad (5)$$

Compare [44] with [28] in Plane Trigonometry.

Observe that when the three sides are known, by the formulas above we can find the half of any angle of a triangle through its sine, cosine, or tangent.

NOTE. Since A, B, C are each less than 180°, the sines, cosines, and tangents of $A/2$, $B/2$, and $C/2$ are each positive; hence only the positive value of each radical is taken.

Multiplying the value of $\tan(A/2)$ in [44] by

$$\sqrt{\sin(s-a)}/\sqrt{\sin(s-a)},$$

we obtain the more symmetrical form

$$\tan\frac{A}{2} = \frac{1}{\sin(s-a)}\sqrt{\frac{\sin(s-a)\sin(s-b)\sin(s-c)}{\sin s}}.$$

Let $\tan \mathrm{r} = \sqrt{\sin(\mathrm{s}-\mathrm{a})\sin(\mathrm{s}-\mathrm{b})\sin(\mathrm{s}-\mathrm{c})/\sin \mathrm{s}}$;
then $\tan(\mathrm{A}/2) = \tan \mathrm{r}/\sin(\mathrm{s}-\mathrm{a})$. [45]

Similarly, or by symmetry from [45], we obtain

$$\tan\frac{B}{2} = \frac{\tan r}{\sin(s-b)}, \qquad \tan\frac{C}{2} = \frac{\tan r}{\sin(s-c)}. \tag{6}$$

NOTE 1. The pole of the circle inscribed in a spherical triangle ABC is the point of intersection P of the arcs of great circles which bisect the angles A, B, C of the triangle. From P draw arcs of great circles to the points of contact L, M, N; then $PL \perp CB$, $PN \perp AC$, $PM \perp AB$, and $PL = PM = PN$.




FIG. 77

$\therefore AM = AN$, $MB = LB$, $NC = LC$.

$\therefore AM + MB + NC = s$.

$\therefore c + NC = s$, or $NC = s - c$.

In $\triangle PNC$,

$$\sin NC = \tan PN \cot NCP.$$

$$\therefore \tan PN = \sin NC \tan NCP = \sin(s-c)\tan(C/2)$$
$$= \sqrt{\sin(s-a)\sin(s-b)\sin(s-c)/\sin s}. \qquad \text{by (5)}$$

Hence $\tan r$ in [45] is equal to $\tan PN$ above; that is, r *in* [45] *is the polar distance of the circle inscribed in the triangle* ABC.

NOTE 2. If the teacher so desires, Chapter XIII may now be taken up and this chapter completed by mastering each principle as it is needed in the solution of triangles.

Example. State [44] and [45] in words.

117. Half sides in terms of the angles.

From [43], $\cos a = \dfrac{\cos A + \cos B \cos C}{\sin B \sin C}$.

Find $\sin^2(a/2)$ and $\cos^2(a/2)$ as we found $\sin^2(A/2)$ and $\cos^2(A/2)$ in § 116.

Then, putting $A + B + C = 2S$, etc., we obtain

$$\left.\begin{aligned} \sin\frac{a}{2} &= \sqrt{\frac{-\cos S \cos(S-A)}{\sin B \sin C}}, \\ \cos\frac{a}{2} &= \sqrt{\frac{\cos(S-B)\cos(S-C)}{\sin B \sin C}}, \\ \tan\frac{a}{2} &= \sqrt{\frac{-\cos S \cos(S-A)}{\cos(S-B)\cos(S-C)}}. \end{aligned}\right\} \quad [46]$$

Similarly, or by symmetry from [46], we obtain

$$\left.\begin{aligned} \sin\frac{b}{2} &= \sqrt{\frac{-\cos S \cos(S-B)}{\sin A \sin C}}, & \sin\frac{c}{2} &= \sqrt{\frac{-\cos S \cos(S-C)}{\sin A \sin B}}; \\ \cos\frac{b}{2} &= \sqrt{\frac{\cos(S-A)\cos(S-C)}{\sin A \sin C}}, & \cos\frac{c}{2} &= \sqrt{\frac{\cos(S-A)\cos(S-B)}{\sin A \sin B}}; \\ \tan\frac{b}{2} &= \sqrt{\frac{-\cos S \cos(S-B)}{\cos(S-A)\cos(S-C)}}, & \tan\frac{c}{2} &= \sqrt{\frac{-\cos S \cos(S-C)}{\cos(S-A)\cos(S-B)}}. \end{aligned}\right\} (1)$$

$$\left.\begin{aligned} &\text{Let} \quad \tan R = \sqrt{\frac{-\cos S}{\cos(S-A)\cos(S-B)\cos(S-C)}}; \\ &\text{then } \tan(a/2) = \tan R \cos(S-A). \end{aligned}\right\} \quad [47]$$

Similarly, or by symmetry from [47],

$$\tan(b/2) = \tan R \cos(S-B), \quad \tan(c/2) = \tan R \cos(S-C). \quad (2)$$

NOTE. The pole of the circle circumscribing a spherical triangle ABC (fig. 78) is the point of intersection P of the arcs of great circles perpendicular to the sides of the triangle at their middle points L, M, N.




FIG. 78

Here $AM = MC$, $AN = NB$,

$BL = LC$, $PA = PB = PC$.

$\therefore \angle PAM = \angle PCM$,

$\angle PAN = \angle PBN$, $\angle PBL = \angle PCL$.

$\therefore \angle PAM + \angle PAN + \angle PBL = S$.

$\therefore A + \angle PBL = S$,

or $\angle PBL = S - A$.

In $\triangle PBL$,

$$\cos PBL = \tan LB \cot PB. \quad \S\ 108$$

$$\therefore \tan PB = \tan LB/\cos PBL$$
$$= \tan (a/2)/\cos (S - A)$$
$$= \sqrt{\frac{-\cos S}{\cos (S - A)\cos (S - B)\cos (S - C)}}. \quad \text{by [46]}$$

Hence $\tan R$ in [47] is equal to $\tan PB$ above; hence R in [47] *is the polar distance of the circle circumscribing the triangle* ABC.

Observe that when the three angles are known, by the formulas above we can find the half of any side of a triangle through its sine, cosine, or tangent.

Example. State [46] and [47] in words.

118. **Napier's analogies, or proportions.**

Dividing $\tan (A/2)$ by $\tan (B/2)$ in [45], we obtain

$$\frac{\tan (A/2)}{\tan (B/2)} = \frac{\sin (s - b)}{\sin (s - a)}.$$

Taking this proportion by composition and division, we have

$$\frac{\tan (A/2) + \tan (B/2)}{\tan (A/2) - \tan (B/2)} = \frac{\sin (s - b) + \sin (s - a)}{\sin (s - b) - \sin (s - a)}.$$

Transforming the first member by identity [2], and the second by [19] and [20], we obtain

$$\frac{\sin (A/2)\cos (B/2) + \cos (A/2)\sin (B/2)}{\sin (A/2)\cos (B/2) - \cos (A/2)\sin (B/2)}$$
$$= \frac{\sin \frac{1}{2}(2s - a - b)\cos \frac{1}{2}(a - b)}{\cos \frac{1}{2}(2s - a - b)\sin \frac{1}{2}(a - b)}.$$

Transforming by identities [7], [9], [2], we obtain

$$\frac{\sin\frac{1}{2}(\mathrm{A}+\mathrm{B})}{\sin\frac{1}{2}(\mathrm{A}-\mathrm{B})}=\frac{\tan(\mathrm{c}/2)}{\tan\frac{1}{2}(\mathrm{a}-\mathrm{b})}. \qquad [48]$$

Multiplying $\tan(A/2)$ by $\tan(B/2)$ in [44], we obtain

$$\frac{\sin(A/2)\sin(B/2)}{\cos(A/2)\cos(B/2)}=\frac{\sin(s-c)}{\sin s}.$$

$$\therefore \frac{\cos(A/2)\cos(B/2)-\sin(A/2)\sin(B/2)}{\cos(A/2)\cos(B/2)+\sin(A/2)\sin(B/2)}=\frac{\sin s-\sin(s-c)}{\sin s+\sin(s-c)}$$

$$=\frac{\cos\frac{1}{2}(2s-c)\sin(c/2)}{\sin\frac{1}{2}(2s-c)\cos(c/2)}.$$

$$\therefore \frac{\cos\frac{1}{2}(\mathrm{A}+\mathrm{B})}{\cos\frac{1}{2}(\mathrm{A}-\mathrm{B})}=\frac{\tan(\mathrm{c}/2)}{\tan\frac{1}{2}(\mathrm{a}+\mathrm{b})}. \qquad [49]$$

Proceeding in a similar manner with $\tan(a/2)$ and $\tan(b/2)$, we obtain

$$\frac{\sin\frac{1}{2}(\mathrm{a}+\mathrm{b})}{\sin\frac{1}{2}(\mathrm{a}-\mathrm{b})}=\frac{\cot(\mathrm{C}/2)}{\tan\frac{1}{2}(\mathrm{A}-\mathrm{B})}. \qquad [50]$$

$$\frac{\cos\frac{1}{2}(\mathrm{a}+\mathrm{b})}{\cos\frac{1}{2}(\mathrm{a}-\mathrm{b})}=\frac{\cot(\mathrm{C}/2)}{\tan\frac{1}{2}(\mathrm{A}+\mathrm{B})}. \qquad [51]$$

Proportions [48] to [51] are known as *Napier's analogies.*

Example. Deduce [50] and [51] by applying [48] and [49] to the polar triangle.

Observe that when two sides and their opposite angles are known, the third side can be obtained by [48] or [49], or the third angle by [50] or [51].

Cor. Since $c/2 < 90°$ and $(A-B)/2 < 90°$, from [49] it follows that $(\mathrm{A}+\mathrm{B})/2$ *and* $(\mathrm{a}+\mathrm{b})/2$ *are in the same quadrant.*

EXERCISE XL

Write the formulas for finding the unknown parts of the triangle ABC by logarithmic computation, when there are given:

1. a, b, and c.
2. A, B, and C.
3. a, b, and C.
4. A, B, and c.
5. a, b, and A.
6. A, B, and a.

7. State Napier's analogies in words.
8. Write the analogies involving $\tan(b/2)$; $\cot(A/2)$.
9. When $a + b > 180°$ and $B < 90°$, then $A > 90°$.
10. When $A + C < 180°$ and $a > 90°$, then $c < 90°$.

119. **Delambre's analogies, or Gauss's formulas.**

From the relations in § 116 we obtain

$$\sin\frac{A}{2}\cos\frac{B}{2} = \frac{\sin(s-b)}{\sin c}\sqrt{\frac{\sin s\sin(s-c)}{\sin a\sin b}} = \frac{\sin(s-b)}{\sin c}\cos\frac{C}{2}; \tag{1}$$

and

$$\cos\frac{A}{2}\sin\frac{B}{2} = \frac{\sin(s-a)}{\sin c}\sqrt{\frac{\sin s\sin(s-c)}{\sin a\sin b}} = \frac{\sin(s-a)}{\sin c}\cos\frac{C}{2}. \tag{2}$$

Adding (1) and (2), by [7] we obtain

$$\sin\frac{A+B}{2} = \frac{\sin(s-a)+\sin(s-b)}{\sin c}\cos\frac{C}{2} = \frac{\sin\frac{1}{2}(2s-a-b)\cos\frac{1}{2}(a-b)}{\sin(c/2)\cos(c/2)}\cos\frac{C}{2}.$$

$$\therefore \sin\frac{A+B}{2} = \frac{\cos\frac{1}{2}(a-b)}{\cos(c/2)}\cos\frac{C}{2}.$$

Similarly

$$\sin\frac{A-B}{2} = \frac{\sin\frac{1}{2}(a-b)}{\sin(c/2)}\cos\frac{C}{2},$$

$$\cos\frac{A+B}{2} = \frac{\cos\frac{1}{2}(a+b)}{\cos(c/2)}\sin\frac{C}{2},$$

$$\cos\frac{A-B}{2} = \frac{\sin\frac{1}{2}(a+b)}{\sin(c/2)}\sin\frac{C}{2}.$$

[52]

The four equations or formulas in [52] are known as *Delambre's analogies* or *Gauss's formulas.*

CHAPTER XIII

SOLUTION OF SPHERICAL TRIANGLES

120. **Six cases.** If of the six parts (three sides and three angles) of any spherical triangle we have given any three parts, the triangle, as we know by Geometry, is *determined* and can be *constructed*. Hence in the *numerical* solution of spherical triangles by Trigonometry we must consider the following *six* cases, the given parts being:

(i) *Three sides.*
(ii) *Three angles.*
(iii) *Two sides and their* **included angle.**
(iv) *Two angles and their* **included side.**
(v) *Two sides and the* **angle opposite** *one of them.*
(vi) *Two angles and the* **side opposite** *one of them.*

The parts of a convex spherical triangle must satisfy each of the following conditions:

I. *Each part is less than* 180°.

II. *If two angles are unequal, the side opposite the greater angle is the greater; and conversely.*

If $a = b$, $A = B$; *and conversely.*

III. *The sum of the sides is less than* 360°, *and the sum of the angles lies between* 180° *and* 540°.

IV. *The sum of any two sides is greater than the third side.*

NOTE. The three following principles are often useful in determining the relation of an unknown part to 90°:

(1) *A side which differs more from* 90° *than does another side is in the same quadrant as its opposite angle* (Cor., § 115).

(2) *An angle which differs more from* 90° *than does another angle is in the same quadrant as its opposite side.*

(3) *The half sum of any two sides and the half sum of their opposite angles are in the same quadrant* (Cor., § 118).

From (1) or (2) it follows that *each of at least two sides is in the same quadrant as its opposite angle.*

E.g., if the three sides are acute, at least two angles are acute; if the three angles are obtuse, at least two sides are obtuse.

121. Case (i). **Given the three sides.** When all three angles are required it is best to obtain them through their tangents by [45]. If only one angle is required, we may use any one of the three formulas in [44].

Ex. Given $\begin{cases} a = 72^\circ\ 16', \\ b = 80^\circ\ 44', \\ c = 41^\circ\ 18'; \end{cases}$ to find $\begin{cases} A = 73^\circ\ 37'\ 42'', \\ B = 96^\circ\ 11'\ 32'', \\ C = 41^\circ\ 40'\ 10''. \end{cases}$

Formulas $\begin{cases} \tan r = \sqrt{\sin(s-a)\sin(s-b)\sin(s-c)/\sin s}, \\ \tan(A/2) = \tan r/\sin(s-a), \\ \tan(B/2) = \tan r/\sin(s-b), \\ \tan(C/2) = \tan r/\sin(s-c). \end{cases}$

Here $2s = 194^\circ\ 18'.$

$\therefore s = 97^\circ\ 9',\ s-a = 24^\circ\ 53',\ s-b = 16^\circ\ 25',\ s-c = 55^\circ\ 51'.$

$$\begin{aligned} \log\sin(s-a) &= 9.62405 - 10 \\ \log\sin(s-b) &= 9.45120 - 10 \\ \log\sin(s-c) &= 9.91781 - 10 \\ \therefore \log\text{product} &= 18.99306 - 20 \\ \log\sin s &= 9.99661 - 10 \\ \therefore \log\tan r &= (18.99645 - 20)/2 \\ &= 19.49823 - 20 \end{aligned}$$

$$\begin{aligned} \therefore \log\tan(A/2) &= 9.87418 - 10, \\ \log\tan(B/2) &= 0.04703, \\ \log\tan(C/2) &= 9.58042 - 10. \\ \therefore A/2 &= 36^\circ\ 48'\ 51'', \\ B/2 &= 48^\circ\ 5'\ 46'', \\ C/2 &= 20^\circ\ 50'\ 5''. \end{aligned}$$

Only the principal value of $A/2$, $B/2$, or $C/2$ satisfies condition I in § 120; hence there is only one triangle having the given parts.

Check. $\sin A/\sin a = \sin B/\sin b = \sin C/\sin c.$

$$\begin{aligned} \log\sin A &= 9.98202 - 10 \\ \log\sin a &= 9.97886 - 10 \\ \log\text{quotient} &= 0.00316 \end{aligned}$$

$$\begin{aligned} \log\sin B &= 9.99746 - 10 \\ \log\sin b &= 9.99429 - 10 \\ \log\text{quotient} &= 0.00317 \end{aligned}$$

$$\begin{aligned} \log\sin C &= 9.82271 - 10 \\ \log\sin c &= 9.81955 - 10 \\ \log\text{quotient} &= 0.00316 \end{aligned}$$

NOTE 1. Compare the arrangement of the logarithmic work with that in example 6 on page 90. Note that the check is so written as to make *log quotient* positive, since the angles are greater than the sides.

NOTE 2. When only one part is required and its half is less than 45°, it is better to obtain it through its sine or tangent; if its half is greater than 45°, it is better to obtain it through its cosine or tangent. Why?

122. Case (ii). **Given the three angles.** From the angles A, B, C obtain the sides a', b', c' of the polar triangle $A'B'C'$ [(vii), § 104]. Solve the triangle $A'B'C'$ by the method used in case (i), and from its angles A', B', C' obtain the sides a, b, c of the original triangle ABC.

Or, solve the triangle ABC directly by using formulas [47].

EXERCISE XLI

Solve the following triangles, checking the results:

1. Given $a = 58° 18'$, $b = 62° 40'$, $c = 78° 24'$.
2. Given $a = 110° 4'$, $b = 74° 32'$, $c = 56° 30'$.
3. Given $A = 53° 50'$, $B = 96° 18'$, $C = 64° 20'$.
4. Given $A = 74° 40'$, $B = 67° 30'$, $C = 49° 50'$.
5. Given $a = 43° 30'$, $b = 72° 24'$, $c = 87° 50'$; to find C.
6. Given $a = 110° 40'$, $b = 45° 10'$, $c = 73° 30'$; to find A.
7. Given $A = 80° 40'$, $B = 116° 20'$, $C = 92° 20'$; to find b.

123. Case (iii). **Given two sides and their included angle.** Use Napier's analogies [50] and [51] to find the two unknown angles, and the law of sines to find the unknown side.

Ex. Given $\begin{cases} a = 47° 39', \\ b = 123° 56', \\ C = 89° 31'; \end{cases}$ to find $\begin{cases} A = 52° 43' 44'', \\ B = 116° 41' 56'', \\ c = 111° 46' 24''. \end{cases}$

Formulas
$$\begin{cases} \tan \tfrac{1}{2}(B + A) = \cos \tfrac{1}{2}(b - a) \cot (C/2)/\cos \tfrac{1}{2}(b + a), \\ \tan \tfrac{1}{2}(B - A) = \sin \tfrac{1}{2}(b - a) \cot (C/2)/\sin \tfrac{1}{2}(b + a), \\ \sin c = \sin a \sin C/\sin A. \end{cases} \quad (1)$$

Here $(b+a)/2 = 85° 47' 30''$, $(b-a)/2 = 38° 8' 30''$, $C/2 = 44° 45' 30''$.

$$\begin{aligned} \log\cos\tfrac{1}{2}(b-a) &= 9.89569 - 10 \\ \log\cot(C/2) &= 0.00366 \\ \therefore \log \text{product} &= 9.89935 - 10 \\ \log\cos\tfrac{1}{2}(b+a) &= 8.86559 - 10 \\ \therefore \log\tan\tfrac{1}{2}(B+A) &= 1.03376 \end{aligned} \qquad \begin{aligned} \log\sin\tfrac{1}{2}(b-a) &= 9.79071 - 10 \\ \log\cot(C/2) &= 0.00366 \\ \therefore \log \text{product} &= 19.79437 - 20 \\ \log\sin\tfrac{1}{2}(b+a) &= 9.99883 - 10 \\ \therefore \log\tan\tfrac{1}{2}(B-A) &= 9.79554 - 10 \end{aligned}$$

$\therefore (B+A)/2 = 84° 42' 50''$. (2) $\qquad \therefore (B-A)/2 = 31° 59' 6''$. (3)

By (2), (3), $A = 52° 43' 44''$, $B = 116° 41' 56''$.

$$\begin{aligned} \log\sin a &= 9.86867 - 10 \\ \log\sin C &= 9.99998 - 10 \\ \therefore \log \text{product} &= 19.86865 - 20 \\ \log\sin A &= 9.90079 - 10 \\ \therefore \log\sin c &= 9.96786 - 10 \end{aligned}$$

$$\therefore c = 111° 46' 24''.$$

Check. $\sin A / \sin a = \sin B / \sin b$

$$\begin{aligned} \log\sin A &= 9.90079 - 10 \\ \log\sin a &= 9.86867 - 10 \\ \log \text{quotient} &= 0.03212 \end{aligned} \qquad \begin{aligned} \log\sin B &= 9.95103 - 10 \\ \log\sin b &= 9.91891 - 10 \\ \log \text{quotient} &= 0.03212 \end{aligned}$$

Of the two values of c in (1) which satisfy I in § 120, only the greater satisfies IV, by which $a + c > b$.

124. Case (iv). **Given two angles and their included side.** Use Napier's analogies [48] and [49] to find the two unknown sides, and the law of sines to find the unknown angle.

Or, solve the polar triangle by the method used in case (iii).

EXERCISE XLII

Solve the following triangles, checking the results:

1. Given $a = 64° 24'$, $b = 42° 30'$, $C = 58° 40'$.
2. Given $c = 78° 15'$, $b = 56° 20'$, $A = 120°$.
3. Given $b = 52° 12' 5''$, $c = 54° 34'$, $A = 97° 56' 28''$.
4. Given $B = 98° 30'$, $C = 67° 20'$, $a = 60° 40'$.
5. Given $A = 125° 20'$, $C = 48° 30'$, $b = 83° 13'$.
6. Given $A = 67° 30'$, $B = 45° 50'$, $c = 74° 20'$.

125. Case (v). **Given two sides and the angle opposite one of them.** The formula for finding B from a, b, A is

$$\sin B = \sin b \sin A / \sin a. \qquad (1)$$

If $\sin a < \sin b \sin A$, then from (1) $\sin B > 1$, which is impossible. Hence *the triangle is impossible.*

If $\sin a = \sin b \sin A$, $\sin B = 1$; whence $B = 90°$. Hence *the triangle is right angled at* B.

If $\sin a > \sin b \sin A$, $\sin B < 1$; whence (1) gives *two* values for B, both of which satisfy I in § 120.

If each of these *two* values of B satisfies also II in § 120, there are **two** unequal triangles having the given parts.

If only one of these values of B satisfies II in § 120, there is only *one* triangle having the given parts.

Or, finding the value of p (fig. 68) by the formula

$$\sin p = \sin b \sin A, \qquad \text{§ 108}$$

we can determine the number of solutions by comparing a with p, b, and $180° - b$, as in V of § 106.

The angle C can be found by [50], and the side c by [41] or [48].

Check by the law of sines or Napier's analogies.

Ex. 1. Given $\begin{cases} a = 67° 35' 12'', \\ b = 58° 36' 6'', \\ A = 101° 17' 48''; \end{cases}$ to find $\begin{cases} B = 64° 52' 50'', \\ C = 29° 54' 4'', \\ c = 28° 1' 56''. \end{cases}$

Formulas $\begin{cases} \sin B = \sin b \sin A / \sin a, \\ \cot (C/2) = \sin \frac{1}{2}(a + b) \tan \frac{1}{2}(A - B) / \sin \frac{1}{2}(a - b), \\ \tan (c/2) = \sin \frac{1}{2}(A + B) \tan \frac{1}{2}(a - b) / \sin \frac{1}{2}(A - B). \end{cases}$ (1)

$\log \sin b = 9.93124 - 10$
$\log \sin A = 9.99150 - 10$
$\therefore \log \text{product} = 19.92274 - 20$
$\log \sin a = 9.96589 - 10$
$\therefore \log \sin B = 9.95685 - 10$
$\therefore B = 64° 52' 50''.$

$(a + b)/2 = 63° 5' 39'',$
$(a - b)/2 = 4° 29' 33'',$
$(A + B)/2 = 83° 5' 19'',$
$(A - B)/2 = 18° 12' 29''.$

Of the two values of B in (1) which satisfy I in § 120, only the less satisfies II. Hence there is but one triangle having the given parts.

To find C and c we have

$$\begin{aligned}
\log\sin\tfrac{1}{2}(a+b) &= 9.95025-10 \\
\log\tan\tfrac{1}{2}(A-B) &= 9.51712-10 \\
\therefore \log\text{ product} &= 9.46737-10 \\
\log\sin\tfrac{1}{2}(a-b) &= 8.89392-10 \\
\therefore \log\cot(C/2) &= 0.57345 \\
\therefore C/2 &= 14^\circ\,57'\,2''.
\end{aligned}
\qquad
\begin{aligned}
\log\sin\tfrac{1}{2}(A+B) &= 9.99683-10 \\
\log\tan\tfrac{1}{2}(a-b) &= 8.89526-10 \\
\therefore \log\text{ product} &= 18.89209-20 \\
\log\sin\tfrac{1}{2}(A-B) &= 9.49480-10 \\
\therefore \log\tan(c/2) &= 9.39729-10 \\
\therefore c/2 &= 14^\circ\,0'\,58''.
\end{aligned}$$

Check. $\sin B/\sin b = \sin C/\sin c$.

$$\begin{aligned}
\log\sin B &= 9.95685-10 \\
\log\sin b &= 9.93124-10 \\
\log\text{ quotient} &= 0.02561
\end{aligned}
\qquad
\begin{aligned}
\log\sin C &= 9.69766-10 \\
\log\sin c &= 9.67206-10 \\
\log\text{ quotient} &= 0.02560
\end{aligned}$$

Ex 2. Given $\begin{cases} a=30^\circ\,20', \\ b=46^\circ\,30', \\ A=36^\circ\,40'; \end{cases}$ to find $\begin{cases} B_1=59^\circ\,3'\,30'', & B_2=120^\circ\,56'\,30'', \\ C_1=97^\circ\,39'\,4'', & C_2=\ 28^\circ\ 5'\ 8'', \\ c_1=56^\circ\,57'\,4'', & c_2=\ 23^\circ\,27'\,44''. \end{cases}$

Formulas $\begin{cases} \sin B = \sin b\sin A/\sin a, \\ \cot(C/2) = \sin\tfrac{1}{2}(b+a)\tan\tfrac{1}{2}(B-A)/\sin\tfrac{1}{2}(b-a), \\ \tan(c/2) = \sin\tfrac{1}{2}(B+A)\tan\tfrac{1}{2}(b-a)/\sin\tfrac{1}{2}(B-A). \end{cases}$ (1)

$$\begin{aligned}
\log\sin b &= 9.86056-10 \\
\log\sin A &= 9.77609-10 \\
\therefore \log\text{ product} &= 19.63665-20 \\
\log\sin a &= 9.70332-10 \\
\therefore \log\sin B &= 9.93333-10 \\
\therefore B_1 &= 59^\circ\ 3'\ 30'', \\
B_2 &= 120^\circ\,56'\,30''.
\end{aligned}
\qquad
\begin{aligned}
(b+a)/2 &= 38^\circ\,25', \\
(b-a)/2 &= 8^\circ\ 5', \\
(B_1+A)/2 &= 47^\circ\,51'\,45'', \\
(B_1-A)/2 &= 11^\circ\,11'\,45'', \\
(B_2+A)/2 &= 78^\circ\,48'\,15'', \\
(B_2-A)/2 &= 42^\circ\ 8'\ 15''.
\end{aligned}$$

Both the values of B in (1) which satisfy I in § 120 satisfy II also. Hence there are two triangles having the given parts.

To find C_1 and c_1 in triangle AB_1C_1, we have

$$\begin{aligned}
\log\sin\tfrac{1}{2}(b+a) &= 9.79335-10 \\
\log\tan\tfrac{1}{2}(B_1-A) &= 9.29651-10 \\
\therefore \log\text{ product} &= 19.08986-20 \\
\log\sin\tfrac{1}{2}(b-a) &= 9.14803-10 \\
\therefore \log\cot(C_1/2) &= 9.94183-10 \\
\therefore C_1/2 &= 48^\circ\,49'\,32''.
\end{aligned}
\qquad
\begin{aligned}
\log\sin\tfrac{1}{2}(B_1+A) &= 9.87013-10 \\
\log\tan\tfrac{1}{2}(b-a) &= 9.15236-10 \\
\therefore \log\text{ product} &= 19.02249-20 \\
\log\sin\tfrac{1}{2}(B_1-A) &= 9.28817-10 \\
\therefore \log\tan(c_1/2) &= 9.73432-10 \\
\therefore c_1/2 &= 28^\circ\,28'\,32''.
\end{aligned}$$

To find C_2 and c_2 in triangle AB_2C_2, we have

$\log \sin \frac{1}{2}(b + a) = 9.79335 - 10$ $\quad$ $\log \sin \frac{1}{2}(B_2 + A) = 9.99165 - 10$

$\log \tan \frac{1}{2}(B_2 - A) = 9.95653 - 10$ $\quad$ $\log \tan \frac{1}{2}(b - a) = 9.15236 - 10$

$\therefore \log \text{product} = 9.74988 - 10$ $\quad$ $\therefore \log \text{product} = 19.14401 - 20$

$\log \sin \frac{1}{2}(b - a) = 9.14803 - 10$ $\quad$ $\log \sin \frac{1}{2}(B_2 - A) = 9.82667 - 10$

$\therefore \log \cot (C_2/2) = 0.60185$ $\quad$ $\therefore \log \tan (c_2/2) = 9.31734 - 10$

$\therefore C_2/2 = 14° 2' 34''.$ $\quad$ $\therefore c_2/2 = 11° 43' 52''.$

Check. $\sin B/\sin b = \sin C_1/\sin c_1 = \sin C_2/\sin c_2.$

$\log \sin B = 9.93333 - 10$	$\log \sin C_1 = 9.99612 - 10$	$\log \sin C_2 = 9.67283$
$\log \sin b = 9.86056 - 10$	$\log \sin c_1 = 9.92335 - 10$	$\log \sin c_2 = 9.60004$
$\log \text{quotient} = .07277$	$\log \text{quotient} = .07277$	$\log \text{quotient} = .07279$

126. Case (vi). **Given two angles and the side opposite one of them.** Find the second side by the law of sines, and the third side and third angle by Napier's analogies [48] and [50].

Or, solve the polar triangle by the method used in case (v). Check by the law of sines or Napier's proportions.

EXERCISE XLIII

Solve the following triangles, checking the results:

1. Given $a = 56° 40'$, $b = 30° 50'$, $A = 103° 40'$.
2. Given $b = 100°$, $c = 62°$, $B = 95°$.
3. Given $a = 43° 20'$, $b = 48° 30'$, $A = 58° 40'$.
4. Given $a = 41° 6'$, $c = 48° 22'$, $A = 54° 17'$.
5. Given $A = 108° 40'$, $B = 134° 20'$, $a = 145° 36'$.
6. Given $C = 82°$, $B = 116°$, $c = 86°$.
7. Given $A = 121°$, $B = 108°$, $a = 130°$.
8. Given $B = 36° 20'$, $C = 46° 30'$, $b = 42° 12'$.
9. Given $a = 90°$, $b = 123° 56'$, $A = 52° 43' 44''$.

$$\cos a = 0 = \cos b \cos c + \sin b \sin c \cos A.$$
$$\therefore \cot c = -\tan b \cos A = \cot 33° 56' \cos 52° 43' 44''$$

10. Given $a = 49° 14.6'$, $b = 41° 9.8'$, $C = 76° 18.6'$.
11. Given $b = 41° 9.8'$, $C = 32° 20.2'$, $A = 68° 10' 29''$.

12. Given $a = 60°$, $c = 73°$, $B = 125° 40'$.

13. Given $a = 150° 57.1'$, $b = 134° 15.2'$, $A = 144° 22.3'$.

14. Given $A = 100° 2.4'$, $B = 98° 30.5'$, $a = 95° 20.6'$.

15. Given $a = 131° 35.7'$, $b = 108° 30.9'$, $c = 84° 46.8'$.

16. Given $A = 4° 23.4'$, $B = 8° 28.7'$, $C = 172° 17.6'$.

In the following examples p denotes that perpendicular from the vertex C to the side AB whose foot is towards B from A.

17. If $b = 90°$, then $p = A$.

18. If $b = 90°$ and $A < 90°$, discuss the case when $a < A$, $a = A$, $a > A$ and $< b$, $a = b$, $a > b$. See Case V in § 106.

19. If $b = 90°$ and $A > 90°$, discuss the case when $a > A$, $a = A$, $a < A$ and $> b$, $a = b$, $a < b$.

20. If $b = 90°$ and $A = 90°$, discuss the case when $a \neq A$, $a = A$.

21. If $A = 90°$ and $b < 90°$, discuss the case when $a < b$, $a = b$, $a > b$ and $< 180° - b$, $a = 180° - b$, $a > 180° - b$.

22. If $A < 90°$ and $b < 90°$, discuss the case when $a < p$, $a = p$, $a > p$ and $< b$, $a = b$, $a > b$ and $< 180° - b$, $a = 180° - b$, $a > 180° - b$.

23. If $A > 90°$ and $b < 90°$, discuss the case when $a > p$, $a = p$, $a < p$ and $> b$ or $180° - b$, $a = b$, $a > b$ and $< 180° - b$, $a > 180° - b$ and $< p$.

127. **Spherical degree and radian.** The surface of a biquadrantal spherical triangle (§ 114) is called a *spherical degree* when its vertical angle is one degree, and a *spherical radian* when its vertical angle is one radian. Therefore a lune of angle 1° contains two spherical degrees, and a lune of angle 1 radian contains two spherical radians. Hence

A lune of angle A *degrees contains* 2 A *spherical degrees.*
A lune of angle A *radians contains* 2 A *spherical radians.*

The surface of a sphere, therefore, contains 720 spherical degrees or 4π spherical radians.

Hence, *on a sphere whose radius is* r,

a spherical degree contains $4\pi r^2/720$, *i.e.* $\pi r^2/180$ **square units;**
a spherical radian contains $4\pi r^2/4\pi$, *i.e.* r^2 **square units.**

E.g., a lune of angle 10° contains 20 spherical degrees, and the radius being 3 feet, the area of the lune $= 20\,\pi\,3^2/180 = \pi$ square feet.

A lune of angle 2 radians contains 4 spherical radians, and the radius being 5 yards, the area of the lune $= 4.5^2 = 100$ square yards.

128. **Area of a spherical triangle.** The *spherical excess* of a spherical triangle is the excess of the sum of its three angles over 180° or π radians.

Let E denote the number of degrees and E_r the number of radians in the spherical excess of the triangle ABC; then

$$E^\circ = A^\circ + B^\circ + C^\circ - 180^\circ. \tag{1}$$

By § 66, $$E_r = E\pi/180. \tag{2}$$

$$\therefore E_r = (A + B + C - 180)\,\pi/180. \tag{3}$$

By Geometry we know that

$$\begin{aligned} \textit{Area } ABC &= \tfrac{1}{2} \text{ lune of angle } (A^\circ + B^\circ + C^\circ - 180^\circ) \\ &= \tfrac{1}{2} \text{ lune of angle } E^\circ \\ &= E \textit{ spherical degrees.} \end{aligned} \tag{4}$$

Hence, *on a sphere whose radius is* r,

$$\textbf{Area ABC} = \mathbf{E\pi r^2/180} = (E\pi/180)\cdot r^2. \tag{5}$$

By (2), (5), $\textbf{Area ABC} = \mathbf{E_r r^2} = E_r$ *spherical radians.* (6)

That is, to find the area of a spherical triangle:

Multiply its spherical excess in degrees by $\pi r^2/180$.

Or multiply its spherical excess in radians by r^2.

E.g., if $A = 95°$, $B = 135°$, $C = 110°$, the spherical excess is 160°; hence

$$\text{Area } ABC = 160 \cdot \pi r^2/180 = 8\,\pi r^2/9 \text{ square units.}$$

Again, if $A = 2\,\pi/3$, $B = 3\,\pi/4$, $C = 5\,\pi/6$, the spherical excess is $5\,\pi/4$; hence

$$\text{Area } ABC = 5\,\pi r^2/4 \text{ square units.}$$

129. **Formulas for the spherical excess of a triangle.** The spherical excess of a spherical triangle can always be obtained by finding the sum of its angles in degrees or radians and from this sum subtracting 180° or π radians.

But several formulas have been deduced which express this excess in terms of the three sides or in terms of two sides and their included angle. Without their proof we give below the two most important and useful of these formulas.

L'Huillier's formula:

$$\tan(E^\circ/4) = \sqrt{\tan\tfrac{1}{2}s \tan\tfrac{1}{2}(s-a)\tan\tfrac{1}{2}(s-b)\tan\tfrac{1}{2}(s-c)}, \quad (1)$$

which gives the spherical excess in terms of the three sides;

$$\tan\frac{E^\circ}{2} = \frac{\tan\tfrac{1}{2}a \tan\tfrac{1}{2}b \sin C}{1+\tan\tfrac{1}{2}a \tan\tfrac{1}{2}b \cos C}, \quad (2)$$

which gives the spherical excess in terms of two sides and their included angle.

EXERCISE XLIV

1. Find the area of a spherical degree and of a lune of angle 43° 30′ on a sphere whose radius is 9 feet.

2. Find the area between the meridian 80° W. and 87° W., the radius of the earth being 3960 miles.

3. Find the area of the triangle ABC in examples 1, 2, 3, 4 of Exercise XLI, when the radius of the sphere is 10 yards.

Use L'Huillier's formula to find the spherical excess in examples 1 and 2 of Exercise XLI.

4. Find the area of the triangle ABC in examples 1, 2, 4, 5 of Exercise XLII, when the radius of the sphere is 100 feet.

5. Find the area of the triangle ABC in examples 1, 2, 5, 6 of Exercise XLIII, when the radius of the sphere is 3960 miles.

130. **Area of a convex spherical polygon of n sides.** Any convex polygon of n sides is divided into $n-2$ convex triangles by the $n-3$ diagonals from any vertex of the polygon. The sum of all the angles of these $n-2$ triangles is equal to the sum of the angles of the polygon. Hence *the spherical excess of a polygon of* n *sides is the sum of its* n *angles less* (n − 2) 180° or $(n-2)\,\pi$ radians.

Denoting this spherical excess by E° or E_r radians, and the radius of the sphere by r, we have

$$\text{Area of polygon} = E \text{ spherical degrees} = E\pi r^2/180, \quad (1)$$

$$\text{Area of polygon} = E_r \text{ spherical radians} = E_r r^2. \quad (2)$$

Having given r and the area of a spherical polygon in square units, by (1) we can find its spherical excess in degrees or its area in spherical degrees, and by (2) we can find its spherical excess in radians or its area in spherical radians.

131. **Measure of a solid angle.** Just as the angle which an arc degree subtends at its center is called an angle degree, so the solid angle which a *spherical degree* subtends at the center of the sphere may be called a *degree of solid angle*, or a *solid-angle degree.*

E.g., the sum of all the solid angles about a point is 720 *solid-angle degrees.* The angle at the corner of a cube is 90 solid-angle degrees.

Similarly the solid angle which a spherical radian subtends at the center of the sphere may be called a *radian of solid angle* or a *solid-angle radian.*

Hence to find the measure of any solid angle in solid-angle degrees or solid-angle radians, find the number of spherical degrees or spherical radians in the spherical surface which subtends this angle when its vertex is at the center of some sphere.

NOTE. Observe that
the *arc degree* or *arc radian* is a *unit* of *circular arcs;*
the *angle degree* or *radian* is a *unit* of *plane angles;*
the *spherical degree* or *spherical radian* is a *unit* of *spherical surfaces;*
the *solid-angle degree* or *solid-angle radian* is a *unit* of *solid angles.*

360 *arc degrees* = an entire circumference = 2π *arc radians;*
360 *angle degrees* = 4 right angles = 2π *radians;*
720 *spherical degrees* = surface of sphere = 4π *spherical radians;*
720 *solid-angle degrees* = sum of all the solid angles about a point = 4π *solid-angle radians.*

CHAPTER XIV

PRACTICAL APPLICATIONS

132. An interesting application of Spherical Trigonometry is the solution of the following **geographic problem**:

To find the distance between two places and the bearing of each from the other, when their latitudes and longitudes are known.

In the following examples, which are given to illustrate the problem above, the earth will be regarded as a sphere with a radius of 3960 miles.

EXERCISE XLV

1. Find the shortest distance, measured on the earth's surface, between Boston (42° 21′ N., 71° 3′ W.) and Cape Town (33° 56′ S., 18° 28′ E.), and the bearing of each city from the other.




FIG. 79

In fig. 79, WRE is the earth's equator; NGS, NBS, NCS are the meridians through Greenwich G, Boston B, and Cape Town C respectively; there are required the arc BC, the $\angle SBC$, and the $\angle NCB$.

In the spherical triangle NBC we have

$$BN = DN - DB$$
$$= 90° - 42° 21′ = 47° 39′,$$
$$CN = CH + HN$$
$$= 33° 56′ + 90° = 123° 56′,$$

$$\angle BNC = \angle BNG + \angle GNC = 71° 3′ + 18° 28′ = 89° 31′.$$

Solving triangle NBC, we obtain (example in § 123)

$$BC = 111° 46′ 24″, \quad \angle NBC = 115° 41′ 56″, \quad \angle NCB = 52° 43′ 44″.$$

Hence $BC = 111.77\frac{1}{3}° = (111.77\frac{1}{3} \times 22\,\pi)$ mi. $= 7725.2$ mi.

$\angle SBC = 180° - \angle NBC = 63°\ 18'\ 4''$.

Therefore Cape Town is S. 63° 18′ 4″ E. from Boston, and Boston is N. 52° 43′ 44″ W. from Cape Town, and their distance apart is 7725.2 mi.

2. Find the longitude of R, or the place where BC in fig. 79 crosses the equator, the distance RC, and the bearing of Cape Town from R.

In the spherical triangle NRC we have

$$RN = 90°, \qquad CN = 123°\ 56', \qquad \angle NCR = 52°\ 43'\ 44''.$$

By example 9 in Exercise XLIII we have

$$\angle CRN = 138°\ 40'\ 56'', \qquad RC = 48°\ 0'\ 36'', \qquad \angle RNC = 36°\ 15'\ 42''.$$

Thus a ship sailing on a great circle from Boston to Cape Town will set out from Boston on a course S. 63° 18′ 4″ E., cross the equator on a course S. 41° 19′ 4″ E., and approach Cape Town on a course S. 52° 43′ 44″ E.

3. Find the shortest distance between New York (40° 45.4′ N., 73° 58.4′ W.) and Paris (48° 50.2′ N., 2° 20.2′ E.), and the bearing of each city from the other (see example 10 in Exercise XLIII).

4. A ship is sailing westward on a great circle which passes through New York and Paris. Find its latitude when it crosses the meridian 30° W.; find also its course and its distance from Paris (see example 11 in Exercise XLIII).

5. From a place 17° N., 130° W., a ship, starting on a course S. 54° 20′ W., sailed on a great circle. Find its latitude and longitude when it has sailed 60°, or 4146.9 miles; find also its course (see example 12 in Exercise XLIII).

6. A ship sails from San Francisco (37° 47′ 55″ N., 122° 24′ 32″ W.) on a great circle to Yokohama (35° 26′ N., 139° 39′ E.). Find the distance sailed and the course of the ship when leaving San Francisco and when approaching Yokohama (see example 3 in Exercise XLII).

7. In example 6 find the distance sailed and the latitude and course of the ship when it crosses the meridian 180°.

Thus a ship sailing on a great circle from San Francisco to Yokohama will set out from San Francisco on a course N. 56° 50′ 54″ W., cross the meridian 180° on a course S. 81° 57′ W., and approach Yokohama on a course S. 54° 17′ 6″ W.

8. A ship sailed on a great circle from San Francisco to Sydney (33° 52′ S., 151° 13′ E.). Find the distance sailed and the course of the ship when leaving San Francisco and when approaching Sydney.

9. In example 8 find the distance sailed and the longitude and course of the ship when it crosses the equator.

133. *From* O *in the horizontal plane* OA′B′ *there were measured (with a sextant) the angles of elevation of* A *and* B *and the inclined angle* AOB (= h); *to find the horizontal angle* A′OB′ (= x) *between the points* A *and* B *as seen from* O.




FIG. 80

Let $\angle A'OA = m$, $\angle B'OB = n$, and OZ be the vertical line of intersection of the vertical planes $A'OA$ and $B'OB$. Conceive a sphere whose center is the vertex of the triedral angle O-ABZ, thus forming the spherical triangle ABZ.

Then in the triangle ABZ we know the three sides

$$AZ = 90° - m, \qquad BZ = 90° - n, \qquad AB = h.$$

Hence the spherical angle AZB, which is equal to the required angle x, can be computed.

Ex. 1. Given $\angle A'OA = 17° 36'$, $\angle B'OB = 46° 30'$, $\angle AOB = 87° 50'$; to find $\angle A'OB'$.

By example 5 in Exercise XLI, $\angle A'OB' = 106° 3.6'$.

Ex. 2. Given $\angle A'OA = 44° 50'$, $\angle B'OB = 16° 30'$, $\angle AOB = 110° 40'$; to find $\angle A'OB'$.

By example 6 in Exercise XLI, $\angle A'OB' = 144° 26' 38''$.

134. *If from any point* P *in a trirectangular spherical triangle* ABC *arcs of great circles* α, β, γ *are drawn to the vertices, then*

$$\cos^2\alpha + \cos^2\beta + \cos^2\gamma = 1.$$

Produce AP to D and BP to E; then in the right triangle PDC,

$$\sin DP = \sin\gamma \sin DCP.$$

$$\therefore \cos\alpha = \sin\gamma \sin DCP. \quad (1)$$

In the right triangle PEC,

$$\sin EP = \sin\gamma \sin ECP.$$

$$\therefore \cos\beta = \sin\gamma \cos DCP. \quad (2)$$

Squaring (1) and (2) and adding, we obtain

$$\cos^2\alpha + \cos^2\beta = \sin^2\gamma,$$

or $$\cos^2\alpha + \cos^2\beta + \cos^2\gamma = 1.$$




FIG. 81

NOTE. The arcs α, β, γ measure the angles which OP makes with the lines OA, OB, OC which are at right angles to each other. In Analytic Geometry the angles α, β, γ are called the *direction angles* of the line OP and the relation above is a fundamental one.

135. *If from any two points* P *and* P′ *in a trirectangular triangle* ABC *arcs of great circles are drawn to the three vertices, and* v = *arc* PP′, *then*

$$\cos v = \cos\alpha\cos\alpha' + \cos\beta\cos\beta' + \cos\gamma\cos\gamma'.$$

In triangle PBP', by [42],

$$\cos v = \cos\beta\cos\beta' + \sin\beta\sin\beta'\cos P'BP. \quad (1)$$

Now

$$P'BP = CBP - CBP'.$$

$$\therefore \cos P'BP = \cos CBP\cos CBP' + \sin CBP\sin CBP'. \quad (2)$$




FIG. 82

Since $a = b = c = 90°$, by [42] we have

$$\left.\begin{array}{l} \text{In } \triangle\, CBP, \quad \cos\gamma = \sin\beta\cos CBP; \\ \text{In } \triangle\, CBP', \quad \cos\gamma' = \sin\beta'\cos CBP'; \\ \text{In } \triangle\, ABP, \quad \cos\alpha = \sin\beta\cos ABP = \sin\beta\sin CBP; \\ \text{In } \triangle\, ABP', \quad \cos\alpha' = \sin\beta'\cos ABP' = \sin\beta'\sin CBP'. \end{array}\right\} \quad (3)$$

Finding from (2) and (3) the value of $\cos P'BP$ in terms of α, β, γ, and substituting in (1), we obtain

$$\cos v = \cos\alpha\cos\alpha' + \cos\beta\cos\beta' + \cos\gamma\cos\gamma'. \quad (4)$$

NOTE. Since v measures the $\angle POP'$, equation (4) is the formula for the cosine of the angle between two lines in space, OP and OP', in terms of the direction cosines of these lines.

136. *Having given the two sides* b *and* c *and their included angle* A *of the spherical triangle* ABC, *to find the angle* A' *formed by the chords of the sides* b *and* c.

About the vertex A of the triedral angle A-OBC as a center describe a sphere, and let DEF be the spherical triangle formed.




FIG. 83

Then

$$DE = \angle OAB = (180° - c)/2 = 90° - c/2,$$

$$DF = \angle OAC = 90° - b/2,$$

$$\angle EDF = A,\ EF = \angle EAF = A'.$$

Now $\cos EF = \cos DF\cos DE + \sin DF\sin DE\cos EDF$.

$$\therefore \cos A' = \sin(b/2)\sin(c/2) + \cos(b/2)\cos(c/2)\cos A.$$

ASTRONOMIC APPLICATIONS

137. One of the most important applications of Spherical Trigonometry is to Astronomy. Trigonometry was invented and for centuries studied as an aid to Astronomy. In order to

understand the simple problems given below a clear conception of the following astronomic terms and principles is necessary.

An observer on the earth seems to be at the center of an immense sphere on the surface of which all the heavenly bodies appear to be. This sphere is called the **celestial sphere.** Owing to the rotation of the earth on its axis from west to east, this sphere with its innumerable stars apparently turns around from east to west once in about twenty-four hours.

Let the sphere in fig. 84 denote the celestial sphere, the earth being at the center *O*.

The vertical line *OZ* at the point of the observer pierces the celestial sphere above in the **zenith** *Z*, and below in the **nadir** *Z'*.

The great circle *SENW*, in which the horizontal plane at the point of the observer cuts the celestial sphere, is called the **horizon.**




FIG. 84

Great circles through the zenith *Z* are called **vertical circles.** Hence vertical circles are perpendicular to the horizon. *E.g.*, *MHZ*, the vertical circle of the star *H*, is perpendicular to *NM*.

The earth's axis produced is the **axis of the celestial sphere.** It cuts the celestial sphere in the **north pole** P_n and the **south pole** P_s. The vertical circle ZP_nNP_s, which passes through the poles, is the celestial **meridian.**

The **altitude** of a star is its distance from the horizon measured on the vertical circle of the star. *E.g.*, *MH* is the altitude of the star *H*.

The **azimuth** of a star is the arc of the horizon between its south point S and the vertical circle of the star. It is reckoned from S around to the west. *E.g.*, the azimuth of H (fig. 84) is $180° + NM$. The azimuth $180° + NM$ and the altitude MH locate the star H.

The intersection of the plane of the earth's equator with the celestial sphere is the **celestial equator**. P_n and P_s are the poles of the celestial equator QVA (fig. 85).




FIG. 85

Great circles passing through the poles are **hour circles**. Hence hour circles are perpendicular to the celestial equator.

The **hour angle** of a star is the arc of the equator between its south point Q (fig. 85) and the hour circle of the star. It is reckoned from Q to the west. *E.g.*, the hour angle of H is $180° + AD$.

The **declination** of a star is its distance from the equator measured on its hour circle. Distances *north* are +, *south* −.

The hour angle $180° + AD$ and the declination DH locate the star H.

It is proved in Astronomy that *the latitude of the observer is equal to the altitude of the pole at the place of observation.*

138. Let β = the *latitude* of the observer,

h = the *altitude* of a star,

A = its *azimuth*,

δ = its *declination*,

and t = its *hour angle* in degrees.

Given any three of the five quantities β, h, A, δ, t ; *to find the other two.*

In fig. 86 let S be the star, ZSB its vertical circle, and PSM its hour circle; then

$$BS = h, \quad MS = \delta, \quad RP = \beta,$$
$$180^\circ + RB = A,$$
$$180^\circ + AM = t.$$

Hence, in the triangle SZP, whose vertices are the *star*, the *zenith*, and the *pole*, we have

$$\left.\begin{aligned} SZ &= 90^\circ - h, \\ SP &= 90^\circ - \delta, \\ PZ &= 90^\circ - \beta, \end{aligned}\right\} \quad (1)$$




FIG. 86

$$\angle SPZ = MQ = 360^\circ - t, \quad (2)$$

$$\angle PZS = RB = A - 180^\circ. \quad (3)$$

Hence if we have given any three of the five quantities β, h, A, δ, t, we know three parts of the triangle SZP; from these three parts we can compute the other parts.

Observe that the relations in (2) and (3) are those which exist when the star S is east of the meridian $RPZQ$. When the star S is west of this meridian, $\angle ZPS = t$ and $\angle SZP = 180^\circ - A$.

EXERCISE XLVI

1. At a place in latitude 42° N. the altitude of a star whose declination is + 60° was measured and found to be 50°, the star being east of the meridian. How many hours afterward did the star cross the meridian?

In $\triangle SZP$, $SZ = 40^\circ$, $SP = 30^\circ$, $ZP = 48^\circ$.

By [44] we find $\angle SPZ = 59^\circ\ 51.8'$.

Since the star travels 15° in an hour, it reaches the meridian ZQH in $(59^\circ\ 51.8'/15^\circ)$ hours, or in $3^h\ 59.5^m$.

2. The declination of a star is $+10°$. Find the length of time between its rising above the horizon and its passage across the meridian, the place of observation being in latitude 42° N.

Here S will be on the horizon; hence

$$SZ = 90°,\ ZP = 48°,\ SP = 80°.$$

$$\therefore \cos SZ = 0 = \cos ZP \cos SP + \sin ZP \sin SP \cos ZPS.$$

$$\therefore \cos ZPS = -\cot ZP \cot SP = -\cot 48° \cot 80°.$$

$$\therefore \angle ZPS = 99° 8.1'.$$

Hence the time required is $(99° 8.1'/15°)$ hours, or $6^h\ 36.5^m$.

3. The declination of a star is $+20°$. Find the interval between the instant when it is due east and when it is due west, the place of observation being in latitude 42° N.

Here $\angle PZS = 90°$.

$$\therefore \cos ZPS = \tan ZP \cot SP = \tan 48° \cot 70°.$$

$$\therefore 2\angle ZPS = 132° 18.8'.$$

Hence the interval is $(132° 18.8'/15°)$ hours, or $8^h\ 49.3^m$.

4. In New York, 40° 43′ N., at a forenoon observation the sun's altitude is 30° 40′. Given that the sun's declination is $+10°$, find the time of day of the observation.

At noon the sun is on the meridian PZH; hence the time required is $(\angle ZPS/15°)$ hours before noon.

5. In Montreal, 45° 30′ N., at an afternoon observation the sun's altitude is 28° 30′. Given that the sun's declination is 8° S., find the time of day of the observation.

Here $ZP = 44° 30',\quad SP = 98°,\quad SZ = 33° 30',$

and the time required is $(\angle ZPS/15°)$ hours after noon.

6. As in example 4, having given that the sun's declination is 10° S.

7. As in example 5, having given that the sun's declination is 18° N.

8. Find the approximate time of sunrise in New York, 40° 43′ N., about April 1, when the declination of the sun is 4° 30′ N.

Solution 1. The required time is $(\angle SPZ/15°)$ hours before noon. See example 2.

Solution 2. When S is on the horizon the triangle PSR is right angled at R, and the required time is $(\angle SPR/15°)$ hours after midnight.

9. Find the approximate time of sunrise in London, 51° 30′ 48″ N., about October 8, when the declination of the sun is 6° S.

10. Find the approximate time of sunrise in New Orleans, 29° 58′ N., about September 10, when the declination of the sun is 5° N.

11. Given the latitude of the place of observation 52° 30′ 16″, the declination of a star 38°, and its hour angle 331° 42′ 45″, find its altitude

12. Given the latitude of the place of observation 51° 19′ 20″, the declination of a star 22° 0′ 55″, and its hour angle 344° 51′ 48″; find its altitude and its azimuth.

13. Given the declination of a star 7° 54′, its altitude 22° 45′ 12″, and its azimuth 50° 14′ 23″; find its hour angle and the latitude of the observer.

14. Given the latitude of the place of observation 44° 50′ 14″, the azimuth of a star 138° 58′ 43″, and its hour angle 20°; find its declination and its altitude.

ANSWERS

EXERCISE I

1. $\sin A = 2/5$, $\csc A = 5/2$, $\cos A = \sqrt{21}/5$, $\sec A = 5/\sqrt{21}$, $\tan A = 2/\sqrt{21}$, $\cot A = \sqrt{21}/2$; $A = 23° 34' 40''$.

2. $\sin A = 4/5$, $\csc A = 5/4$, $\cos A = 3/5$, $\sec A = 5/3$, $\tan A = 4/3$, $\cot A = 3/4$; $A = 53° 8'$.

3. $\sin A = \sqrt{7}/4$, $\csc A = 4/\sqrt{7}$, $\cos A = 3/4$, $\sec A = 4/3$, $\tan A = \sqrt{7}/3$, $\cot A = 3/\sqrt{7}$; $A = 41° 24' 30''$.

4. $\sin A = \sqrt{8}/3$, $\csc A = 3/\sqrt{8}$, $\cos A = 1/3$, $\sec A = 3$, $\tan A = \sqrt{8}$, $\cot A = 1/\sqrt{8}$; $A = 70° 32'$.

5. $\sin A = 1/\sqrt{17}$, $\csc A = \sqrt{17}$, $\cos A = 4/\sqrt{17}$, $\sec A = \sqrt{17}/4$, $\tan A = 1/4$, $\cot A = 4$; $A = 14° 2' 15''$.

6. $\sin A = 4/5$, $\csc A = 5/4$, $\cos A = 3/5$, $\sec A = 5/3$, $\tan A = 4/3$, $\cot A = 3/4$; $A = 53° 7' 45''$.

7. $\sin A = 2/\sqrt{29}$, $\csc A = \sqrt{29}/2$, $\cos A = 5/\sqrt{29}$, $\sec A = \sqrt{29}/5$, $\tan A = 2/5$, $\cot A = 5/2$; $A = 21° 48' 6''$.

8. $\sin A = 3/\sqrt{10}$, $\csc A = \sqrt{10}/3$, $\cos A = 1/\sqrt{10}$, $\sec A = \sqrt{10}$, $\tan A = 3$, $\cot A = 1/3$; $A = 71° 34'$.

9. $\sin A = 4/5$, $\csc A = 5/4$, $\cos A = 3/5$, $\sec A = 5/3$, $\tan A = 4/3$, $\cot A = 3/4$; $A = 53° 8'$.

10. $\sin A = \sqrt{7}/4$, $\csc A = 4/\sqrt{7}$, $\cos A = 3/4$, $\sec A = 4/3$, $\tan A = \sqrt{7}/3$, $\cot A = 3/\sqrt{7}$; $A = 41° 24' 30''$.

11. $\sin A = 2/5$, $\csc A = 5/2$, $\cos A = \sqrt{21}/5$, $\sec A = 5/\sqrt{21}$, $\tan A = 2/\sqrt{21}$, $\cot A = \sqrt{21}/2$; $A = 23° 35'$.

12. $\sin A = 2/3$, $\csc A = 3/2$, $\cos A = \sqrt{5}/3$, $\sec A = 3/\sqrt{5}$, $\tan A = 2/\sqrt{5}$, $\cot A = \sqrt{5}/2$; $A = 41° 48' 30''$.

13. $\sin A = 4/\sqrt{17}$, $\csc A = \sqrt{17}/4$, $\cos A = 1/\sqrt{17}$, $\sec A = \sqrt{17}$, $\tan A = 4$, $\cot A = 1/4$; $A = 75° 57' 49''$.

14. $\sin A = 1/\sqrt{50}$, $\csc A = \sqrt{50}$, $\cos A = 7/\sqrt{50}$, $\sec A = \sqrt{50}/7$, $\tan A = 1/7$, $\cot A = 7$; $A = 8° 7' 48''$.

15. $\sin A = 9/\sqrt{82}$, $\csc A = \sqrt{82}/9$, $\cos A = 1/\sqrt{82}$, $\sec A = \sqrt{82}$, $\tan A = 9$, $\cot A = 1/9$; $A = 83° 39' 35''$.

16–18. For answers see table on page 151.

EXERCISE II

1. $\sin 60°$; $\cos 30°$; $\tan 55°$; $\cot 75°$; $\csc 5°$; $\sec 14°$; $\cos 16° 46'$; $\sin 24° 17'$.

2. $45°$.
4. $18°$.
6. $5°$.
8. $90°/(m + n)$.
3. $30°$.
5. $36°$.
7. $5°$.
9. $60°/(c - 1)$.

EXERCISE III

1.	$B = 65°$,	$b = 64.335$,	$c = 70.986$.
2.	$A = 35°$,	$a = 7.002$,	$c = 12.208$.
3.	$B = 25°$,	$a = 63.441$,	$b = 29.582$.
4.	$A = 75°$,	$a = 74.642$,	$c = 77.274$.
5.	$A = 55°$,	$b = 35.01$,	$c = 61.04$.
6.	$A = 35°$,	$b = 49.152$,	$a = 34.416$.
7.	$A = 20°$,	$B = 70°$,	$c = 106.4$.
8.	$A = 25°$,	$B = 65°$,	$c = 55.17$.
9.	$A = 20°$,	$B = 70°$,	$a = 34.2$.
10.	$A = 20°$,	$B = 70°$,	$b = 46.985$.
11.	$A = 15°$,	$a = 10.352$,	$b = 38.636$.
12.	$B = 80°$,	$a = 5.289$,	$c = 30.462$.
13.	$B = 70°$,	$a = 27.36$,	$b = 75.176$.

14. $A = 65°$, $b = 13.989$, $c = 33.102$.

15. $A = 65°$, $B = 25°$, $b = 14.087$.

16. $A = 15°$, $B = 75°$, $c = 51.77$.

EXERCISE IV

1. 160.7 yd.
2. 50°.
3. 96.05 ft.
4. 122.02 ft.
5. 42.68 ft.
6. 107.22 ft.
7. 136.6 ft.
8. 44.79 ft., 37.58 ft.
9. 81.96 ft.
11. 1174.6 ft.
12. 3770 ft.
13. 98.098 ft., 68.69 ft.
14. 36.08 ft., 154.23 ft.
15. 33.52 ft., 28.12 ft. to nearest tower.
16. 74.24 ft., 51.98 ft.
17. 378.02 ft., 417.11 ft.
18. h = altitude = 32.14 ft., c = base = 76.6 ft., Q = area = 1231 sq. ft.
19. $\angle C = 40°$, $\angle A = 70°$, $h = 93.97$ ft., $Q = 3213.8$ sq. ft.
20. 61.04 ft., $\angle A = 35°$, $\angle C = 110°$.
21. $h = 62.836$ ft., $r = 76.71$ ft., $Q = 2764.8$ sq. ft.
22. $h = 107.23$ ft., $r = 118.3$, $Q = 5361.5$ sq. ft.
23. $c = r = 57.74$ ft., $Q = 1443.5$ sq. ft.
24. 20°.
25. $R = 274.75$ ft., area = 237150 sq. ft.
26. 25°; 14.09 ft.
27. 916.86 ft.
28. 492.4 ft.
29. 2515 ft.
30. $125(\sqrt{3} + 3)$ ft.
31. 30°.

EXERCISE V

1. 2d qdt.
2. 4th qdt.
3. 2d qdt.
4. 2d qdt.; 4th qdt.
5. 2d qdt.; 1st qdt.
6. 4th qdt.; 3d qdt.
7. 2d qdt.; 1st qdt.
8. 4th qdt.; 3d qdt.
9. 3d qdt.; 3d qdt.

10. 847° is coterminal with 127°; 1111° with 31°; $-225°$ with 135°; $-300°$ with 60°; 942° with 222°; $-1174°$ with $-94°$ or 266°.

11. 405° and 1125°; $-315°$ and $-675°$; 390° and 750°; $-330°$ and $-690°$; 460° and 820°; $-260°$ and $-620°$; 560° and 1280°; $-160°$ and $-520°$; 350° and 710°; $-370°$ and $-730°$; 260° and 620°; $-460°$ and $-820°$.

12. $-75°$; 15°.

13. $-138°$; $-48°$.

14. $-205°\,17'\,14''$; $-115°\,17'\,14''$.

15. $-224°\,22'\,17''$; $-134°\,22'\,17''$

16. $122°\,14'\,21''$; $212°\,14'\,21''$.

17. $255°\,28'\,42''$; $345°\,28'\,42''$.

18. 60°. 19. 175°. 20. 30°. 21. 340°. 22. 317°.

EXERCISE VI

1. $MP = -2$, $OP = 3$, $OM = \mp\sqrt{5}$; $\csc A = -3/2$, $\cos A = \mp\sqrt{5}/3$, $\sec A = \mp 3/\sqrt{5}$, $\tan A = \pm 2/\sqrt{5}$, $\cot A = \pm\sqrt{5}/2$.

2. $MP = \pm 5$, $OM = \pm 2$, $OP = \sqrt{29}$; $\cot A = 2/5$, $\sin A = \pm 5/\sqrt{29}$, $\csc A = \pm\sqrt{29}/5$, $\cos A = \pm 2/\sqrt{29}$, $\sec A = \pm\sqrt{29}/2$.

3. $MP = \pm 3$, $OM = \mp 1$, $OP = \sqrt{10}$; $\cot A = -1/3$, $\sin A = \pm 3/\sqrt{10}$, $\csc A = \pm\sqrt{10}/3$, $\cos A = \mp 1/\sqrt{10}$, $\sec A = \mp\sqrt{10}$.

4. $OM = 2$, $OP = 3$, $MP = \pm\sqrt{5}$; $\sec A = 3/2$, $\sin A = \pm\sqrt{5}/3$, $\csc A = \pm 3/\sqrt{5}$, $\tan A = \pm\sqrt{5}/2$, $\cot A = \pm 2/\sqrt{5}$.

5. $\csc A = -8/7$, $\cos A = \mp\sqrt{15}/8$, $\sec A = \mp 8/\sqrt{15}$, $\tan A = \pm 7/\sqrt{15}$, $\cot A = \pm\sqrt{15}/7$.

6. $\cot A = 1/7$, $\sin A = \pm 7/(5\sqrt{2})$, $\csc A = \pm 5\sqrt{2}/7$, $\cos A = \pm 1/(5\sqrt{2})$, $\sec A = \pm 5\sqrt{2}$.

7. $\sec A = -7/3$, $\sin A = \pm 2\sqrt{10}/7$, $\csc A = \pm 7/(2\sqrt{10})$, $\tan A = \mp 2\sqrt{10}/3$, $\cot A = \mp 3/(2\sqrt{10})$.

8. $MP = \pm 3$, $OM = \pm 5$, $OP = \sqrt{34}$; $\tan A = 3/5$, $\sin A = \pm 3/\sqrt{34}$, $\csc A = \pm\sqrt{34}/3$, $\cos A = \pm 5/\sqrt{34}$, $\sec A = \pm\sqrt{34}/5$.

9. $\sec A = -5/4$, $\sin A = \pm 3/5$, $\csc A = \pm 5/3$, $\tan A = \mp 3/4$, $\cot A = \mp 4/3$.

10. $OM = 1$, $OP = 2$, $MP = \pm\sqrt{3}$; $\cos A = 1/2$, $\sin A = \pm\sqrt{3}/2$, $\csc A = \pm 2/\sqrt{3}$, $\tan A = \pm\sqrt{3}$, $\cot A = \pm 1/\sqrt{3}$.

11. $\cos A = -2/3$, $\sin A = \pm\sqrt{5}/3$, $\csc A = \pm 3/\sqrt{5}$, $\tan A = \mp\sqrt{5}/2$, $\cot A = \mp 2/\sqrt{5}$.

12. $\sin A = -3/5$, $\cos A = \mp 4/5$, $\sec A = \mp 5/4$, $\tan A = \pm 3/4$, $\cot A = \pm 4/3$.

EXERCISE VII

1. $\csc A = -3/2$, $\cos A = \mp\sqrt{1 - 4/9} = \mp\sqrt{5}/3$, $\sec A = \mp 3/\sqrt{5}$, $\tan A = \pm 2/\sqrt{5}$, $\cot A = \pm\sqrt{5}/2$.

2. $\sec A = 3$, $\sin A = \pm 2\sqrt{2}/3$, $\csc A = \pm 3/(2\sqrt{2})$, $\tan A = \pm 2\sqrt{2}$, $\cot A = \pm 1/(2\sqrt{2})$.

3. $\csc A = 5$, $\cos A = \pm 2\sqrt{6}/5$, $\sec A = \pm 5/(2\sqrt{6})$, $\tan A = \pm 1/(2\sqrt{6})$, $\cot A = \pm 2\sqrt{6}$.

4. $\sec A = -4/3$, $\sin A = \pm\sqrt{7}/4$, $\csc A = \pm 4/\sqrt{7}$, $\tan A = \mp\sqrt{7}/3$, $\cot A = \mp 3/\sqrt{7}$.

5. $\cot A = -3/4$, $\sin A = \pm 4/5$, $\csc A = \pm 5/4$, $\cos A = \mp 3/5$, $\sec A = \mp 5/3$.

6. $\tan A = -1/2$, $\sin A = \pm 1/\sqrt{5}$, $\csc A = \pm\sqrt{5}$, $\cos A = \mp 2/\sqrt{5}$, $\sec A = \mp\sqrt{5}/2$.

7. $\tan A = 2/3$, $\sin A = \pm 2/\sqrt{13}$, $\csc A = \pm\sqrt{13}/2$, $\cos A = \pm 3/\sqrt{13}$, $\sec A = \pm\sqrt{13}/3$.

8. $\cot A = 2/5$, $\sin A = \pm 5/\sqrt{29}$, $\csc A = \pm\sqrt{29}/5$, $\cos A = \pm 2/\sqrt{29}$, $\sec A = \pm\sqrt{29}/2$.

9. $\sin A = -1/\sqrt{3}$, $\cos A = \mp\sqrt{(2/3)}$, $\sec A = \mp\sqrt{(3/2)}$, $\tan A = \pm 1/\sqrt{2}$, $\cot A = \pm\sqrt{2}$.

10. $\cos A = 1/4$, $\sin A = \pm\sqrt{15}/4$, $\csc A = \pm 4/\sqrt{15}$, $\tan A = \pm\sqrt{15}$, $\cot A = \pm 1/\sqrt{15}$.

11. $\cot A = -1/\sqrt{7}$, $\sin A = \pm\sqrt{14}/4$, $\csc A = \pm 4/\sqrt{14}$, $\cos A = \mp\sqrt{2}/4$, $\sec A = \mp 4/\sqrt{2}$.

12. $\sec A = \dfrac{c}{m}$, $\sin A = \pm\dfrac{\sqrt{c^2 - m^2}}{c}$, $\csc A = \pm\dfrac{c}{\sqrt{c^2 - m^2}}$, $\tan A = \pm\dfrac{\sqrt{c^2 - m^2}}{m}$, $\cot A = \pm\dfrac{m}{\sqrt{c^2 - m^2}}$.

13–17. See table on page 151.

EXERCISE IX

1. $\sin 12°$.
2. $-\tan 43°$.
3. $\sin 17°$.
4. $\cos 24°$.
5. $-\cos 25°$.
6. $\sin 6°$.
7. $-\cot 24°$.
8. $\sin 22°$.
9. $\cos 30°$.
10. $\cot 25°$.
11. $-\cot 26°$.
12. $-\csc 23°$.
13. $\csc 36°$.
14. $-\tan 16° 54'$.
15. $-\tan 33° 39'$.

EXERCISE X

1. The cosine of the *sum* of any two angles $\equiv$ { cos *first* · cos *second*; − sin *first* · sin *second*.
2. $(\sqrt{2}+\sqrt{6})/4$.
3. $(\sqrt{6}-\sqrt{2})/4$.
4. $(\sqrt{6}-\sqrt{2})/4$; $(\sqrt{6}+\sqrt{2})/4$.
5. $(\sqrt{6}-\sqrt{2})/4$; $(\sqrt{6}+\sqrt{2})/4$.
6. 1; 0.
7. 0; 1.
8. $\frac{2}{15}(1+\sqrt{42})$; $\frac{1}{15}(\sqrt{21}-4\sqrt{2})$.
9. $\frac{1}{12}(2+5\sqrt{3})$; $\frac{1}{12}(\sqrt{5}-2\sqrt{15})$.

EXERCISE XI

1. The cosine of the *difference* of any two angles $\equiv$ { cos *first* · cos *second*; + sin *first* · sin *second*.
2. $(\sqrt{6}-\sqrt{2})/4$; $(\sqrt{6}+\sqrt{2})/4$.
3. $(\sqrt{6}-\sqrt{2})/4$; $(\sqrt{6}+\sqrt{2})/4$.
4. $(2\sqrt{2}-\sqrt{15})/12$; $(2\sqrt{30}+1)/12$.
5. $(3\sqrt{5}-2\sqrt{7})/12$; $(6+\sqrt{35})/12$.

EXERCISE XII

1. The tangent of the *difference* of any two angles $\equiv$ { the *difference* of their tangents / 1 + *product* of their tangents
2. $(\sqrt{3}+1)/(\sqrt{3}-1)$.
3. $(\sqrt{3}-1)/(\sqrt{3}+1)$.
4. 1; 7.
5. 1; 1/7.

12. $\tan(A+B) \equiv \dfrac{\cot B + \cot A}{\cot A \cdot \cot B - 1}$; $\tan(A-B) \equiv \dfrac{\cot B - \cot A}{\cot A \cdot \cot B + 1}$.

13. $\cot(A+B) \equiv \dfrac{1-\tan A \cdot \tan B}{\tan A + \tan B}$; $\cot(A-B) \equiv \dfrac{1+\tan A \cdot \tan B}{\tan A - \tan B}$.

EXERCISE XIII

1. The tangent of *twice an angle* $\equiv \dfrac{\text{twice the tangent of the } angle}{1 - (\text{the tangent of the } angle)^2}$.

2. $\sqrt{3}/2$; $1/2$; $\sqrt{3}$.

3. $\sqrt{3}/2$; $-1/2$; $-\sqrt{3}$.

4. $2 \sin 3A \cos 3A$; $\cos^2 3A - \sin^2 3A$, $1 - 2\sin^2 3A$, or $2\cos^2 3A - 1$; $2 \tan 3A/(1 - \tan^2 3A)$.

5. $2 \sin (3A/2) \cos (3A/2)$; $\cos^2 (3A/2) - \sin^2 (3A/2)$, or $1 - 2\sin^2 (3A/2)$, or $2\cos^2 (3A/2) - 1$; $2 \tan (3A/2)/[1 - \tan^2 (3A/2)]$.

EXERCISE XIV

1. cos *half an angle* $\equiv$ square root of $\dfrac{1 + \cos angle}{2}$;

   tan *half an angle* $\equiv$ square root of $\dfrac{1 - \cos angle}{1 + \cos angle}$.

2. $\sqrt{2 - \sqrt{2}}/2$; $\sqrt{2 + \sqrt{2}}/2$; $\sqrt{\dfrac{2 - \sqrt{2}}{2 + \sqrt{2}}} = \sqrt{3 - 2\sqrt{2}}$.

3. $\sqrt{2 - \sqrt{3}}/2$; $\sqrt{2 + \sqrt{3}}/2$; $\sqrt{7 - 4\sqrt{3}}$.

4. $\sqrt{3}/3$; $\sqrt{6}/3$; $\sqrt{2}/2$.

5. $\sqrt{\dfrac{1 - a}{2}}$; $\sqrt{\dfrac{1 + a}{2}}$; $\sqrt{\dfrac{1 - a}{1 + a}}$.

6. $\sqrt{\dfrac{1 - \cos 2A}{2}}$; $\sqrt{\dfrac{1 + \cos 2A}{2}}$; $\sqrt{\dfrac{1 - \cos 2A}{1 + \cos 2A}}$.

7. $\sqrt{\dfrac{1 - \cos 4A}{2}}$; $\sqrt{\dfrac{1 + \cos 4A}{2}}$; $\sqrt{\dfrac{1 - \cos 4A}{1 + \cos 4A}}$.

8. $\sqrt{\dfrac{1 - \cos 6A}{2}}$; $\sqrt{\dfrac{1 + \cos 6A}{2}}$; $\sqrt{\dfrac{1 - \cos 6A}{1 + \cos 6A}}$.

EXERCISE XV

1. The *difference* of the sines of any two *angles* $\equiv$ twice cos *half sum* into sin *half difference*.

   The *sum* of the cosines of any two *angles* $\equiv$ twice cos *half sum* into cos *half difference*.

   The *difference* of the cosines of any two *angles* $\equiv -$ twice sin *half sum* into sin *half difference*.

15. (1) $\sin(A+B) = (2\sqrt{2}+\sqrt{3})/6$; $\sin(A-B) = (2\sqrt{2}-\sqrt{3})/6$
    $\cos(A+B) = (2\sqrt{6}-1)/6$; $\cos(A-B) = (2\sqrt{6}+1)/6$;
    $\sin 2A = \sqrt{3}/2$; $\sin 2B = 4\sqrt{2}/9$;
    $\cos 2A = 1/2$; $\cos 2B = 7/9$;

    (2) $\sin(A+B) = -(2\sqrt{2}-\sqrt{3})/6$; $\sin(A-B) = -(2\sqrt{2}+\sqrt{3})/6$
    $\cos(A+B) = -(2\sqrt{6}+1)/6$; $\cos(A-B) = -(2\sqrt{6}-1)/6$
    $\sin 2A = \sqrt{3}/2$; $\sin 2B = -4\sqrt{2}/9$;
    $\cos 2A = 1/2$; $\cos 2B = 7/9$.

16. (1)
    $\tan(A+B) = (2\sqrt{2}+\sqrt{3})/(2\sqrt{6}-1)$;
    $\tan(A-B) = (2\sqrt{2}-\sqrt{3})/(2\sqrt{6}+1)$;
    $\cot(A+B) = (2\sqrt{6}-1)/(2\sqrt{2}+\sqrt{3})$;
    $\cot(A-B) = (2\sqrt{6}+1)/(2\sqrt{2}-\sqrt{3})$;
    $\sec(A+B) = 6/(2\sqrt{6}-1)$;
    $\csc(A+B) = 6/(2\sqrt{2}+\sqrt{3})$;
    $\tan 2A = \sqrt{3}$;
    $\cot 2A = 1/\sqrt{3}$;
    $\sec 2B = 9/7$;
    $\csc 2B = 9/(4\sqrt{2})$.

    (2)
    $\tan(A+B) = (2\sqrt{2}-\sqrt{3})/(2\sqrt{6}+1)$;
    $\tan(A-B) = (2\sqrt{2}+\sqrt{3})/(2\sqrt{6}-1)$;
    $\cot(A+B) = (2\sqrt{6}+1)/(2\sqrt{2}-\sqrt{3})$;
    $\cot(A-B) = (2\sqrt{6}-1)/(2\sqrt{2}+\sqrt{3})$;
    $\sec(A+B) = -6/(2\sqrt{6}+1)$;
    $\csc(A+B) = -6/(2\sqrt{2}-\sqrt{3})$;
    $\tan 2A = \sqrt{3}$;
    $\cot 2A = 1/\sqrt{3}$;
    $\sec 2B = 9/7$;
    $\csc 2B = -9/(4\sqrt{2})$.

EXERCISE XVI

9. $\sin(3x/4) \equiv \sqrt{[1-\cos(3x/2)]/2}$;
$\cos(3x/4) \equiv \sqrt{[1+\cos(3x/2)]/2}$;
$\tan(3x/4) \equiv \sqrt{1-\cos(3x/2)} / \sqrt{1+\cos(3x/2)}$.

10. $\sin(3x/4) \equiv 2\sin(3x/8)\cos(3x/8)$;
$\cos(3x/4) \equiv \cos^2(3x/8) - \sin^2(3x/8)$;
$\tan(3x/4) \equiv 2\tan(3x/8)/[1-\tan^2(3x/8)]$.

16. (1) $\sin(A+B) = (2+\sqrt{15})/6$; $\sin(A-B) = (2-\sqrt{15})/6$;
$\cos(A+B) = (\sqrt{5}-2\sqrt{3})/6$; $\cos(A-B) = (\sqrt{5}+2\sqrt{3})/6$;
$\sin 2A = 4\sqrt{5}/9$; $\cos 2A = 1/9$;
$\sin 2B = \sqrt{3}/2$; $\cos 2B = -1/2$.

(2) $\tan(A+B) = \dfrac{2+\sqrt{15}}{\sqrt{5}-2\sqrt{3}}$; $\cot(A+B) = \dfrac{\sqrt{5}-2\sqrt{3}}{2+\sqrt{15}}$;
$\tan(A-B) = \dfrac{2-\sqrt{15}}{\sqrt{5}+2\sqrt{3}}$; $\cot(A-B) = \dfrac{\sqrt{5}+2\sqrt{3}}{2-\sqrt{15}}$.
$\tan 2A = 4\sqrt{5}$; The answers above are for A
$\tan 2B = -\sqrt{3}$; and B in the first quadrant.

EXERCISE XVII

1.	$A = 23°$,	$b = 11.779$,	$c = 12.796$.
2.	$B = 52°$,	$b = 10.355$,	$c = 13.14$.
3.	$B = 75°$,	$b = 6.7614$,	$a = 1.8117$.
4.	$A = 40°$,	$a = 16.782$,	$c = 26.108$.
5.	$A = 34° 22' 9''$,	$B = 55° 37' 51''$,	$b = 0.51176$.
6.	$A = 33° 8' 56''$,	$B = 56° 51' 4''$,	$c = 499.26$.
7.	$A = 39° 49' 22''$,	$B = 50° 10' 38''$,	$a = 48.863$.
8.	$B = 81°$,	$a = 148.41$,	$c = 948.68$.
9.	$A = 49° 53' 53''$,	$B = 40° 6' 7''$,	$c = 4.4632$.
10.	$B = 43° 37'$,	$a = 3821.5$,	$b = 3641.3$.
11.	$A = 35° 53' 56''.5$,	$B = 54° 6' 3''.5$,	$b = 731.23$.
12.	$A = 66° 51'$,	$a = 176.53$,	$c = 191.99$.

13. $A = 71° 22'$, $a = 2.4099$, $b = .81258$.

14. $B = 58° 15'$, $b = 77.632$, $c = 91.294$.

15. $A = 32° 10' 15''$, $B = 57° 49' 45''$, $a = 388.46$.

16. $A = 7° 53' 42''$, $b = 644.11$, $c = 650.27$.

EXERCISE XVIII

1. $C = 180° - 2A$, $r = c/(2 \cdot \cos A)$, $h = c \cdot \tan A/2$.

2. $A = 90° - C/2$, $r = h/\cos(C/2)$, $c = 2h \cdot \tan(C/2)$.

3. $A = \tan^{-1}(2h/c)$, $C = 2 \cdot \tan^{-1}(c/2h)$, $r = \sqrt{4h^2 + c^2}/2$.

4. $r = 2.055$, $h = 1.6853$, $A = 55° 5' 30''$, $Q = 1.9819$.

5. $r = 7.706$, $c = 3.6676$, $C = 27° 32'$, $Q = 13.7253$.

6. Let x = length of rafter and Q = area of roof; then, since the roof projects one foot over the side of the barn, we have:

$x = 21/\sin 45°$, $Q = 2 \cdot x \cdot 82$; $x = 29.698$, $Q = 4870.44$.

7. $r = 1.61804$, $h = 1.53882$, $F = 7.6941$.

8. $r = 11.2692$, $h = 10.8852$, $F = 380.99$.

9. $r = 1.0824$, $c = .8284$, $F = 3.3136$.

10. $r = 1.5994$, $h = 1.441$, $p = 9.715$.

11. $h = 28.971$, $r = 31.357$, $D_i =$ (difference between polygon and inscribed circle) $= 144.45$, $D_c = 307.9$.

12. $h = 14.536$, $r = 16.134$, $D_i = 48.48$, $D_c = 105.46$.

15. 99.64 sq. ft. 16. 2.393.

EXERCISE XIX

1. $A = 65° 15'$, $b = 95.6025$, $c = 89.648$.

2. $B = 72° 14'$, $a = 75.132$, $c = 92.788$.

3. $A = 31° 20'$, $b = 184.896$, $c = 191.978$.

4. $C = 60°$, $a = 255.38$, $b = 282.56$.

5. $A = 15° 43'$, $b = 222.1$, $c = 321.08$.

6. $B = 66°$, $a = 765.43$, $c = 1035.4$.
7. 1253.3 ft.
8. 1116.6 ft.
9. 300 yd.
10. 12296 ft., 13055 ft.
11. 294.77 ft.
12. 4211.8 ft.

EXERCISE XX

1. $A = 32° 25' 36''$, $C = 106° 24' 24''$, $c = 259.4$.
2. $A = 28° 20' 48''$, $C = 39° 35' 12''$, $a = 293.56$.
3. $B = 32° 36' 9''$, $C = 83° 33' 51''$, $c = 6.621$.
4. $B_1 = 51° 18' 22''$, $C_1 = 88° 41' 38''$, $c_1 = 218.53$;
   $B_2 = 128° 41' 38''$, $C_2 = 11° 18' 22''$, $c_2 = 42.853$.
5. $B_1 = 31° 57' 46''$, $A_1 = 120° 44' 14''$, $a_1 = 120.31$;
   $B_2 = 148° 2' 14''$, $A_2 = 4° 39' 46''$, $a_2 = 11.379$.
6. Impossible.
7. $C_1 = 46° 18' 40''$, $A_1 = 93° 9' 13''$, $a_1 = 69.457$;
   $C_2 = 133° 41' 20''$, $A_2 = 5° 46' 33''$, $a_2 = 7.0005$.
8. $A_1 = 51° 18' 27''$, $C_1 = 98° 21' 33''$, $c_1 = 43.098$;
   $A_2 = 128° 41' 33''$, $C_2 = 20° 58' 27''$, $c_2 = 15.593$.
9. $A = 54° 31' 13''$, $C = 47° 44' 7''$, $c = 50.481$.
10. $B_1 = 24° 57' 54''$, $C_1 = 133° 47' 41''$, $c_1 = 615.67$;
    $B_2 = 155° 2' 6''$, $C_2 = 3° 43' 29''$, $c_2 = 55.41$.
11. $B_1 = 16° 43' 13''$, $A_1 = 147° 27' 47''$, $a_1 = 35.519$;
    $B_2 = 163° 16' 47''$, $A_2 = 0° 54' 13''$, $a_2 = 1.0415$.

EXERCISE XXI

1. $A = 42° 50' 57''$, $B = 64° 9' 3''$, $c = 374.05$.
2. $B = 132° 18' 27''$, $C = 14° 34' 23''$, $a = 67.75$.
3. $A = 109° 15' 30''$, $B = 45° 4' 30''$, $c = 440.45$.
4. $A = 60° 44' 39''$, $B = 47° 21' 21''$, $c = 965.28$.
5. $B = 54° 1' 13''$, $C = 63° 49' 9''$, $a = 44.824$.
6. 902.94 ft.
7. 13.27 mi.
8. 1331.2 ft.
9. 4.8111 mi.
10. 10.532 mi.
11. 9.627 mi.

EXERCISE XXII

1. $A = 74° 40' 18''$, $B = 47° 46' 38''$, $C = 57° 33' 4''$.

2. $A = 59° 19' 14''$, $B = 68° 34' 8''$, $C = 52° 6' 41''$.

3. $A = 45° 11' 48''$, $B = 101° 22' 16''$, $C = 33° 25' 56''$.

4. $A = 71° 33' 53''$, $B = 49° 8' 5''$, $C = 59° 18' 6''$.

5. $A = 54° 3' 10''$, $B = 30° 47' 22''$, $C = 95° 9' 24''$.

6. $B_1 = 41° 41' 26''$, $C_1 = 111° 52' 34''$, $c_1 = 177.2$;
   $B_2 = 138° 18' 34''$, $C_2 = 15° 15' 26''$, $c_2 = 50.248$.

7. $A = 17° 16' 11''$, $B = 28° 43' 49''$, $c = 14.424$.

8. $A = 18° 12' 22''$, $B = 135° 50' 46''$, $C = 25° 56' 52''$.

9. Since $c > a$, $C > A > 90°$, which is impossible, as a triangle cannot have two obtuse angles.

10. $B = 48° 34' 44''$, $A = 49° 38' 16''$, $a = 76.015$.

11. $B = 145° 35' 24''$, $C = 7° 11' 36''$, $a = 104.57$.

12. $A = 57° 52' 46''$, $B = 70° 17' 25''$, $C = 51° 49' 50''$

13. $A_1 = 70° 12' 48''$, $B_1 = 57° 22' 56''$, $b_1 = 28.79$;
    $A_2 = 109° 47' 12''$, $B_2 = 17° 48' 32''$, $b_2 = 10.454$.

14. $A = 32° 44' 40''$, $C = 63° 48' 28''$, $b = 137.39$.

15. $b = 143.52$, $B = 146° 43' 10''$, $C = 14° 4' 7''$

16. $A = 67° 55' 15''$, $B = 54° 4' 45''$, $c = 85.36$.

17. $44° 2' 16''$, $51° 28' 14''$, $84° 29' 36''$.

18. $44° 2' 56''$.

19. $60° 51' 16''$.

20. N. 4° 23′ W., or S. 4° 23′ W.

21. 60°.

EXERCISE XXIII

2. 193.18.

3. 44770; 781.6; 149689; 314543.

4. 12379; 53596; 10.666; $F_1 = 11981.7$, $F_2 = 2349.63$.

5. 1016.02; 30.858; 1430.3; 170346.

6. 3891.6; 3319.4; 9229.4; 31246.

EXERCISE XXIV

1. $9\pi/4$, $17\pi/4$, $-7\pi/4$, $-15\pi/4$; $13\pi/4$, $21\pi/4$, $-3\pi/4$, $-11\pi/4$; $7\pi/2$, $11\pi/2$, $-\pi/2$, $-5\pi/2$; $9\pi/2$, $13\pi/2$, $-3\pi/2$, $-7\pi/2$; $7\pi/3$, $13\pi/3$, $-5\pi/3$, $-11\pi/3$; $8\pi/3$, $14\pi/3$, $-4\pi/3$, $-10\pi/3$; $13\pi/6$, $25\pi/6$, $-11\pi/6$, $-23\pi/6$; $17\pi/6$, $29\pi/6$, $-7\pi/6$, $-19\pi/6$.

2. 120°.
3. 300°.
4. 900°.
5. 135°.
6. $\pi/4$.
7. $3\pi/4$.
8. $\pi/2$.
9. $3\pi/2$.
10. 12859/7560, or 1.7.
11. 115643/37800, or 3.06.
12. 35827/47250, or 0.76.
13. 1516273/2268000, or 0.67.
14. $\pi/4$, $3\pi/4$.
15. $-\pi/6$, $\pi/3$.
16. $-\pi/4$, $\pi/4$.
17. $-7\pi/6$, $-2\pi/3$.
18. $\sin(\pi/6) = 1/2$, $\cos(\pi/6) = \sqrt{3}/2$, $\tan(\pi/6) = \sqrt{3}/3$.
19. $\sin(\pi/4) = \sqrt{2}/2$, $\cos(\pi/4) = \sqrt{2}/2$, $\tan(\pi/4) = 1$.
20. $\sin(\pi/3) = \sqrt{3}/2$, $\cos(\pi/3) = 1/2$, $\tan(\pi/3) = \sqrt{3}$.
21. $\sin(\pi/2) = 1$, $\cos(\pi/2) = 0$, $\tan(\pi/2) = \infty$.
22. $\sin\pi = 0$, $\cos\pi = -1$, $\tan\pi = 0$.
23. 157/70 or 2.24; 157(57° 17′ 44″.8)/70.
24. 55/98; 55(57° 17′ 44″.8)/98.
25. 3/4; 3(57° 17′ 44″.8)/4.
26. 11/210 in.
27. $24\frac{8}{11}$ in.
28. $68\frac{8}{11}$ in.
29. $3980\frac{8}{11}$ mi.

EXERCISE XXV

1. $\theta = n\pi + (-1)^n(\pm\pi/2) = n\pi \pm \pi/2$.
2. $n\pi \pm \pi/4$.
3. $n\pi \pm \pi/4$.
4. $n\pi \pm \pi/6$.
5. $n\pi \pm \pi/3$.
6. $n\pi \pm \pi/6$.
7. $2n\pi \pm 2\pi/3$.
8. $n\pi + (-1)^n \cdot \pi/6$.
9. $n\pi + (-1)^n \cdot (\pi/3)$.
10. $2n\pi \pm \pi/3$.
11. $2n\pi + \pi/4$.
12. $n\pi \pm \pi/6$.
13. $n\pi + \pi/4$.

14. $n\pi + \pi/4$, $n\pi + \pi/3$.

15. $n\pi + 5\pi/6$, $n\pi + 2\pi/3$.

16. $n\pi \pm \pi/4$.

17. $2n \cdot 180° + 53° 7' 45''$.

18. $(2n+1) \cdot 180°$, $2n \cdot 180° + 53° 8'$.

19. $[n\pi + (-1)^n \pi/4]/5$.

20. $2n\pi/9$, $2n\pi$.

21. $(n\pi + \pi/2)/(r+1)$.

22. $(2n\pi + \pi/2)/5$, $2n\pi - \pi/2$.

23. $(2n\pi \pm \pi/2)/(m \pm r)$.

24. $n\pi + \pi/4$.

θ must be in the first or third quadrant. Why?

25. $n\pi - \pi/6$, $n\pi + 2\pi/3$.

θ must be in the second or fourth quadrant. Why?

26. $n\pi - \pi/4$.

27. $n\pi \pm \pi/6$.

28. $(2n+1)\pi + \pi/4$.

29. $2n\pi - \pi/6$.

30. $7\pi/12$ and $\pi/4$; $(2m+n)\pi/2 \pm \pi/6 + (-1)^n(\pi/12)$ and $(n-2m)\pi/2 + (-1)^n \pi/12 \mp \pi/6$, where m and n are any integers.

31. $25\pi/24$ and $19\pi/24$; $(m+2n)\pi/2 + \pi/8 \pm \pi/12$ and $(2n-m)\pi/2 \pm \pi/12 - \pi/8$, where m and n are any integers.

EXERCISE XXVI

1. $n\pi/4$, $(2n\pi \pm \pi/3)/3$.

2. $n\pi \pm \pi/4$, $2n\pi \pm \pi/3$.

3. $n\pi \pm \pi/4$, $n\pi - (-1)^n \pi/6$.

4. $n\pi/2 \pm \pi/8$, $2n\pi/3 \pm \pi/9$.

5. $2n\pi/3 \pm \pi/6$, $n\pi + (-1)^n \pi/6$.

6. $n\pi/3$, $(2n \pm 1/3)\pi/4$.

7. $n\pi/3$, $n\pi \pm \pi/3$.

8. $n\pi \pm \pi/4$, $2n\pi \pm 2\pi/3$.

9. $2n\pi + \pi/6 \pm \pi/4$.

10. $2n\pi + \pi/4$.

11. $2n\pi - \pi/3 \pm 3\pi/4$.

12. $2\eta\pi + \pi/4 \pm \pi/5$.

13. $2n \cdot 180° + 68° 12'$.

14. $2n \cdot 180° \pm 120° - 33° 41' 24''$.

EXERCISE XXVII

1. $(2-\sqrt{3})/2$; $(2-\sqrt{2})/2$; $1/2$; $(2+\sqrt{2})/2$; 0; 1; 2; 1.

2. $1/2$; $(2-\sqrt{2})/2$; $(2-\sqrt{3})/2$; $(2-\sqrt{2})/2$; 1; 0; 1; 2.

3. $n\pi + (-1)^n \cdot \pi/4$; $n\pi - (-1)^n \cdot \pi/3$; $2n\pi \pm \pi/6$; $2n\pi \pm 2\pi/3$; $n\pi + \pi/6$; $n\pi - \pi/3$; $n\pi - \pi/4$; $n\pi + \pi/3$.

13. $1/2$. 15. $\sqrt{3}$. 17. $\sqrt{3}$. 19. 13.

14. $\pm\sqrt{2}/2$. 16. $-8, 1/4$. 18. $\pm\sqrt{21}/14$.

EXERCISE XXIX

1. $(1/\sqrt{2} + i/\sqrt{2}) \cdot \sqrt{2}$, or $(\cos \pi/4 + i \sin \pi/4) \cdot \sqrt{2}$.

2. $[1/\sqrt{2} + i(-1/\sqrt{2})] \cdot \sqrt{2}$, or $[\cos(-\pi/4) + i \sin(-\pi/4)] \cdot \sqrt{2}$.

3. $[-1/\sqrt{2} + i(-1/\sqrt{2})] \cdot \sqrt{2}$,
or $[\cos(-3\pi/4) + i \sin(-3\pi/4)] \cdot \sqrt{2}$.

4. $(-1/2 + i\sqrt{3}/2) \cdot 2$, or $(\cos 2\pi/3 + i \sin 2\pi/3) \cdot 2$.

5. $(-\sqrt{3}/2 + i/2) \cdot 2$, or $(\cos 5\pi/6 + i \sin 5\pi/6) \cdot 2$.

6. $[-\sqrt{3}/2 + i(-1/2)] \cdot 2$, or $[\cos(-5\pi/6) + i \sin(-5\pi/6)] \cdot 2$.

7. $[3/5 + i(-4/5)] \cdot 5$, or $[\cos(-53^\circ 8') + i \sin(-53^\circ 8')] \cdot 5$.

8. $(-3/\sqrt{13} + i \cdot 2/\sqrt{13}) \cdot \sqrt{13}$, or $(\cos 146^\circ 19' + i \sin 146^\circ 19') \cdot \sqrt{13}$.

9. $[-3/5 + i(-4/5)] \cdot 10$, or $[\cos(-126^\circ 52') + i \sin(-126^\circ 52')] \cdot 10$.

10. $[-\sqrt{5}/4 + i(-\sqrt{11}/4)] \cdot 4$,
or $[\cos(-123^\circ 59') + i \sin(-123^\circ 59')] \cdot 4$.

11. $\cos(90^\circ - \phi) + i \sin(90^\circ - \phi)$.

12. $\cos(90^\circ + \theta) + i \sin(90^\circ + \theta)$.

EXERCISE XXX

4. Each quality unit in example 2 is a fifth root of -1. Each quality unit in example 3 is a sixth root of -1.

5. $\cos(6\theta + 5\phi) + i \sin(6\theta + 5\phi)$.

6. $\cos(5\phi/3 - 3\theta/2) + i \sin(5\phi/3 - 3\theta/2)$.

7. $\cos(\theta + \phi - \beta - \gamma) + i \sin(\theta + \phi - \beta - \gamma)$.

8. $\cos(-\pi) + i \sin(-\pi)$, or -1.

9. $\cos(4\phi + 5\theta - \pi/2) + i \sin(4\phi + 5\theta - \pi/2)$,
or $\sin(4\phi + 5\theta) - i \cos(4\phi + 5\theta)$.

EXERCISE XXXI

1. $+1, (-1 \pm i\sqrt{3})/2.$ 2. $-1, (1 \pm \sqrt{-3})/2.$

3. $\pm 1, (1 \pm i\sqrt{3})/2, (-1 \pm i\sqrt{3})/2.$

4. $\pm i, (\sqrt{3} \pm i)/2, (-\sqrt{3} \pm i)/2.$

5. $\pm 2, \pm i \cdot 2.$

6. $2, 2[\cos(2n\pi/5) \pm i\sin(2n\pi/5)]$, where $n = 1$ or 2.
Here two roots are the reciprocals of two others respectively.

7. $-3, 3[\cos(\overline{2n+1}\,\pi/5) + i\sin(\overline{2n+1}\,\pi/5)]$, where $n = 0, 1, 3,$ or 4.

8. $\pm[\cos(\overline{4n-1}\,\pi/12) + i\sin(\overline{4n-1}\,\pi/12)]$, where $n = 0, 1,$ or 2.
Here the roots are opposites in pairs.

9. $2[\cos(\overline{12n+1}\,\pi/18) + i\sin(\overline{12n+1}\,\pi/18)]$, where $n = 0, 1,$ or 2.

10. $\pm[\cos(\overline{6n-1}\,\pi/12) + i\sin(\overline{6n-1}\,\pi/12)]\sqrt[4]{2}$, where $n = 0$ or 1.
Here the roots are opposites in pairs.

11. $\pm[\cos(\overline{8n+1}\,\pi/24) + i\sin(\overline{8n+1}\,\pi/24)]\sqrt[12]{2}$, where $n = 0, 1,$ or 2.
Here the roots are opposites in pairs.

12. $\sqrt[5]{4}[\cos(r\pi/15) + i\sin(r\pi/15)]$, where $r = -1, 5, 11, 17,$ or 23.

13. $\cos(\pi/5) \pm i\sin(\pi/5), \cos(3\pi/5) \pm i\sin(3\pi/5).$

14. $\pm 1, (1 \pm \sqrt{-3})/2, (-1 \pm i\sqrt{3})/2, \pm i, \cos(\pi/6) \pm i\sin(\pi/6),$
$\cos(5\pi/6) \pm i\sin(5\pi/6).$

15. $-1, (1 \pm \sqrt{-3})/2, \pm[\cos(\pi/4) + i\sin(\pi/4)],$
$\pm[\cos(3\pi/4) + i\sin(3\pi/4)].$

16. $-1, \cos(n\pi/7) \pm i\sin(n\pi/7)$, where $n = 1, 3,$ or 5.

EXERCISE XXXII

1. $n \cdot 360° + 45°,$ or $2n\pi + \pi/4.$

2. $n \cdot 360° + 132°.$ 4. $n \cdot 360° - 100°.$

3. $n \cdot 360° - 35°.$ 5. $2n\pi + \pi/6.$

6. $\cos A = \pm\sqrt{33}/7, \tan A = \pm 4/\sqrt{33}, \cot A = \pm\sqrt{33}/4,$
$\sec A = \pm 7/\sqrt{33}, \csc A = 7/4.$

7. $\cot A = 2/3$, $\sin A = \pm 3/\sqrt{13}$, $\cos A = \pm 2/\sqrt{13}$, $\sec A = \pm \sqrt{13}/2$, $\csc A = \pm \sqrt{13}/3$.

8. $\sin A = \pm \sqrt{55}/8$, $\tan A = \mp \sqrt{55}/3$, $\cot A = \mp 3/\sqrt{55}$, $\sec A = -8/3$, $\csc A = \pm 8/\sqrt{55}$.

9. $\tan A = -5/7$, $\sin A = \pm 5/\sqrt{74}$, $\cos A = \mp 7/\sqrt{74}$, $\sec A = \mp \sqrt{74}/7$, $\csc A = \pm \sqrt{74}/5$.

10. $\sin A = \pm \sqrt{33}/7$, $\cos A = 4/7$, $\tan A = \pm \sqrt{33}/4$, $\cot A = \pm 4/\sqrt{33}$, $\csc A = \pm 7/\sqrt{33}$.

11. $\sin A = -4/5$, $\cos A = \mp 3/5$, $\tan A = \pm 4/3$, $\cot A = \pm 3/4$, $\sec A = \mp 5/3$.

12. 1st or 2d; 1st or 3d; 2d or 3d; 2d or 4th; 1st or 4th; 3d or 4th.

13. $\cos 4°$.

14. $-\sin 38°$.

15. $\tan 35°$.

16. $-\cot 40°$.

17. $-\sec 10°$.

18. $-\cos 15°$.

19. $-\cos 5°$.

20. $-\tan 20°$.

21. $\tan 30°$.

22–27. See table on page 151.

63. 2d or 4th.

64. 1st or 4th.

65. 3d or 4th.

66. 2d or 3d.

67. $n\pi \pm \pi/2$.

68. $n \cdot 180° + (-1)^n 21° 28'$.

69. $2n\pi \pm \pi/2$, $n\pi + (-1)^n \pi/6$.

70. $n\pi + (-1)^n \pi/6$, $n\pi - (-1)^n \pi/2$.

71. $n \cdot 180° \pm 35° 16'$.

72. $2n\pi \pm \pi/3$, $2n\pi \pm \pi$.

73. $n\pi \pm \pi/6$.

74. $n \cdot 360° \pm 51° 19'$, $n \cdot 360° \pm 180°$.

75. $n\pi + (-1)^n \pi/6$, $n\pi - (-1)^n \pi/2$.

76. $n\pi \pm \pi/4$.

77. $n \cdot 180° + 45°$, $n \cdot 180° - 18° 26'$.

78. $n \cdot 180° + (-1)^n 30°$, $n \cdot 180° - (-1)^n 19° 28'$.

79. $n\pi/2 + (-1)^n \pi/12$, $n\pi/2 - (-1)^n \pi/4$.

80. $n\pi + (-1)^n \pi/6$.

81. $n\pi - (-1)^n (\pi/3)$.

82. $2n\pi \pm \pi/4$, $2\pi n \pm \pi/2$.

83. $n\pi + (-1)^n \pi/6$.

84. $n \cdot 180°$, $n \cdot 360° + 65° 42'$, $n \cdot 360° + 204° 18'$.

85. $2n\pi \pm \pi/3$, $2n\pi \pm \pi/2$.

86. $n \cdot 360° + 105°$, $n \cdot 360° - 15°$.

87. $2n\pi \pm \pi/2$, $2n\pi$, $2n\pi \pm 2\pi/3$.

88. $2n\pi \pm$ the principal value of $\cos^{-1}\dfrac{-a \pm \sqrt{a^2 + 8a + 8}}{4}$.

89. $n\pi \pm \pi/6$.

90. $n \cdot 180° + 22° 37'$, $n \cdot 180° + 143° 8'$.

91. ± 1.

93. 1.

95. $\sqrt{3}/3$, $-\sqrt{3}/2$.

92. $-1/2$.

94. $\sqrt{3}/3$, $-\sqrt{3}$.

96. $n\pi$, $n\pi \pm \pi/3$.

97. $n\pi \pm \pi/6$, $n\pi \pm \pi/3$.

98. $n\pi + (-1)^n \pi/6$, $n \cdot 180° + (-1)^n \cdot 14° 29'$.

99. $n\pi$, $n\pi + \pi/4$.

100. $n\pi \pm \pi/3$.

101. $\theta = \tan^{-1}(a/b)$; $r = \sqrt{a^2 + b^2}$.

102. $\theta = \tan^{-1}(a/b)$; $\phi = \tan^{-1}(c/\sqrt{a^2 + b^2})$; $r = \sqrt{a^2 + b^2 + c^2}$).

103. $x = \tan^{-1}(a/b) + \cos^{-1}(\pm\sqrt{a^2 + b^2}/2)$;
$y = \tan^{-1}(a/b) - \cos^{-1}(\pm\sqrt{a^2 + b^2}/2)$.

104. $x = \tan^{-1}(-b/a) + \sin^{-1}(\mp\sqrt{a^2 + b^2}/2)$;
$y = \tan^{-1}(-b/a) - \sin^{-1}(\mp\sqrt{a^2 + b^2}/2)$.

105. $x = (b \sin B - a \cos B)/\sin(B - A)$;
$y = (a \cos A - b \sin A)/\sin(B - A)$.

106. $\theta = \tan^{-1}\dfrac{a \cos B - b \sin A}{b \cos A + a \sin B}$; $r = \dfrac{\sqrt{a^2 + b^2 - 2ab \sin(A - B)}}{\cos(A - B)}$.

107. $x = 0$, $y = 0$; $x = \pi$, $y = -\pi$; $x = -\pi$, $y = \pi$.

108. $R = W/(\sin h + \cos h) = F$.

109. $x = r \operatorname{vers}^{-1}(y/r) \mp \sqrt{2ry - y^2}$.

110. $(ae - bd)^2 = (af - cd)^2 + (ce - bf)^2$.

111. $a^2 + b^2 = c^2 + d^2$. 115. $4, 1 \pm \sqrt{3}$.

114. $-4, 2 \pm 2\sqrt{3}$. 116. $-1, (1 \pm \sqrt{3})/2$.

117. $-1 + 2\cos 40°, -1 + 2\cos 160°, -1 + 2\cos 280°$.

118. $-4/3 + (2\sqrt{10}/3)\cos A$, where $A = 39° 5' 51''$, $159° 5' 51''$, or $279° 5' 51''$.

EXERCISE XXXIII

1. 0.43498 mi. 3. 502.46 ft. 5. 71° 33′ 54″

2. 37° 36′ 30″. 4. 49° 44′ 38″. 6. 56.649 ft.

7. 260.24 ft., 3690.7 ft. 10. 238,880 mi.

8. 235.8 yd. 11. 90,824,000 mi.

20. 0.32149 mi 24. 12.458 mi. 28. 278.7 ft.

21. 466.34 yd. 25. 5.1083 mi. 29. 5422 yd.

22. 5147.9 ft. 26. 1346.3 ft. 30. 28° 57′.

23. 529.4 yd. 27. 0.83732 mi. 34. 210.46 ft.

35. 9° 28′; 2.9152 times the height of the tower.

36. 3121.1 ft., 3633.5 ft. 38. 529.4 ft.

39. 658.36 lb., 22° 23′ 47″ with first force.

40. 88.326 lb., 45° 37′ 16″ with known force.

41. 210 acres 9.1 sq. ch. 42. 61 acres 4.97 sq. ch.

43. 1075.3. 47. 25.92 ft. 51. 3.7865.

44. 16,281. 48. 33° 12′ 30″. 52. 1.9755.

45. 749.95 sq. ft. 49. 1.3764. 53. 6.498.

46. 1834.95 sq. ft. 50. 36.025 ft. 54. 6.198.

55. 8.6058 sq. ft.

EXERCISE XXXIV

4. In (i) the triangle is right angled at B.
In (ii) there is one triangle having the given parts.
In (iii) there are two triangles having the given parts.
In (iv) the triangle is impossible.

EXERCISE XXXV

1. $\sin A = \cos B / \cos b$, $\sin a = \tan b / \tan B$, $\sin c = \sin b / \sin B$.
2. $\cos a = \cos c / \cos b$, $\cos A = \tan b / \tan c$, $\sin B = \sin b / \sin c$.
3. $\sin a = \sin A \sin c$, $\tan b = \cos A \tan c$, $\cot B = \cos c \tan A$.
4. $\cos A = \sin B \cos a$, $\tan b = \tan B \sin a$, $\tan c = \tan a / \cos B$.

EXERCISE XXXVI

4. For answers see 2, 3, 4 in Exercise XXXV.

EXERCISE XXXVII

4. $A = 72° 15' 15''$, $b = 115° 34' 42''$, $B = 114° 16' 50''$.
5. $c = 86° 30' 52''$, $A = 36° 30' 12''$, $B = 87° 25' 26''$.
6. $b = 138° 24' 30''$, $A = 58° 41' 53''$, $B = 129° 43' 8''$.
7. $a = 35° 50' 37''$, $b = 75° 39' 31''$, $B = 81° 29' 6''$.
8. $b = 118° 34' 46''$, $B = 112° 34' 45''$, $a = 49° 45' 42''$.
9. $b = 12° 11' 38''$, $c = 121° 26' 19''$, $A = 97° 35' 28''$.
10. $A = 101° 20' 11''$, $b = 36° 11' 58''$, $c = 105° 2' 2''$.
11. $a = 42° 49' 50''$, $b = 27° 47' 20''$, $c = 49° 33'$.
12. $a = 107° 51' 32''$, $b = 62° 52' 5''$, $c = 98° 2' 22''$.
13. The triangle is impossible.
14. $b_1 = 26° 2' 9''$, $B_1 = 28° 25' 37''$, $c_1 = 67° 13' 48''$;
$b_2 = 153° 57' 51''$, $B_2 = 151° 34' 23''$, $c_2 = 112° 46' 12''$.
15. $A = 77° 24' 50''$, $a = 72° 54' 8''$, $b = 46° 32' 30''$.
16. $a = 83° 12' 42''$, $A = 85° 39' 1''$, $B = 39° 54' 56''$.
17. $a = 147° 46' 49''$, $B = 42° 1' 49''$, $c = 139° 41' 17''$.

18. $a_1 = 37° 56' 46''$, $A_1 = 39° 2' 56''$, $c_1 = 103° 33' 20''$;
$a_2 = 142° 3' 14''$, $A_2 = 140° 57' 4''$, $c_2 = 76° 26' 40''$.

19. $a = 71° 39' 27''$, $b = 47° 33' 56''$, $c = 77° 44' 26''$.

20. abc, abA, abB, acA, acB, aAB, bcA, bcB, bAB, cAB.

21. The answers are the ten formulas in § 108.

EXERCISE XXXVIII

1. $A = 62° 32' 20''$, $B = 56° 39' 3''$, $C = 104° 41' 7''$.

2. $A = 130° 0' 12''$, $B = 52° 55' 44''$, $b = 59° 56' 28''$.

3. $a = 150° 34'$, $b = 112° 6' 48''$, $A = 160° 4'$.

4. $a = 71° 43' 25''$, $B = C = 83° 43' 26''$.

5. $A = B = 57° 59' 15''$, $C = 93° 59' 20''$.

6. $A = B = 67° 30'$, $c = 56° 25' 40''$.

7. $A = B = 56° 59'$ and $a = b = 71° 25' 24''$,
or $A = B = 123° 1'$ and $a = b = 108° 34' 36''$.

EXERCISE XXXIX

4. $\cos A = -\cos B \cos C + \sin B \sin C \cos a$,
$\sin b = \sin a \sin B / \sin A$, $\sin c = \sin a \sin C / \sin A$.

5. $\sin A = \sin a \sin B / \sin b$,
$\cos b = \cos c \cos a + \sin c \sin a \cos B$,
$\sin C = \sin B \sin c / \sin b$.

10. Deduce (1) from [42], (2) from [41], and (5) and (6) from [43].

EXERCISE XL

1. The angles A, B, C can be found through their sines, cosines, or tangents.

7. The sine of half the sum of two angles is to the sine of half their difference as the tangent of half their included side is to the tangent of half the difference of their opposite sides.

8. The first is $\dfrac{\sin \frac{1}{2}(A + C)}{\sin \frac{1}{2}(A - C)} = \dfrac{\tan (b/2)}{\tan \frac{1}{2}(a - c)}$.

EXERCISE XLI

1. $A = 60° 8' 54''$, $B = 64° 54' 8''$, $C = 93° 2' 56''$.
2. $A = 127° 35' 42''$, $B = 54° 23' 30''$, $C = 44° 42' 14''$.
3. $a = 52° 43' 26''$, $b = 78° 26' 10''$, $c = 62° 40' 22''$.
4. $a = 43° 35' 56''$, $b = 41° 20' 54''$, $c = 33° 7' 22''$.
5. $C = 106° 3' 36''$.
6. $A = 144° 26' 38''$.
7. $b = 117° 10' 6''$.

EXERCISE XLII

1. $A = 93° 59' 53''$, $B = 48° 21' 29''$, $c = 50° 33' 6''$.
2. $a = 107° 8'$, $B = 48° 57' 31''$, $C = 62° 31' 41''$.
3. $B = 54° 17' 6''$, $C = 56° 50' 54''$, $a = 74° 33'$.
4. $b = 86° 39' 34''$, $c = 68° 39' 28''$, $A = 59° 43' 53''$.
5. $B = 62° 54' 34''$, $a = 114° 30' 26''$, $c = 56° 39' 10''$.
6. $a = 63° 15' 8''$, $b = 43° 53' 42''$, $C = 95° 1'$.

EXERCISE XLIII

1. $B = 36° 35' 28''$, $C = 51° 59' 45''$, $c = 42° 38' 58''$.
2. $C = 63° 16' 17''$, $A = 98° 28'$, $a = 102° 5' 42''$.
3. $B_1 = 68° 47'$, $C_1 = 70° 39' 50''$, $c_1 = 49° 17' 46''$;
   $B_2 = 111° 13'$, $C_2 = 14° 29' 12''$, $c_2 = 11° 35' 39''$.
4. $C_1 = 67° 23' 12''$, $B_1 = 76° 11' 32''$, $b_1 = 51° 50' 15''$;
   $C_2 = 112° 36' 48''$, $B_2 = 18° 19' 48''$, $b_2 = 14° 45' 8''$.
5. $b = 154° 45' 4''$, $c = 34° 9' 20''$, $C = 70° 18'$.
6. $A = 79° 49' 14''$, $a = 82° 31' 40''$, $b = 115° 7' 10''$.
7. $b_1 = 58° 12' 23''$, $c_1 = 160° 29' 41''$, $C_1 = 158° 3' 40''$
   $b_2 = 121° 47' 37''$, $c_2 = 59° 56' 12''$, $C_2 = 75° 34'$.
8. $A_1 = 164° 43' 43''$, $a_1 = 162° 37' 33''$, $c_1 = 124° 40' 37''$
   $A_2 = 119° 18' 33''$, $a_2 = 81° 18' 32''$, $c_2 = 55° 19' 23''$.
9. $B = 138° 40' 56''$, $C = 36° 15' 42''$, $c = 48° 0' 36''$.
10. $A = 68° 10' 29''$, $B = 53° 46' 11''$, $c = 52° 26' 54''$.

11. $a = 37° 44' 33''$, $B = 86° 34'$, $c = 20° 39' 7''$.

12. $A = 48° 20' 56''$, $C = 55° 35' 54''$, $b = 109° 40' 36''$.

13. $B_1 = 59° 14' 30''$, $C_1 = 29° 11'$, $c_1 = 23° 58' 48''$;
$B_2 = 120° 45' 30''$, $C_2 = 97° 40' 28''$, $c_2 = 55° 41' 36''$.

14. $b = 90°$, $c = 147° 37' 50''$, $C = 148° 1' 50''$.

15. $A = 132° 15' 18''$, $B = 110° 12'$, $C = 99° 43' 46''$.

16. $a = 31° 6' 27''$, $b = 84° 20' 43''$, $c = 115° 9' 30''$.

EXERCISE XLIV

1. 1.414 sq ft.; 123 sq. ft.

2. 3831744 sq. mi.

3. 66.5 sq. yd.; 81.49 sq. yd.; 60.156 sq. yd.; 20.94 sq. yd.

4. 3705 sq. ft.; 8985.8 sq. ft.; 7952.6 sq. ft.; 9903.5 sq. ft.

5. 3354000 sq. mi.; 21003000 sq. mi.; 36484000 sq. mi.; 26773000 sq. mi.

EXERCISE XLV

2. $48.01 \times 22\,\pi$ mi. $= 3318.2$ mi.; the longitude of R is 17° 47′ 42″ W.; Cape Town is S. 41° 19′ 4″ E. from R.

3. $52.4\bar{5} \times 22\,\pi$ mi. $= 3625.$ mi.; Paris is N. 53° 46′ 11″ E. from New York; New York is N. 68° 10′ 29″ W. from Paris.

4. Latitude is 52° 15′ 27″; course is S. 86° 34′ W.; distance is $20.65\frac{1}{8} \times 22\,\pi$ mi., or 1427.3 mi.

5. Latitude is 19° 40′ 36″ S.; longitude is 178° 20′ 56″ W.; course is S. 55° 35′ 54″ W.

6. Distance $= 74.55 \times 22\,\pi$ mi. $= 5152.5$ mi.;
Yokohama is N. 56° 50′ 54″ W. from San Francisco;
San Francisco is N. 54° 17′ 6″ E. from Yokohama.

7. Distance $= 42.35\frac{2}{3} \times 22\,\pi$ mi. $= 2927.5$ mi.; latitude is 48° 4′ 35″ N; course is S. 81° 57′ W.

8. Distance $= 107.46\frac{1}{4} \times 22\,\pi$ mi. $= 7427.3$ mi.;
courses are S. 60° 18′ 30″ W. and S. 55° 45′ 34″ W.

9. Distance $= 57.44\bar{4} \times 22\,\pi$ mi. $= 3969.8$ mi.;
longitude is 169° 28′ 32″ W.; course is S. 43° 20′ 51″ W.

EXERCISE XLVI

4. 8 : 8.4 A.M.

5. 2 : 33 P.M.

6. 9 : 46.5 A.M.

7. 4 : 40.8 P.M.

8. 5 : 44.5 A.M.

9. 6 : 30.4 A.M.

10. 5 : 48.4 A.M.

11. 65° 37′ 24″.

12. $h = 58° 25′ 15″$, A. $= 152° 28′ + 180°$.

13. $t = 45° 42′$, $\beta = 67° 58′ 56″$.

14. $\delta = 56° 6′ 42″$, $h = 73° 6′ 34″$.

LOGARITHMIC
AND OTHER
TRIGONOMETRIC TABLES

TABLE OF THE COMMON

LOGARITHMS OF NUMBERS

WITH THE AUXILIARIES S AND T.

0—50

N	L 0	1	2	3	4	5	6	7	8	9
0	— ∞	00 000	30 103	47 712	60 206	69 897	77 815	84 510	90 309	95 424
1	00 000	04 139	07 918	11 394	14 613	17 609	20 412	23 045	25 527	27 875
2	30 103	32 222	34 242	36 173	38 021	39 794	41 497	43 136	44 716	46 240
3	47 712	49 136	50 515	51 851	53 148	54 407	55 630	56 820	57 978	59 106
4	60 206	61 278	62 325	63 347	64 345	65 321	66 276	67 210	68 124	69 020
5	69 897	70 757	71 600	72 428	73 239	74 036	74 819	75 587	76 343	77 085
6	77 815	78 533	79 239	79 934	80 618	81 291	81 954	82 607	83 251	83 885
7	84 510	85 126	85 733	86 332	86 923	87 506	88 081	88 649	89 209	89 763
8	90 309	90 849	91 381	91 908	92 428	92 942	93 450	93 952	94 448	94 939
9	95 424	95 904	96 379	96 848	97 313	97 772	98 227	98 677	99 123	99 564
10	00 000	00 432	00 860	01 284	01 703	02 119	02 531	02 938	03 342	03 743
11	04 139	04 532	04 922	05 308	05 690	06 070	06 446	06 819	07 188	07 555
12	07 918	08 279	08 636	08 991	09 342	09 691	10 037	10 380	10 721	11 059
13	11 394	11 727	12 057	12 385	12 710	13 033	13 354	13 672	13 988	14 301
14	14 613	14 922	15 229	15 534	15 836	16 137	16 435	16 732	17 026	17 319
15	17 609	17 898	18 184	18 469	18 752	19 033	19 312	19 590	19 866	20 140
16	20 412	20 683	20 952	21 219	21 484	21 748	22 011	22 272	22 531	22 789
17	23 045	23 300	23 553	23 805	24 055	24 304	24 551	24 797	25 042	25 285
18	25 527	25 768	26 007	26 245	26 482	26 717	26 951	27 184	27 416	27 646
19	27 875	28 103	28 330	28 556	28 780	29 003	29 226	29 447	29 667	29 885
20	30 103	30 320	30 535	30 750	30 963	31 175	31 387	31 597	31 806	32 015
21	32 222	32 428	32 634	32 838	33 041	33 244	33 445	33 646	33 846	34 044
22	34 242	34 439	34 635	34 830	35 025	35 218	35 411	35 603	35 793	35 984
23	36 173	36 361	36 549	36 736	36 922	37 107	37 291	37 475	37 658	37 840
24	38 021	38 202	38 382	38 561	38 739	38 917	39 094	39 270	39 445	39 620
25	39 794	39 967	40 140	40 312	40 483	40 654	40 824	40 993	41 162	41 330
26	41 497	41 664	41 830	41 996	42 160	42 325	42 488	42 651	42 813	42 975
27	43 136	43 297	43 457	43 616	43 775	43 933	44 091	44 248	44 404	44 560
28	44 716	44 871	45 025	45 179	45 332	45 484	45 637	45 788	45 939	46 090
29	46 240	46 389	46 538	46 687	46 835	46 982	47 129	47 276	47 422	47 567
30	47 712	47 857	48 001	48 144	48 287	48 430	48 572	48 714	48 855	48 996
31	49 136	49 276	49 415	49 554	49 693	49 831	49 969	50 106	50 243	50 379
32	50 515	50 651	50 786	50 920	51 055	51 188	51 322	51 455	51 587	51 720
33	51 851	51 983	52 114	52 244	52 375	52 504	52 634	52 763	52 892	53 020
34	53 148	53 275	53 403	53 529	53 656	53 782	53 908	54 033	54 158	54 283
35	54 407	54 531	54 654	54 777	54 900	55 023	55 145	55 267	55 388	55 509
36	55 630	55 751	55 871	55 991	56 110	56 229	56 348	56 467	56 585	56 703
37	56 820	56 937	57 054	57 171	57 287	57 403	57 519	57 634	57 749	57 864
38	57 978	58 092	58 206	58 320	58 433	58 546	58 659	58 771	58 883	58 995
39	59 106	59 218	59 329	59 439	59 550	59 660	59 770	59 879	59 988	60 097
40	60 206	60 314	60 423	60 531	60 638	60 746	60 853	60 959	61 066	61 172
41	61 278	61 384	61 490	61 595	61 700	61 805	61 909	62 014	62 118	62 221
42	62 325	62 428	62 531	62 634	62 737	62 839	62 941	63 043	63 144	63 246
43	63 347	63 448	63 548	63 649	63 749	63 849	63 949	64 048	64 147	64 246
44	64 345	64 444	64 542	64 640	64 738	64 836	64 933	65 031	65 128	65 225
45	65 321	65 418	65 514	65 610	65 706	65 801	65 896	65 992	66 087	66 181
46	66 276	66 370	66 464	66 558	66 652	66 745	66 839	66 932	67 025	67 117
47	67 210	67 302	67 394	67 486	67 578	67 669	67 761	67 852	67 943	68 034
48	68 124	68 215	68 305	68 395	68 485	68 574	68 664	68 753	68 842	68 931
49	69 020	69 108	69 197	69 285	69 373	69 461	69 548	69 636	69 723	69 810
50	69 897	69 984	70 070	70 157	70 243	70 329	70 415	70 501	70 586	70 672

N	L 0	1	2	3	4	5	6	7	8	9

60′	= 0° 1′	S	4.68 557	T	4.68 557	300′	= 0° 5′	S	4.68 557	T 4.68 558
120	= 0 2		4.68 557		4.68 557	360	= 0 6		4.68 557	4.68 558
180	= 0 3		4.68 557		4.68 557	420	= 0 7		4.68 557	4.68 558
240	= 0 4		4.68 557		4.68 558	480	= 0 8		4.68 557	4.68 558

50—100

N	L 0	1	2	3	4	5	6	7	8	9
50	69 897	69 984	70 070	70 157	70 243	70 329	70 415	70 501	70 586	70 672
51	70 757	70 842	70 927	71 012	71 096	71 181	71 265	71 349	71 433	71 517
52	71 600	71 684	71 767	71 850	71 933	72 016	72 099	72 181	72 263	72 346
53	72 428	72 509	72 591	72 673	72 754	72 835	72 916	72 997	73 078	73 159
54	73 239	73 320	73 400	73 480	73 560	73 640	73 719	73 799	73 878	73 957
55	74 036	74 115	74 194	74 273	74 351	74 429	74 507	74 586	74 663	74 741
56	74 819	74 896	74 974	75 051	75 128	75 205	75 282	75 358	75 435	75 511
57	75 587	75 664	75 740	75 815	75 891	75 967	76 042	76 118	76 193	76 268
58	76 343	76 418	76 492	76 567	76 641	76 716	76 790	76 864	76 938	77 012
59	77 085	77 159	77 232	77 305	77 379	77 452	77 525	77 597	77 670	77 743
60	77 815	77 887	77 960	78 032	78 104	78 176	78 247	78 319	78 390	78 462
61	78 533	78 604	78 675	78 746	78 817	78 888	78 958	79 029	79 099	79 169
62	79 239	79 309	79 379	79 449	79 518	79 588	79 657	79 727	79 796	79 865
63	79 934	80 003	80 072	80 140	80 209	80 277	80 346	80 414	80 482	80 550
64	80 618	80 686	80 754	80 821	80 889	80 956	81 023	81 090	81 158	81 224
65	81 291	81 358	81 425	81 491	81 558	81 624	81 690	81 757	81 823	81 889
66	81 954	82 020	82 086	82 151	82 217	82 282	82 347	82 413	82 478	82 543
67	82 607	82 672	82 737	82 802	82 866	82 930	82 995	83 059	83 123	83 187
68	83 251	83 315	83 378	83 442	83 506	83 569	83 632	83 696	83 759	83 822
69	83 885	83 948	84 011	84 073	84 136	84 198	84 261	84 323	84 386	84 448
70	84 510	84 572	84 634	84 696	84 757	84 819	84 880	84 942	85 003	85 065
71	85 126	85 187	85 248	85 309	85 370	85 431	85 491	85 552	85 612	85 673
72	85 733	85 794	85 854	85 914	85 974	86 034	86 094	86 153	86 213	86 273
73	86 332	86 392	86 451	86 510	86 570	86 629	86 688	86 747	86 806	86 864
74	86 923	86 982	87 040	87 099	87 157	87 216	87 274	87 332	87 390	87 448
75	87 506	87 564	87 622	87 679	87 737	87 795	87 852	87 910	87 967	88 024
76	88 081	88 138	88 195	88 252	88 309	88 366	88 423	88 480	88 536	88 593
77	88 649	88 705	88 762	88 818	88 874	88 930	88 986	89 042	89 098	89 154
78	89 209	89 265	89 321	89 376	89 432	89 487	89 542	89 597	89 653	89 708
79	89 763	89 818	89 873	89 927	89 982	90 037	90 091	90 146	90 200	90 255
80	90 309	90 363	90 417	90 472	90 526	90 580	90 634	90 687	90 741	90 795
81	90 849	90 902	90 956	91 009	91 062	91 116	91 169	91 222	91 275	91 328
82	91 381	91 434	91 487	91 540	91 593	91 645	91 698	91 751	91 803	91 855
83	91 908	91 960	92 012	92 065	92 117	92 169	92 221	92 273	92 324	92 376
84	92 428	92 480	92 531	92 583	92 634	92 686	92 737	92 788	92 840	92 891
85	92 942	92 993	93 044	93 095	93 146	93 197	93 247	93 298	93 349	93 399
86	93 450	93 500	93 551	93 601	93 651	93 702	93 752	93 802	93 852	93 902
87	93 952	94 002	94 052	94 101	94 151	94 201	94 250	94 300	94 349	94 399
88	94 448	94 498	94 547	94 596	94 645	94 694	94 743	94 792	94 841	94 890
89	94 939	94 988	95 036	95 085	95 134	95 182	95 231	95 279	95 328	95 376
90	95 424	95 472	95 521	95 569	95 617	95 665	95 713	95 761	95 809	95 856
91	95 904	95 952	95 999	96 047	96 095	96 142	96 190	96 237	96 284	96 332
92	96 379	96 426	96 473	96 520	96 567	96 614	96 661	96 708	96 755	96 802
93	96 848	96 895	96 942	96 988	97 035	97 081	97 128	97 174	97 220	97 267
94	97 313	97 359	97 405	97 451	97 497	97 543	97 589	97 635	97 681	97 727
95	97 772	97 818	97 864	97 909	97 955	98 000	98 046	98 091	98 137	98 182
96	98 227	98 272	98 318	98 363	98 408	98 453	98 498	98 543	98 588	98 632
97	98 677	98 722	98 767	98 811	98 856	98 900	98 945	98 989	99 034	99 078
98	99 123	99 167	99 211	99 255	99 300	99 344	99 388	99 432	99 476	99 520
99	99 564	99 607	99 651	99 695	99 739	99 782	99 826	99 870	99 913	99 957
100	00 000	00 043	00 087	00 130	00 173	00 217	00 260	00 303	00 346	00 389

N	L 0	1	2	3	4	5	6	7	8	9
540″	= 0° 9′ S		4.68 557 T		4.68 558	780″	= 0° 13′ S		4.68 557 T	4.68 558
600	= 0 10		4.68 557		4.68 558	840	= 0 14		4.68 557	4.68 558
660	= 0 11		4.68 557		4.68 558	900	= 0 15		4.68 557	4.68 558
720	= 0 12		4.68 557		4.68 558	960	= 0 16		4.68 557	4.68 558

N	L 0	1	2	3	4	5	6	7	8	9
100	00 000	043	087	130	173	217	260	303	346	389
101	432	475	518	561	604	647	689	732	775	817
102	860	903	945	988	*030	*072	*115	*157	*199	*242
103	01 284	326	368	410	452	494	536	578	620	662
104	703	745	787	828	870	912	953	995	*036	*078
105	02 119	160	202	243	284	325	366	407	449	490
106	531	572	612	653	694	735	776	816	857	898
107	938	979	*019	*060	*100	*141	*181	*222	*262	*302
108	03 342	383	423	463	503	543	583	623	663	703
109	743	782	822	862	902	941	981	*021	*060	*100
110	04 139	179	218	258	297	336	376	415	454	493
111	532	571	610	650	689	727	766	805	844	883
112	922	961	999	*038	*077	*115	*154	*192	*231	*269
113	05 308	346	385	423	461	500	538	576	614	652
114	690	729	767	805	843	881	918	956	994	*032
115	06 070	108	145	183	221	258	296	333	371	408
116	446	483	521	558	595	633	670	707	744	781
117	819	856	893	930	967	*004	*041	*078	*115	*151
118	07 188	225	262	298	335	372	408	445	482	518
119	555	591	628	664	700	737	773	809	846	882
120	918	954	990	*027	*063	*099	*135	*171	*207	*243
121	08 279	314	350	386	422	458	493	529	565	600
122	636	672	707	743	778	814	849	884	920	955
123	991	*026	*061	*096	*132	*167	*202	*237	*272	*307
124	09 342	377	412	447	482	517	552	587	621	656
125	691	726	760	795	830	864	899	934	968	*003
126	10 037	072	106	140	175	209	243	278	312	346
127	380	415	449	483	517	551	585	619	653	687
128	721	755	789	823	857	890	924	958	992	*025
129	11 059	093	126	160	193	227	261	294	327	361
130	394	428	461	494	528	561	594	628	661	694
131	727	760	793	826	860	893	926	959	992	*024
132	12 057	090	123	156	189	222	254	287	320	352
133	385	418	450	483	516	548	581	613	646	678
134	710	743	775	808	840	872	905	937	969	*001
135	13 033	066	098	130	162	194	226	258	290	322
136	354	386	418	450	481	513	545	577	609	640
137	672	704	735	767	799	830	862	893	925	956
138	988	*019	*051	*082	*114	*145	*176	*208	*239	*270
139	14 301	333	364	395	426	457	489	520	551	582
140	613	644	675	706	737	768	799	829	860	891
141	922	953	983	*014	*045	*076	*106	*137	*168	*198
142	15 229	259	290	320	351	381	412	442	473	503
143	534	564	594	625	655	685	715	746	776	806
144	836	866	897	927	957	987	*017	*047	*077	*107
145	16 137	167	197	227	256	286	316	346	376	406
146	435	465	495	524	554	584	613	643	673	702
147	732	761	791	820	850	879	909	938	967	997
148	17 026	056	085	114	143	173	202	231	260	289
149	319	348	377	406	435	464	493	522	551	580
150	17 609	638	667	696	725	754	782	811	840	869
N	L 0	1	2	3	4	5	6	7	8	9

P P			
	44	43	42
1	4.4	4.3	4.2
2	8.8	8.6	8.4
3	13.2	12.9	12.6
4	17.6	17.2	16.8
5	22.0	21.5	21.0
6	26.4	25.8	25.2
7	30.8	30.1	29.4
8	35.2	34.4	33.6
9	39.6	38.7	37.8
	41	40	39
1	4.1	4.0	3.9
2	8.2	8.0	7.8
3	12.3	12.0	11.7
4	16.4	16.0	15.6
5	20.5	20.0	19.5
6	24.6	24.0	23.4
7	28.7	28.0	27.3
8	32.8	32.0	31.2
9	36.9	36.0	35.1
	38	37	36
1	3.8	3.7	3.6
2	7.6	7.4	7.2
3	11.4	11.1	10.8
4	15.2	14.8	14.4
5	19.0	18.5	18.0
6	22.8	22.2	21.6
7	26.6	25.9	25.2
8	30.4	29.6	28.8
9	34.2	33.3	32.4
	35	34	33
1	3.5	3.4	3.3
2	7.0	6.8	6.6
3	10.5	10.2	9.9
4	14.0	13.6	13.2
5	17.5	17.0	16.5
6	21.0	20.4	19.8
7	24.5	23.8	23.1
8	28.0	27.2	26.4
9	31.5	30.6	29.7
	32	31	30
1	3.2	3.1	3.0
2	6.4	6.2	6.0
3	9.6	9.3	9.0
4	12.8	12.4	12.0
5	16.0	15.5	15.0
6	19.2	18.6	18.0
7	22.4	21.7	21.0
8	25.6	24.8	24.0
9	28.8	27.9	27.0

960′	=0° 16′	S	4.68 557	T	4.68 558
1020	=0 17		4.68 557		4.68 558
1080	=0 18		4.68 557		4.68 558
1140	=0 19		4.68 557		4.68 558
1200	=0 20		4.68 557		4.68 558
1260′	=0° 21′	S	4.68 557	T	4.68 558
1320	=0 22		4.68 557		4.68 558
1380	=0 23		4.68 557		4.68 558
1440	=0 24		4.68 557		4.68 558
1500	=0 25		4.68 557		4.68 558

150—200

N	L 0	1	2	3	4	5	6	7	8	9
150	17609	638	667	696	725	754	782	811	840	869
151	898	926	955	984	*013	*041	*070	*099	*127	*156
152	18184	213	241	270	298	327	355	384	412	441
153	469	498	526	554	583	611	639	667	696	724
154	752	780	808	837	865	893	921	949	977	*005
155	19033	061	089	117	145	173	201	229	257	285
156	312	340	368	396	424	451	479	507	535	562
157	590	618	645	673	700	728	756	783	811	838
158	866	893	921	948	976	*003	*030	*058	*085	*112
159	20140	167	194	222	249	276	303	330	358	385
160	412	439	466	493	520	548	575	602	629	656
161	683	710	737	763	790	817	844	871	898	925
162	952	978	*005	*032	*059	*085	*112	*139	*165	*192
163	21219	245	272	299	325	352	378	405	431	458
164	484	511	537	564	590	617	643	669	696	722
165	748	775	801	827	854	880	906	932	958	985
166	22011	037	063	089	115	141	167	194	220	246
167	272	298	324	350	376	401	427	453	479	505
168	531	557	583	608	634	660	686	712	737	763
169	789	814	840	866	891	917	943	968	994	*019
170	23045	070	096	121	147	172	198	223	249	274
171	300	325	350	376	401	426	452	477	502	528
172	553	578	603	629	654	679	704	729	754	779
173	805	830	855	880	905	930	955	980	*005	*030
174	24055	080	105	130	155	180	204	229	254	279
175	304	329	353	378	403	428	452	477	502	527
176	551	576	601	625	650	674	699	724	748	773
177	797	822	846	871	895	920	944	969	993	*018
178	25042	066	091	115	139	164	188	212	237	261
179	285	310	334	358	382	406	431	455	479	503
180	527	551	575	600	624	648	672	696	720	744
181	768	792	816	840	864	888	912	935	959	983
182	26007	031	055	079	102	126	150	174	198	221
183	245	269	293	316	340	364	387	411	435	458
184	482	505	529	553	576	600	623	647	670	694
185	717	741	764	788	811	834	858	881	905	928
186	951	975	998	*021	*045	*068	*091	*114	*138	*161
187	27184	207	231	254	277	300	323	346	370	393
188	416	439	462	485	508	531	554	577	600	623
189	646	669	692	715	738	761	784	807	830	852
190	875	898	921	944	967	989	*012	*035	*058	*081
191	28103	126	149	171	194	217	240	262	285	307
192	330	353	375	398	421	443	466	488	511	533
193	556	578	601	623	646	668	691	713	735	758
194	780	803	825	847	870	892	914	937	959	981
195	29003	026	048	070	092	115	137	159	181	203
196	226	248	270	292	314	336	358	380	403	425
197	447	469	491	513	535	557	579	601	623	645
198	667	688	710	732	754	776	798	820	842	863
199	885	907	929	951	973	994	*016	*038	*060	*081
200	30103	125	146	168	190	211	233	255	276	298

N	L 0	1	2	3	4	5	6	7	8	9

P	P
	29 28
1	2.9 2.8
2	5.8 5.6
3	8.7 8.4
4	11.6 11.2
5	14.5 14.0
6	17.4 16.8
7	20.3 19.6
8	23.2 22.4
9	26.1 25.2
	27 26
1	2.7 2.6
2	5.4 5.2
3	8.1 7.8
4	10.8 10.4
5	13.5 13.0
6	16.2 15.6
7	18.9 18.2
8	21.6 20.8
9	24.3 23.4
	25
1	2.5
2	5.0
3	7.5
4	10.0
5	12.5
6	15.0
7	17.5
8	20.0
9	22.5
	24 23
1	2.4 2.3
2	4.8 4.6
3	7.2 6.9
4	9.6 9.2
5	12.0 11.5
6	14.4 13.8
7	16.8 16.1
8	19.2 18.4
9	21.6 20.7
	22 21
1	2.2 2.1
2	4.4 4.2
3	6.6 6.3
4	8.8 8.4
5	11.0 10.5
6	13.2 12.6
7	15.4 14.7
8	17.6 16.8
9	19.8 18.9

P	P

1500′	=0° 25′	S	4.68 557	T	4.68 558	1800′	=0° 30′	S	4.68 557	T	4.68 559
1560	=0 26		4.68 557		4.68 558	1860	=0 31		4.68 557		4.68 559
1620	=0 27		4.68 557		4.68 558	1920	=0 32		4.68 557		4.68 559
1680	=0 28		4.68 557		4.68 558	1980	=0 33		4.68 557		4.68 559
1740	=0 29		4.68 557		4.68 559	2040	=0 34		4.68 557		4.68 559

200—250

N	L 0	1	2	3	4	5	6	7	8	9
200	30 103	125	146	168	190	211	233	255	276	298
201	320	341	363	384	406	428	449	471	492	514
202	535	557	578	600	621	643	664	685	707	728
203	750	771	792	814	835	856	878	899	920	942
204	963	984	*006	*027	*048	*069	*091	*112	*133	*154
205	31 175	197	218	239	260	281	302	323	345	366
206	387	408	429	450	471	492	513	534	555	576
207	597	618	639	660	681	702	723	744	765	785
208	806	827	848	869	890	911	931	952	973	994
209	32 015	035	056	077	098	118	139	160	181	201
210	222	243	263	284	305	325	346	366	387	408
211	428	449	469	490	510	531	552	572	593	613
212	634	654	675	695	715	736	756	777	797	818
213	838	858	879	899	919	940	960	980	*001	*021
214	33 041	062	082	102	122	143	163	183	203	224
215	244	264	284	304	325	345	365	385	405	425
216	445	465	486	506	526	546	566	586	606	626
217	646	666	686	706	726	746	766	786	806	826
218	846	866	885	905	925	945	965	985	*005	*025
219	34 044	064	084	104	124	143	163	183	203	223
220	242	262	282	301	321	341	361	380	400	420
221	439	459	479	498	518	537	557	577	596	616
222	635	655	674	694	713	733	753	772	792	811
223	830	850	869	889	908	928	947	967	986	*005
224	35 025	044	064	083	102	122	141	160	180	199
225	218	238	257	276	295	315	334	353	372	392
226	411	430	449	468	488	507	526	545	564	583
227	603	622	641	660	679	698	717	736	755	774
228	793	813	832	851	870	889	908	927	946	965
229	984	*003	*021	*040	*059	*078	*097	*116	*135	*154
230	36 173	192	211	229	248	267	286	305	324	342
231	361	380	399	418	436	455	474	493	511	530
232	549	568	586	605	624	642	661	680	698	717
233	736	754	773	791	810	829	847	866	884	903
234	922	940	959	977	996	*014	*033	*051	*070	*088
235	37 107	125	144	162	181	199	218	236	254	273
236	291	310	328	346	365	383	401	420	438	457
237	475	493	511	530	548	566	585	603	621	639
238	658	676	694	712	731	749	767	785	803	822
239	840	858	876	894	912	931	949	967	985	*003
240	38 021	039	057	075	093	112	130	148	166	184
241	202	220	238	256	274	292	310	328	346	364
242	382	399	417	435	453	471	489	507	525	543
243	561	578	596	614	632	650	668	686	703	721
244	739	757	775	792	810	828	846	863	881	899
245	917	934	952	970	987	*005	*023	*041	*058	*076
246	39 094	111	129	146	164	182	199	217	235	252
247	270	287	305	322	340	358	375	393	410	428
248	445	463	480	498	515	533	550	568	585	602
249	620	637	655	672	690	707	724	742	759	777
250	794	811	829	846	863	881	898	915	933	950
N	L 0	1	2	3	4	5	6	7	8	9

P P		
	22	21
1	2.2	2.1
2	4.4	4.2
3	6.6	6.3
4	8.8	8.4
5	11.0	10.5
6	13.2	12.6
7	15.4	14.7
8	17.6	16.8
9	19.8	18.9

P P	
	20
1	2.0
2	4.0
3	6.0
4	8.0
5	10.0
6	12.0
7	14.0
8	16.0
9	18.0

P P	
	19
1	1.9
2	3.8
3	5.7
4	7.6
5	9.5
6	11.4
7	13.3
8	15.2
9	17.1

P P	
	18
1	1.8
2	3.6
3	5.4
4	7.2
5	9.0
6	10.8
7	12.6
8	14.4
9	16.2

P P	
	17
1	1.7
2	3.4
3	5.1
4	6.8
5	8.5
6	10.2
7	11.9
8	13.6
9	15.3

1980″	=0° 33′	S	4.68 557	T	4.68 559	2280″	=0° 38′	S	4.68 557	T	4.68 559
2040	=0 34		4.68 557		4.68 559	2340	=0 39		4.68 557		4.68 559
2100	=0 35		4.68 557		4.68 559	2400	=0 40		4.68 557		4.68 559
2160	=0 36		4.68 557		4.68 559	2460	=0 41		4.68 556		4.68 560
2220	=0 37		4.68 557		4.68 559	2520	=0 42		4.68 556		4.68 560

250—300

N	L 0	1	2	3	4	5	6	7	8	9	P P
250	39 794	811	829	846	863	881	898	915	933	950	
251	967	985	*002	*019	*037	*054	*071	*088	*106	*123	18
252	40 140	157	175	192	209	226	243	261	278	295	1 1.8
253	312	329	346	364	381	398	415	432	449	466	2 3.6
254	483	500	518	535	552	569	586	603	620	637	3 5.4
255	654	671	688	705	722	739	756	773	790	807	4 7.2
256	824	841	858	875	892	909	926	943	960	976	5 9.0
257	993	*010	*027	*044	*061	*078	*095	*111	*128	*145	6 10.8
258	41 162	179	196	212	229	246	263	280	296	313	7 12.6
259	330	347	363	380	397	414	430	447	464	481	8 14.4
260	497	514	531	547	564	581	597	614	631	647	9 16.2
261	664	681	697	714	731	747	764	780	797	814	17
262	830	847	863	880	896	913	929	946	963	979	1 1.7
263	996	*012	*029	*045	*062	*078	*095	*111	*127	*144	2 3.4
264	42 160	177	193	210	226	243	259	275	292	308	3 5.1
265	325	341	357	374	390	406	423	439	455	472	4 6.8
266	488	504	521	537	553	570	586	602	619	635	5 8.5
267	651	667	684	700	716	732	749	765	781	797	6 10.2
268	813	830	846	862	878	894	911	927	943	959	7 11.9
269	975	991	*008	*024	*040	*056	*072	*088	*104	*120	8 13.6
270	43 136	152	169	185	201	217	233	249	265	281	9 15.3
271	297	313	329	345	361	377	393	409	425	441	16
272	457	473	489	505	521	537	553	569	584	600	1 1.6
273	616	632	648	664	680	696	712	727	743	759	2 3.2
274	775	791	807	823	838	854	870	886	902	917	3 4.8
275	933	949	965	981	996	*012	*028	*044	*059	*075	4 6.4
276	44 091	107	122	138	154	170	185	201	217	232	5 8.0
277	248	264	279	295	311	326	342	358	373	389	6 9.6
278	404	420	436	451	467	483	498	514	529	545	7 11.2
279	560	576	592	607	623	638	654	669	685	700	8 12.8
280	716	731	747	762	778	793	809	824	840	855	9 14.4
281	871	886	902	917	932	948	963	979	994	*010	15
282	45 025	040	056	071	086	102	117	133	148	163	1 1.5
283	179	194	209	225	240	255	271	286	301	317	2 3.0
284	332	347	362	378	393	408	423	439	454	469	3 4.5
285	484	500	515	530	545	561	576	591	606	621	4 6.0
286	637	652	667	682	697	712	728	743	758	773	5 7.5
287	788	803	818	834	849	864	879	894	909	924	6 9.0
288	939	954	969	984	*000	*015	*030	*045	*060	*075	7 10.5
289	46 090	105	120	135	150	165	180	195	210	225	8 12.0
290	240	255	270	285	300	315	330	345	359	374	9 13.5
291	389	404	419	434	449	464	479	494	509	523	14
292	538	553	568	583	598	613	627	642	657	672	1 1.4
293	687	702	716	731	746	761	776	790	805	820	2 2.8
294	835	850	864	879	894	909	923	938	953	967	3 4.2
295	982	997	*012	*026	*041	*056	*070	*085	*100	*114	4 5.6
296	47 129	144	159	173	188	202	217	232	246	261	5 7.0
297	276	290	305	319	334	349	363	378	392	407	6 8.4
298	422	436	451	465	480	494	509	524	538	553	7 9.8
299	567	582	596	611	625	640	654	669	683	698	8 11.2
300	712	727	741	756	770	784	799	813	828	842	9 12.6

N	L 0	1	2	3	4	5	6	7	8	9	P P

2460″	=0° 41′	S	4.68 556	T	4.68 560	2760″	=0° 46′	S	4.68 556	T	4.68 560
2520	=0 42		4.68 556		4.68 560	2820	=0 47		4.68 556		4.68 560
2580	=0 43		4.68 556		4.68 560	2880	=0 48		4.68 556		4.68 560
2640	=0 44		4.68 556		4.68 560	2940	=0 49		4.68 556		4.68 560
2700	=0 45		4.68 556		4.68 560	3000	=0 50		4.68 556		4.68 561

300—350

N	L 0	1	2	3	4	5	6	7	8	9	P	P
300	47 712	727	741	756	770	784	799	813	828	842		
301	857	871	885	900	914	929	943	958	972	986		
302	48 001	015	029	044	058	073	087	101	116	130		
303	144	159	173	187	202	216	230	244	259	273		15
304	287	302	316	330	344	359	373	387	401	416	1	1.5
305	430	444	458	473	487	501	515	530	544	558	2	3.0
306	572	586	601	615	629	643	657	671	686	700	3	4.5
307	714	728	742	756	770	785	799	813	827	841	4	6.0
308	855	869	883	897	911	926	940	954	968	982	5	7.5
309	996	*010	*024	*038	*052	*066	*080	*094	*108	*122	6	9.0
310	49 136	150	164	178	192	206	220	234	248	262	7	10.5
311	276	290	304	318	332	346	360	374	388	402	8	12.0
312	415	429	443	457	471	485	499	513	527	541	9	13.5
313	554	568	582	596	610	624	638	651	665	679		
314	693	707	721	734	748	762	776	790	803	817		
315	831	845	859	872	886	900	914	927	941	955		14
316	969	982	996	*010	*024	*037	*051	*065	*079	*092	1	1.4
317	50 106	120	133	147	161	174	188	202	215	229	2	2.8
318	243	256	270	284	297	311	325	338	352	365	3	4.2
319	379	393	406	420	433	447	461	474	488	501	4	5.6
320	515	529	542	556	569	583	596	610	623	637	5	7.0
321	651	664	678	691	705	718	732	745	759	772	6	8.4
322	786	799	813	826	840	853	866	880	893	907	7	9.8
323	920	934	947	961	974	987	*001	*014	*028	*041	8	11.2
324	51 055	068	081	095	108	121	135	148	162	175	9	12.6
325	188	202	215	228	242	255	268	282	295	308		
326	322	335	348	362	375	388	402	415	428	441		
327	455	468	481	495	508	521	534	548	561	574		13
328	587	601	614	627	640	654	667	680	693	706	1	1.3
329	720	733	746	759	772	786	799	812	825	838	2	2.6
330	851	865	878	891	904	917	930	943	957	970	3	3.9
331	983	996	*009	*022	*035	*048	*061	*075	*088	*101	4	5.2
332	52 114	127	140	153	166	179	192	205	218	231	5	6.5
333	244	257	270	284	297	310	323	336	349	362	6	7.8
334	375	388	401	414	427	440	453	466	479	492	7	9.1
335	504	517	530	543	556	569	582	595	608	621	8	10.4
336	634	647	660	673	686	699	711	724	737	750	9	11.7
337	763	776	789	802	815	827	840	853	866	879		
338	892	905	917	930	943	956	969	982	994	*007		
339	53 020	033	046	058	071	084	097	110	122	135		12
340	148	161	173	186	199	212	224	237	250	263	1	1.2
341	275	288	301	314	326	339	352	364	377	390	2	2.4
342	403	415	428	441	453	466	479	491	504	517	3	3.6
343	529	542	555	567	580	593	605	618	631	643	4	4.8
344	656	668	681	694	706	719	732	744	757	769	5	6.0
345	782	794	807	820	832	845	857	870	882	895	6	7.2
346	908	920	933	945	958	970	983	995	*008	*020	7	8.4
347	54 033	045	058	070	083	095	108	120	133	145	8	9.6
348	158	170	183	195	208	220	233	245	258	270	9	10.8
349	283	295	307	320	332	345	357	370	382	394		
350	407	419	432	444	456	469	481	494	506	518		
N	L 0	1	2	3	4	5	6	7	8	9	P	P

3000′	= 0° 50′	S	4.68 556	T	4.68 561	3300′	= 0° 55′	S	4.68 556	T	4.68 561
3060	= 0 51		4.68 556		4.68 561	3360	= 0 56		4.68 556		4.68 561
3120	= 0 52		4.68 556		4.68 561	3420	= 0 57		4.68 555		4.68 561
3180	= 0 53		4.68 556		4.68 561	3480	= 0 58		4.68 555		4.68 562
3240	= 0 54		4.68 556		4.68 561	3540	= 0 59		4.68 555		4.68 562

350—400

N	L 0	1	2	3	4	5	6	7	8	9	P P
350	54 407	419	432	444	456	469	481	494	506	518	
351	531	543	555	568	580	593	605	617	630	642	
352	654	667	679	691	704	716	728	741	753	765	
353	777	790	802	814	827	839	851	864	876	888	13
354	900	913	925	937	949	962	974	986	998	*011	1 | 1.3
355	55 023	035	047	060	072	084	096	108	121	133	2 | 2.6
356	145	157	169	182	194	206	218	230	242	255	3 | 3.9
357	267	279	291	303	315	328	340	352	364	376	4 | 5.2
358	388	400	413	425	437	449	461	473	485	497	5 | 6.5
359	509	522	534	546	558	570	582	594	606	618	6 | 7.8
360	630	642	654	666	678	691	703	715	727	739	7 | 9.1
361	751	763	775	787	799	811	823	835	847	859	8 | 10.4
362	871	883	895	907	919	931	943	955	967	979	9 | 11.7
363	991	*003	*015	*027	*038	*050	*062	*074	*086	*098	
364	56 110	122	134	146	158	170	182	194	205	217	
365	229	241	253	265	277	289	301	312	324	336	
366	348	360	372	384	396	407	419	431	443	455	12
367	467	478	490	502	514	526	538	549	561	573	1 | 1.2
368	585	597	608	620	632	644	656	667	679	691	2 | 2.4
369	703	714	726	738	750	761	773	785	797	808	3 | 3.6
370	820	832	844	855	867	879	891	902	914	926	4 | 4.8
371	937	949	961	972	984	996	*008	*019	*031	*043	5 | 6.0
372	57 054	066	078	089	101	113	124	136	148	159	6 | 7.2
373	171	183	194	206	217	229	241	252	264	276	7 | 8.4
374	287	299	310	322	334	345	357	368	380	392	8 | 9.6
375	403	415	426	438	449	461	473	484	496	507	9 | 10.8
376	519	530	542	553	565	576	588	600	611	623	
377	634	646	657	669	680	692	703	715	726	738	
378	749	761	772	784	795	807	818	830	841	852	11
379	864	875	887	898	910	921	933	944	955	967	1 | 1.1
380	978	990	*001	*013	*024	*035	*047	*058	*070	*081	2 | 2.2
381	58 092	104	115	127	138	149	161	172	184	195	3 | 3.3
382	206	218	229	240	252	263	274	286	297	309	4 | 4.4
383	320	331	343	354	365	377	388	399	410	422	5 | 5.5
384	433	444	456	467	478	490	501	512	524	535	6 | 6.6
385	546	557	569	580	591	602	614	625	636	647	7 | 7.7
386	659	670	681	692	704	715	726	737	749	760	8 | 8.8
387	771	782	794	805	816	827	838	850	861	872	9 | 9.9
388	883	894	906	917	928	939	950	961	973	984	
389	995	*006	*017	*028	*040	*051	*062	*073	*084	*095	
390	59 106	118	129	140	151	162	173	184	195	207	10
391	218	229	240	251	262	273	284	295	306	318	1 | 1.0
392	329	340	351	362	373	384	395	406	417	428	2 | 2.0
393	439	450	461	472	483	494	506	517	528	539	3 | 3.0
394	550	561	572	583	594	605	616	627	638	649	4 | 4.0
395	660	671	682	693	704	715	726	737	748	759	5 | 5.0
396	770	780	791	802	813	824	835	846	857	868	6 | 6.0
397	879	890	901	912	923	934	945	956	966	977	7 | 7.0
398	988	999	*010	*021	*032	*043	*054	*065	*076	*086	8 | 8.0
399	60 097	108	119	130	141	152	163	173	184	195	9 | 9.0
400	206	217	228	239	249	260	271	282	293	304	

N	L 0	1	2	3	4	5	6	7	8	9	P P

3480″	=0° 58′	S	4.68 555	T	4.68 562	3780″	=1° 3′	S	4.68 555	T	4.68 562
3540	=0 59		4.68 555		4.68 562	3840	=1 4		4.68 555		4.68 563
3600	=1 0		4.68 555		4.68 562	3900	=1 5		4.68 555		4.68 563
3660	=1 1		4.68 555		4.68 562	3960	=1 6		4.68 555		4.68 563
3720	=1 2		4.68 555		4.68 562	4020	=1 7		4.68 555		4.68 563

400—450

N	L 0	1	2	3	4	5	6	7	8	9
400	60 206	217	228	239	249	260	271	282	293	304
401	314	325	336	347	358	369	379	390	401	412
402	423	433	444	455	466	477	487	498	509	520
403	531	541	552	563	574	584	595	606	617	627
404	638	649	660	670	681	692	703	713	724	735
405	746	756	767	778	788	799	810	821	831	842
406	853	863	874	885	895	906	917	927	938	949
407	959	970	981	991	*002	*013	*023	*034	*045	*055
408	61 066	077	087	098	109	119	130	140	151	162
409	172	183	194	204	215	225	236	247	257	268
410	278	289	300	310	321	331	342	352	363	374
411	384	395	405	416	426	437	448	458	469	479
412	490	500	511	521	532	542	553	563	574	584
413	595	606	616	627	637	648	658	669	679	690
414	700	711	721	731	742	752	763	773	784	794
415	805	815	826	836	847	857	868	878	888	899
416	909	920	930	941	951	962	972	982	993	*003
417	62 014	024	034	045	055	066	076	086	097	107
418	118	128	138	149	159	170	180	190	201	211
419	221	232	242	252	263	273	284	294	304	315
420	325	335	346	356	366	377	387	397	408	418
421	428	439	449	459	469	480	490	500	511	521
422	531	542	552	562	572	583	593	603	613	624
423	634	644	655	665	675	685	696	706	716	726
424	737	747	757	767	778	788	798	808	818	829
425	839	849	859	870	880	890	900	910	921	931
426	941	951	961	972	982	992	*002	*012	*022	*033
427	63 043	053	063	073	083	094	104	114	124	134
428	144	155	165	175	185	195	205	215	225	236
429	246	256	266	276	286	296	306	317	327	337
430	347	357	367	377	387	397	407	417	428	438
431	448	458	468	478	488	498	508	518	528	538
432	548	558	568	579	589	599	609	619	629	639
433	649	659	669	679	689	699	709	719	729	739
434	749	759	769	779	789	799	809	819	829	839
435	849	859	869	879	889	899	909	919	929	939
436	949	959	969	979	988	998	*008	*018	*028	*038
437	64 048	058	068	078	088	098	108	118	128	137
438	147	157	167	177	187	197	207	217	227	237
439	246	256	266	276	286	296	306	316	326	335
440	345	355	365	375	385	395	404	414	424	434
441	444	454	464	473	483	493	503	513	523	532
442	542	552	562	572	582	591	601	611	621	631
443	640	650	660	670	680	689	699	709	719	729
444	738	748	758	768	777	787	797	807	816	826
445	836	846	856	865	875	885	895	904	914	924
446	933	943	953	963	972	982	992	*002	*011	*021
447	65 031	040	050	060	070	079	089	099	108	118
448	128	137	147	157	167	176	186	196	205	215
449	225	234	244	254	263	273	283	292	302	312
450	321	331	341	350	360	369	379	389	398	408

P	P
	11
1	1.1
2	2.2
3	3.3
4	4.4
5	5.5
6	6.6
7	7.7
8	8.8
9	9.9
	10
1	1.0
2	2.0
3	3.0
4	4.0
5	5.0
6	6.0
7	7.0
8	8.0
9	9.0
	9
1	0.9
2	1.8
3	2.7
4	3.6
5	4.5
6	5.4
7	6.3
8	7.2
9	8.1

N	L 0	1	2	3	4	5	6	7	8	9

P	P

3960″	= 1° 6	S	4.68 555	T	4.68 563	4260″	= 1° 11′	S	4.68 554	T 4.68 564
4020	= 1 7		4.68 555		4.68 563	4320	= 1 12		4.68 554	4.68 564
4080	= 1 8		4.68 555		4.68 563	4380	= 1 13		4.68 554	4.68 564
4140	= 1 9		4.68 555		4.68 563	4440	= 1 14		4.68 554	4.68 564
4200	= 1 10		4.68 554		4.68 563	4500	= 1 15		4.68 554	4.68 564

450—500

N	L 0	1	2	3	4	5	6	7	8	9
450	65 321	331	341	350	360	369	379	389	398	408
451	418	427	437	447	456	466	475	485	495	504
452	514	523	533	543	552	562	571	581	591	600
453	610	619	629	639	648	658	667	677	686	696
454	706	715	725	734	744	753	763	772	782	792
455	801	811	820	830	839	849	858	868	877	887
456	896	906	916	925	935	944	954	963	973	982
457	992	*001	*011	*020	*030	*039	*049	*058	*068	*077
458	66 087	096	106	115	124	134	143	153	162	172
459	181	191	200	210	219	229	238	247	257	266
460	276	285	295	304	314	323	332	342	351	361
461	370	380	389	398	408	417	427	436	445	455
462	464	474	483	492	502	511	521	530	539	549
463	558	567	577	586	596	605	614	624	633	642
464	652	661	671	680	689	699	708	717	727	736
465	745	755	764	773	783	792	801	811	820	829
466	839	848	857	867	876	885	894	904	913	922
467	932	941	950	960	969	978	987	997	*006	*015
468	67 025	034	043	052	062	071	080	089	099	108
469	117	127	136	145	154	164	173	182	191	201
470	210	219	228	237	247	256	265	274	284	293
471	302	311	321	330	339	348	357	367	376	385
472	394	403	413	422	431	440	449	459	468	477
473	486	495	504	514	523	532	541	550	560	569
474	578	587	596	605	614	624	633	642	651	660
475	669	679	688	697	706	715	724	733	742	752
476	761	770	779	788	797	806	815	825	834	843
477	852	861	870	879	888	897	906	916	925	934
478	943	952	961	970	979	988	997	*006	*015	*024
479	68 034	043	052	061	070	079	088	097	106	115
480	124	133	142	151	160	169	178	187	196	205
481	215	224	233	242	251	260	269	278	287	296
482	305	314	323	332	341	350	359	368	377	386
483	395	404	413	422	431	440	449	458	467	476
484	485	494	502	511	520	529	538	547	556	565
485	574	583	592	601	610	619	628	637	646	655
486	664	673	681	690	699	708	717	726	735	744
487	753	762	771	780	789	797	806	815	824	833
488	842	851	860	869	878	886	895	904	913	922
489	931	940	949	958	966	975	984	993	*002	*011
490	69 020	028	037	046	055	064	073	082	090	099
491	108	117	126	135	144	152	161	170	179	188
492	197	205	214	223	232	241	249	258	267	276
493	285	294	302	311	320	329	338	346	355	364
494	373	381	390	399	408	417	425	434	443	452
495	461	469	478	487	496	504	513	522	531	539
496	548	557	566	574	583	592	601	609	618	627
497	636	644	653	662	671	679	688	697	705	714
498	723	732	740	749	758	767	775	784	793	801
499	810	819	827	836	845	854	862	871	880	888
500	897	906	914	923	932	940	949	958	966	975

N	L 0	1	2	3	4	5	6	7	8	9

P P	
10	
1	1.0
2	2.0
3	3.0
4	4.0
5	5.0
6	6.0
7	7.0
8	8.0
9	9.0

P P	
9	
1	0.9
2	1.8
3	2.7
4	3.6
5	4.5
6	5.4
7	6.3
8	7.2
9	8.1

P P	
8	
1	0.8
2	1.6
3	2.4
4	3.2
5	4.0
6	4.8
7	5.6
8	6.4
9	7.2

4500″	=1° 15′	S	4.68 554	T	4.68 564	4800″	=1° 20′	S	4.68 554	T	4.68 565
4560	=1 16		4.68 554		4.68 565	4860	=1 21		4.68 553		4.68 566
4620	=1 17		4.68 554		4.68 565	4920	=1 22		4.68 553		4.68 566
4680	=1 18		4.68 554		4.68 565	4980	=1 23		4.68 553		4.68 566
4740	=1 19		4.68 554		4.68 565	5040	=1 24		4.68 553		4.68 566

500—550

N	L 0	1	2	3	4	5	6	7	8	9	P P
500	69 897	906	914	923	932	940	949	958	966	975	
501	984	992	*001	*010	*018	*027	*036	*044	*053	*062	
502	70 070	079	088	096	105	114	122	131	140	148	
503	157	165	174	183	191	200	209	217	226	234	
504	243	252	260	269	278	286	295	303	312	321	9
505	329	338	346	355	364	372	381	389	398	406	1 0.9
506	415	424	432	441	449	458	467	475	484	492	2 1.8
507	501	509	518	526	535	544	552	561	569	578	3 2.7
508	586	595	603	612	621	629	638	646	655	663	4 3.6
509	672	680	689	697	706	714	723	731	740	749	5 4.5
510	757	766	774	783	791	800	808	817	825	834	6 5.4
511	842	851	859	868	876	885	893	902	910	919	7 6.3
512	927	935	944	952	961	969	978	986	995	*003	8 7.2
513	71 012	020	029	037	046	054	063	071	079	088	9 8.1
514	096	105	113	122	130	139	147	155	164	172	
515	181	189	198	206	214	223	231	240	248	257	
516	265	273	282	290	299	307	315	324	332	341	
517	349	357	366	374	383	391	399	408	416	425	
518	433	441	450	458	466	475	483	492	500	508	
519	517	525	533	542	550	559	567	575	584	592	
520	600	609	617	625	634	642	650	659	667	675	8
521	684	692	700	709	717	725	734	742	750	759	1 0.8
522	767	775	784	792	800	809	817	825	834	842	2 1.6
523	850	858	867	875	883	892	900	908	917	925	3 2.4
524	933	941	950	958	966	975	983	991	999	*008	4 3.2
525	72 016	024	032	041	049	057	066	074	082	090	5 4.0
526	099	107	115	123	132	140	148	156	165	173	6 4.8
527	181	189	198	206	214	222	230	239	247	255	7 5.6
528	263	272	280	288	296	304	313	321	329	337	8 6.4
529	346	354	362	370	378	387	395	403	411	419	9 7.2
530	428	436	444	452	460	469	477	485	493	501	
531	509	518	526	534	542	550	558	567	575	583	
532	591	599	607	616	624	632	640	648	656	665	
533	673	681	689	697	705	713	722	730	738	746	
534	754	762	770	779	787	795	803	811	819	827	
535	835	843	852	860	868	876	884	892	900	908	
536	916	925	933	941	949	957	965	973	981	989	
537	997	*006	*014	*022	*030	*038	*046	*054	*062	*070	
538	73 078	086	094	102	111	119	127	135	143	151	
539	159	167	175	183	191	199	207	215	223	231	7
540	239	247	255	263	272	280	288	296	304	312	1 0.7
541	320	328	336	344	352	360	368	376	384	392	2 1.4
542	400	408	416	424	432	440	448	456	464	472	3 2.1
543	480	488	496	504	512	520	528	536	544	552	4 2.8
544	560	568	576	584	592	600	608	616	624	632	5 3.5
545	640	648	656	664	672	679	687	695	703	711	6 4.2
546	719	727	735	743	751	759	767	775	783	791	7 4.9
547	799	807	815	823	830	838	846	854	862	870	8 5.6
548	878	886	894	902	910	918	926	933	941	949	9 6.3
549	957	965	973	981	989	997	*005	*013	*020	*028	
550	74 036	044	052	060	068	076	084	092	099	107	

N	L 0	1	2	3	4	5	6	7	8	9	P P

4980″ = 1° 23′	S	4.68 553	T	4.68 566	5280″ = 1° 28′	S	4.68 553	T	4.68 567
5040 = 1 24		4.68 553		4.68 566	5340 = 1 29		4.68 553		4.68 567
5100 = 1 25		4.68 553		4.68 566	5400 = 1 30		4.58 553		4.68 567
5160 = 1 26		4.68 553		4.68 567	5460 = 1 31		4.58 552		4.68 568
5220 = 1 27		4.68 553		4.68 567	5520 = 1 32		4.68 552		4.68 568

550—600

N	L 0	1	2	3	4	5	6	7	8	9	P P
550	74 036	044	052	060	068	076	084	092	099	107	
551	115	123	131	139	147	155	162	170	178	186	
552	194	202	210	218	225	233	241	249	257	265	
553	273	280	288	296	304	312	320	327	335	343	
554	351	359	367	374	382	390	398	406	414	421	
555	429	437	445	453	461	468	476	484	492	500	
556	507	515	523	531	539	547	554	562	570	578	
557	586	593	601	609	617	624	632	640	648	656	
558	663	671	679	687	695	702	710	718	726	733	
559	741	749	757	764	772	780	788	796	803	811	
560	819	827	834	842	850	858	865	873	881	889	
561	896	904	912	920	927	935	943	950	958	966	8
562	974	981	989	997	*005	*012	*020	*028	*035	*043	1 0.8
563	75 051	059	066	074	082	089	097	105	113	120	2 1.6
564	128	136	143	151	159	166	174	182	189	197	3 2.4
565	205	213	220	228	236	243	251	259	266	274	4 3.2
566	282	289	297	305	312	320	328	335	343	351	5 4.0
567	358	366	374	381	389	397	404	412	420	427	6 4.8
568	435	442	450	458	465	473	481	488	496	504	7 5.6
569	511	519	526	534	542	549	557	565	572	580	8 6.4
570	587	595	603	610	618	626	633	641	648	656	9 7.2
571	664	671	679	686	694	702	709	717	724	732	
572	740	747	755	762	770	778	785	793	800	808	
573	815	823	831	838	846	853	861	868	876	884	
574	891	899	906	914	921	929	937	944	952	959	
575	967	974	982	989	997	*005	*012	*020	*027	*035	
576	76 042	050	057	065	072	080	087	095	103	110	
577	118	125	133	140	148	155	163	170	178	185	
578	193	200	208	215	223	230	238	245	253	260	
579	268	275	283	290	298	305	313	320	328	335	
580	343	350	358	365	373	380	388	395	403	410	
581	418	425	433	440	448	455	462	470	477	485	7
582	492	500	507	515	522	530	537	545	552	559	1 0.7
583	567	574	582	589	597	604	612	619	626	634	2 1.4
584	641	649	656	664	671	678	686	693	701	708	3 2.1
585	716	723	730	738	745	753	760	768	775	782	4 2.8
586	790	797	805	812	819	827	834	842	849	856	5 3.5
587	864	871	879	886	893	901	908	916	923	930	6 4.2
588	938	945	953	960	967	975	982	989	997	*004	7 4.9
589	77 012	019	026	034	041	048	056	063	070	078	8 5.6
590	085	093	100	107	115	122	129	137	144	151	9 6.3
591	159	166	173	181	188	195	203	210	217	225	
592	232	240	247	254	262	269	276	283	291	298	
593	305	313	320	327	335	342	349	357	364	371	
594	379	386	393	401	408	415	422	430	437	444	
595	452	459	466	474	481	488	495	503	510	517	
596	525	532	539	546	554	561	568	576	583	590	
597	597	605	612	619	627	634	641	648	656	663	
598	670	677	685	692	699	706	714	721	728	735	
599	743	750	757	764	772	779	786	793	801	808	
600	815	822	830	837	844	851	859	866	873	880	
N	L 0	1	2	3	4	5	6	7	8	9	P P

5460″	=1° 31′	S	4 68 552	T	4 68 568	5760″	=1° 36′	S	4 68 552	T	4 68 569
5520	=1 32		4 68 552		4 68 568	5820	=1 37		4 68 552		4 68 569
5580	=1 33		4 68 552		4 68 568	5880	=1 38		4 68 552		4 68 569
5640	=1 34		4 68 552		4 68 568	5940	=1 39		4 68 551		4 68 569
5700	=1 35		4 68 552		4 68 569	6000	=1 40		4 68 551		4 68 570

600—650

N	L 0	1	2	3	4	5	6	7	8	9	P P
600	77 815	822	830	837	844	851	859	866	873	880	
601	887	895	902	909	916	924	931	938	945	952	
602	960	967	974	981	988	996	*003	*010	*017	*025	
603	78 032	039	046	053	061	068	075	082	089	097	
604	104	111	118	125	132	140	147	154	161	168	
605	176	183	190	197	204	211	219	226	233	240	
606	247	254	262	269	276	283	290	297	305	312	8
607	319	326	333	340	347	355	362	369	376	383	1 0.8
608	390	398	405	412	419	426	433	440	447	455	2 1.6
609	462	469	476	483	490	497	504	512	519	526	3 2.4
610	533	540	547	554	561	569	576	583	590	597	4 3.2
611	604	611	618	625	633	640	647	654	661	668	5 4.0
612	675	682	689	696	704	711	718	725	732	739	6 4.8
613	746	753	760	767	774	781	789	796	803	810	7 5.6
614	817	824	831	838	845	852	859	866	873	880	8 6.4
615	888	895	902	909	916	923	930	937	944	951	9 7.2
616	958	965	972	979	986	993	*000	*007	*014	*021	
617	79 029	036	043	050	057	064	071	078	085	092	
618	099	106	113	120	127	134	141	148	155	162	
619	169	176	183	190	197	204	211	218	225	232	
620	239	246	253	260	267	274	281	288	295	302	
621	309	316	323	330	337	344	351	358	365	372	
622	379	386	393	400	407	414	421	428	435	442	7
623	449	456	463	470	477	484	491	498	505	511	1 0.7
624	518	525	532	539	546	553	560	567	574	581	2 1.4
625	588	595	602	609	616	623	630	637	644	650	3 2.1
626	657	664	671	678	685	692	699	706	713	720	4 2.8
627	727	734	741	748	754	761	768	775	782	789	5 3.5
628	796	803	810	817	824	831	837	844	851	858	6 4.2
629	865	872	879	886	893	900	906	913	920	927	7 4.9
630	934	941	948	955	962	969	975	982	989	996	8 5.6
631	80 003	010	017	024	030	037	044	051	058	065	9 6.3
632	072	079	085	092	099	106	113	120	127	134	
633	140	147	154	161	168	175	182	188	195	202	
634	209	216	223	229	236	243	250	257	264	271	
635	277	284	291	298	305	312	318	325	332	339	
636	346	353	359	366	373	380	387	393	400	407	
637	414	421	428	434	441	448	455	462	468	475	6
638	482	489	496	502	509	516	523	530	536	543	1 0.6
639	550	557	564	570	577	584	591	598	604	611	2 1.2
640	618	625	632	638	645	652	659	665	672	679	3 1.8
641	686	693	699	706	713	720	726	733	740	747	4 2.4
642	754	760	767	774	781	787	794	801	808	814	5 3 0
643	821	828	835	841	848	855	862	868	875	882	6 3.6
644	889	895	902	909	916	922	929	936	943	949	7 4.2
645	956	963	969	976	983	990	996	*003	*010	*017	8 4.8
646	81 023	030	037	043	050	057	064	070	077	084	9 5.4
647	090	097	104	111	117	124	131	137	144	151	
648	158	164	171	178	184	191	198	204	211	218	
649	224	231	238	245	251	258	265	271	278	285	
650	291	298	305	311	318	325	331	338	345	351	

N	L 0	1	2	3	4	5	6	7	8	9	P P

6000"	= 1° 40	S	4.68 551	T	4.68 570	6300"	= 1° 45	S	4.68 551	T	4.68 571
6060	= 1 41		4.68 551		4.68 570	6360	= 1 46		4.68 551		4.68 571
6120	= 1 42		4.68 551		4.68 570	6420	= 1 47		4.68 550		4.68 572
6180	= 1 43		4.68 551		4.68 570	6480	= 1 48		4.68 550		4.68 572
6240	= 1 44		4.68 551		4.68 571	6540	= 1 49		4.68 550		4.68 572

650—700

N	L 0	1	2	3	4	5	6	7	8	9	P P
650	81 291	298	305	311	318	325	331	338	345	351	
651	358	365	371	378	385	391	398	405	411	418	
652	425	431	438	445	451	458	465	471	478	485	
653	491	498	505	511	518	525	531	538	544	551	
654	558	564	571	578	584	591	598	604	611	617	
655	624	631	637	644	651	657	664	671	677	684	
656	690	697	704	710	717	723	730	737	743	750	
657	757	763	770	776	783	790	796	803	809	816	
658	823	829	836	842	849	856	862	869	875	882	
659	889	895	902	908	915	921	928	935	941	948	
660	954	961	968	974	981	987	994	*000	*007	*014	
661	82 020	027	033	040	046	053	060	066	073	079	
662	086	092	099	105	112	119	125	132	138	145	7
663	151	158	164	171	178	184	191	197	204	210	1 | 0.7
664	217	223	230	236	243	249	256	263	269	276	2 | 1.4
665	282	289	295	302	308	315	321	328	334	341	3 | 2.1
666	347	354	360	367	373	380	387	393	400	406	4 | 2.8
667	413	419	426	432	439	445	452	458	465	471	5 | 3.5
668	478	484	491	497	504	510	517	523	530	536	6 | 4.2
669	543	549	556	562	569	575	582	588	595	601	7 | 4.9
670	607	614	620	627	633	640	646	653	659	666	8 | 5.6
671	672	679	685	692	698	705	711	718	724	730	9 | 6.3
672	737	743	750	756	763	769	776	782	789	795	
673	802	808	814	821	827	834	840	847	853	860	
674	866	872	879	885	892	898	905	911	918	924	
675	930	937	943	950	956	963	969	975	982	988	
676	995	*001	*008	*014	*020	*027	*033	*040	*046	*052	
677	83 059	065	072	078	085	091	097	104	110	117	
678	123	129	136	142	149	155	161	168	174	181	
679	187	193	200	206	213	219	225	232	238	245	
680	251	257	264	270	276	283	289	296	302	308	
681	315	321	327	334	340	347	353	359	366	372	6
682	378	385	391	398	404	410	417	423	429	436	1 | 0.6
683	442	448	455	461	467	474	480	487	493	499	2 | 1.2
684	506	512	518	525	531	537	544	550	556	563	3 | 1.8
685	569	575	582	588	594	601	607	613	620	626	4 | 2.4
686	632	639	645	651	658	664	670	677	683	689	5 | 3.0
687	696	702	708	715	721	727	734	740	746	753	6 | 3.6
688	759	765	771	778	784	790	797	803	809	816	7 | 4.2
689	822	828	835	841	847	853	860	866	872	879	8 | 4.8
690	885	891	897	904	910	916	923	929	935	942	9 | 5.4
691	948	954	960	967	973	979	985	992	998	*004	
692	84 011	017	023	029	036	042	048	055	061	067	
693	073	080	086	092	098	105	111	117	123	130	
694	136	142	148	155	161	167	173	180	186	192	
695	198	205	211	217	223	230	236	242	248	255	
696	261	267	273	280	286	292	298	305	311	317	
697	323	330	336	342	348	354	361	367	373	379	
698	386	392	398	404	410	417	423	429	435	442	
699	448	454	460	466	473	479	485	491	497	504	
700	510	516	522	528	535	541	547	553	559	566	
N	L 0	1	2	3	4	5	6	7	8	9	P P

6480″	=1° 48′	S	4. 68 550	T	4. 68 572	6780″	=1° 53′	S	4. 68 550	T	4. 68 573
6540	=1 49		4. 68 550		4. 68 572	6840	=1 54		4. 68 550		4. 68 573
6600	=1 50		4. 68 550		4. 68 572	6900	=1 55		4. 68 549		4. 68 574
6660	=1 51		4. 68 550		4. 68 573	6960	=1 56		4. 68 549		4. 68 574
6720	=1 52		4. 68 550		4. 68 573	7020	=1 57		4. 68 549		4. 68 574

700—750

N	L 0	1	2	3	4	5	6	7	8	9	P P
700	84 510	516	522	528	533	541	547	553	559	566	
701	572	578	584	590	597	603	609	615	621	628	
702	634	640	646	652	658	665	671	677	683	689	
703	696	702	708	714	720	726	733	739	745	751	
704	757	763	770	776	782	788	794	800	807	813	
705	819	825	831	837	844	850	856	862	868	874	
706	880	887	893	899	905	911	917	924	930	936	
707	942	948	954	960	967	973	979	985	991	997	7
708	85 003	009	016	022	028	034	040	046	052	058	1 0.7
709	065	071	077	083	089	095	101	107	114	120	2 1.4
710	126	132	138	144	150	156	163	169	175	181	3 2.1
711	187	193	199	205	211	217	224	230	236	242	4 2.8
712	248	254	260	266	272	278	285	291	297	303	5 3.5
713	309	315	321	327	333	339	345	352	358	364	6 4.2
714	370	376	382	388	394	400	406	412	418	425	7 4.9
715	431	437	443	449	455	461	467	473	479	485	8 5.6
716	491	497	503	509	516	522	528	534	540	546	9 6.3
717	552	558	564	570	576	582	588	594	600	606	
718	612	618	625	631	637	643	649	655	661	667	
719	673	679	685	691	697	703	709	715	721	727	
720	733	739	745	751	757	763	769	775	781	788	
721	794	800	806	812	818	824	830	836	842	848	6
722	854	860	866	872	878	884	890	896	902	908	1 0.6
723	914	920	926	932	938	944	950	956	962	968	2 1.2
724	974	980	986	992	998	*004	*010	*016	*022	*028	3 1.8
725	86 034	040	046	052	058	064	070	076	082	088	4 2.4
726	094	100	106	112	118	124	130	136	141	147	5 3.0
727	153	159	165	171	177	183	189	195	201	207	6 3.6
728	213	219	225	231	237	243	249	255	261	267	7 4.2
729	273	279	285	291	297	303	308	314	320	326	8 4.8
730	332	338	344	350	356	362	368	374	380	386	9 5.4
731	392	398	404	410	415	421	427	433	439	445	
732	451	457	463	469	475	481	487	493	499	504	
733	510	516	522	528	534	540	546	552	558	564	
734	570	576	581	587	593	599	605	611	617	623	
735	629	635	641	646	652	658	664	670	676	682	
736	688	694	700	705	711	717	723	729	735	741	5
737	747	753	759	764	770	776	782	788	794	800	1 0.5
738	806	812	817	823	829	835	841	847	853	859	2 1.0
739	864	870	876	882	888	894	900	906	911	917	3 1.5
740	923	929	935	941	947	953	958	964	970	976	4 2.0
741	982	988	994	999	*005	*011	*017	*023	*029	*035	5 2.5
742	87 040	046	052	058	064	070	075	081	087	093	6 3.0
743	099	105	111	116	122	128	134	140	146	151	7 3.5
744	157	163	169	175	181	186	192	198	204	210	8 4.0
745	216	221	227	233	239	245	251	256	262	268	9 4.5
746	274	280	286	291	297	303	309	315	320	326	
747	332	338	344	349	355	361	367	373	379	384	
748	390	396	402	408	413	419	425	431	437	442	
749	448	454	460	466	471	477	483	489	495	500	
750	506	512	518	523	529	535	541	547	552	558	

N	L 0	1	2	3	4	5	6	7	8	9	P P

6960″ = 1° 56′	S	4.68 549	T	4.68 574	7260″ = 2° 1′	S	4.68 549	T	4.68 575
7020 = 1 57		4.68 549		4.68 574	7320 = 2 2		4.68 548		4.68 576
7080 = 1 58		4.68 549		4.68 575	7380 = 2 3		4.68 548		4.68 576
7140 = 1 59		4.68 549		4.68 575	7440 = 2 4		4.68 548		4.68 576
7200 = 2 0		4.68 549		4.68 575	7500 = 2 5		4.68 548		4.68 577

750—800

N	L 0	1	2	3	4	5	6	7	8	9	P P
750	87 506	512	518	523	529	535	541	547	552	558	
751	564	570	576	581	587	593	599	604	610	616	
752	622	628	633	639	645	651	656	662	668	674	
753	679	685	691	697	703	708	714	720	726	731	
754	737	743	749	754	760	766	772	777	783	789	
755	795	800	806	812	818	823	829	835	841	846	
756	852	858	864	869	875	881	887	892	898	904	
757	910	915	921	927	933	938	944	950	955	961	
758	967	973	978	984	990	996	*001	*007	*013	*018	
759	88 024	030	036	041	047	053	058	064	070	076	
760	081	087	093	098	104	110	116	121	127	133	
761	138	144	150	156	161	167	173	178	184	190	
762	195	201	207	213	218	224	230	235	241	247	
763	252	258	264	270	275	281	287	292	298	304	
764	309	315	321	326	332	338	343	349	355	360	
765	366	372	377	383	389	395	400	406	412	417	
766	423	429	434	440	446	451	457	463	468	474	
767	480	485	491	497	502	508	513	519	525	530	
768	536	542	547	553	559	564	570	576	581	587	
769	593	598	604	610	615	621	627	632	638	643	
770	649	655	660	666	672	677	683	689	694	700	
771	705	711	717	722	728	734	739	745	750	756	
772	762	767	773	779	784	790	795	801	807	812	
773	818	824	829	835	840	846	852	857	863	868	
774	874	880	885	891	897	902	908	913	919	925	
775	930	936	941	947	953	958	964	969	975	981	
776	986	992	997	*003	*009	*014	*020	*025	*031	*037	
777	89 042	048	053	059	064	070	076	081	087	092	
778	098	104	109	115	120	126	131	137	143	148	
779	154	159	165	170	176	182	187	193	198	204	
780	209	215	221	226	232	237	243	248	254	260	
781	265	271	276	282	287	293	298	304	310	315	
782	321	326	332	337	343	348	354	360	365	371	
783	376	382	387	393	398	404	409	415	421	426	
784	432	437	443	448	454	459	465	470	476	481	
785	487	492	498	504	509	515	520	526	531	537	
786	542	548	553	559	564	570	575	581	586	592	
787	597	603	609	614	620	625	631	636	642	647	
788	653	658	664	669	675	680	686	691	697	702	
789	708	713	719	724	730	735	741	746	752	757	
790	763	768	774	779	785	790	796	801	807	812	
791	818	823	829	834	840	845	851	856	862	867	
792	873	878	883	889	894	900	905	911	916	922	
793	927	933	938	944	949	955	960	966	971	977	
794	982	988	993	998	*004	*009	*015	*020	*026	*031	
795	90 037	042	048	053	059	064	069	075	080	086	
796	091	097	102	108	113	119	124	129	135	140	
797	146	151	157	162	168	173	179	184	189	195	
798	200	206	211	217	222	227	233	238	244	249	
799	255	260	266	271	276	282	287	293	298	304	
800	309	314	320	325	331	336	342	347	352	358	

	6
1	0.6
2	1.2
3	1.8
4	2.4
5	3.0
6	3.6
7	4.2
8	4.8
9	5.4

	5
1	0.5
2	1.0
3	1.5
4	2.0
5	2.5
6	3.0
7	3.5
8	4.0
9	4.5

N	L 0	1	2	3	4	5	6	7	8	9	P P

7500″ = 2° 5′	S	4.68 548	T	4.68 577	7800″ = 2° 10′	S	4.68 547	T	4.68 578		
7560 = 2 6		4.68 548		4.68 577	7860 = 2 11		4.68 547		4.68 579		
7620 = 2 7		4.68 548		4.68 577	7920 = 2 12		4.68 547		4.68 579		
7680 = 2 8		4.68 547		4.68 578	7980 = 2 13		4.68 547		4.68 579		
7740 = 2 9		4.68 547		4.68 578	8040 = 2 14		4.68 546		4.68 579		

N	L 0	1	2	3	4	5	6	7	8	9	P P
800	90 309	314	320	325	331	336	342	347	352	358	
801	363	369	374	380	385	390	396	401	407	412	
802	417	423	428	434	439	445	450	455	461	466	
803	472	477	482	488	493	499	504	509	515	520	
804	526	531	536	542	547	553	558	563	569	574	
805	580	585	590	596	601	607	612	617	623	628	
806	634	639	644	650	655	660	666	671	677	682	
807	687	693	698	703	709	714	720	725	730	736	
808	741	747	752	757	763	768	773	779	784	789	
809	795	800	806	811	816	822	827	832	838	843	
810	849	854	859	865	870	875	881	886	891	897	
811	902	907	913	918	924	929	934	940	945	950	
812	956	961	966	972	977	982	988	993	998	*004	6
813	91 009	014	020	025	030	036	041	046	052	057	1 0.6
814	062	068	073	078	084	089	094	100	105	110	2 1.2
815	116	121	126	132	137	142	148	153	158	164	3 1.8
816	169	174	180	185	190	196	201	206	212	217	4 2.4
817	222	228	233	238	243	249	254	259	265	270	5 3.0
818	275	281	286	291	297	302	307	312	318	323	6 3.6
819	328	334	339	344	350	355	360	365	371	376	7 4.2
820	381	387	392	397	403	408	413	418	424	429	8 4.8
821	434	440	445	450	455	461	466	471	477	482	9 5.4
822	487	492	498	503	508	514	519	524	529	535	
823	540	545	551	556	561	566	572	577	582	587	
824	593	598	603	609	614	619	624	630	635	640	
825	645	651	656	661	666	672	677	682	687	693	
826	698	703	709	714	719	724	730	735	740	745	
827	751	756	761	766	772	777	782	787	793	798	
828	803	808	814	819	824	829	834	840	845	850	
829	855	861	866	871	876	882	887	892	897	903	
830	908	913	918	924	929	934	939	944	950	955	
831	960	965	971	976	981	986	991	997	*002	*007	5
832	92 012	018	023	028	033	038	044	049	054	059	1 0.5
833	065	070	075	080	085	091	096	101	106	111	2 1.0
834	117	122	127	132	137	143	148	153	158	163	3 1.5
835	169	174	179	184	189	195	200	205	210	215	4 2.0
836	221	226	231	236	241	247	252	257	262	267	5 2.5
837	273	278	283	288	293	298	304	309	314	319	6 3.0
838	324	330	335	340	345	350	355	361	366	371	7 3.5
839	376	381	387	392	397	402	407	412	418	423	8 4.0
840	428	433	438	443	449	454	459	464	469	474	9 4.5
841	480	485	490	495	500	505	511	516	521	526	
842	531	536	542	547	552	557	562	567	572	578	
843	583	588	593	598	603	609	614	619	624	629	
844	634	639	645	650	655	660	665	670	675	681	
845	686	691	696	701	706	711	716	722	727	732	
846	737	742	747	752	758	763	768	773	778	783	
847	788	793	799	804	809	814	819	824	829	834	
848	840	845	850	855	860	865	870	875	881	886	
849	891	896	901	906	911	916	921	927	932	937	
850	942	947	952	957	962	967	973	978	983	988	
N	L 0	1	2	3	4	5	6	7	8	9	P P

7980″	=2° 13′	S	4.68 547	T	4.68 579	8280″	=2° 18′	S	4.68 546	T	4.68 581
8040	=2 14		4.68 546		4.68 579	8340	=2 19		4.68 546		4.68 581
8100	=2 15		4.68 546		4.68 580	8400	=2 20		4.68 545		4.68 582
8160	=2 16		4.68 546		4.68 580	8460	=2 21		4.68 545		4.68 582
8220	=2 17		4.68 546		4.68 580	8520	=2 22		4.68 545		4.68 582

850—900

N	L 0	1	2	3	4	5	6	7	8	9	P P
850	92 942	947	952	957	962	967	973	978	983	988	
851	993	998	*003	*008	*013	*018	*024	*029	*034	*039	
852	93 044	049	054	059	064	069	075	080	085	090	
853	095	100	105	110	115	120	125	131	136	141	
854	146	151	156	161	166	171	176	181	186	192	
855	197	202	207	212	217	222	227	232	237	242	
856	247	252	258	263	268	273	278	283	288	293	
857	298	303	308	313	318	323	328	334	339	344	6
858	349	354	359	364	369	374	379	384	389	394	1 0.6
859	399	404	409	414	420	425	430	435	440	445	2 1.2
860	450	455	460	465	470	475	480	485	490	495	3 1.8
861	500	505	510	515	520	526	531	536	541	546	4 2.4
862	551	556	561	566	571	576	581	586	591	596	5 3.0
863	601	606	611	616	621	626	631	636	641	646	6 3.6
864	651	656	661	666	671	676	682	687	692	697	7 4.2
865	702	707	712	717	722	727	732	737	742	747	8 4.8
866	752	757	762	767	772	777	782	787	792	797	9 5.4
867	802	807	812	817	822	827	832	837	842	847	
868	852	857	862	867	872	877	882	887	892	897	
869	902	907	912	917	922	927	932	937	942	947	
870	952	957	962	967	972	977	982	987	992	997	
871	94 002	007	012	017	022	027	032	037	042	047	5
872	052	057	062	067	072	077	082	086	091	096	1 0.5
873	101	106	111	116	121	126	131	136	141	146	2 1.0
874	151	156	161	166	171	176	181	186	191	196	3 1.5
875	201	206	211	216	221	226	231	236	240	245	4 2.0
876	250	255	260	265	270	275	280	285	290	295	5 2.5
877	300	305	310	315	320	325	330	335	340	345	6 3.0
878	349	354	359	364	369	374	379	384	389	394	7 3.5
879	399	404	409	414	419	424	429	433	438	443	8 4.0
880	448	453	458	463	468	473	478	483	488	493	9 4.5
881	498	503	507	512	517	522	527	532	537	542	
882	547	552	557	562	567	571	576	581	586	591	
883	596	601	606	611	616	621	626	630	635	640	
884	645	650	655	660	665	670	675	680	685	689	
885	694	699	704	709	714	719	724	729	734	738	
886	743	748	753	758	763	768	773	778	783	787	
887	792	797	802	807	812	817	822	827	832	836	4
888	841	846	851	856	861	866	871	876	880	885	1 0.4
889	890	895	900	905	910	915	919	924	929	934	2 0.8
890	939	944	949	954	959	963	968	973	978	983	3 1.2
891	988	993	998	*002	*007	*012	*017	*022	*027	*032	4 1.6
892	95 036	041	046	051	056	061	066	071	075	080	5 2.0
893	085	090	095	100	105	109	114	119	124	129	6 2.4
894	134	139	143	148	153	158	163	168	173	177	7 2.8
895	182	187	192	197	202	207	211	216	221	226	8 3.2
896	231	236	240	245	250	255	260	265	270	274	9 3.6
897	279	284	289	294	299	303	308	313	318	323	
898	328	332	337	342	347	352	357	361	366	371	
899	376	381	386	390	395	400	405	410	415	419	
900	424	429	434	439	444	448	453	458	463	468	

N	L 0	1	2	3	4	5	6	7	8	9	P P

8460″	= 2° 21′	S 4.68 545	T 4.68 582		8760″	= 2° 26′	S 4.68 544	T 4.68 584
8520	= 2 22	4.68 545	4.68 582		8820	= 2 27	4.68 544	4.68 584
8580	= 2 23	4.68 545	4.68 583		8880	= 2 28	4.68 544	4.68 584
8640	= 2 24	4.68 545	4.68 583		8940	= 2 29	4.68 544	4.68 585
8700	= 2 25	4.68 545	4.68 583		9000	= 2 30	4.68 544	4.68 585

900—950

N	L 0	1	2	3	4	5	6	7	8	9	P P
900	95 424	429	434	439	444	448	453	458	463	468	
901	472	477	482	487	492	497	501	506	511	516	
902	521	525	530	535	540	545	550	554	559	564	
903	569	574	578	583	588	593	598	602	607	612	
904	617	622	626	631	636	641	646	650	655	660	
905	665	670	674	679	684	689	694	698	703	708	
906	713	718	722	727	732	737	742	746	751	756	
907	761	766	770	775	780	785	789	794	799	804	
908	809	813	818	823	828	832	837	842	847	852	
909	856	861	866	871	875	880	885	890	895	899	
910	904	909	914	918	923	928	933	938	942	947	
911	952	957	961	966	971	976	980	985	990	995	
912	999	*004	*009	*014	*019	*023	*028	*033	*038	*042	
913	96 047	052	057	061	066	071	076	080	085	090	
914	095	099	104	109	114	118	123	128	133	137	
915	142	147	152	156	161	166	171	175	180	185	
916	190	194	199	204	209	213	218	223	227	232	
917	237	242	246	251	256	261	265	270	275	280	
918	284	289	294	298	303	308	313	317	322	327	
919	332	336	341	346	350	355	360	365	369	374	
920	379	384	388	393	398	402	407	412	417	421	
921	426	431	435	440	445	450	454	459	464	468	
922	473	478	483	487	492	497	501	506	511	515	
923	520	525	530	534	539	544	548	553	558	562	
924	567	572	577	581	586	591	595	600	605	609	
925	614	619	624	628	633	638	642	647	652	656	
926	661	666	670	675	680	685	689	694	699	703	
927	708	713	717	722	727	731	736	741	745	750	
928	755	759	764	769	774	778	783	788	792	797	
929	802	806	811	816	820	825	830	834	839	844	
930	848	853	858	862	867	872	876	881	886	890	
931	895	900	904	909	914	918	923	928	932	937	
932	942	946	951	956	960	965	970	974	979	984	
933	988	993	997	*002	*007	*011	*016	*021	*025	*030	
934	97 035	039	044	049	053	058	063	067	072	077	
935	081	086	090	095	100	104	109	114	118	123	
936	128	132	137	142	146	151	155	160	165	169	
937	174	179	183	188	192	197	202	206	211	216	
938	220	225	230	234	239	243	248	253	257	262	
939	267	271	276	280	285	290	294	299	304	308	
940	313	317	322	327	331	336	340	345	350	354	
941	359	364	368	373	377	382	387	391	396	400	
942	405	410	414	419	424	428	433	437	442	447	
943	451	456	460	465	470	474	479	483	488	493	
944	497	502	506	511	516	520	525	529	534	539	
945	543	548	552	557	562	566	571	575	580	585	
946	589	594	598	603	607	612	617	621	626	630	
947	635	640	644	649	653	658	663	667	672	676	
948	681	685	690	695	699	704	708	713	717	722	
949	727	731	736	740	745	749	754	759	763	768	
950	772	777	782	786	791	795	800	804	809	813	

N	L 0	1	2	3	4	5	6	7	8	9	P P

P P	
	5
1	0.5
2	1.0
3	1.5
4	2.0
5	2.5
6	3.0
7	3.5
8	4.0
9	4.5

P P	
	4
1	0.4
2	0.8
3	1.2
4	1.6
5	2.0
6	2.4
7	2.8
8	3.2
9	3.6

9000′	=2° 30′	S	4.68 544	T	4.68 585	9300″	=2° 35′	S	4.68 543	T	4.68 587
9060	=2 31		4.68 544		4.68 585	9360	=2 36		4.68 543		4.68 587
9120	=2 32		4.68 543		4.68 586	9420	=2 37		4.68 542		4.68 588
9180	=2 33		4.68 543		4.68 586	9480	=2 38		4.68 542		4.68 588
9240	=2 34		4.68 543		4.68 587	9540	=2 39		4.68 542		4.68 588

950—1000

N	L 0	1	2	3	4	5	6	7	8	9
950	97 772	777	782	786	791	795	800	804	809	813
951	818	823	827	832	836	841	845	850	855	859
952	864	868	873	877	882	886	891	896	900	905
953	909	914	918	923	928	932	937	941	946	950
954	955	959	964	968	973	978	982	987	991	996
955	98 000	005	009	014	019	023	028	032	037	041
956	046	050	055	059	064	068	073	078	082	087
957	091	096	100	105	109	114	118	123	127	132
958	137	141	146	150	155	159	164	168	173	177
959	182	186	191	195	200	204	209	214	218	223
960	227	232	236	241	245	250	254	259	263	268
961	272	277	281	286	290	295	299	304	308	313
962	318	322	327	331	336	340	345	349	354	358
963	363	367	372	376	381	385	390	394	399	403
964	408	412	417	421	426	430	435	439	444	448
965	453	457	462	466	471	475	480	484	489	493
966	498	502	507	511	516	520	525	529	534	538
967	543	547	552	556	561	565	570	574	579	583
968	588	592	597	601	605	610	614	619	623	628
969	632	637	641	646	650	655	659	664	668	673
970	677	682	686	691	695	700	704	709	713	717
971	722	726	731	735	740	744	749	753	758	762
972	767	771	776	780	784	789	793	798	802	807
973	811	816	820	825	829	834	838	843	847	851
974	856	860	865	869	874	878	883	887	892	896
975	900	905	909	914	918	923	927	932	936	941
976	945	949	954	958	963	967	972	976	981	985
977	989	994	998	*003	*007	*012	*016	*021	*025	*029
978	99 034	038	043	047	052	056	061	065	069	074
979	078	083	087	092	096	100	105	109	114	118
980	123	127	131	136	140	145	149	154	158	162
981	167	171	176	180	185	189	193	198	202	207
982	211	216	220	224	229	233	238	242	247	251
983	255	260	264	269	273	277	282	286	291	295
984	300	304	308	313	317	322	326	330	335	339
985	344	348	352	357	361	366	370	374	379	383
986	388	392	396	401	405	410	414	419	423	427
987	432	436	441	445	449	454	458	463	467	471
988	476	480	484	489	493	498	502	506	511	515
989	520	524	528	533	537	542	546	550	555	559
990	564	568	572	577	581	585	590	594	599	603
991	607	612	616	621	625	629	634	638	642	647
992	651	656	660	664	669	673	677	682	686	691
993	695	699	704	708	712	717	721	726	730	734
994	739	743	747	752	756	760	765	769	774	778
995	782	787	791	795	800	804	808	813	817	822
996	826	830	835	839	843	848	852	856	861	865
997	870	874	878	883	887	891	896	900	904	909
998	913	917	922	926	930	935	939	944	948	952
999	957	961	965	970	974	978	983	987	991	996
1000	00 000	004	009	013	017	022	026	030	035	039

N	L 0	1	2	3	4	5	6	7	8	9

P P	
5	
1	0.5
2	1.0
3	1.5
4	2.0
5	2.5
6	3.0
7	3.5
8	4.0
9	4.5

P P	
4	
1	0.4
2	0.8
3	1.2
4	1.6
5	2.0
6	2.4
7	2.8
8	3.2
9	3.6

9480″	=2° 38′	S	4. 68 542	T	4. 68 588	9780″	=2° 43′	S	4. 68 541	T	4. 68 590
9540	=2 39		4. 68 542		4. 68 588	9840	=2 44		4. 68 541		4. 68 590
9600	=2 40		4. 68 542		4. 68 589	9900	=2 45		4. 68 541		4. 68 591
9660	=2 41		4. 68 542		4. 68 589	9960	=2 46		4. 68 541		4. 68 591
9720	=2 42		4. 68 541		4. 68 590	10020	=2 47		4. 68 540		4. 68 592

THE NATURAL LOGARITHMS

OF

WHOLE NUMBERS FROM 1 TO 200.

Common logarithms may be converted into natural logarithms by multiplying them by 2.3025850930.

Natural logarithms may be converted into common logarithms by multiplying them by 0.4342944819.

N	Nat Log	N	Nat Log	N	Nat Log	N	Nat Log	N	Nat Log
0	$-\infty$	40	3.68 888	80	4.38 203	120	4.78 749	160	5.07 517
1	0.00 000	41	3.71 357	81	4.39 445	121	4.79 579	161	5.08 140
2	0.69 315	42	3.73 767	82	4.40 672	122	4.80 402	162	5.08 760
3	1.09 861	43	3.76 120	83	4.41 884	123	4.81 218	163	5.09 375
4	1.38 629	44	3.78 419	84	4.43 082	124	4.82 028	164	5.09 987
5	1.60 944	45	3.80 666	85	4.44 265	125	4.82 831	165	5.10 595
6	1.79 176	46	3.82 864	86	4.45 435	126	4.83 628	166	5.11 199
7	1.94 591	47	3.85 015	87	4.46 591	127	4.84 419	167	5.11 799
8	2.07 944	48	3.87 120	88	4.47 734	128	4.85 203	168	5.12 396
9	2.19 722	49	3.89 182	89	4.48 864	129	4.85 981	169	5.12 990
10	2.30 259	50	3.91 202	90	4.49 981	130	4.86 753	170	5.13 580
11	2.39 790	51	3.93 183	91	4.51 086	131	4.87 520	171	5.14 166
12	2.48 491	52	3.95 124	92	4.52 179	132	4.88 280	172	5.14 749
3	2.56 495	53	3.97 029	93	4.53 260	133	4.89 035	173	5.15 329
14	2.63 906	54	3.98 898	94	4.54 329	134	4.89 784	174	5.15 906
15	2.70 805	55	4.00 733	95	4.55 388	135	4.90 527	175	5.16 479
16	2.77 259	56	4.02 535	96	4.56 435	136	4.91 265	176	5.17 048
17	2.83 321	57	4.04 305	97	4.57 471	137	4.91 998	177	5.17 615
18	2.89 037	58	4.06 044	98	4.58 497	138	4.92 725	178	5.18 178
19	2.94 444	59	4.07 754	99	4.59 512	139	4.93 447	179	5.18 739
20	2.99 573	60	4.09 434	100	4.60 517	140	4.94 164	180	5.19 296
21	3.04 452	61	4.11 087	101	4.61 512	141	4.94 876	181	5.19 850
22	3.09 104	62	4.12 713	102	4.62 497	142	4.95 583	182	5.20 401
23	3.13 549	63	4.14 313	103	4.63 473	143	4.96 284	183	5.20 949
24	3.17 805	64	4.15 888	104	4.64 439	144	4.96 981	184	5.21 494
25	3.21 888	65	4.17 439	105	4.65 396	145	4.97 673	185	5.22 036
26	3.25 810	66	4.18 965	106	4.66 344	146	4.98 361	186	5.22 575
27	3.29 584	67	4.20 469	107	4.67 283	147	4.99 043	187	5.23 111
28	3.33 220	68	4.21 951	108	4.68 213	148	4.99 721	188	5.23 644
29	3.36 730	69	4.23 411	109	4.69 135	149	5.00 395	189	5.24 175
30	3.40 120	70	4.24 850	110	4.70 048	150	5.01 064	190	5.24 702
31	3.43 399	71	4.26 268	111	4.70 953	151	5.01 728	191	5.25 227
32	3.46 574	72	4.27 667	112	4.71 850	152	5.02 388	192	5.25 750
33	3.49 651	73	4.29 046	113	4.72 739	153	5.03 044	193	5.26 269
34	3.52 636	74	4.30 407	114	4.73 620	154	5.03 695	194	5.26 786
35	3.55 535	75	4.31 749	115	4.74 493	155	5.04 343	195	5.27 300
36	3.58 352	76	4.33 073	116	4.75 359	156	5.04 986	196	5.27 811
37	3.61 092	77	4.34 381	117	4.76 217	157	5.05 625	197	5.28 320
38	3.63 759	78	4.35 671	118	4.77 068	158	5.06 260	198	5.28 827
39	3.66 356	79	4.36 945	119	4.77 912	159	5.06 890	199	5.29 330
40	3.68 888	80	4.38 203	120	4.78 749	160	5.07 517	200	5.29 832

TABLE OF THE LOGARITHMS

OF THE

TRIGONOMETRIC FUNCTIONS

FROM 0° TO 1° AND 89° TO 90° FOR EVERY SECOND,

AND

FROM 1° TO 6° AND 84° TO 89° FOR EVERY TEN SECONDS.

L Cos		*90	L Sin				0°		L Tan			180°	*270°
0.00	′ ″	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″	
0000	0	4. —	68557	98660	*16270	*28763	*38454	*46373	*53067	*58866	*63982	*68557	50
000	10	5. 68557	72697	76476	79952	83170	86167	88969	91602	94085	96433	98664	40
000	20	98660	*00779	*02800	*04730	*06579	*08351	*10055	*11694	*13273	*14797	*16270	30
000	30	6. 16270	17694	19072	20409	21705	22964	24188	25378	26536	27664	28763	20
000	40	28763	29836	30882	31904	32903	33879	34833	35767	36682	37577	38454	10
000	50	38454	39315	40158	40985	41797	42594	43376	44145	44900	45643	46373	0 59
0001	0	6.4 6373	7090	7797	8492	9175	9849	*0512	*1165	*1808	*2442	*3067	50
000	10	6.5 3067	3683	4291	4890	5481	6064	6639	7207	7767	8320	8866	40
000	20	8866	9406	9939	*0465	*0985	*1499	*2007	*2509	*3006	*3496	*3982	30
000	30	6.6 3982	4462	4936	5406	5870	6330	6785	7235	7680	8121	8557	20
000	40	8557	8990	9418	9841	*0261	*0676	*1088	*1496	*1900	*2300	*2697	10
000	50	6.7 2697	3090	3479	3865	4248	4627	5003	5376	5746	6112	6476	0 58
0002	0	6476	6836	7193	7548	7900	8248	8595	8938	9278	9616	9952	50
000	10	9952	*0285	*0615	*0943	*1268	*1591	*1911	*2230	*2545	*2859	*3170	40
000	20	6.8 3170	3479	3786	4091	4394	4694	4993	5289	5584	5876	6167	30
000	30	6167	6455	6742	7027	7310	7591	7870	8147	8423	8697	8969	20
000	40	8969	9240	9509	9776	*0042	*0306	*0568	*0829	*1088	*1346	*1602	10
000	50	6.9 1602	1857	2110	2362	2612	2861	3109	3355	3599	3843	4085	0 57
0003	0	4085	4325	4565	4803	5039	5275	5509	5742	5973	6204	6433	50
000	10	6433	6661	6888	7113	7338	7561	7783	8004	8224	8443	8660	40
000	20	8660	8877	9093	9307	9520	9733	9944	*0155	*0364	*0572	*0779	30
000	30	7.0 0779	0986	1191	1395	1599	1801	2003	2203	2403	2602	2800	20
000	40	2800	2997	3193	3388	3582	3776	3968	4160	4351	4541	4730	10
000	50	4730	4919	5106	5293	5479	5664	5849	6032	6215	6397	6579	0 56
0004	0	6579	6759	6939	7118	7296	7474	7651	7827	8003	8177	8351	50
000	10	8351	8525	8698	8870	9041	9211	9381	9551	9719	9887	*0055	40
000	20	7.1 0055	0222	0388	0553	0718	0882	1046	1209	1371	1533	1694	30
000	30	1694	1854	2014	2174	2333	2491	2648	2805	2962	3118	3273	20
000	40	3273	3428	3582	3736	3889	4042	4194	4346	4497	4647	4797	10
000	50	4797	4947	5096	5244	5392	5540	5687	5833	5979	6125	6270	0 55
0.00		10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	′ ′
L Sin			L Cos				89°		L Cot			*179°	269° *359°

L Cos — L Sin — 0° — *90° — 180° — *270°

	144	143	142	141	140	139		138	137	136	135	134	133	
1	14.4	14.3	14.2	14.1	14.0	13.9	1	13.8	13.7	13.6	13.5	13.4	13.3	1
2	28.8	28.6	28.4	28.2	28.0	27.8	2	27.6	27.4	27.2	27.0	26.8	26.6	2
3	43.2	42.9	42.6	42.3	42.0	41.7	3	41.4	41.1	40.8	40.5	40.2	39.9	3
4	57.6	57.2	56.8	56.4	56.0	55.6	4	55.2	54.8	54.4	54.0	53.6	53.2	4
5	72.0	71.5	71.0	70.5	70.0	69.5	5	69.0	68.5	68.0	67.5	67.0	66.5	5
6	86.4	85.8	85.2	84.6	84.0	83.4	6	82.8	82.2	81.6	81.0	80.4	79.8	6
7	100.8	100.1	99.4	98.7	98.0	97.3	7	96.6	95.9	95.2	94.5	93.8	93.1	7
8	115.2	114.4	113.6	112.8	112.0	111.2	8	110.4	109.6	108.8	108.0	107.2	106.4	8
9	129.6	128.7	127.8	126.9	126.0	125.1	9	124.2	123.3	122.4	121.5	120.6	119.7	9

	132	131	130	129	128	127		126	125	124	123	122	121	
1	13.2	13.1	13.0	12.9	12.8	12.7	1	12.6	12.5	12.4	12.3	12.2	12.1	1
2	26.4	26.2	26.0	25.8	25.6	25.4	2	25.2	25.0	24.8	24.6	24.4	24.2	2
3	39.6	39.3	39.0	38.7	38.4	38.1	3	37.8	37.5	37.2	36.9	36.6	36.3	3
4	52.8	52.4	52.0	51.6	51.2	50.8	4	50.4	50.0	49.6	49.2	48.8	48.4	4
5	66.0	65.5	65.0	64.5	64.0	63.5	5	63.0	62.5	62.0	61.5	61.0	60.5	5
6	79.2	78.6	78.0	77.4	76.8	76.2	6	75.6	75.0	74.4	73.8	73.2	72.6	6
7	92.4	91.7	91.0	90.3	89.6	88.9	7	88.2	87.5	86.8	86.1	85.4	84.7	7
8	105.6	104.8	104.0	103.2	102.4	101.6	8	100.8	100.0	99.2	98.4	97.6	96.8	8
9	118.8	117.9	117.0	116.1	115.2	114.3	9	113.4	112.5	111.6	110.7	109.8	108.9	9

	120	119	118	117	116	115		114	113	112	111	110	109	
1	12.0	11.9	11.8	11.7	11.6	11.5	1	11.4	11.3	11.2	11.1	11.0	10.9	1
2	24.0	23.8	23.6	23.4	23.2	23.0	2	22.8	22.6	22.4	22.2	22.0	21.8	2
3	36.0	35.7	35.4	35.1	34.8	34.5	3	34.2	33.9	33.6	33.3	33.0	32.7	3
4	48.0	47.6	47.2	46.8	46.4	46.0	4	45.6	45.2	44.8	44.4	44.0	43.6	4
5	60.0	59.5	59.0	58.5	58.0	57.5	5	57.0	56.5	56.0	55.5	55.0	54.5	5
6	72.0	71.4	70.8	70.2	69.6	69.0	6	68.4	67.8	67.2	66.6	66.0	65.4	6
7	84.0	83.3	82.6	81.9	81.2	80.5	7	79.8	79.1	78.4	77.7	77.0	76.3	7
8	96.0	95.2	94.4	93.6	92.8	92.0	8	91.2	90.4	89.6	88.8	88.0	87.2	8
9	108.0	107.1	106.2	105.3	104.4	103.5	9	102.6	101.7	100.8	99.9	99.0	98.1	9

0.00	′	″	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″	
000	5	0	7.1 6270	6414	6558	6702	6845	6987	7130	7271	7413	7553	7694	50
000		10	7694	7834	7973	8112	8250	8389	8526	8663	8800	8937	9072	40
000		20	9072	9208	9343	9478	9612	9746	9879	*0012	*0145	*0277	*0409	30
000		30	7.2 0409	0540	0671	0802	0932	1062	1191	1320	1449	1577	1705	20
000		40	1705	1833	1960	2087	2213	2339	2465	2590	2715	2840	2964	10
000		50	2964	3088	3212	3335	3458	3580	3702	3824	3946	4067	4188	0 54
000	6	0	4188	4308	4428	4548	4668	4787	4906	5024	5142	5260	5378	50
000		10	5378	5495	5612	5728	5845	5961	6076	6192	6307	6421	6536	40
000		20	6536	6650	6764	6877	6991	7104	7216	7329	7441	7552	7664	30
000		30	7664	7775	7886	7997	8107	8217	8327	8437	8546	8655	8763	20
000		40	8763	8872	8980	9088	9196	9303	9410	9517	9623	9730	9836	10
000		50	9836	9942	*0047	*0152	*0257	*0362	*0467	*0571	*0675	*0779	*0882	0 53
000	7	0	7.3 0882	0986	1089	1191	1294	1396	1498	1600	1702	1803	1904	50
000		10	1904	2005	2106	2206	2306	2406	2506	2606	2705	2804	2903	40
000		20	2903	3001	3100	3198	3296	3393	3491	3588	3685	3782	3879	30
000		30	3879	3975	4071	4167	4263	4359	4454	4549	4644	4739	4833	20
000		40	4833	4928	5022	5116	5209	5303	5396	5489	5582	5675	5767	10
000		50	5767	5860	5952	6044	6135	6227	6318	6409	6500	6591	6682	0 52
000	8	0	6682	6772	6862	6952	7042	7132	7221	7310	7399	7488	7577	50
000		10	7577	7666	7754	7842	7930	8018	8106	8193	8280	8367	8454	40
000		20	8454	8541	8628	8714	8800	8887	8972	9058	9144	9229	9314	30
000		30	9314	9400	9484	9569	9654	9738	9822	9906	9990	*0074	*0158	20
000		40	7.4 0158	0241	0324	0408	0491	0573	0656	0739	0821	0903	0985	10
000		50	0985	1067	1149	1230	1312	1393	1474	1555	1636	1716	1797	0 51
000	9	0	1797	1877	1957	2037	2117	2197	2277	2356	2435	2515	2594	50
000		10	2594	2673	2751	2830	2908	2987	3065	3143	3221	3299	3376	40
000		20	3376	3454	3531	3608	3685	3762	3839	3916	3992	4069	4145	30
000		30	4145	4221	4297	4373	4449	4524	4600	4675	4750	4825	4900	20
000		40	4900	4975	5050	5124	5199	5273	5347	5421	5495	5569	5643	10
000		50	5643	5716	5790	5863	5936	6009	6082	6155	6228	6300	6373	0 50
0.00			10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	′ ′

L Sin — *179° — 269° — *359° — 89° — L Cos

L Tan 0° *90° 180° *270°

	108	107	106	105	104	103		102	101	99	98	97	96	
1	10.8	10.7	10.6	10.5	10.4	10.3	1	10.2	10.1	9.9	9.8	9.7	9.6	1
2	21.6	21.4	21.2	21.0	20.8	20.6	2	20.4	20.2	19.8	19.6	19.4	19.2	2
3	32.4	32.1	31.8	31.5	31.2	30.9	3	30.6	30.3	29.7	29.4	29.1	28.8	3
4	43.2	42.8	42.4	42.0	41.6	41.2	4	40.8	40.4	39.6	39.2	38.8	38.4	4
5	54.0	53.5	53.0	52.5	52.0	51.5	5	51.0	50.5	49.5	49.0	48.5	48.0	5
6	64.8	64.2	63.6	63.0	62.4	61.8	6	61.2	60.6	59.4	58.8	58.2	57.6	6
7	75.6	74.9	74.2	73.5	72.8	72.1	7	71.4	70.7	69.3	68.6	67.9	67.2	7
8	86.4	85.6	84.8	84.0	83.2	82.4	8	81.6	80.8	79.2	78.4	77.6	76.8	8
9	97.2	96.3	95.4	94.5	93.6	92.7	9	91.8	90.9	89.1	88.2	87.3	86.4	9

	95	94	93	92	91	90		89	88	87	86	85	84	
1	9.5	9.4	9.3	9.2	9.1	9.0	1	8.9	8.8	8.7	8.6	8.5	8.4	1
2	19.0	18.8	18.6	18.4	18.2	18.0	2	17.8	17.6	17.4	17.2	17.0	16.8	2
3	28.5	28.2	27.9	27.6	27.3	27.0	3	26.7	26.4	26.1	25.8	25.5	25.2	3
4	38.0	37.6	37.2	36.8	36.4	36.0	4	35.6	35.2	34.8	34.4	34.0	33.6	4
5	47.5	47.0	46.5	46.0	45.5	45.0	5	44.5	44.0	43.5	43.0	42.5	42.0	5
6	57.0	56.4	55.8	55.2	54.6	54.0	6	53.4	52.8	52.2	51.6	51.0	50.4	6
7	66.5	65.8	65.1	64.4	63.7	63.0	7	62.3	61.6	60.9	60.2	59.5	58.8	7
8	76.0	75.2	74.4	73.6	72.8	72.0	8	71.2	70.4	69.6	68.8	68.0	67.2	8
9	85.5	84.6	83.7	82.8	81.9	81.0	9	80.1	79.2	78.3	77.4	76.5	75.6	9

	83	82	81	80	79	78		77	76	75	74	73	72	
1	8.3	8.2	8.1	8.0	7.9	7.8	1	7.7	7.6	7.5	7.4	7.3	7.2	1
2	16.6	16.4	16.2	16.0	15.8	15.6	2	15.4	15.2	15.0	14.8	14.6	14.4	2
3	24.9	24.6	24.3	24.0	23.7	23.4	3	23.1	22.8	22.5	22.2	21.9	21.6	3
4	33.2	32.8	32.4	32.0	31.6	31.2	4	30.8	30.4	30.0	29.6	29.2	28.8	4
5	41.5	41.0	40.5	40.0	39.5	39.0	5	38.5	38.0	37.5	37.0	36.5	36.0	5
6	49.8	49.2	48.6	48.0	47.4	46.8	6	46.2	45.6	45.0	44.4	43.8	43.2	6
7	58.1	57.4	56.7	56.0	55.3	54.6	7	53.9	53.2	52.5	51.8	51.1	50.4	7
8	66.4	65.6	64.8	64.0	63.2	62.4	8	61.6	60.8	60.0	59.2	58.4	57.6	8
9	74.7	73.8	72.9	72.0	71.1	70.2	9	69.3	68.4	67.5	66.6	65.7	64.8	9

′	″	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″	
5	0	7.1 6270	6414	6558	6702	6845	6988	7130	7271	7413	7553	7694	50
	10	7694	7834	7973	8112	8250	8389	8526	8663	8800	8937	9073	40
	20	9073	9208	9343	9478	9612	9746	9879	*0012	*0145	*0277	*0409	30
	30	7.2 0409	0540	0671	0802	0932	1062	1191	1321	1449	1577	1705	20
	40	1705	1833	1960	2087	2213	2339	2465	2590	2715	2840	2964	10
	50	2964	3088	3212	3335	3458	3580	3703	3824	3946	4067	4188	0 54
6	0	4188	4308	4428	4548	4668	4787	4906	5024	5142	5260	5378	50
	10	5378	5495	5612	5728	5845	5961	6076	6192	6307	6421	6536	40
	20	6536	6650	6764	6877	6991	7104	7216	7329	7441	7552	7664	30
	30	7664	7775	7886	7997	8107	8217	8327	8437	8546	8655	8764	20
	40	8764	8872	8980	9088	9196	9303	9410	9517	9624	9730	9836	10
	50	9836	9942	*0047	*0153	*0258	*0362	*0467	*0571	*0675	*0779	*0882	0 53
7	0	7.3 0882	0986	1089	1192	1294	1396	1499	1600	1702	1803	1904	50
	10	1904	2005	2106	2206	2307	2406	2505	2606	2705	2804	2903	40
	20	2903	3001	3100	3198	3296	3394	3491	3588	3685	3782	3879	30
	30	3879	3975	4071	4167	4263	4359	4454	4549	4644	4739	4833	20
	40	4833	4928	5022	5116	5209	5303	5396	5489	5582	5675	5767	10
	50	5767	5860	5952	6044	6135	6227	6318	6409	6500	6591	6682	0 52
8	0	6682	6772	6862	6952	7042	7132	7221	7310	7400	7488	7577	50
	10	7577	7666	7754	7842	7930	8018	8106	8193	8281	8368	8455	40
	20	8455	8541	8628	8714	8801	8887	8973	9058	9144	9229	9315	30
	30	9315	9400	9485	9569	9654	9738	9823	9907	9991	*0074	*0158	20
	40	7.4 0158	0241	0325	0408	0491	0574	0656	0739	0821	0903	0985	10
	50	0985	1067	1149	1230	1312	1393	1474	1555	1636	1716	1797	0 51
9	0	1797	1877	1958	2038	2117	2197	2277	2356	2436	2515	2594	50
	10	2594	2673	2751	2830	2909	2987	3065	3143	3221	3299	3376	40
	20	3376	3454	3531	3608	3686	3762	3839	3916	3992	4069	4145	30
	30	4145	4221	4297	4373	4449	4524	4600	4675	4750	4825	4900	20
	40	4900	4975	5050	5124	5199	5273	5347	5421	5495	5569	5643	10
	50	5643	5716	5790	5863	5936	6009	6082	6155	6228	6300	6373	0 50
		10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	′ ′

*179° 269° *359° 89° L Cot

L Cos		L Sin			0°				*90°	180°	*270°		
0.00	′ ″	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″		P P
000	10 0	7.46 373	445	517	589	661	733	805	876	948	*019	*090	50	72
000	10	7.47 090	162	233	303	374	445	515	586	656	726	797	40	1 7.2
000	20	797	867	936	*006	*076	*145	*215	*284	*353	*422	*491	30	2 14.4
000	30	7.48 491	560	629	698	766	835	903	971	*039	*108	*175	20	3 21.6
000	40	7.49 175	243	311	379	446	513	581	648	715	782	849	10	4 28.8 5 36.0
000	50	849	916	982	*049	*115	*182	*248	*314	*380	*446	*512	0 49	6 43.2 7 50.4
000	11 0	7.50 512	578	643	709	774	840	905	970	*035	*100	*165	50	8 57.6 9 64.8
000	10	7.51 165	230	294	359	423	488	552	616	680	744	808	40	70
000	20	808	872	936	999	*063	*126	*190	*253	*316	*379	*442	30	1 7.0
000	30	7.52 442	505	568	631	693	756	818	881	943	*005	*067	20	2 14.0
000	40	7.53 067	129	191	253	315	376	438	499	561	622	683	10	3 21.0 4 28.0
000	50	683	744	805	866	927	988	*049	*109	*170	*230	*291	0 48	5 35.0 6 42.0
000	12 0	7.54 291	351	411	471	531	591	651	711	771	830	890	50	7 49.0
000	10	890	949	*009	*068	*127	*186	*245	*304	*363	*422	*481	40	8 56.0 9 63.0
000	20	7.55 481	539	598	656	715	773	831	889	948	*006	*064	30	68
000	30	7.56 064	121	179	237	295	352	410	467	524	582	639	20	1 6.8
000	40	639	696	753	810	867	924	980	*037	*094	*150	*206	10	2 13.6
000	50	7.57 206	263	319	375	431	488	544	599	655	711	767	0 47	3 20.4 4 27.2
000	13 0	767	822	878	934	989	*044	*100	*155	*210	*265	*320	50	5 34.0
000	10	7.58 320	375	430	485	539	594	649	703	758	812	866	40	6 40.8 7 47.6
000	20	866	921	975	*029	*083	*137	*191	*245	*299	*352	*406	30	8 54.4
000	30	7.59 406	459	513	566	620	673	726	780	833	886	939	20	9 61.2
000	40	939	992	*045	*097	*150	*203	*255	*308	*360	*413	*465	10	66
000	50	7.60 465	517	570	622	674	726	778	830	882	934	985	0 46	1 6.6
000	14 0	985	*037	*089	*140	*192	*243	*294	*346	*397	*448	*499	50	2 13.2
000	10	7.61 499	550	601	652	703	754	805	855	906	957	*007	40	3 19.8 4 26.4
000	20	7.62 007	058	108	158	209	259	309	359	409	459	509	30	5 33.0
000	30	509	559	609	659	708	758	808	857	907	956	*006	20	6 39.6 7 46.2
000	40	7.63 006	055	104	153	203	252	301	350	399	448	496	10	8 52.8
000	50	496	545	594	642	691	740	788	837	885	933	982	0 45	9 59.4
000	15 0	982	*030	*078	*126	*174	*222	*270	*318	*366	*414	*461	50	64
000	10	7.64 461	509	557	604	652	699	747	794	842	889	936	40	1 6.4
000	20	936	983	*030	*078	*125	*172	*218	*265	*312	*359	*406	30	2 12.8 3 19.2
000	30	7.65 406	452	499	546	592	638	685	731	778	824	870	20	4 25.6
000	40	870	916	962	*009	*055	*101	*146	*192	*238	*284	*330	10	5 32.0 6 38.4
000	50	7.66 330	375	421	467	512	558	603	649	694	739	784	0 44	7 44.8 8 51.2
000	16 0	784	830	875	920	965	*010	*055	*100	*145	*190	*235	50	9 57.6
000	10	7.67 235	279	324	369	413	458	502	547	591	636	680	40	62
*000	20	680	724	768	813	857	901	945	989	*033	*077	*121	30	1 6.2
*999	30	7.68 121	165	208	252	296	340	383	427	470	514	557	20	2 12.4
999	40	557	601	644	687	731	774	817	860	903	946	989	10	3 18.6 4 24.8
999	50	989	*032	*075	*118	*161	*204	*247	*289	*332	*375	*417	0 43	5 31.0 6 37.2
999	17 0	7.69 417	460	502	545	587	630	672	714	757	799	841	50	7 43.4
999	10	841	883	925	967	*009	*051	*093	*135	*177	*219	*261	40	8 49.6 9 55.8
999	20	7.70 261	302	344	386	427	469	510	552	593	635	676	30	61
999	30	676	718	759	800	841	883	924	965	*006	*047	*088	20	1 6.1
999	40	7.71 088	129	170	211	251	292	333	374	414	455	496	10	2 12.2 3 18.3
999	50	496	536	577	617	658	698	739	779	819	859	900	0 42	4 24.4 5 30.5
999	18 0	900	940	980	*020	*060	*100	*140	*180	*220	*260	*300	50	6 36.6 7 42.7
999	10	7.72 300	340	380	419	459	499	538	578	618	657	697	40	8 48.8 9 54.9
999	20	697	736	775	815	854	894	933	972	*011	*050	*090	30	60
999	30	7.73 090	129	168	207	246	285	324	363	401	440	479	20	1 6.0
999	40	479	518	557	595	634	673	711	750	788	827	865	10	2 12.0 3 18.0
999	50	865	904	942	980	*019	*057	*095	*133	*171	*210	*248	0 41	4 24.0 5 30.0
999	19 0	7.74 248	286	324	362	400	438	476	514	551	589	627	50	6 36.0 7 42.0
999	10	627	665	703	740	778	815	853	891	928	966	*003	40	8 48.0 9 54.0
999	20	7.75 003	040	078	115	153	190	227	264	302	339	376	30	
999	30	376	413	450	487	524	561	598	635	672	709	745	20	
999	40	745	782	819	856	892	929	966	*002	*039	*075	*112	10	
999	50	7.76 112	148	185	221	258	294	330	367	403	439	475	0 40	
9.99		10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	′ ″	P P
L Sin		*179°	269°	*359			89°				L Cos			

L Tan 0° *90° 180° *270°

′ ″	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″		P P
10 0	7.46 373	445	517	589	661	733	805	876	948	*019	*091	50	60 58 57
10	7.47 091	162	233	304	374	445	516	586	656	727	797	40	1 6.0 5.8 5.7
20	797	867	937	*006	*076	*146	*215	*284	*354	*423	*492	30	2 12.0 11.6 11.4
30	7.48 492	561	629	698	767	835	903	972	*040	*108	*176	20	3 18.0 17.4 17.1
40	7.49 176	243	311	379	446	514	581	648	715	782	849	10	4 24.0 23.2 22.8
50	849	916	982	*049	*115	*182	*248	*314	*380	*446	*512	0 49	5 30.0 29.0 28.5
													6 36.0 34.8 34.2
11 0	7.50 512	578	643	709	774	840	905	970	*035	*100	*165	50	7 42.0 40.6 39.9
10	7.51 165	230	295	359	424	488	552	617	681	745	809	40	8 48.0 46.4 45.6
20	809	872	936	*000	*063	*127	*190	*253	*316	*380	*443	30	9 54.0 52.2 51.3
30	7.52 443	505	568	631	694	756	819	881	943	*005	*067	20	
40	7.53 067	129	191	253	315	377	438	500	561	622	683	10	56 55 54
50	683	745	806	867	927	988	*049	*110	*170	*231	*291	0 48	1 5.6 5.5 5.4
													2 11.2 11.0 10.8
12 0	7.54 291	351	411	471	532	591	651	711	771	830	890	50	3 16.8 16.5 16.2
10	890	949	*009	*068	*127	*186	*245	*304	*363	*422	*481	40	4 22.4 22.0 21.6
20	7.55 481	539	598	657	715	773	832	890	948	*006	*064	30	5 28.0 27.5 27.0
30	7.56 064	122	179	237	295	352	410	467	525	582	639	20	6 33.6 33.0 32.4
40	639	696	753	810	867	924	981	*037	*094	*150	*207	10	7 39.2 38.5 37.8
50	7.57 207	263	319	376	432	488	544	600	656	711	767	0 47	8 44.8 44.0 43.2
													9 50.4 49.5 48.6
13 0	767	823	878	934	989	*045	*100	*155	*210	*265	*320	50	53 52 51
10	7.58 320	375	430	485	540	594	649	704	758	812	867	40	1 5.3 5.2 5.1
20	867	921	975	*029	*083	*137	*191	*245	*299	*353	*406	30	2 10.6 10.4 10.2
30	7.59 406	460	513	567	620	673	727	780	833	886	939	20	3 15.9 15.6 15.3
40	939	992	*045	*098	*150	*203	*256	*308	*361	*413	*466	10	4 21.2 20.8 20.4
50	7.60 466	518	570	622	674	726	778	830	882	934	986	0 46	5 26.5 26.0 25.5
													6 31.8 31.2 30.6
14 0	986	*037	*089	*140	*192	*243	*295	*346	*397	*449	*500	50	7 37.1 36.4 35.7
10	7.61 500	551	602	653	704	754	805	856	906	957	*008	40	8 42.4 41.6 40.8
20	7.62 008	058	108	159	209	259	310	360	410	460	510	30	9 47.7 46.8 45.9
30	510	560	609	659	709	759	808	858	907	957	*006	20	
40	7.63 006	055	105	154	203	252	301	350	399	448	497	10	50 49 48
50	497	546	594	643	692	740	789	837	885	934	982	0 45	1 5.0 4.9 4.8
													2 10.0 9.8 9.6
15 0	982	*030	*078	*127	*175	*223	*271	*318	*366	*414	*462	50	3 15.0 14.7 14.4
10	7.64 462	510	557	605	652	700	747	795	842	889	937	40	4 20.0 19.6 19.2
20	937	984	*031	*078	*125	*172	*219	*266	*313	*359	*406	30	5 25.0 24.5 24.0
30	7.65 406	453	499	546	592	639	685	732	778	824	871	20	6 30.0 29.4 28.8
40	871	917	963	*009	*055	*101	*147	*193	*239	*284	*330	10	7 35.0 34.3 33.6
50	7.66 330	376	421	467	513	558	604	649	694	740	785	0 44	8 40.0 39.2 38.4
													9 45.0 44.1 43.2
16 0	785	830	875	920	966	*011	*056	*100	*145	*190	*235	50	47 46 45
10	7.67 235	280	324	369	414	458	503	547	592	636	680	40	1 4.7 4.6 4.5
20	680	725	769	813	857	901	946	990	*034	*077	*121	30	2 9.4 9.2 9.0
30	7.68 121	165	209	253	296	340	384	427	471	514	558	20	3 14.1 13.8 13.5
40	558	601	645	688	731	774	818	861	904	947	990	10	4 18.8 18.4 18.0
50	990	*033	*076	*119	*162	*204	*247	*290	*333	*375	*418	0 43	5 23.5 23.0 22.5
													6 28.2 27.6 27.0
17 0	7.69 418	460	503	545	588	630	673	715	757	799	842	50	7 32.9 32.2 31.5
10	842	884	926	968	*010	*052	*094	*136	*178	*219	*261	40	8 37.6 36.8 36.0
20	7.70 261	303	345	386	428	469	511	553	594	635	677	30	9 42.3 41.4 40.5
30	677	718	759	801	842	883	924	965	*006	*047	*088	20	
40	7.71 088	129	170	211	252	293	334	374	415	456	496	10	44 43 42
50	496	537	577	618	658	699	739	779	820	860	900	0 42	1 4.4 4.3 4.2
													2 8.8 8.6 8.4
18 0	900	940	981	*021	*061	*101	*141	*181	*221	*261	*301	50	3 13.2 12.9 12.6
10	7.72 301	340	380	420	460	499	539	579	618	658	697	40	4 17.6 17.2 16.8
20	697	737	776	815	855	894	933	973	*012	*051	*090	30	5 22.0 21.5 21.0
30	7.73 090	129	168	207	246	285	324	363	402	441	480	20	6 26.4 25.8 25.2
40	480	518	557	596	635	673	712	750	789	827	866	10	7 30.8 30.1 29.4
50	866	904	943	981	*019	*058	*096	*134	*172	*210	*248	0 41	8 35.2 34.4 33.6
													9 39.6 38.7 37.8
19 0	7.74 248	286	325	363	401	438	476	514	552	590	628	50	41 40 39
10	628	665	703	741	779	816	854	891	929	966	*004	40	1 4.1 4.0 3.9
20	7.75 004	041	079	116	153	191	228	265	302	339	377	30	2 8.2 8.0 7.8
30	377	414	451	488	525	562	599	636	672	709	746	20	3 12.3 12.0 11.7
40	746	783	820	856	893	930	966	*003	*040	*076	*113	10	4 16.4 16.0 15.6
50	7.76 113	149	186	222	258	295	331	367	404	440	476	0 40	5 20.5 20.0 19.5
													6 24.6 24.0 23.4
	10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	′ ″	7 28.7 28.0 27.3
													8 32.8 32.0 31.2
													9 36.9 36.0 35.1
													38 37 36
													1 3.8 3.7 3.6
													2 7.6 7.4 7.2
													3 11.4 11.1 10.8
													4 15.2 14.8 14.4
													5 19.0 18.5 18.0
													6 22.8 22.2 21.6
													7 26.6 25.9 25.2
													8 30.4 29.6 28.8
													9 34.2 33.3 32.4

*179° 269° *359 89° L Cot

L Cos		L Sin			0°			*90°	180°	*270°			
9·99	′ ″	0′	1′	2′	3′	4′	5′	6′	7′	8′	9′	10′	
999	20 0	7.76 475	512	548	584	620	656	692	728	764	800	836	50
999	10	836	872	907	943	979	*015	*051	*086	*122	*158	*193	40
999	20	7.77 193	229	264	300	335	371	406	442	477	512	548	30
999	30	548	583	618	654	689	724	759	794	829	864	899	20
999	40	899	934	969	*004	*039	*074	*109	*144	*179	*213	*248	10
999	50	7.78 248	283	318	352	387	422	456	491	525	560	594	0 39
999	21 0	594	629	663	698	732	766	801	835	869	903	938	50
999	10	938	972	*006	*040	*074	*108	*142	*176	*210	*244	*278	40
999	20	7.79 278	312	346	380	414	448	481	515	549	582	616	30
999	30	616	650	683	717	751	784	818	851	885	918	952	20
999	40	952	985	*018	*052	*085	*118	*152	*185	*218	*251	*284	10
999	50	7.80 284	317	351	384	417	450	483	516	549	582	615	0 38
999	22 0	615	647	680	713	746	779	812	844	877	910	942	50
999	10	942	975	*008	*040	*073	*105	*138	*170	*203	*235	*268	40
999	20	7.81 268	300	332	365	397	429	462	494	526	558	591	30
999	30	591	623	655	687	719	751	783	815	847	879	911	20
999	40	911	943	975	*007	*039	*070	*102	*134	*166	*198	*229	10
999	50	7.82 229	261	293	324	356	387	419	451	482	514	545	0 37
999	23 0	545	577	608	639	671	702	733	765	796	827	859	50
999	10	859	890	921	952	983	*015	*046	*077	*108	*139	*170	40
999	20	7.83 170	201	232	263	294	325	356	387	417	448	479	30
999	30	479	510	541	571	602	633	663	694	725	755	786	20
999	40	786	817	847	878	908	939	969	*000	*030	*060	*091	10
999	50	7.84 091	121	151	182	212	242	273	303	333	363	393	0 36
999	24 0	393	424	454	484	514	544	574	604	634	664	694	50
999	10	694	724	754	784	814	843	873	903	933	963	992	40
999	20	992	*022	*052	*082	*111	*141	*171	*200	*230	*259	*289	30
999	30	7.85 289	318	348	377	407	436	466	495	525	554	583	20
999	40	583	613	642	671	701	730	759	788	817	847	876	10
999	50	876	905	934	963	992	*021	*050	*079	*108	*137	*166	0 35
999	25 0	7.86 166	195	224	253	282	311	340	368	397	426	455	50
999	10	455	484	512	541	570	598	627	656	684	713	741	40
999	20	741	770	799	827	856	884	913	941	969	998	*026	30
999	30	7.87 026	055	083	111	140	168	196	224	253	281	309	20
999	40	309	337	366	394	422	450	478	506	534	562	590	10
999	50	590	618	646	674	702	730	758	786	814	842	870	0 34
999	26 0	870	897	925	953	981	*009	*036	*064	*092	*119	*147	50
999	10	7.88 147	175	202	230	258	285	313	340	368	395	423	40
999	20	423	450	478	505	533	560	587	615	642	669	697	30
999	30	697	724	751	779	806	833	860	888	915	942	969	20
999	40	969	996	*023	*050	*077	*105	*132	*159	*186	*213	*240	10
999	50	7.89 240	267	294	320	347	374	401	428	455	482	509	0 33
999	27 0	509	535	562	589	616	642	669	696	722	749	776	50
999	10	776	802	829	856	882	909	935	962	988	*015	*041	40
999	20	7.90 041	068	094	121	147	174	200	226	253	279	305	30
999	30	305	332	358	384	411	437	463	489	515	542	568	20
999	40	568	594	620	646	672	698	725	751	777	803	829	10
999	50	829	855	881	907	933	958	984	*010	*036	*062	*088	0 32
999	28 0	7.91 088	114	140	165	191	217	243	269	294	320	346	50
999	10	346	371	397	423	448	474	500	525	551	576	602	40
999	20	602	627	653	678	704	729	755	780	806	831	857	30
999	30	857	882	907	933	958	983	*009	*034	*059	*085	*110	20
998	40	7.92 110	135	160	186	211	236	261	286	311	336	362	10
998	50	362	387	412	437	462	487	512	537	562	587	612	0 31
998	29 0	612	637	662	687	712	737	761	786	811	836	861	50
998	10	861	886	910	935	960	985	*009	*034	*059	*084	*108	40
998	20	7.93 108	133	158	182	207	231	256	281	305	330	354	30
998	30	354	379	403	428	452	477	501	526	550	575	599	20
998	40	599	623	648	672	696	721	745	769	794	818	842	10
998	50	842	866	891	915	939	963	988	*012	*036	*060	*084	0 30
9·99		10′	9′	8′	7′	6′	5′	4′	3′	2′	1′	0′	′ ″
L Sin		*179°	269°	*359°		90°		L Cos					

L Tan 0° *90° 180° *270°

′ ″	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″			P	P
20 0	7.76 476	512	548	585	621	657	693	729	765	801	837	50		37	36
10	837	872	908	944	980	*016	*051	*087	*123	*158	*194	40	1	3.7	3.6
20	7.77 194	230	265	301	336	372	407	442	478	513	549	30	2	7.4	7.2
30	549	584	619	654	690	725	760	795	830	865	900	20	3	11.1	10.8
40	900	935	970	*005	*040	*075	*110	*145	*179	*214	*249	10	4	14.8	14.4
50	7.78 249	284	318	353	388	422	457	492	526	561	595	0	39	18.5	18.0
21 0	595	630	664	698	733	767	801	836	870	904	938	50		22.2	21.6
10	938	973	*007	*041	*075	*109	*143	*177	*211	*245	*279	40	6	25.9	25.2
20	7.79 279	313	347	381	415	448	482	516	550	583	617	30	7	29.6	28.8
30	617	651	684	718	751	785	819	852	886	919	952	20	8	33.3	32.4
40	952	986	*019	*053	*086	*119	*152	*186	*219	*252	*285	10	9		
50	7.80 285	318	351	385	418	451	484	517	550	583	615	0	38	35	34
22 0	615	648	681	714	747	780	812	845	878	911	943	50		3.5	3.4
10	943	976	*009	*041	*074	*106	*139	*171	*204	*236	*269	40	2	7.0	6.8
20	7.81 269	301	333	366	398	430	463	495	527	559	591	30	3	10.5	10.2
30	591	624	656	688	720	752	784	816	848	880	912	20	4	14.0	13.6
40	912	944	976	*008	*040	*071	*103	*135	*167	*198	*230	10	5	17.5	17.0
50	7.82 230	262	294	325	357	388	420	452	483	515	546	0	37	21.0	20.4
23 0	546	578	609	640	672	703	734	766	797	828	860	50		24.5	23.8
10	860	891	922	953	984	*016	*047	*078	*109	*140	*171	40	8	28.0	27.2
20	7.83 171	202	233	264	295	326	357	388	418	449	480	30	9	31.5	30.6
30	480	511	542	572	603	634	664	695	726	756	787	20		33	32
40	787	818	848	879	909	940	970	*001	*031	*061	*092	10	1	3.3	3.2
50	7.84 092	122	152	183	213	243	274	304	334	364	394	0	36	6.6	6.4
24 0	394	425	455	485	515	545	575	605	635	665	695	50	2	9.9	9.6
10	695	725	755	785	815	845	874	904	934	964	993	40	3	13.2	12.8
20	993	*023	*053	*083	*112	*142	*172	*201	*231	*260	*290	30	4	16.5	16.0
30	7.85 290	319	349	378	408	437	467	496	526	555	584	20	5	19.8	19.2
40	584	614	643	672	702	731	760	789	819	848	877	10	6	23.1	22.4
50	877	906	935	964	993	*022	*051	*080	*109	*138	*167	0	35	26.4	25.6
25 0	7.86 167	196	225	254	283	312	341	370	398	427	456	50	8	29.7	28.8
10	456	485	513	542	571	600	628	657	685	714	743	40		31	30
20	743	771	800	828	857	885	914	942	971	999	*027	30	1	3.1	3.0
30	7.87 027	056	084	113	141	169	197	226	254	282	310	20	2	6.2	6.0
40	310	339	367	395	423	451	479	507	535	563	591	10	3	9.3	9.0
50	591	619	647	675	703	731	759	787	815	843	871	0	34	12.4	12.0
26 0	871	899	926	954	982	*010	*037	*065	*093	*121	*148	50	4	15.5	15.0
10	7.88 148	176	204	231	259	286	314	342	369	397	424	40	5	18.6	18.0
20	424	452	479	506	534	561	589	616	643	671	698	30	6	21.7	21.0
30	698	725	753	780	807	834	862	889	916	943	970	20	7	24.8	24.0
40	970	997	*025	*052	*079	*106	*133	*160	*187	*214	*241	10	8	27.9	27.0
50	7.89 241	268	295	322	349	376	403	429	456	483	510	0	33	29	28
27 0	510	537	563	590	617	644	670	697	724	750	777	50	1	2.9	2.8
10	777	804	830	857	884	910	937	963	990	*016	*043	40	2	5.8	5.6
20	7.90 043	069	096	122	149	175	201	228	254	280	307	30	3	8.7	8.4
30	307	333	359	386	412	438	464	491	517	543	569	20	4	11.6	11.2
40	569	595	622	648	674	700	726	752	778	804	830	10	5	14.5	14.0
50	830	856	882	908	934	960	986	*012	*038	*064	*089	0	32	17.4	16.8
28 0	7.91 089	115	141	167	193	218	244	270	296	321	347	50	6	20.3	19.6
10	347	373	398	424	450	475	501	527	552	578	603	40	7	23.2	22.4
20	603	629	654	680	705	731	756	782	807	833	858	30	8	26.1	25.2
30	858	883	909	934	960	985	*010	*036	*061	*086	*111	20		27	26
40	7.92 111	137	162	187	212	237	263	288	313	338	363	10	1	2.7	2.6
50	363	388	413	438	463	488	513	538	563	588	613	0	31	5.4	5.2
29 0	613	638	663	688	713	738	763	788	813	838	862	50	2	8.1	7.8
10	862	887	912	937	961	986	*011	*036	*060	*085	*110	40	3	10.8	10.4
20	7.93 110	134	159	184	208	233	258	282	307	331	356	30	4	13.5	13.0
30	356	380	405	429	454	478	503	527	552	576	601	20	5	16.2	15.6
40	601	625	649	674	698	722	747	771	795	820	844	10	6	18.9	18.2
50	844	868	892	917	941	965	989	*013	*038	*062	*086	0	30	21.6	20.8
	10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	′ ″		24.3	23.4
														25	24
													1	2.5	2.4
													2	5.0	4.8
													3	7.5	7.2
													4	10.0	9.6
													5	12.5	12.0
													6	15.0	14.4
													7	17.5	16.8
													8	20.0	19.2
													9	22.5	21.6
														P	P

*179° 269° *359° 89° L Cot

L Cos | L Sin | 0° | *90° | 180° | *270°

9·99	′	″	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″		
998	30	0	7.94 084	108	132	157	181	205	229	253	277	301	325	50	
998		10	325	349	373	397	421	445	469	492	516	540	564	40	
998		20	564	588	612	636	659	683	707	731	755	778	802	30	
998		30	802	826	849	873	897	921	944	968	991	*015	*039	20	
998		40	7.95 039	062	086	109	133	157	180	204	227	251	274	10	
998		50	274	298	321	344	368	391	415	438	461	485	508	0	29
998	31	0	508	532	555	578	601	625	648	671	695	718	741	50	
998		10	741	764	787	811	834	857	880	903	926	950	973	40	
998		20	973	996	*019	*042	*065	*088	*111	*134	*157	*180	*203	30	
998		30	7.96 203	226	249	272	295	318	341	364	386	409	432	20	
998		40	432	455	478	501	524	546	569	592	615	637	660	10	
998		50	660	683	706	728	751	774	796	819	842	864	887	0	28
998	32	0	887	910	932	955	977	*000	*022	*045	*068	*090	*113	50	
998		10	7.97 113	135	158	180	202	225	247	270	292	315	337	40	
998		20	337	359	382	404	426	449	471	493	516	538	560	30	
998		30	560	583	605	627	649	672	694	716	738	760	782	20	
998		40	782	805	827	849	871	893	915	937	959	981	*003	10	
998		50	7.98 003	025	048	070	092	114	136	157	179	201	223	0	27
998	33	0	223	245	267	289	311	333	355	377	398	420	442	50	
998		10	442	464	486	508	529	551	573	595	616	638	660	40	
998		20	660	682	703	725	747	768	790	812	833	855	876	30	
998		30	876	898	920	941	963	984	*006	*027	*049	*070	*092	20	
998		40	7.99 092	113	135	156	178	199	221	242	264	285	306	10	
998		50	306	328	349	371	392	413	435	456	477	499	520	0	26
998	34	0	520	541	562	584	605	626	647	669	690	711	732	50	
998		10	732	753	775	796	817	838	859	880	901	922	943	40	
998		20	943	965	986	*007	*028	*049	*070	*091	*112	*133	*154	30	
998		30	8.00 154	175	196	217	238	259	279	300	321	342	363	20	
998		40	363	384	405	426	447	467	488	509	530	551	571	10	
998		50	571	592	613	634	654	675	696	717	737	758	779	0	25
998	35	0	779	799	820	841	861	882	903	923	944	964	985	50	
998		10	985	*006	*026	*047	*067	*088	*108	*129	*149	*170	*190	40	
998		20	8.01 190	211	231	252	272	293	313	333	354	374	395	30	
998		30	395	415	435	456	476	496	517	537	557	578	598	20	
998		40	598	618	639	659	679	699	720	740	760	780	801	10	
998		50	801	821	841	861	881	901	922	942	962	982	*002	0	24
998	36	0	8.02 002	022	042	062	082	102	123	143	163	183	203	50	
998		10	203	223	243	263	283	303	323	343	362	382	402	40	
998		20	402	422	442	462	482	502	522	542	561	581	601	30	
998		30	601	621	641	661	680	700	720	740	759	779	799	20	
998		40	799	819	838	858	878	898	917	937	957	976	996	10	
998		50	996	*016	*035	*055	*074	*094	*114	*133	*153	*172	*192	0	23
997	37	0	8.03 192	212	231	251	270	290	309	329	348	368	387	50	
997		10	387	407	426	446	465	484	504	523	543	562	581	40	
997		20	581	601	620	640	659	678	698	717	736	756	775	30	
997		30	775	794	813	833	852	871	891	910	929	948	967	20	
997		40	967	987	*006	*025	*044	*063	*083	*102	*121	*140	*159	10	
997		50	8.04 159	178	197	217	236	255	274	293	312	331	350	0	22
997	38	0	350	369	388	407	426	445	464	483	502	521	540	50	
997		10	540	559	578	597	616	635	654	673	692	710	729	40	
997		20	729	748	767	786	805	824	843	861	880	899	918	30	
997		30	918	937	955	974	993	*012	*030	*049	*068	*087	*105	20	
997		40	8.05 105	124	143	161	180	199	218	236	255	274	292	10	
997		50	292	311	329	348	367	385	404	422	441	460	478	0	21
997	39	0	478	497	515	534	552	571	589	608	626	645	663	50	
997		10	663	682	700	719	737	756	774	792	811	829	848	40	
997		20	848	866	885	903	921	940	958	976	995	*013	*031	30	
997		30	8.06 031	050	068	086	105	123	141	159	178	196	214	20	
997		40	214	232	251	269	287	305	324	342	360	378	396	10	
997		50	396	414	433	451	469	487	505	523	541	560	578	0	20
9·99			10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	′	″

L Sin | *179° | 269° | *359° | 89° | L Cos

L Tan 0° *90° 180° *270°

′	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″		P P
30 0	7.94 086	110	134	158	182	206	230	254	278	302	326	50	25
10	326	350	374	398	422	446	470	494	518	542	566	40	1 2.5
20	566	590	613	637	661	685	709	732	756	780	804	30	2 5.0
30	804	827	851	875	899	922	946	970	993	*017	*040	20	3 7.5
40	7.95 040	064	088	111	135	158	182	205	229	252	276	10	4 10.0
50	276	299	323	346	370	393	416	440	463	487	510	0 29	5 12.5
31 0	510	533	557	580	603	627	650	673	696	720	743	50	6 15.0
10	743	766	789	812	836	859	882	905	928	951	974	40	7 17.5
20	974	998	*021	*044	*067	*090	*113	*136	*159	*182	*205	30	8 20.0
30	7.96 205	228	251	274	297	320	343	365	388	411	434	20	9 22.5
40	434	457	480	503	525	548	571	594	617	639	662	10	24 23
50	662	685	708	730	753	776	798	821	844	866	889	0 28	1 2.4 2.3
32 0	889	911	934	957	979	*002	*024	*047	*069	*092	*114	50	2 4.8 4.6
10	7.97 114	137	159	182	204	227	249	272	294	317	339	40	3 7.2 6.9
20	339	361	384	406	428	451	473	495	518	540	562	30	4 9.6 9.2
30	562	585	607	629	651	673	696	718	740	762	784	20	5 12.0 11.5
40	784	807	829	851	873	895	917	939	961	983	*005	10	6 14.4 13.8
50	7.98 005	027	050	072	094	116	138	159	181	203	225	0 27	7 16.8 16.1
33 0	225	247	269	291	313	335	357	379	400	422	444	50	8 19.2 18.4
10	444	466	488	510	531	553	575	597	618	640	662	40	9 21.6 20.7
20	662	684	705	727	749	770	792	814	835	857	878	30	22
30	878	900	922	943	965	986	*008	*029	*051	*073	*094	20	1 2 2
40	7.99 094	116	137	158	180	201	223	244	266	287	308	10	2 4 4
50	308	330	351	373	394	415	437	458	479	501	522	0 26	3 6.6
34 0	522	543	564	586	607	628	649	671	692	713	734	50	4 8.8
10	734	755	777	798	819	840	861	882	903	925	946	40	5 11.0
20	946	967	988	*009	*030	*051	*072	*093	*114	*135	*156	30	6 13 2
30	8.00 156	177	198	219	240	261	282	303	324	344	365	20	7 15.4
40	365	386	407	428	449	470	490	511	532	553	574	10	8 17.6
50	574	594	615	636	657	677	698	719	740	760	781	0 25	9 19.8
35 0	781	802	822	843	964	884	905	925	946	967	987	50	21
10	987	*008	*028	*049	*070	*090	*111	*131	*152	*172	*193	40	1 2.1
20	8.01 193	213	234	254	274	295	315	336	356	377	397	30	2 4.2
30	397	417	438	458	478	499	519	539	560	580	600	20	3 6.3
40	600	621	641	661	682	702	722	742	762	783	803	10	4 8.4
50	803	823	843	863	884	904	924	944	964	984	*004	0 24	5 10.5
36 0	8.02 004	025	045	065	085	105	125	145	165	185	205	50	6 12.6
10	205	225	245	265	285	305	325	345	365	385	405	40	7 14.7
20	405	425	445	464	484	504	524	544	564	584	604	30	8 16 8
30	604	623	643	663	683	703	722	742	762	782	801	20	9 18.9
40	801	821	841	861	880	900	920	939	959	979	998	10	20 19
50	998	*018	*038	*057	*077	*097	*116	*136	*155	*175	*194	0 23	1 2 0 1 9
37 0	8.03 194	214	234	253	273	292	312	331	351	370	390	50	2 4 0 3.8
10	390	409	429	448	468	487	506	526	545	565	584	40	3 6 0 5.7
20	584	603	623	642	661	681	700	720	739	758	777	30	4 8.0 7.6
30	777	797	816	835	855	874	893	912	932	951	970	20	5 10 0 9.5
40	970	989	*008	*028	*047	*066	*085	*104	*124	*143	*162	10	6 12 0 11.4
50	8.04 162	181	200	219	238	257	276	296	315	334	353	0 22	7 14.0 13.3
38 0	353	372	391	410	429	448	467	486	505	524	543	50	8 16.0 15.2
10	543	562	581	600	619	638	656	675	694	713	732	40	9 18 0 17.1
20	732	751	770	789	808	826	845	864	883	902	921	30	18
30	921	939	958	977	996	*014	*033	*052	*071	*089	*108	20	1 1.8
40	8.05 108	127	146	164	183	202	220	239	258	276	295	10	2 3.6
50	295	314	332	351	369	388	407	425	444	462	481	0 21	3 5.4
39 0	481	499	518	537	555	574	592	611	629	648	666	50	4 7.2
10	666	685	703	722	740	758	777	795	814	832	851	40	5 9.0
20	851	869	887	906	924	943	961	979	998	*016	*034	30	6 10.8
30	8.06 034	053	071	089	107	126	144	162	181	199	217	20	7 12.6
40	217	235	254	272	290	308	326	345	363	381	399	10	8 14.4
50	399	417	436	454	472	490	508	526	544	562	581	0 20	9 16.2
	10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	′	P P

*179° 269° *359° 89° L Cot

L Cos L Sin 0° *90° 180° *270°

9·99	′	″	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″	
997	40	0	8.06 578	596	614	632	650	668	686	704	722	740	758	50
997		10	758	776	794	812	830	848	866	884	902	920	938	40
997		20	938	956	974	992	*010	*028	*046	*063	*081	*099	*117	30
997		30	8.07 117	135	153	171	189	206	224	242	260	278	295	20
997		40	295	313	331	349	367	384	402	420	438	455	473	10
997		50	473	491	509	526	544	562	579	597	615	632	650	0 19
997	41	0	650	668	685	703	721	738	756	773	791	809	826	50
997		10	826	844	861	879	896	914	932	949	967	984	*002	40
997		20	8.08 002	019	037	054	072	089	107	124	141	159	176	30
997		30	176	194	211	229	246	263	281	298	316	333	350	20
997		40	350	368	385	403	420	437	455	472	489	506	524	10
997		50	524	541	558	576	593	610	627	645	662	679	696	0 18
997	42	0	696	714	731	748	765	783	800	817	834	851	868	50
997		10	868	886	903	920	937	954	971	988	*006	*023	*040	40
997		20	8.09 040	057	074	091	108	125	142	159	176	193	210	30
997		30	210	227	244	261	278	295	312	329	346	363	380	20
997		40	380	397	414	431	448	465	482	499	516	533	550	10
997		50	550	567	583	600	617	634	651	668	685	701	718	0 17
997	43	0	718	735	752	769	786	802	819	836	853	870	886	50
997		10	886	903	920	937	953	970	987	*004	*020	*037	*054	40
997		20	8.10 054	070	087	104	120	137	154	170	187	204	220	30
997		30	220	237	254	270	287	303	320	337	353	370	386	20
996		40	386	403	420	436	453	469	486	502	519	535	552	10
996		50	552	568	585	601	618	634	651	667	684	700	717	0 16
996	44	0	717	733	750	766	782	799	815	832	848	864	881	50
996		10	881	897	914	930	946	963	979	995	*012	*028	*044	40
996		20	8.11 044	061	077	093	110	126	142	159	175	191	207	30
996		30	207	224	240	256	272	289	305	321	337	354	370	20
996		40	370	386	402	418	435	451	467	483	499	515	531	10
996		50	531	548	564	580	596	612	628	644	660	677	693	0 15
996	45	0	693	709	725	741	757	773	789	805	821	837	853	50
996		10	853	869	885	901	917	933	949	965	981	997	*013	40
996		20	8.12 013	029	045	061	077	093	109	125	141	157	172	30
996		30	172	188	204	220	236	252	268	284	300	315	331	20
996		40	331	347	363	379	395	410	426	442	458	474	489	10
996		50	489	505	521	537	553	568	584	600	616	631	647	0 14
996	46	0	647	663	679	694	710	726	741	757	773	788	804	50
996		10	804	820	836	851	867	882	898	914	929	945	961	40
996		20	961	976	992	*007	*023	*039	*054	*070	*085	*101	*117	30
996		30	8.13 117	132	148	163	179	194	210	225	241	256	272	20
996		40	272	287	303	318	334	349	365	380	396	411	427	10
996		50	427	442	458	473	489	504	519	535	550	566	581	0 13
996	47	0	581	596	612	627	643	658	673	689	704	719	735	50
996		10	735	750	765	781	796	811	827	842	857	873	888	40
996		20	888	903	919	934	949	964	980	995	*010	*025	*041	30
996		30	8.14 041	056	071	086	101	117	132	147	162	178	193	20
996		40	193	208	223	238	253	269	284	299	314	329	344	10
996		50	344	359	375	390	405	420	435	450	465	480	495	0 12
996	48	0	495	510	525	541	556	571	586	601	616	631	646	50
996		10	646	661	676	691	706	721	736	751	766	781	796	40
996		20	796	811	826	841	856	871	886	901	915	930	945	30
996		30	945	960	975	990	*005	*020	*035	*050	*065	*079	*094	20
996		40	8.15 094	109	124	139	154	169	183	198	213	228	243	10
996		50	243	258	272	287	302	317	332	346	361	376	391	0 11
996	49	0	391	406	420	435	450	465	479	494	509	523	538	50
996		10	538	553	568	582	597	612	626	641	656	670	685	40
996		20	685	700	714	729	744	758	773	788	802	817	832	30
995		30	832	846	861	875	890	905	919	934	948	963	978	20
995		40	978	992	*007	*021	*036	*050	*065	*079	*094	*109	*123	10
995		50	8.16 123	138	152	167	181	196	210	225	239	254	268	0 10
9·99			10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	″ ′

L Sin *179° 269° *359° 89° L Cos

L Tan 0° *90° 180° *270°

′ ′	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″		P P
40 0	8.06 581	599	617	635	653	671	689	707	725	743	761	50	
10	761	779	797	815	833	851	869	887	905	923	941	40	
20	941	959	977	995	*013	*031	*049	*066	*084	*102	*120	30	
30	8.07 120	138	156	174	192	209	227	245	263	281	298	20	18
40	298	316	334	352	370	387	405	423	441	458	476	10	1 1.8
50	476	494	512	529	547	565	582	600	618	635	653	0 19	2 3.6
41 0	653	671	688	706	724	741	759	776	794	812	829	50	3 5.4
10	829	847	864	882	900	917	935	952	970	987	*005	40	4 7.2
20	8.08 005	022	040	057	075	092	110	127	145	162	180	30	5 9.0
30	180	197	214	232	249	267	284	301	319	336	354	20	6 10.8
40	354	371	388	406	423	440	458	475	492	510	527	10	7 12.6
50	527	544	562	579	596	613	631	648	665	682	700	0 18	8 14.4
42 0	700	717	734	751	769	786	803	820	837	855	872	50	9 16.2
10	872	889	906	923	940	957	975	992	*009	*026	*043	40	
20	8.09 043	060	077	094	111	128	146	163	180	197	214	30	17
30	214	231	248	265	282	299	316	333	350	367	384	20	1 1.7
40	384	401	418	435	452	468	485	502	519	536	553	10	2 3.4
50	553	570	587	604	621	637	654	671	688	705	722	0 17	3 5.1
43 0	722	739	755	772	789	806	823	839	856	873	890	50	4 6.8
10	890	907	923	940	957	974	990	*007	*024	*040	*057	40	5 8.5
20	8.10 057	074	091	107	124	141	157	174	191	207	224	30	6 10.2
30	224	240	257	274	290	307	324	340	357	373	390	20	7 11.9
40	390	407	423	440	456	473	489	506	522	539	555	10	8 13.6
50	555	572	588	605	621	638	654	671	687	704	720	0 16	9 15.3
44 0	720	737	753	770	786	802	819	835	852	868	884	50	
10	884	901	917	934	950	966	983	999	*015	*032	*048	40	
20	8.11 048	064	081	097	113	130	146	162	178	195	211	30	16
30	211	227	244	260	276	292	309	325	341	357	373	20	1 1.6
40	373	390	406	422	438	454	471	487	503	519	535	10	2 3.2
50	535	551	567	584	600	616	632	648	664	680	696	0 15	3 4.8
45 0	696	712	729	745	761	777	793	809	825	841	857	50	4 6.4
10	857	873	889	905	921	937	953	969	985	*001	*017	40	5 8.0
20	8.12 017	033	049	065	081	097	113	129	144	160	176	30	6 9.6
30	176	192	208	224	240	256	272	288	303	319	335	20	7 11.2
40	335	351	367	383	398	414	430	446	462	478	493	10	8 12.8
50	493	509	525	541	556	572	588	604	620	635	651	0 14	9 14.4
46 0	651	667	682	698	714	730	745	761	777	792	808	50	
10	808	824	839	855	871	886	902	918	933	949	965	40	15
20	965	980	996	*011	*027	*043	*058	*074	*089	*105	*121	30	1 1.5
30	8.13 121	136	152	167	183	198	214	229	245	260	276	20	2 3.0
40	276	291	307	322	338	353	369	384	400	415	431	10	3 4.5
50	431	446	462	477	493	508	523	539	554	570	585	0 13	4 6.0
47 0	585	601	616	631	647	662	677	693	708	724	739	50	5 7.5
10	739	754	770	785	800	816	831	846	861	877	892	40	6 9.0
20	892	907	923	938	953	968	984	999	*014	*029	*045	30	7 10.5
30	8.14 045	060	075	090	106	121	136	151	166	182	197	20	8 12.0
40	197	212	227	242	258	273	288	303	318	333	348	10	9 13.5
50	348	364	379	394	409	424	439	454	469	484	500	0 12	
48 0	500	515	530	545	560	575	590	605	620	635	650	50	
10	650	665	680	695	710	725	740	755	770	785	800	40	14
20	800	815	830	845	860	875	890	905	920	935	950	30	1 1.4
30	950	965	980	994	*009	*024	*039	*054	*069	*084	*099	20	2 2.8
40	8.15 099	114	128	143	158	173	188	203	218	232	247	10	3 4.2
50	247	262	277	292	306	321	336	351	366	380	395	0 11	4 5.6
49 0	395	410	425	439	454	469	484	498	513	528	543	50	5 7.0
10	543	557	572	587	602	616	631	646	660	675	690	40	6 8.4
20	690	704	719	734	748	763	778	792	807	822	836	30	7 9.8
30	836	851	865	880	895	909	924	938	953	968	982	20	8 11.2
40	982	997	*011	*026	*040	*055	*070	*084	*099	*113	*128	10	9 12.6
50	8.16 128	142	157	171	186	200	215	229	244	258	273	0 10	
	10′	9′	8′	7′	6′	5′	4′	3′	2′	1′	0′	″ ′	P P

*179° 269° *359 89° L Cot

L Cos L Sin 0° *90° 180° *270°

9·99	′ ″	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″		
995	50 0	8.16 268	283	297	311	326	340	355	369	384	398	413	50	
995	10	413	427	441	456	470	485	499	513	528	542	557	40	
995	20	557	571	585	600	614	628	643	657	672	686	700	30	
995	30	700	715	729	743	757	772	786	800	815	829	843	20	
995	40	843	858	872	886	900	915	929	943	957	972	986	10	
995	50	986	*000	*014	*029	*043	*057	*071	*085	*100	*114	*128	0	9
995	51 0	8.17 128	142	156	171	185	199	213	227	241	256	270	50	
995	10	270	284	298	312	326	340	355	369	383	397	411	40	
995	20	411	425	439	453	467	481	495	510	524	538	552	30	
995	30	552	566	580	594	608	622	636	650	664	678	692	20	
995	40	692	706	720	734	748	762	776	790	804	818	832	10	
995	50	832	846	860	874	888	902	916	930	943	957	971	0	8
995	52 0	971	985	999	*013	*027	*041	*055	*069	*082	*096	*110	50	
995	10	8.18 110	124	138	152	166	180	193	207	221	235	249	40	
995	20	249	263	276	290	304	318	332	345	359	373	387	30	
995	30	387	401	414	428	442	456	469	483	497	511	524	20	
995	40	524	538	552	566	579	593	607	621	634	648	662	10	
995	50	662	675	689	703	716	730	744	757	771	785	798	0	7
995	53 0	798	812	826	839	853	867	880	894	908	921	935	50	
995	10	935	948	962	976	989	*003	*016	*030	*044	*057	*071	40	
995	20	8.19 071	084	098	111	125	139	152	166	179	193	206	30	
995	30	206	220	233	247	260	274	287	301	314	328	341	20	
995	40	341	355	368	382	395	409	422	436	449	463	476	10	
995	50	476	489	503	516	530	543	557	570	583	597	610	0	6
995	54 0	610	624	637	650	664	677	691	704	717	731	744	50	
995	10	744	757	771	784	797	811	824	837	851	864	877	40	
995	20	877	891	904	917	931	944	957	971	984	997	*010	30	
995	30	8.20 010	024	037	050	064	077	090	103	117	130	143	20	
995	40	143	156	170	183	196	209	222	236	249	262	275	10	
994	50	275	288	302	315	328	341	354	368	381	394	407	0	5
994	55 0	407	420	433	446	460	473	486	499	512	525	538	50	
994	10	538	552	565	578	591	604	617	630	643	656	669	40	
994	20	669	682	696	709	722	735	748	761	774	787	800	30	
994	30	800	813	826	839	852	865	878	891	904	917	930	20	
994	40	930	943	956	969	982	995	*008	*021	*034	*047	*060	10	
994	50	8.21 060	073	086	099	112	125	138	151	164	177	189	0	4
994	56 0	189	202	215	228	241	254	267	280	293	306	319	50	
994	10	319	331	344	357	370	383	396	409	422	434	447	40	
994	20	447	460	473	486	499	511	524	537	550	563	576	30	
994	30	576	588	601	614	627	640	652	665	678	691	703	20	
994	40	703	716	729	742	754	767	780	793	805	818	831	10	
994	50	831	844	856	869	882	895	907	920	933	945	958	0	3
994	57 0	958	971	983	996	*009	*022	*034	*047	*060	*072	*085	50	
994	10	8.22 085	098	110	123	136	148	161	173	186	199	211	40	
994	20	211	224	237	249	262	274	287	300	312	325	337	30	
994	30	337	350	363	375	388	400	413	425	438	451	463	20	
994	40	463	476	488	501	513	526	538	551	563	576	588	10	
994	50	588	601	613	626	638	651	663	676	688	701	713	0	2
994	58 0	713	726	738	751	763	776	788	801	813	826	838	50	
994	10	838	850	863	875	888	900	913	925	937	950	962	40	
994	20	962	975	987	999	*012	*024	*037	*049	*061	*074	*086	30	
994	30	8.23 086	098	111	123	136	148	160	173	185	197	210	20	
994	40	210	222	234	247	259	271	284	296	308	321	333	10	
994	50	333	345	357	370	382	394	407	419	431	443	456	0	1
994	59 0	456	468	480	492	505	517	529	541	554	566	578	50	
994	10	578	590	603	615	627	639	652	664	676	688	700	40	
994	20	700	713	725	737	749	761	773	786	798	810	822	30	
993	30	822	834	846	859	871	883	895	907	919	931	944	20	
993	40	944	956	968	980	992	*004	*016	*028	*041	*053	*065	10	
993	50	8.24 065	077	089	101	113	125	137	149	161	173	186	0	0
9·99		10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	′ ″	

L Sin *179° 269° *359 89° L Cos

L Tan 0° *90° 180° *270°

′ ″	0″	1″	2″	3″	4″	5″	6″	7″	8″	9″	10″		P	P
50 0	8.16 273	287	302	316	331	345	359	374	388	403	417	50		
10	417	432	446	460	475	489	504	518	533	547	561	40		
20	561	576	590	604	619	633	647	662	676	691	705	30		
30	705	719	734	748	762	776	791	805	819	834	848	20		
40	848	862	877	891	905	919	934	948	962	976	991	10		
50	991	*005	*019	*033	*048	*062	*076	*090	*104	*119	*133	0 9		15
51 0	8.17 133	147	161	175	190	204	218	232	246	260	275	50	1	1.5
10	275	289	303	317	331	345	359	373	388	402	416	40	2	3.0
20	416	430	444	458	472	486	500	514	528	543	557	30	3	4.5
30	557	571	585	599	613	627	641	655	669	683	697	20	4	6.0
40	697	711	725	739	753	767	781	795	809	823	837	10	5	7.5
50	837	851	865	879	893	907	921	934	948	962	976	0 8	6	9.0
52 0	976	990	*004	*018	*032	*046	*060	*074	*087	*101	*115	50	7	10.5
10	8.18 115	129	143	157	171	185	198	212	226	240	254	40	8	12.0
20	254	268	281	295	309	323	337	351	364	378	392	30	9	13.5
30	392	406	419	433	447	461	475	488	502	516	530	20		
40	530	543	557	571	585	598	612	626	639	653	667	10		
50	667	681	694	708	722	735	749	763	776	790	804	0 7		
53 0	804	817	831	845	858	872	886	899	913	926	940	50		14
10	940	954	967	981	994	*008	*022	*035	*049	*062	*076	40	1	1.4
20	8.19 076	090	103	117	130	144	157	171	184	198	211	30	2	2.8
30	211	225	239	252	266	279	293	306	320	333	347	20	3	4.2
40	347	360	374	387	401	414	427	441	454	468	481	10	4	5.6
50	481	495	508	522	535	548	562	575	589	602	616	0 6	5	7.0
54 0	616	629	642	656	669	683	696	709	723	736	749	50	6	8.4
10	749	703	776	789	803	816	830	843	856	870	883	40	7	9.8
20	883	896	910	923	936	949	963	976	989	*003	*016	30	8	11.2
30	8.20 016	029	042	056	069	082	096	109	122	135	149	20	9	12.6
40	149	162	175	188	201	215	228	241	254	268	281	10		
50	281	294	307	320	334	347	360	373	386	399	413	0 5		
55 0	413	426	439	452	465	478	491	505	518	531	544	50		
10	544	557	570	583	596	610	623	636	649	662	675	40		
20	675	688	701	714	727	740	753	767	780	793	806	30		
30	806	819	832	845	858	871	884	897	910	923	936	20		13
40	936	949	962	975	988	*001	*014	*027	*040	*053	*066	10	1	1.3
50	8.21 066	079	092	105	118	131	144	156	169	182	195	0 4	2	2.6
56 0	195	208	221	234	247	260	273	286	299	311	324	50	3	3 9
10	324	337	350	363	376	389	402	414	427	440	453	40	4	5.2
20	453	466	479	492	504	517	530	543	556	569	581	30	5	6.5
30	581	594	607	620	633	645	658	671	684	697	709	20	6	7.8
40	709	722	735	748	760	773	786	799	811	824	837	10	7	9.1
50	837	850	862	875	888	901	913	926	939	951	964	0 3	8	10.4
57 0	964	977	989	*002	*015	*028	*040	*053	*066	*078	*091	50	9	11.7
10	8.22 091	104	116	129	142	154	167	179	192	205	217	40		
20	217	230	243	255	268	280	293	306	318	331	343	30		
30	343	356	369	381	394	406	419	431	444	457	469	20		
40	469	482	494	507	519	532	544	557	569	582	595	10		12
50	595	607	620	632	645	657	670	682	695	707	720	0 2	1	1.2
58 0	720	732	744	757	769	782	794	807	819	832	844	50	2	2.4
10	844	857	869	881	894	906	919	931	944	956	968	40	3	3.6
20	968	981	993	*006	*018	030	*043	*055	*068	*080	*092	30	4	4.8
30	8.23 092	105	117	130	142	154	167	179	191	204	216	20	5	6.0
40	216	228	241	253	265	278	290	302	315	327	339	10	6	7.2
50	339	352	364	376	388	401	413	425	438	450	462	0 1	7	8.4
59 0	462	474	487	499	511	523	536	548	560	572	585	50	8	9.6
10	585	597	609	621	634	646	658	670	682	695	707	40	9	10.8
20	707	719	731	743	756	768	780	792	804	816	829	30		
30	829	841	853	865	877	889	902	914	926	938	950	20		
40	950	962	974	987	999	*011	*023	*035	*047	*059	*071	10		
50	8.24 071	083	096	108	120	132	144	156	168	180	192	0 0		
	10″	9″	8″	7″	6″	5″	4″	3″	2″	1″	0″	′ ″	P	P

*179° 269° *359° 89° L Cot

L Cos — L Sin — 1° — *91° 181° *271°

9.99	′	0″	10″	20″	30″	40″	50″	60″		P P
993	0	8.24 186	306	426	546	665	785	903	59	120 119 118
993	1	903	*022	*140	*258	*375	*493	*609	58	1 12.0 11.9 11.8
993	2	8.25 609	726	842	958	*074	*189	*304	57	2 24.0 23.8 23.6
993	3	8.26 304	419	533	648	761	875	988	56	3 36.0 35 7 35.4
992	4	988	*101	*214	*326	*438	*550	*661	55	4 48.0 47.6 47.2
										5 60.0 59 5 59.0
992	5	8.27 661	773	883	994	*104	*215	*324	54	6 72.0 71.4 70.8
992	6	8.28 324	434	543	652	761	869	977	53	7 84 0 83.3 82.6
992	7	977	*085	*193	*300	*407	*514	*621	52	8 96.0 95.2 94.4
992	8	8.29 621	727	833	939	*044	*150	*255	51	9 108.0 107.1 106.2
991	9	8.30 255	359	464	568	672	776	879	50	117 116 115
991	10	879	983	*086	*188	*291	*393	*495	49	1 11.7 11.6 11.5
991	11	8.31 495	597	699	800	901	*002	*103	48	2 23.4 23.2 23.0
990	12	8.32 103	203	303	403	503	602	702	47	3 35.1 34.8 34.5
990	13	702	801	899	998	*096	*195	*292	46	4 46.8 46.4 46.0
990	14	8.33 292	390	488	585	682	779	875	45	5 58.5 58 0 57.5
										6 70.2 69 6 69.0
990	15	875	972	*068	*164	*260	*355	*450	44	7 81.9 81.2 80 5
989	16	8.34 450	546	640	735	830	924	*018	43	8 93 6 92.8 92.0
989	17	8.35 018	112	206	299	392	485	578	42	9 105.3 104.4 103.5
989	18	578	671	764	856	948	*040	*131	41	114 113 112 111
989	19	8.36 131	223	314	405	496	587	678	40	1 11.4 11.3 11.2 11.1
										2 22.8 22.6 22.4 22.2
988	20	678	768	858	948	*038	*128	*217	39	3 34.2 33.9 33.6 33.3
988	21	8.37 217	306	395	484	573	662	750	38	4 45.6 45.2 44.8 44.4
988	22	750	838	926	*014	*101	*189	*276	37	5 57.0 56.5 56.0 55.5
987	23	8.38 276	363	450	537	624	710	796	36	6 68.4 67.8 67 2 66.6
987	24	796	882	968	*054	*139	*225	*310	35	7 79.8 79.1 78 4 77.7
										8 91.2 90 4 89.6 88.8
987	25	8.39 310	395	480	565	649	734	818	34	9 102.6 101.7 100.8 99.9
986	26	818	902	986	*070	*153	*237	*320	33	110 109 108 107
986	27	8.40 320	403	486	569	651	734	816	32	1 11.0 10 9 10.8 10 7
986	28	816	898	980	*062	*144	*225	*307	31	2 22 0 21.8 21.6 21.4
985	29	8.41 307	388	469	550	631	711	792	30	3 33.0 32 7 32 4 32.1
										4 44 0 43.6 43.2 42.8
985	30	792	872	952	*032	*112	*192	*272	29	5 55.0 54.5 54 0 53.5
985	31	8.42 272	351	430	510	589	667	746	28	6 66.0 65 4 64.8 64.2
984	32	746	825	903	982	*060	*138	*216	27	7 77 0 76.3 75.6 74.9
984	33	8.43 216	293	371	448	526	603	680	26	8 88.0 87.2 86.4 85.6
984	34	680	757	834	910	987	*063	*139	25	9 99.0 98.1 97.2 96.3
										106 105 104 103
983	35	8.44 139	216	292	367	443	519	594	24	1 10.6 10.5 10.4 10.3
983	36	594	669	745	820	895	969	*044	23	2 21.2 21.0 20.8 20.6
983	37	8.45 044	119	193	267	341	415	489	22	3 31.8 31.5 31.2 30.9
982	38	489	563	637	710	784	857	930	21	4 42.4 42.0 41.6 41.2
982	39	930	*003	*076	*149	*222	*294	*366	20	5 53.0 52.5 52 0 51.5
										6 63.6 63.0 62 4 61.8
982	40	8.46 366	439	511	583	655	727	799	19	7 74.2 73.5 72.8 72.1
981	41	799	870	942	*013	*084	*155	*226	18	8 84.8 84.0 83 2 82.4
981	42	8.47 226	297	368	439	509	580	650	17	9 95.4 94.5 93.6 92.7
981	43	650	720	790	860	930	*000	*069	16	102 101 100 99
980	44	8.48 069	139	208	278	347	416	485	15	1 10.2 10.1 10.0 9.9
										2 20.4 20 2 20.0 19.8
980	45	485	554	622	691	760	828	896	14	3 30.6 30.3 30.0 29.7
979	46	896	965	*033	*101	*169	*236	*304	13	4 40.8 40.4 40.0 39.6
979	47	8.49 304	372	439	506	574	641	708	12	5 51.0 50.5 50.0 49.5
979	48	708	775	842	908	975	*042	*108	11	6 61.2 60.6 60.0 59.4
978	49	8.50 108	174	241	307	373	439	504	10	7 71.4 70.7 70.0 69.3
										8 81.6 80 8 80.0 79.2
978	50	504	570	636	701	767	832	897	9	9 91.8 90.9 90.0 89.1
977	51	897	963	*028	*092	*157	*222	*287	8	98 97 96 95
977	52	8.51 287	351	416	480	544	609	673	7	1 9.8 9.7 9.6 9.5
977	53	673	737	801	864	928	992	*055	6	2 19.6 19.4 19.2 19.0
976	54	8.52 055	119	182	245	308	371	434	5	3 29.4 29.1 28.8 28.5
										4 39.2 38.8 38.4 38.0
976	55	434	497	560	623	685	748	810	4	5 49.0 48 5 48.0 47.5
975	56	810	872	935	997	*059	*121	*183	3	6 58.8 58.2 57.6 57.0
975	57	8.53 183	245	306	368	429	491	552	2	7 68.6 67.9 67.2 66.5
974	58	552	614	675	736	797	858	919	1	8 78.4 77.6 76.8 76.0
974	59	919	979	*040	*101	*161	*222	*282	0	9 88.2 87 3 86.4 85.5
9.99		60″	50″	40″	30″	20″	10″	0″	′	P P

L Sin — *178° 268° *358° — 88° — L Cos

L Tan 1° *91° 181° *271°

′	0″	10″	20″	30″	40″	50″	60″		P P
0	8.24 192	313	433	553	672	791	910	59	
1	910	*029	*147	*265	*382	*500	*616	58	
2	8.25 616	733	849	965	*081	*196	*312	57	
3	8.26 312	426	541	655	769	882	996	56	
4	996	*109	*221	*334	*446	*558	*669	55	
5	8.27 669	780	891	*002	*112	*223	*332	54	
6	8.28 332	442	551	660	769	877	986	53	
7	986	*094	*201	*309	*416	*523	*629	52	
8	8.29 629	736	842	947	*053	*158	*263	51	
9	8.30 263	368	473	577	681	785	888	50	
10	888	992	*095	*198	*300	*403	*505	49	
11	8.31 505	606	708	809	911	*012	*112	48	
12	8.32 112	213	313	413	513	612	711	47	
13	711	810	909	*008	*106	*205	*302	46	
14	8.33 302	400	498	595	692	789	886	45	
15	886	982	*078	*174	*270	*366	*461	44	
16	8.34 461	556	651	746	840	935	*029	43	
17	8.35 029	123	217	310	403	497	590	42	
18	590	682	775	867	959	*051	*143	41	
19	8.36 143	235	326	417	508	599	689	40	
20	689	780	870	960	*050	*140	*229	39	
21	8.37 229	318	408	497	585	674	762	38	
22	762	850	938	*026	*114	*202	*289	37	
23	8.38 289	376	463	550	636	723	809	36	
24	809	895	981	*067	*153	*238	*323	35	
25	8.39 323	408	493	578	663	747	832	34	
26	832	916	*000	*083	*167	*250	*334	33	
27	8.40 334	417	500	583	665	748	830	32	
28	830	913	995	*077	*158	*240	*321	31	
29	8.41 321	403	484	565	646	726	807	30	
30	807	887	967	*048	*127	*207	*287	29	
31	8.42 287	366	446	525	604	683	762	28	
32	762	840	919	997	*073	*154	*232	27	
33	8.43 232	309	387	464	542	619	696	26	
34	696	773	850	927	*003	*080	*156	25	
35	8.44 156	232	308	384	460	536	611	24	
36	611	686	762	837	912	987	*061	23	
37	8.45 061	136	210	285	359	433	507	22	
38	507	581	655	728	802	875	948	21	
39	948	*021	*094	*167	*240	*312	*385	20	
40	8.46 385	457	529	602	674	745	817	19	
41	817	889	960	*032	*103	*174	*245	18	
42	8.47 245	316	387	458	528	599	669	17	
43	669	740	810	880	950	*020	*089	16	
44	8.48 089	159	228	298	367	436	505	15	
45	505	574	643	711	780	849	917	14	
46	917	985	*053	*121	*189	*257	*325	13	
47	8.49 325	393	460	528	595	662	729	12	
48	729	796	863	930	997	*063	*130	11	
49	8.50 130	196	263	329	395	461	527	10	
50	527	593	658	724	789	855	920	9	
51	920	985	*050	*115	*180	*245	*310	8	
52	8.51 310	374	439	503	568	632	696	7	
53	696	760	824	888	952	*015	*079	6	
54	8.52 079	143	206	269	332	396	459	5	
55	459	522	584	647	710	772	835	4	
56	835	897	960	*022	*084	*146	*208	3	
57	8.53 208	270	332	393	455	516	578	2	
58	578	639	700	762	823	884	945	1	
59	945	*005	*066	*127	*187	*248	*308	0	
	60″	50″	40″	30″	20″	10″	0″	′	P P

	94	93	92	91	90
1	9.4	9.3	9.2	9.1	9.0
2	18.8	18.6	18.4	18.2	18.0
3	28.2	27 9	27.6	27.3	27.0
4	37.6	37.2	36.8	36.4	36.0
5	47.0	46.5	46.0	45.5	45.0
6	56.4	55.8	55.2	54.6	54 0
7	65.8	65.1	64.4	63.7	63.0
8	75 2	74.4	73.6	72.8	72.0
9	84.6	83.7	82.8	81.9	81.0

	89	88	87	86	85
1	8 9	8.8	8.7	8.6	8.5
2	17.8	17 6	17 4	17.2	17.0
3	26 7	26.4	26.1	25.8	25.5
4	35.6	35.2	34.8	34.4	34.0
5	44 5	44.0	43.5	43.0	42 5
6	53.4	52 8	52.2	51.6	51.0
7	62 3	61.6	60.9	60 2	59.5
8	71 2	70.4	69.6	68.8	68.0
9	80.1	79.2	78.3	77.4	76.5

	84	83	82	81	80
1	8 4	8.3	8 2	8.1	8.0
2	16.8	16 6	16.4	16.2	16.0
3	25.2	24.9	24 6	24.3	24 0
4	33.6	33.2	32.8	32 4	32.0
5	42.0	41.5	41.0	40 5	40 0
6	50 4	49.8	49.2	48.6	48 0
7	58.8	58.1	57.4	56.7	56 0
8	67.2	66 4	65 6	64.8	64.0
9	75.6	74.7	73.8	72.9	72 0

	79	78	77	76	75
1	7.9	7 8	7 7	7 6	7 5
2	15.8	15.6	15.4	15.2	15 0
3	23 7	23.4	23.1	22.8	22 5
4	31.6	31 2	30 8	30 4	30.0
5	39 5	39.0	38.5	38 0	37.5
6	47.4	46 8	46.2	45 6	45 0
7	55 3	54 6	53.9	53.2	52.5
8	63.2	62.4	61.6	60.8	60 0
9	71.1	70 2	69.3	68 4	67 5

	74	73	72	71	70
1	7.4	7 3	7.2	7.1	7.0
2	14 8	14.6	14 4	14.2	14.0
3	22.2	21 9	21.6	21.3	21 0
4	29 6	29.2	28 8	28.4	28.0
5	37 0	36.5	36 0	35.5	35.0
6	44.4	43.8	43.2	42.6	42.0
7	51 8	51 1	50.4	49 7	49 0
8	59.2	58.4	57 6	56 8	56.0
9	66.6	65 7	64.8	63.9	63.0

	69	68	67	66	65
1	6 9	6 8	6.7	6 6	6 5
2	13 8	13 6	13.4	13.2	13.0
3	20.7	20 4	20 1	19 8	19 5
4	27 6	27 2	26 8	26 4	26.0
5	34 5	34.0	33.5	33 0	32 5
6	41 4	40 8	40.2	39 6	39.0
7	48.3	47 6	46.9	46.2	45 5
8	55 2	54.4	53 6	52.8	52.0
9	62 1	61.2	60 3	59 4	58.5

	64	63	62	61	60
1	6.4	6 3	6.2	6.1	6.0
2	12.8	12 6	12.4	12.2	12 0
3	19.2	18 9	18.6	18 3	18 0
4	25.6	25.2	24.8	24.4	24.0
5	32.0	31 5	31 0	30 5	30.0
6	38.4	37.8	37.2	36.6	36.0
7	44.8	44 1	43.4	42.7	42 0
8	51.2	50 4	49.6	48.8	48.0
9	57.6	56.7	55.8	54 9	54 0

*178° 268° *358° **88°** L Cot

L Cos | L Sin | 2° | *92° 182° *272°

9·99	′	0″	10″	20″	30″	40″	50″	60″			P P
974	0	8.54 282	342	402	462	522	582	642	59	973	61
973	1	642	702	762	821	881	940	999	58	973	1 | 6.1
973	2	999	*059	*118	*177	*236	*295	*354	57	972	2 | 12.2
972	3	8.55 354	413	471	530	589	647	705	56	972	3 | 18.3
972	4	705	764	822	880	938	996	*054	55	971	4 | 24.4
971	5	8.56 054	112	170	227	285	342	400	54	971	5 | 30.5
971	6	400	457	515	572	629	686	743	53	970	6 | 36.6
970	7	743	800	857	914	970	*027	*084	52	970	7 | 42.7
970	8	8.57 084	140	196	253	309	365	421	51	969	8 | 48.8
969	9	421	477	533	589	645	701	757	50	969	9 | 54.9
969	10	757	812	868	923	979	*034	*089	49	968	60
968	11	8.58 089	144	200	255	310	364	419	48	968	1 | 6.0
968	12	419	474	529	583	638	693	747	47	967	2 | 12.0
967	13	747	801	856	910	964	*018	*072	46	967	3 | 18.0
967	14	8.59 072	126	180	234	288	341	395	45	967	4 | 24.0
967	15	395	448	502	555	609	662	715	44	966	5 | 30.0
966	16	715	768	821	874	927	980	*033	43	966	6 | 36.0
966	17	8.60 033	086	139	191	244	296	349	42	965	7 | 42.0
965	18	349	401	454	506	558	610	662	41	964	8 | 48.0
964	19	662	714	766	818	870	922	973	40	964	9 | 54.0
964	20	973	*025	*077	*128	*180	*231	*282	39	963	59
963	21	8.61 282	334	385	436	487	538	589	38	963	1 | 5.9
963	22	589	640	691	742	792	843	894	37	962	2 | 11.8
962	23	894	944	995	*045	*096	*146	*196	36	962	3 | 17.7
962	24	8.62 196	246	297	347	397	447	497	35	961	4 | 23.6
961	25	497	546	596	646	696	745	795	34	961	5 | 29.5
961	26	795	844	894	943	993	*042	*091	33	960	6 | 35.4
960	27	8.63 091	140	189	238	288	336	385	32	960	7 | 41.3
960	28	385	434	483	532	580	629	678	31	959	8 | 47.2
959	29	678	726	775	823	871	920	968	30	959	9 | 53.1
959	30	968	*016	*064	*112	*160	*208	*256	29	958	58
958	31	8.64 256	304	352	400	448	495	543	28	958	1 | 5.8
958	32	543	590	638	685	733	780	827	27	957	2 | 11.6
957	33	827	875	922	969	*016	*063	*110	26	956	3 | 17.4
956	34	8.65 110	157	204	251	298	344	391	25	956	4 | 23.2
956	35	391	438	484	531	577	624	670	24	955	5 | 29.0
955	36	670	717	763	809	855	901	947	23	955	6 | 34.8
955	37	947	994	*040	*085	*131	*177	*223	22	954	7 | 40.6
954	38	8.66 223	269	314	360	406	451	497	21	954	8 | 46.4
954	39	497	542	588	633	678	724	769	20	953	9 | 52.2
953	40	769	814	859	904	949	994	*039	19	952	57
952	41	8.67 039	084	129	174	219	263	308	18	952	1 | 5.7
952	42	308	353	397	442	486	531	575	17	951	2 | 11.4
951	43	575	619	664	708	752	796	841	16	951	3 | 17.1
951	44	841	885	929	973	*017	*060	*104	15	950	4 | 22.8
950	45	8 68 104	148	192	236	279	323	367	14	949	5 | 28.5
949	46	367	410	454	497	540	584	627	13	949	6 | 34.2
949	47	627	670	714	757	800	843	886	12	948	7 | 39.9
948	48	886	929	972	*015	*058	*101	*144	11	948	8 | 45.6
948	49	8.69 144	187	229	272	315	357	400	10	947	9 | 51.3
947	50	400	442	485	527	570	612	654	9	946	56
946	51	654	697	739	781	823	865	907	8	946	1 | 5.6
946	52	907	949	991	*033	*075	*117	*159	7	945	2 | 11.2
945	53	8.70 159	201	242	284	326	367	409	6	944	3 | 16.8
944	54	409	451	492	534	575	616	658	5	944	4 | 22.4
944	55	658	699	740	781	823	864	905	4	943	5 | 28.0
943	56	905	946	987	*028	*069	*110	*151	3	942	6 | 33.6
942	57	8.71 151	192	232	273	314	355	395	2	942	7 | 39.2
942	58	395	436	476	517	557	598	638	1	941	8 | 44.8
941	59	638	679	719	759	800	840	880	0	940	9 | 50.4
		60″	50″	40″	30″	20″	10″	0″	′	9·99	P P

*177° 267° *357° | 87° | L Cos | L Sin

L Tan 2° *92° 182° *272°

	0″	10″	20″	30″	40″	50″	60″	
0	8.54 308	369	429	489	549	609	669	59
1	669	729	789	848	908	967	*027	58
2	8.55 027	086	145	205	264	323	382	57
3	382	441	499	558	617	675	734	56
4	734	792	850	909	967	*025	*083	55
5	8.56 083	141	199	256	314	372	429	54
6	429	487	544	601	659	716	773	53
7	773	830	887	944	*000	*057	*114	52
8	8.57 114	170	227	283	340	396	452	51
9	452	508	564	620	676	732	788	50
10	788	843	899	955	*010	*065	*121	49
11	8.58 121	176	231	286	341	396	451	48
12	451	506	561	616	670	725	779	47
13	779	834	888	943	997	*051	*105	46
14	8.59 105	159	213	267	321	375	428	45
15	428	482	536	589	642	696	749	44
16	749	802	856	909	962	*015	*068	43
17	8.60 068	121	173	226	279	331	384	42
18	384	436	489	541	593	646	698	41
19	698	750	802	854	906	958	*009	40
20	8.61 009	061	113	164	216	267	319	39
21	319	370	422	473	524	575	626	38
22	626	677	728	779	830	881	931	37
23	931	982	*033	*083	*134	*184	*234	36
24	8.62 234	285	335	385	435	485	535	35
25	535	585	635	685	735	784	834	34
26	834	884	933	983	*032	*081	*131	33
27	8.63 131	180	229	278	328	377	426	32
28	426	475	523	572	621	670	718	31
29	718	767	816	864	913	961	*009	30
30	8.64 009	058	106	154	202	250	298	29
31	298	346	394	442	490	538	585	28
32	585	633	681	728	776	823	870	27
33	870	918	965	*012	*060	*107	*154	26
34	8.65 154	201	248	295	342	388	435	25
35	435	482	529	575	622	668	715	24
36	715	761	808	854	900	947	993	23
37	993	*039	*085	*131	*177	*223	*269	22
38	8.66 269	315	361	406	452	498	543	21
39	543	589	634	680	725	771	816	20
40	816	861	906	952	997	*042	*087	19
41	8.67 087	132	177	222	267	312	356	18
42	356	401	446	490	535	579	624	17
43	624	668	713	757	801	846	890	16
44	890	934	978	*022	*066	*110	*154	15
45	8.68 154	198	242	286	330	373	417	14
46	417	461	504	548	592	635	678	13
47	678	722	765	808	852	895	938	12
48	938	981	*024	*067	*110	*153	*196	11
49	8.69 196	239	282	325	368	410	453	10
50	453	496	538	581	623	666	708	9
51	708	750	793	835	877	920	962	8
52	962	*004	*046	*088	*130	*172	*214	7
53	8.70 214	256	298	339	381	423	465	6
54	465	506	548	589	631	673	714	5
55	714	755	797	838	879	921	962	4
56	962	*003	*044	*085	*126	*167	*208	3
57	8.71 208	249	290	331	372	413	453	2
58	453	494	535	575	616	657	697	1
59	697	738	778	819	859	899	940	0
	60″	50″	40″	30″	20″	10″	0″	′

P P

	55	54	53
1	5.5	5.4	5.3
2	11.0	10.8	10.6
3	16.5	16.2	15.9
4	22.0	21.6	21.2
5	27.5	27.0	26.5
6	33.0	32.4	31.8
7	38.5	37.8	37.1
8	44.0	43.2	42.4
9	49.5	48.6	47.7

	52	51
1	5.2	5.1
2	10.4	10.2
3	15.6	15.3
4	20.8	20.4
5	26.0	25.5
6	31.2	30.6
7	36.4	35.7
8	41.6	40.8
9	46.8	45.9

	50	49	48
1	5.0	4.9	4.8
2	10.0	9 8	9.6
3	15.0	14.7	14.4
4	20.0	19.6	19.2
5	25.0	24.5	24.0
6	30.0	29.4	28.8
7	35.0	34.3	33.6
8	40.0	39.2	38.4
9	45.0	44.1	43.2

	47	46	45
1	4.7	4.6	4.5
2	9 4	9.2	9.0
3	14.1	13 8	13.5
4	18.8	18 4	18.0
5	23.5	23.0	22.5
6	28.2	27 6	27.0
7	32.9	32.2	31.5
8	37.6	36.8	36.0
9	42.3	41.4	40.5

	44	43
1	4.4	4.3
2	8.8	8.6
3	13.2	12.9
4	17.6	17.2
5	22.0	21.5
6	26.4	25.8
7	30.8	30.1
8	35.2	34.4
9	39.6	38.7

	42	41	40
1	4.2	4.1	4.0
2	8.4	8.2	8.0
3	12.6	12.3	12.0
4	16.8	16.4	16.0
5	21.0	20.5	20.0
6	25.2	24.6	24.0
7	29.4	28.7	28.0
8	33.6	32.8	32.0
9	37.8	36.9	36.0

P P

*177° 267° *357° 87° L Cot

9.99	′	0″	10″	20″	30″	40″	50″	60″			P	P
940	0	8.71 880	920	960	*000	*040	*080	*120	59	940	40	39
940	1	8.72 120	160	200	240	280	320	359	58	939	1 4.0	3.9
939	2	359	399	439	478	518	558	597	57	938	2 8.0	7.8
938	3	597	637	676	716	755	794	834	56	938	3 12.0	11.7
938	4	834	873	912	951	991	*030	*069	55	937	4 16.0	15.6
937	5	8.73 069	108	147	186	225	264	303	54	936	5 20.0	19.5
936	6	303	342	380	419	458	497	535	53	936	6 24.0	23.4
936	7	535	574	613	651	690	728	767	52	935	7 28.0	27.3
935	8	767	805	844	882	920	959	997	51	934	8 32.0	31.2
934	9	997	*035	*073	*112	*150	*188	*226	50	934	9 36.0	35.1
934	10	8.74 226	264	302	340	378	416	454	49	933	38	37
933	11	454	491	529	567	605	642	680	48	932	1 3.8	3.7
932	12	680	718	755	793	831	868	906	47	932	2 7.6	7.4
932	13	906	943	980	*018	*055	*092	*130	46	931	3 11.4	11.1
931	14	8.75 130	167	204	241	279	316	353	45	930	4 15.2	14.8
930	15	353	390	427	464	501	538	575	44	929	5 19.0	18.5
929	16	575	612	648	685	722	759	795	43	929	6 22.8	22.2
929	17	795	832	869	905	942	979	*015	42	928	7 26.6	25.9
928	18	8.76 015	052	088	125	161	197	234	41	927	8 30.4	29.6
927	19	234	270	306	343	379	415	451	40	926	9 34.2	33.3
926	20	451	487	523	559	595	631	667	39	926	36	
926	21	667	703	739	775	811	847	883	38	925	1 3.6	
925	22	883	919	954	990	*026	*061	*097	37	924	2 7.2	
924	23	8.77 097	133	168	204	239	275	310	36	923	3 10.8	
923	24	310	346	381	416	452	487	522	35	923	4 14.4	
923	25	522	558	593	628	663	698	733	34	922	5 18.0	
922	26	733	768	803	838	873	908	943	33	921	6 21.6	
921	27	943	978	*013	*048	*083	*118	*152	32	920	7 25.2	
920	28	8.78 152	187	222	257	291	326	360	31	920	8 28.8	
920	29	360	395	430	464	499	533	568	30	919	9 32.4	
919	30	568	602	636	671	705	739	774	29	918	35	34
918	31	774	808	842	876	910	945	979	28	917	1 3.5	3.4
917	32	979	*013	*047	*081	*115	*149	*183	27	917	2 7.0	6.8
917	33	8.79 183	217	251	284	318	352	386	26	916	3 10.5	10.2
916	34	386	420	453	487	521	555	588	25	915	4 14.0	13.6
915	35	588	622	655	689	722	756	789	24	914	5 17.5	17.0
914	36	789	823	856	890	923	956	990	23	913	6 21.0	20.4
913	37	990	*023	*056	*090	*123	*156	*189	22	913	7 24.5	23.8
913	38	8.80 189	222	255	289	322	355	388	21	912	8 28.0	27.2
912	39	388	421	454	487	519	552	585	20	911	9 31.5	30.6
911	40	585	618	651	684	716	749	782	19	910	33	32
910	41	782	815	847	880	913	945	978	18	909	1 3.3	3.2
909	42	978	*010	*043	*075	*108	*140	*173	17	909	2 6.6	6.4
909	43	8.81 173	205	237	270	302	334	367	16	908	3 9.9	9.6
908	44	367	399	431	463	496	528	560	15	907	4 13.2	12.8
907	45	560	592	624	656	688	720	752	14	906	5 16.5	16.0
906	46	752	784	816	848	880	912	944	13	905	6 19.8	19.2
905	47	944	975	*007	*039	*071	*103	*134	12	904	7 23.1	22.4
904	48	8.82 134	166	198	229	261	292	324	11	904	8 26.4	25.6
904	49	324	356	387	419	450	482	513	10	903	9 29.7	28.8
903	50	513	544	576	607	639	670	701	9	902	31	30
902	51	701	732	764	795	826	857	888	8	901	1 3.1	3.0
901	52	888	920	951	982	*013	*044	*075	7	900	2 6.2	6.0
900	53	8.83 075	106	137	168	199	230	261	6	899	3 9.3	9.0
899	54	261	292	322	353	384	415	446	5	898	4 12.4	12.0
898	55	446	476	507	538	568	599	630	4	898	5 15.5	15.0
898	56	630	660	691	721	752	783	813	3	897	6 18.6	18.0
897	57	813	844	874	904	935	965	996	2	896	7 21.7	21.0
896	58	996	*026	*056	*087	*117	*147	*177	1	895	8 24.8	24.0
895	59	8.84 177	208	238	268	298	328	358	0	894	9 27.9	27.0
		60″	50″	40″	30″	20″	10″	0″	′	9.99	P	P

L Tan 3° *93° 183° *273°

′	0″	10″	20″	30″	40″	50″	60″		P P	
									41	40
0	8.71 940	980	*020	*060	*100	*141	*181	59		
1	8.72 181	221	261	301	341	380	420	58	1	4.1 4.0
2	420	460	500	540	579	619	659	57	2	8.2 8.0
3	659	698	738	777	817	856	896	56	3	12.3 12.0
4	896	935	975	*014	*053	*093	*132	55	4	16.4 16.0
5	8.73 132	171	210	249	288	327	366	54	5	20.5 20.0
6	366	405	444	483	522	561	600	53	6	24.6 24.0
7	600	638	677	716	754	793	832	52	7	28.7 28.0
8	832	870	909	947	986	*024	*063	51	8	32.8 32.0
9	8.74 063	101	139	178	216	254	292	50	9	36.9 36.0
									39	38
10	292	330	369	407	445	483	521	49		
11	521	559	597	634	672	710	748	48	1	3.9 3.8
12	748	786	823	861	899	936	974	47	2	7.8 7.6
13	974	*012	*049	*087	*124	*162	*199	46	3	11.7 11.4
14	8.75 199	236	274	311	348	385	423	45	4	15.6 15.2
15	423	460	497	534	571	608	645	44	5	19.5 19.0
16	645	682	719	756	793	830	867	43	6	23.4 22.8
17	867	904	940	977	*014	*051	*087	42	7	27.3 26.6
18	8.76 087	124	160	197	233	270	306	41	8	31.2 30.4
19	306	343	379	416	452	488	525	40	9	35.1 34.2
									37	36
20	525	561	597	633	669	706	742	39		
21	742	778	814	850	886	922	958	38	1	3.7 3.6
22	958	994	*030	*065	*101	*137	*173	37	2	7.4 7.2
23	8.77 173	208	244	280	315	351	387	36	3	11.1 10.8
24	387	422	458	493	529	564	600	35	4	14.8 14.4
25	600	635	670	706	741	776	811	34	5	18.5 18.0
26	811	847	882	917	952	987	*022	33	6	22.2 21.6
27	8.78 022	057	092	127	162	197	232	32	7	25.9 25.2
28	232	267	302	337	371	406	441	31	8	29.6 28.8
29	441	475	510	545	579	614	649	30	9	33.3 32.4
									35	34
30	649	683	718	752	787	821	855	29		
31	855	890	924	958	993	*027	*061	28	1	3.5 3.4
32	8.79 061	096	130	164	198	232	266	27	2	7.0 6.8
33	266	300	334	368	402	436	470	26	3	10.5 10.2
34	470	504	538	572	606	639	673	25	4	14.0 13.6
35	673	707	741	774	808	842	875	24	5	17.5 17.0
36	875	909	942	976	*009	*043	*076	23	6	21.0 20.4
37	8.80 076	110	143	177	210	243	277	22	7	24.5 23.8
38	277	310	343	376	409	443	476	21	8	28.0 27.2
39	476	509	542	575	608	641	674	20	9	31.5 30.6
									33	32
40	674	707	740	773	806	839	872	19		
41	872	905	937	970	*003	*036	*068	18	1	3.3 3.2
42	8.81 068	101	134	166	199	232	264	17	2	6.6 6.4
43	264	297	329	362	394	427	459	16	3	9.9 9.6
44	459	491	524	556	588	621	653	15	4	13.2 12.8
45	653	685	717	750	782	814	846	14	5	16.5 16.0
46	846	878	910	942	974	*006	*038	13	6	19.8 19.2
47	8.82 038	070	102	134	166	198	230	12	7	23.1 22.4
48	230	262	293	325	357	389	420	11	8	26.4 25.6
49	420	452	484	515	547	579	610	10	9	29.7 28.8
									31	30
50	610	642	673	705	736	768	799	9		
51	799	831	862	893	925	956	987	8	1	3.1 3.0
52	987	*019	*050	*081	*112	*144	*175	7	2	6.2 6.0
53	8.83 175	206	237	268	299	330	361	6	3	9.3 9.0
54	361	392	423	454	485	516	547	5	4	12.4 12.0
55	547	578	609	640	671	701	732	4	5	15.5 15.0
56	732	763	794	824	855	886	916	3	6	18.6 18.0
57	916	947	978	*008	*039	*069	*100	2	7	21.7 21.0
58	8.84 100	130	161	191	222	252	282	1	8	24.8 24.0
59	282	313	343	374	404	434	464	0	9	27.9 27.0
	60″	50″	40″	30″	20″	10″	0″	′	P P	

*176° 266° *356° 86° L Cot

L Cos L Sin **4°** *94° 184° *274°

9.99	′	0″	10″	20″	30″	40″	50″	60″			P	P
894	0	8.84 358	389	419	449	479	509	539	59	893		
893	1	539	569	599	629	659	688	718	58	892		
892	2	718	748	778	808	838	867	897	57	891		31
891	3	897	927	957	986	*016	*045	*075	56	891		
891	4	8.85 075	105	134	164	193	223	252	55	890	1	3.1
890	5	252	282	311	341	370	400	429	54	889	2	6.2
889	6	429	458	488	517	546	576	605	53	888	3	9.3
888	7	605	634	663	693	722	751	780	52	887	4	12.4
887	8	780	809	838	867	896	926	955	51	886	5	15.5
886	9	955	984	*013	*042	*070	*099	*128	50	885	6	18.6
885	10	8.86 128	157	186	215	244	273	301	49	884	7	21.7
884	11	301	330	359	388	416	445	474	48	883	8	24.8
883	12	474	502	531	560	588	617	645	47	882	9	27.9
882	13	645	674	703	731	760	788	816	46	881		
881	14	816	845	873	902	930	958	987	45	880		29
880	15	987	*015	*043	*072	*100	*128	*156	44	879	1	2.9
879	16	8. 7 156	185	213	241	269	297	325	43	879	2	5.8
879	17	325	354	382	410	438	466	494	42	878	3	8.7
878	18	494	522	550	578	606	634	661	41	877	4	11.6
877	19	661	689	717	745	773	801	829	40	876	5	14.5
876	20	829	856	884	912	940	967	995	39	875	6	17.4
875	21	995	*023	*050	*078	*106	*133	*161	38	874	7	20.3
874	22	8.88 161	188	216	243	271	298	326	37	873	8	23.2
873	23	326	353	381	408	436	463	490	36	872	9	26.1
872	24	490	518	545	572	600	627	654	35	871		
871	25	654	681	709	736	763	790	817	34	870		28
870	26	817	845	872	899	926	953	980	33	869	1	2.8
869	27	980	*007	*034	*061	*088	*115	*142	32	868	2	5.6
868	28	8.89 142	169	196	223	250	277	304	31	867	3	8.4
867	29	304	330	357	384	411	438	464	30	866	4	11.2
866	30	464	491	518	545	571	598	625	29	865	5	14.0
865	31	625	651	678	704	731	758	784	28	864	6	16.8
864	32	784	811	837	864	890	917	943	27	863	7	19.6
863	33	943	970	996	*023	*049	*075	*102	26	862	8	22.4
862	34	8.90 102	128	154	181	207	233	260	25	861	9	25.2
861	35	260	286	312	338	364	391	417	24	860		
860	36	417	443	469	495	521	548	574	23	859		26
859	37	574	600	626	652	678	704	730	22	858	1	2.6
858	38	730	756	782	808	834	859	885	21	857	2	5.2
857	39	885	911	937	963	989	*015	*040	20	856	3	7.8
856	40	8.91 040	066	092	118	143	169	195	19	855	4	10.4
855	41	195	221	246	272	298	323	349	18	854	5	13.0
854	42	349	374	400	426	451	477	502	17	853	6	15.6
853	43	502	528	553	579	604	630	655	16	852	7	18.2
852	44	655	680	706	731	757	782	807	15	851	8	20.8
851	45	807	833	858	883	909	934	959	14	850	9	23.4
850	46	959	984	*010	*035	*060	*085	*110	13	848		
848	47	8.92 110	135	161	186	211	236	261	12	847		
847	48	261	286	311	336	361	386	411	11	846		25
846	49	411	436	461	486	511	536	561	10	845		
845	50	561	586	611	636	660	685	710	9	844	1	2.5
844	51	710	735	760	784	809	834	859	8	843	2	5.0
843	52	859	883	908	933	957	982	*007	7	842	3	7.5
842	53	8.93 007	031	056	081	105	130	154	6	841	4	10.0
841	54	154	179	203	228	253	277	301	5	840	5	12.5
840	55	301	326	350	375	399	424	448	4	839	6	15.0
839	56	448	472	497	521	546	570	594	3	838	7	17.5
838	57	594	619	643	667	691	716	740	2	837	8	20.0
837	58	740	764	788	812	837	861	885	1	836	9	22.5
836	59	885	909	933	957	981	*006	*030	0	834		
		60″	50″	40″	30″	20″	10″	0″	′	9.99	P	P

*175° 265° *355° **85°** L Cos L Sin

L Tan 4° *94° 184° *274°

′	0″	10″	20″	30″	40″	50″	60″		′
0	8.84 464	495	525	555	585	615	646	59	
1	646	676	706	736	766	796	826	58	
2	826	856	886	916	946	976	*006	57	
3	8.85 006	036	065	095	125	155	185	56	
4	185	214	244	274	304	333	363	55	
5	363	392	422	452	481	511	540	54	
6	540	570	599	629	658	688	717	53	
7	717	747	776	805	835	864	893	52	
8	893	922	952	981	*010	*039	*069	51	
9	8.86 069	098	127	156	185	214	243	50	
10	243	272	301	330	359	388	417	49	
11	417	447	475	504	533	562	591	48	
12	591	619	648	677	706	734	763	47	
13	763	792	821	849	878	907	935	46	
14	935	964	992	*021	*049	*078	*106	45	
15	8.87 106	135	163	192	220	249	277	44	
16	277	305	334	362	390	419	447	43	
17	447	475	503	532	560	588	616	42	
18	616	644	673	701	729	757	785	41	
19	785	813	841	869	897	925	953	40	
20	953	981	*009	*037	*065	*092	*120	39	
21	8.88 120	148	176	204	231	259	287	38	
22	287	315	342	370	398	425	453	37	
23	453	481	508	536	563	591	618	36	
24	618	646	674	701	728	756	783	35	
25	783	811	838	866	893	920	948	34	
26	948	975	*002	*029	*057	*084	111	33	
27	8.89 111	138	166	193	220	247	274	32	
28	274	301	328	355	383	410	437	31	
29	437	464	491	518	545	571	598	30	
30	598	625	652	679	706	733	760	29	
31	760	786	813	840	867	894	920	28	
32	920	947	974	*000	*027	*054	*080	27	
33	8.90 080	107	134	160	187	213	240	26	
34	240	266	293	319	346	372	399	25	
35	399	425	451	478	504	531	557	24	
36	557	583	610	636	662	688	715	23	
37	715	741	767	793	820	846	872	22	
38	872	898	924	950	976	*002	*029	21	
39	8.91 029	055	081	107	133	159	185	20	
40	185	211	236	262	288	314	340	19	
41	340	366	392	418	443	469	495	18	
42	495	521	547	572	598	624	650	17	
43	650	675	701	727	752	778	803	16	
44	803	829	855	880	906	931	957	15	
45	957	982	*008	*033	*059	*084	*110	14	
46	8.92 110	135	160	186	211	237	262	13	
47	262	287	313	338	363	388	414	12	
48	414	439	464	489	515	540	565	11	
49	565	590	615	640	665	691	716	10	
50	716	741	766	791	816	841	866	9	
51	866	891	916	941	966	991	*016	8	
52	8.93 016	040	065	090	115	140	165	7	
53	165	190	214	239	264	289	313	6	
54	313	338	363	388	412	437	462	5	
55	462	486	511	536	560	585	609	4	
56	609	634	658	683	707	732	756	3	
57	756	781	805	830	854	879	903	2	
58	903	928	952	976	*001	*025	*049	1	
59	8.94 049	074	098	122	147	171	195	0	
	60″	50″	40″	30″	20″	10″	0″	′	

P P

	31	30
1	3.1	3.0
2	6.2	6.0
3	9.3	9.0
4	12.4	12.0
5	15.5	15.0
6	18.6	18.0
7	21.7	21.0
8	24.8	24.0
9	27.9	27.0

	29
1	2.9
2	5.8
3	8.7
4	11.6
5	14.5
6	17.4
7	20.3
8	23.2
9	26.1

	28	27
1	2.8	2.7
2	5 6	5.4
3	8.4	8.1
4	11.2	10.8
5	14.0	13.5
6	16.8	16.2
7	19.6	18.9
8	22.4	21.6
9	25.2	24.3

	26
1	2.6
2	5 2
3	7.8
4	10.4
5	13.0
6	15.6
7	18.2
8	20.8
9	23.4

	25	24
1	2.5	2.4
2	5.0	4.8
3	7.5	7.2
4	10.0	9.6
5	12.5	12.0
6	15.0	14.4
7	17.5	16.8
8	20.0	19.2
9	22.5	21.6

P P

*175° 265° *355° 85° L Cot

L Cos L Sin 5° *95° 185° *275°

9.99	′	0″	10″	20″	30″	40″	50″	60″			P P
834	0	8.94 030	054	078	102	126	150	174	59	833	
833	1	174	198	222	246	270	294	317	58	832	
832	2	317	341	365	389	413	437	461	57	831	24
831	3	461	484	508	532	556	580	603	56	830	1 2.4
830	4	603	627	651	675	698	722	746	55	829	2 4.8
829	5	746	769	793	817	840	864	887	54	828	3 7.2
828	6	887	911	935	958	982	*005	*029	53	827	4 9.6
827	7	8.95 029	052	076	099	123	146	170	52	825	5 12.0
825	8	170	193	216	240	263	287	310	51	824	6 14.4
824	9	310	333	357	380	403	427	450	50	823	7 16.8
823	10	450	473	496	520	543	566	589	49	822	8 19.2
822	11	589	613	636	659	682	705	728	48	821	9 21.6
821	12	728	752	775	798	821	844	867	47	820	
820	13	867	890	913	936	959	982	*005	46	819	
819	14	8.96 005	028	051	074	097	120	143	45	817	23
817	15	143	166	189	212	234	257	280	44	816	1 2.3
816	16	280	303	326	349	371	394	417	43	815	2 4.6
815	17	417	440	462	485	508	531	553	42	814	3 6.9
814	18	553	576	599	621	644	667	689	41	813	4 9.2
813	19	689	712	735	757	780	802	825	40	812	5 11.5
812	20	825	847	870	892	915	937	960	39	810	6 13.8
810	21	960	982	*005	*027	*050	*072	*095	38	809	7 16.1
809	22	8.97 095	117	139	162	184	207	229	37	808	8 18.4
808	23	229	251	274	296	318	341	363	36	807	9 20.7
807	24	363	385	407	430	452	474	496	35	806	
806	25	496	518	541	563	585	607	629	34	804	22
804	26	629	651	674	696	718	740	762	33	803	1 2.2
803	27	762	784	806	828	850	872	894	32	802	2 4.4
802	28	894	916	938	960	982	*004	*026	31	801	3 6.6
801	29	8.98 026	048	070	092	114	135	157	30	800	4 8.8
800	30	157	179	201	223	245	266	288	29	798	5 11.0
798	31	288	310	332	354	375	397	419	28	797	6 13.2
797	32	419	441	462	484	506	527	549	27	796	7 15.4
796	33	549	571	592	614	636	657	679	26	795	8 17.6
795	34	679	701	722	744	765	787	808	25	793	9 19.8
793	35	808	830	851	873	894	916	937	24	792	
792	36	937	959	980	*002	*023	*045	*066	23	791	
791	37	8.99 066	087	109	130	152	173	194	22	790	21
790	38	194	216	237	258	280	301	322	21	788	1 2.1
788	39	322	343	365	386	407	428	450	20	787	2 4.2
787	40	450	471	492	513	534	556	577	19	786	3 6.3
786	41	577	598	619	640	661	682	704	18	785	4 8.4
785	42	704	725	746	767	788	809	830	17	783	5 10.5
783	43	830	851	872	893	914	935	956	16	782	6 12.6
782	44	956	977	998	*019	*040	*061	*082	15	781	7 14.7
781	45	9.00 082	103	123	144	165	186	207	14	780	8 16.8
780	46	207	228	249	269	290	311	332	13	778	9 18.9
778	47	332	353	373	394	415	436	456	12	777	
777	48	456	477	498	518	539	560	581	11	776	20
776	49	581	601	622	642	663	684	704	10	775	1 2.0
775	50	704	725	746	766	787	807	828	9	773	2 4.0
773	51	828	848	869	889	910	930	951	8	772	3 6.0
772	52	951	971	992	*012	*033	*053	*074	7	771	4 8.0
771	53	9.01 074	094	115	135	155	176	196	6	769	5 10.0
769	54	196	217	237	257	278	298	318	5	768	6 12.0
768	55	318	339	359	379	399	420	440	4	767	7 14.0
767	56	440	460	480	501	521	541	561	3	765	8 16.0
765	57	561	582	602	622	642	662	682	2	764	9 18.0
764	58	682	703	723	743	763	783	803	1	763	
763	59	803	823	843	863	883	903	923	0	761	
		60″	50″	40″	30″	20″	10″	0″	′	9.99	P P

*174° 264° *354° 84° L Cos L Sin

L Tan 5° *95° 185° *275°

′	0″	10″	20″	30″	40″	50″	60″		P P
0	8.94 195	219	244	268	292	316	340	59	
1	340	365	389	413	437	461	485	58	25
2	485	509	533	557	581	606	630	57	1 2.5
3	630	654	678	702	725	749	773	56	2 5.0
4	773	797	821	845	869	893	917	55	3 7.5
5	917	941	964	988	*012	*036	*060	54	4 10.0
6	8.95 060	083	107	131	155	178	202	53	5 12.5
7	202	226	249	273	297	320	344	52	6 15.0
8	344	368	391	415	439	462	486	51	7 17.5
9	486	509	533	556	580	603	627	50	8 20.0
10	627	650	674	697	721	744	767	49	9 22.5
11	767	791	814	838	861	884	908	48	24
12	908	931	954	977	*001	*024	*047	47	1 2.4
13	8.96 047	071	094	117	140	163	187	46	2 4.8
14	187	210	233	256	279	302	325	45	3 7.2
15	325	349	372	395	418	441	464	44	4 9.6
16	464	487	510	533	556	579	602	43	5 12.0
17	602	625	648	671	694	717	739	42	6 14.4
18	739	762	785	808	831	854	877	41	7 16.8
19	877	899	922	945	968	991	*013	40	8 19.2
20	8.97 013	036	059	081	104	127	150	39	9 21.6
21	150	172	195	218	240	263	285	38	23
22	285	308	331	353	376	398	421	37	1 2.3
23	421	443	466	488	511	533	556	36	2 4.6
24	556	578	601	623	646	668	691	35	3 6.9
25	691	713	735	758	780	802	825	34	4 9.2
26	825	847	869	892	914	936	959	33	5 11.5
27	959	981	*003	*025	*048	*070	*092	32	6 13.8
28	8.98 092	114	136	159	181	203	225	31	7 16.1
29	225	247	269	291	314	336	358	30	8 18.4
30	358	380	402	424	446	468	490	29	9 20.7
31	490	512	534	556	578	600	622	28	22
32	622	644	666	687	709	731	753	27	1 2.2
33	753	775	797	819	841	862	884	26	2 4.4
34	884	906	928	950	971	993	*015	25	3 6.6
35	8.99 015	037	058	080	102	123	145	24	4 8.8
36	145	167	188	210	232	253	275	23	5 11.0
37	275	297	318	340	361	383	405	22	6 13.2
38	405	426	448	469	491	512	534	21	7 15.4
39	534	555	577	598	620	641	662	20	8 17.6
40	662	684	705	727	748	769	791	19	9 19.8
41	791	812	834	855	876	898	919	18	21
42	919	940	961	983	*004	*025	*046	17	1 2.1
43	9.00 046	068	089	110	131	153	174	16	2 4.2
44	174	195	216	237	258	280	301	15	3 6.3
45	301	322	343	364	385	406	427	14	4 8.4
46	427	448	469	490	511	532	553	13	5 10.5
47	553	574	595	616	637	658	679	12	6 12.6
48	679	700	721	742	763	784	805	11	7 14.7
49	805	826	846	867	888	909	930	10	8 16.8
50	930	951	971	992	*013	*034	*055	9	9 18.9
51	9.01 055	075	096	117	138	158	179	8	20
52	179	200	220	241	262	282	303	7	1 2.0
53	303	324	344	365	386	406	427	6	2 4.0
54	427	447	468	489	509	530	550	5	3 6.0
55	550	571	591	612	632	653	673	4	4 8.0
56	673	694	714	735	755	776	796	3	5 10.0
57	796	816	837	857	878	898	918	2	6 12.0
58	918	939	959	979	*000	*020	*040	1	7 14.0
59	9.02 040	061	081	101	121	142	162	0	8 16.0
									9 18.0
	60″	50″	40″	30″	20″	10″	0″		P P

*174° 264° *354° 84° L Cot

L Cos L Sin 6° *96° 186° *276°

9.99	′	0″	10″	20″	30″	40″	50″	60″			P	P
761	0	9.01 923	943	964	984	*004	*024	*043	59	760		
760	1	9.02 043	063	083	103	123	143	163	58	759		
759	2	163	183	203	223	243	263	283	57	757		21
757	3	283	302	322	342	362	382	402	56	756	1	2.1
756	4	402	421	441	461	481	501	520	55	755	2	4.2
755	5	520	540	560	579	599	619	639	54	753	3	6.3
753	6	639	658	678	698	717	737	757	53	752	4	8.4
752	7	757	776	796	816	835	855	874	52	751	5	10.5
751	8	874	894	914	933	953	972	992	51	749	6	12.6
749	9	992	*011	*031	*050	*070	*089	*109	50	748	7	14.7
											8	16.8
748	10	9.03 109	128	148	167	187	206	226	49	747	9	18.9
747	11	226	245	265	284	303	323	342	48	745		
745	12	342	361	381	400	420	439	458	47	744		
744	13	458	478	497	516	535	555	574	46	742		20
742	14	574	593	613	632	651	670	690	45	741	1	2.0
741	15	690	709	728	747	766	786	805	44	740	2	4.0
740	16	805	824	843	862	881	901	920	43	738	3	6.0
738	17	920	939	958	977	996	*015	*034	42	737	4	8.0
737	18	9.04 034	053	072	091	110	129	149	41	736	5	10.0
736	19	149	168	187	206	225	244	262	40	734	6	12.0
											7	14.0
734	20	262	281	300	319	338	357	376	39	733	8	16.0
733	21	376	395	414	433	452	471	490	38	731	9	18.0
731	22	490	508	527	546	565	584	603	37	730		
730	23	603	621	640	659	678	697	715	36	728		
728	24	715	734	753	772	790	809	828	35	727		
												19
727	25	828	847	865	884	903	921	940	34	726	1	1.9
726	26	940	959	977	996	*015	*033	*052	33	724	2	3.8
724	27	9.05 052	071	089	108	126	145	164	32	723	3	5.7
723	28	164	182	201	219	238	256	275	31	721	4	7.6
721	29	275	293	312	330	349	367	386	30	720	5	9.5
720	30	386	404	423	441	460	478	497	29	718	6	11.4
718	31	497	515	533	552	570	589	607	28	717	7	13.3
717	32	607	625	644	662	681	699	717	27	716	8	15.2
716	33	717	736	754	772	791	809	827	26	714	9	17.1
714	34	827	845	864	882	900	918	937	25	713		
713	35	937	955	973	991	*010	*028	*046	24	711		
711	36	9.06 046	064	082	101	119	137	155	23	710		18
710	37	155	173	191	210	228	246	264	22	708	1	1.8
708	38	264	282	300	318	336	354	372	21	707	2	3.6
707	39	372	390	408	426	445	463	481	20	705	3	5.4
705	40	481	499	517	535	553	571	589	19	704	4	7.2
704	41	589	606	624	642	660	678	696	18	702	5	9.0
702	42	696	714	732	750	768	786	804	17	701	6	10.8
701	43	804	821	839	857	875	893	911	16	699	7	12.6
699	44	911	929	946	964	982	*000	*018	15	698	8	14.4
											9	16.2
698	45	9.07 018	035	053	071	089	106	124	14	696		
696	46	124	142	160	177	195	213	231	13	695		
695	47	231	248	266	284	301	319	337	12	693		
693	48	337	354	372	390	407	425	442	11	692		17
692	49	442	460	478	495	513	530	548	10	690	1	1.7
690	50	548	566	583	601	618	636	653	9	689	2	3.4
689	51	653	671	688	706	723	741	758	8	687	3	5.1
687	52	758	776	793	811	828	846	863	7	686	4	6.8
686	53	863	881	898	915	933	950	968	6	684	5	8.5
684	54	968	985	*002	*020	*037	*055	*072	5	683	6	10.2
											7	11.9
683	55	9.08 072	089	107	124	141	159	176	4	681	8	13.6
681	56	176	193	211	228	245	262	280	3	680	9	15.3
680	57	280	297	314	331	349	366	383	2	678		
678	58	383	400	418	435	452	469	486	1	677		
677	59	486	504	521	538	555	572	589	0	675		
		60″	50″	40″	30″	20″	10″	0″	′	9.99	P	P

*173° 263° *353° 83° L Cos L Sin

TABLE OF THE LOGARITHMS

OF THE

TRIGONOMETRIC FUNCTIONS

FROM MINUTE TO MINUTE

0° *90° 180° *270°

′	′	L Sin	d	C S	C T	L Tan	c d	L Cot	L Cos	
0	0	−∞				−∞		∞	0.00 000	60
60	1	6.46 373	30103	5.31 443	5.31 443	6.46 373	30103	3.53 627	0.00 000	59
120	2	6.76 476	17609	5.31 443	5.31 443	6.76 476	17609	3.23 524	0.00 000	58
180	3	6.94 085	12494	5.31 443	5.31 443	6.94 085	12494	3.05 915	0.00 000	57
240	4	7.06 579	9691	5.31 443	5.31 442	7.06 579	9691	2.93 421	0.00 000	56
300	5	7.16 270	7918	5.31 443	5.31 442	7.16 270	7918	2.83 730	0.00 000	55
360	6	7.24 188	6694	5.31 443	5.31 442	7.24 188	6694	2.75 812	0.00 000	54
420	7	7.30 882	5800	5.31 443	5.31 442	7.30 882	5800	2.69 118	0.00 000	53
480	8	7.36 682	5115	5.31 443	5.31 442	7.36 682	5115	2.63 318	0.00 000	52
540	9	7.41 797	4576	5.31 443	5.31 442	7.41 797	4576	2.58 203	0.00 000	51
600	10	7.46 373	4139	5.31 443	5.31 442	7.46 373	4139	2.53 627	0.00 000	50
660	11	7.50 512	3779	5.31 443	5.31 442	7.50 512	3779	2.49 488	0.00 000	49
720	12	7.54 291	3476	5.31 443	5.31 442	7.54 291	3476	2.45 709	0.00 000	48
780	13	7.57 767	3218	5.31 443	5.31 442	7.57 767	3219	2.42 233	0.00 000	47
840	14	7.60 985	2997	5.31 443	5.31 442	7.60 986	2996	2.39 014	0.00 000	46
900	15	7.63 982	2802	5.31 443	5.31 442	7.63 982	2803	2.36 018	0.00 000	45
960	16	7.66 784	2633	5.31 443	5.31 442	7.66 785	2633	2.33 215	0.00 000	44
1020	17	7.69 417	2483	5.31 443	5.31 442	7.69 418	2482	2.30 582	9.99 999	43
1080	18	7.71 900	2348	5.31 443	5.31 442	7.71 900	2348	2.28 100	9.99 999	42
1140	19	7.74 248	2227	5.31 443	5.31 442	7.74 248	2228	2.25 752	9.99 999	41
1200	20	7.76 475	2119	5.31 443	5.31 442	7.76 476	2119	2.23 524	9.99 999	40
1260	21	7.78 594	2021	5.31 443	5.31 442	7.78 595	2020	2.21 405	9.99 999	39
1320	22	7.80 615	1930	5.31 443	5.31 442	7.80 615	1931	2.19 385	9.99 999	38
1380	23	7.82 545	1848	5.31 443	5.31 442	7.82 546	1848	2.17 454	9.99 999	37
1440	24	7.84 393	1773	5.31 443	5.31 442	7.84 394	1773	2.15 606	9.99 999	36
1500	25	7.86 166	1704	5.31 443	5.31 442	7.86 167	1704	2.13 833	9.99 999	35
1560	26	7.87 870	1639	5.31 443	5.31 442	7.87 871	1639	2.12 129	9.99 999	34
1620	27	7.89 509	1579	5.31 443	5.31 442	7.89 510	1579	2.10 490	9.99 999	33
1680	28	7.91 088	1524	5.31 443	5.31 442	7.91 089	1524	2.08 911	9.99 999	32
1740	29	7.92 612	1472	5.31 443	5.31 441	7.92 613	1473	2.07 387	9.99 998	31
1800	30	7.94 084	1424	5.31 443	5.31 441	7.94 086	1424	2.05 914	9.99 998	30
1860	31	7.95 508	1379	5.31 443	5.31 441	7.95 510	1379	2.04 490	9.99 998	29
1920	32	7.96 887	1336	5.31 443	5.31 441	7.96 889	1336	2.03 111	9.99 998	28
1980	33	7.98 223	1297	5.31 443	5.31 441	7.98 225	1297	2.01 775	9.99 998	27
2040	34	7.99 520	1259	5.31 443	5.31 441	7.99 522	1259	2.00 478	9.99 998	26
2100	35	8.00 779	1223	5.31 443	5.31 441	8.00 781	1223	1.99 219	9.99 998	25
2160	36	8.02 002	1190	5.31 443	5.31 441	8.02 004	1190	1.97 996	9.99 998	24
2220	37	8.03 192	1158	5.31 443	5.31 441	8.03 194	1159	1.96 806	9.99 997	23
2280	38	8.04 350	1128	5.31 443	5.31 441	8.04 353	1128	1.95 647	9.99 997	22
2340	39	8.05 478	1100	5.31 443	5.31 441	8.05 481	1100	1.94 519	9.99 997	21
2400	40	8.06 578	1072	5.31 443	5.31 441	8.06 581	1072	1.93 419	9.99 997	20
2460	41	8.07 650	1046	5.31 444	5.31 440	8.07 653	1047	1.92 347	9.99 997	19
2520	42	8.08 696	1022	5.31 444	5.31 440	8.08 700	1022	1.91 300	9.99 997	18
2580	43	8.09 718	999	5.31 444	5.31 440	8.09 722	998	1.90 278	9.99 997	17
2640	44	8.10 717	976	5.31 444	5.31 440	8.10 720	976	1.89 280	9.99 996	16
2700	45	8.11 693	954	5.31 444	5.31 440	8.11 696	955	1.88 304	9.99 996	15
2760	46	8.12 647	934	5.31 444	5.31 440	8.12 651	934	1.87 349	9.99 996	14
2820	47	8.13 581	914	5.31 444	5.31 440	8.13 585	915	1 86 415	9.99 996	13
2880	48	8.14 495	896	5.31 444	5.31 440	8.14 500	895	1.85 500	9.99 996	12
2940	49	8.15 391	877	5.31 444	5.31 440	8.15 395	878	1.84 605	9.99 996	11
3000	50	8.16 268	860	5.31 444	5.31 439	8.16 273	860	1.83 727	9.99 995	10
3060	51	8.17 128	843	5.31 444	5.31 439	8.17 133	843	1.82 867	9.99 995	9
3120	52	8.17 971	827	5.31 444	5.31 439	8.17 976	828	1.82 024	9.99 995	8
3180	53	8.18 798	812	5.31 444	5.31 439	8.18 804	812	1.81 196	9.99 995	7
3240	54	8.19 610	797	5.31 444	5.31 439	8.19 616	797	1.80 384	9.99 995	6
3300	55	8.20 407	782	5.31 444	5.31 439	8.20 413	782	1.79 587	9.99 994	5
3360	56	8.21 189	769	5.31 444	5.31 439	8.21 195	769	1.78 805	9.99 994	4
3420	57	8.21 958	755	5.31 445	5.31 439	8.21 964	756	1.78 036	9.99 994	3
3480	58	8.22 713	743	5.31 445	5 31 438	8.22 720	742	1.77 280	9.99 994	2
3540	59	8.23 456	730	5.31 445	5.31 438	8.23 462	730	1.76 538	9.99 994	1
3600	60	8.24 186		5.31 445	5.31 438	8.24 192		1.75 808	9.99 993	0
		L Cos	d			L Cot	c d	L Tan	L Sin	′

*179° 269° *359° 89°

1° *91° 181° *271°

″	′	L Sin	d	C S	C T	L Tan	c d	L Cot	L Cos	
3600	0	8.24 186	717	5.31 445	5.31 438	8.24 192	718	1.75 808	9.99 993	60
3660	1	8.24 903	706	5.31 445	5.31 438	8.24 910	706	1.75 090	9.99 993	59
3720	2	8.25 609	695	5.31 445	5.31 438	8.25 616	696	1.74 384	9.99 993	58
3780	3	8.26 304	684	5.31 445	5.31 438	8.26 312	684	1.73 688	9.99 993	57
3840	4	8.26 988	673	5.31 445	5.31 437	8.26 996	673	1.73 004	9.99 992	56
3900	5	8.27 661	663	5.31 445	5 31 437	8.27 669	663	1.72 331	9.99 992	55
3960	6	8.28 324	653	5.31 445	5.31 437	8.28 332	654	1.71 668	9.99 992	54
4020	7	8.28 977	644	5.31 445	5.31 437	8.28 986	643	1.71 014	9.99 992	53
4080	8	8.29 621	634	5.31 445	5.31 437	8 29 629	634	1.70 371	9.99 992	52
4140	9	8.30 255	624	5.31 445	5.31 137	8.30 263	625	1.69 737	9.99 991	51
4200	10	8.30 879	616	5.31 446	5.31 437	8.30 888	617	1.69 112	9.99 991	50
4260	11	8.31 495	608	5.31 446	5.31 436	8.31 505	607	1.68 495	9.99 991	49
4320	12	8.32 103	599	5.31 446	5.31 436	8.32 112	599	1.67 888	9.99 990	48
4380	13	8.32 702	590	5.31 446	5.31 436	8.32 711	591	1.67 289	9.99 990	47
4440	14	8.33 292	583	5.31 446	5.31 436	8.33 302	584	1.66 698	9.99 990	46
4500	15	8.33 875	575	5.31 446	5.31 436	8.33 886	575	1.66 114	9.99 990	45
4560	16	8.34 450	568	5.31 446	5.31 435	8.34 461	568	1.65 539	9.99 989	44
4620	17	8.35 018	560	5.31 446	5.31 435	8.35 029	561	1.64 971	9.99 989	43
4680	18	8.35 578	553	5.31 446	5.31 435	8.35 590	553	1.64 410	9.99 989	42
4740	19	8.36 131	547	5.31 446	5.31 435	8.36 143	546	1.63 857	9.99 989	41
4800	20	8.36 678	539	5.31 446	5.31 435	8.36 689	540	1.63 311	9.99 988	40
4860	21	8.37 217	533	5.31 447	5.31 434	8.37 229	533	1.62 771	9.99 988	39
4920	22	8.37 750	526	5.31 447	5.31 434	8.37 762	527	1.62 238	9 99 988	38
4980	23	8.38 276	520	5.31 447	5.31 434	8.38 289	520	1.61 711	9.99 987	37
5040	24	8.38 796	514	5.31 447	5.31 434	8.38 809	514	1.61 191	9.99 987	36
5100	25	8.39 310	508	5.31 447	5.31 434	8.39 323	509	1.60 677	9.99 987	35
5160	26	8.39 818	502	5.31 447	5.31 433	8.39 832	502	1.60 168	9.99 986	34
5220	27	8.40 320	496	5.31 447	5.31 433	8.40 334	496	1.59 666	9.99 986	33
5280	28	8.40 816	491	5.31 447	5.31 433	8.40 830	491	1.59 170	9.99 986	32
5340	29	8.41 307	485	5.31 447	5.31 433	8.41 321	486	1.58 679	9.99 985	31
5400	30	8.41 792	480	5.31 447	5.31 433	8.41 807	480	1.58 193	9.99 985	30
5460	31	8.42 272	474	5.31 448	5.31 432	8.42 287	475	1.57 713	9.99 985	29
5520	32	8.42 746	470	5.31 448	5.31 432	8.42 762	470	1.57 238	9.99 984	28
5580	33	8.43 216	464	5.31 448	5.31 432	8.43 232	464	1.56 768	9.99 984	27
5640	34	8.43 680	459	5.31 448	5.31 432	8.43 696	460	1.56 304	9.99 984	26
5700	35	8.44 139	455	5.31 448	5.31 431	8.44 156	455	1.55 844	9.99 983	25
5760	36	8.44 594	450	5.31 448	5.31 431	8.44 611	450	1.55 389	9.99 983	24
5820	37	8.45 043	445	5.31 448	5.31 431	8.45 061	446	1.54 939	9.99 983	23
5880	38	8.45 489	441	5.31 448	5.31 431	8.45 507	441	1.54 493	9.99 982	22
5940	39	8.45 930	436	5.31 449	5.31 431	8.45 948	437	1.54 052	9.99 982	21
6000	40	8.46 366	433	5.31 449	5.31 430	8.46 385	432	1.53 615	9.99 982	20
6060	41	8.46 799	427	5.31 449	5.31 430	8.46 817	428	1.53 183	9 99 981	19
6120	42	8.47 226	424	5.31 449	5.31 430	8.47 245	424	1.52 755	9.99 981	18
6180	43	8.47 650	419	5.31 449	5.31 430	8.47 669	420	1.52 331	9 99 981	17
6240	44	8.48 069	416	5.31 449	5.31 429	8.48 089	416	1.51 911	9 99 980	16
6300	45	8.48 485	411	5.31 449	5.31 429	8.48 505	412	1.51 495	9.99 980	15
6360	46	8.48 896	408	5.31 449	5.31 429	8.48 917	408	1.51 083	9 99 979	14
6420	47	8.49 304	404	5.31 450	5.31 428	8.49 325	404	1.50 675	9.99 979	13
6480	48	8 49 708	400	5.31 450	5.31 428	8.49 729	401	1.50 271	9 99 979	12
6540	49	8.50 108	396	5.31 450	5.31 428	8.50 130	397	1.49 870	9.99 978	11
6600	50	8.50 504	393	5.31 450	5.31 428	8.50 527	393	1.49 473	9.99 978	10
6660	51	8.50 897	390	5.31 450	5.31 427	8.50 920	390	1.49 080	9 99 977	9
6720	52	8.51 287	386	5.31 450	5.31 427	8.51 310	386	1.48 690	9.99 977	8
6780	53	8.51 673	382	5.31 450	5.31 427	8.51 696	383	1.48 304	9.99 977	7
6840	54	8.52 055	379	5.31 450	5.31 427	8.52 079	380	1.47 921	9.99 976	6
6900	55	8.52 434	376	5.31 451	5.31 426	8.52 459	376	1.47 541	9.99 976	5
6960	56	8.52 810	373	5.31 451	5.31 426	8.52 835	373	1.47 165	9.99 975	4
7020	57	8.53 183	369	5.31 451	5.31 426	8.53 208	370	1.46 792	9.99 975	3
7080	58	8.53 552	367	5.31 451	5.31 425	8.53 578	367	1.46 422	9.99 974	2
7140	59	8.53 919	363	5.31 451	5.31 425	8.53 945	363	1.46 055	9.99 974	1
7200	60	8.54 282		5.31 451	5.31 425	8.54 308		1.45 692	9.99 974	0
		L Cos	d			L Cot	c d	L Tan	L Sin	′

*178° 268° *358° 88°

2°

*92° 182° *272°

″	′	L Sin	d	C S	C T	L Tan	c d	L Cot	L Cos	
7200	0	8.54 282	360	5.31 451	5.31 425	8.54 308	361	1.45 692	9.99 974	60
7260	1	8.54 642	357	5.31 451	5.31 425	8.54 669	358	1.45 331	9.99 973	59
7320	2	8.54 999	355	5.31 452	5.31 424	8.55 027	355	1.44 973	9.99 973	58
7380	3	8.55 354	351	5.31 452	5.31 424	8.55 382	352	1.44 618	9.99 972	57
7440	4	8.55 705	349	5.31 452	5.31 424	8.55 734	349	1.44 266	9.99 972	56
7500	5	8.56 054	346	5.31 452	5 31 423	8.56 083	346	1.43 917	9.99 971	55
7560	6	8.56 400	343	5.31 452	5.31 423	8.56 429	344	1.43 571	9.99 971	54
7620	7	8.56 743	341	5.31 452	5.31 423	8.56 773	341	1.43 227	9.99 970	53
7680	8	8.57 084	337	5 31 453	5.31 422	8.57 114	338	1.42 886	9.99 970	52
7740	9	8.57 421	336	5.31 453	5.31 422	8.57 452	336	1.42 548	9.99 969	51
7800	10	8.57 757	332	5.31 453	5.31 422	8.57 788	333	1.42 212	9.99 969	50
7860	11	8.58 089	330	5.31 453	5.31 421	8.58 121	330	1.41 879	9.99 968	49
7920	12	8.58 419	328	5.31 453	5.31 421	8.58 451	328	1.41 549	9.99 968	48
7980	13	8.58 747	325	5.31 453	5.31 421	8.58 779	326	1.41 221	9.99 967	47
8040	14	8.59 072	323	5.31 454	5.31 421	8.59 105	323	1.40 895	9 99 967	46
8100	15	8.59 395	320	5.31 454	5.31 420	8.59 428	321	1.40 572	9 99 967	45
8160	16	8.59 715	318	5.31 454	5.31 420	8.59 749	319	1.40 251	9.99 966	44
8220	17	8.60 033	316	5.31 454	5.31 420	8.60 068	316	1.39 932	9.99 966	43
8280	18	8.60 349	313	5.31 454	5.31 419	8.60 384	314	1.39 616	9.99 965	42
8340	19	8.60 662	311	5.31 454	5.31 419	8.60 698	311	1.39 302	9.99 964	41
8400	20	8.60 973	309	5.31 455	5.31 418	8 61 009	310	1.38 991	9.99 964	40
8460	21	8.61 282	307	5.31 455	5.31 418	8.61 319	307	1.38 681	9.99 963	39
8520	22	8.61 589	305	5.31 455	5.31 418	8.61 626	305	1.38 374	9.99 963	38
8580	23	8.61 894	302	5.31 455	5.31 417	8.61 931	303	1.38 069	9.99 962	37
8640	24	8.62 196	301	5.31 455	5.31 417	8.62 234	301	1.37 766	9.99 962	36
8700	25	8.62 497	298	5.31 455	5.31 417	8.62 535	299	1.37 465	9.99 961	35
8760	26	8.62 795	296	5.31 456	5.31 416	8.62 834	297	1.37 166	9.99 961	34
8820	27	8.63 091	294	5.31 456	5.31 416	8.63 131	295	1.36 869	9.99 960	33
8880	28	8.63 385	293	5.31 456	5.31 416	8.63 426	292	1.36 574	9.99 960	32
8940	29	8.63 678	290	5.31 456	5.31 415	8.63 718	291	1.36 282	9.99 959	31
9000	30	8.63 968	288	5.31 456	5.31 415	8.64 009	289	1.35 991	9 99 959	30
9060	31	8.64 256	287	5.31 456	5.31 415	8.64 298	287	1.35 702	9.99 958	29
9120	32	8 64 543	284	5.31 457	5.31 414	8.64 585	285	1.35 415	9.99 958	28
9180	33	8.64 827	283	5.31 457	5.31 414	8.64 870	284	1.35 130	9.99 957	27
9240	34	8.65 110	281	5.31 457	5.31 413	8.65 154	281	1.34 846	9.99 956	26
9300	35	8.65 391	279	5.31 457	5.31 413	8.65 435	280	1.34 565	9.99 956	25
9360	36	8.65 670	277	5.31 457	5.31 413	8.65 715	278	1.34 285	9.99 955	24
9420	37	8.65 947	276	5.31 458	5.31 412	8.65 993	276	1.34 007	9.99 955	23
9480	38	8.66 223	274	5.31 458	5.31 412	8.66 269	274	1.33 731	9.99 954	22
9540	39	8.66 497	272	5.31 458	5.31 412	8.66 543	273	1 33 457	9.99 954	21
9600	40	8.66 769	270	5.31 458	5.31 411	8.66 816	271	1.33 184	9.99 953	20
9660	41	8.67 039	269	5.31 458	5.31 411	8.67 087	269	1.32 913	9 99 952	19
9720	42	8.67 308	267	5.31 459	5.31 410	8.67 356	268	1.32 644	9.99 952	18
9780	43	8.67 575	266	5.31 459	5.31 410	8 67 624	266	1.32 376	9.99 951	17
9840	44	8.67 841	263	5.31 459	5.31 410	8.67 890	264	1.32 110	9.99 951	16
9900	45	8.68 104	263	5.31 459	5.31 409	8.68 154	263	1.31 846	9.99 950	15
9960	46	8.68 367	260	5.31 459	5.31 409	8.68 417	261	1.31 583	9.99 949	14
10020	47	8.68 627	259	5.31 460	5.31 408	8.68 678	260	1.31 322	9.99 949	13
10080	48	8 68 886	258	5.31 460	5.31 408	8.68 938	258	1.31 062	9.99 948	12
10140	49	8.69 144	256	5.31 460	5.31 408	8.69 196	257	1.30 804	9.99 948	11
10200	50	8.69 400	254	5 31 460	5.31 407	8.69 453	255	1.30 547	9.99 947	10
10260	51	8.69 654	253	5.31 460	5.31 407	8.69 708	254	1.30 292	9 99 946	9
10320	52	8.69 907	252	5.31 461	5.31 406	8.69 962	252	1.30 038	9.99 946	8
10380	53	8.70 159	250	5.31 461	5.31 406	8.70 214	251	1.29 786	9.99 945	7
10440	54	8.70 409	249	5.31 461	5.31 405	8.70 465	249	1.29 535	9.99 944	6
10500	55	8.70 658	247	5.31 461	5.31 405	8.70 714	248	1.29 286	9.99 944	5
10560	56	8.70 905	246	5.31 461	5.31 405	8.70 962	246	1.29 038	9.99 943	4
10620	57	8.71 151	244	5.31 462	5.31 404	8.71 208	245	1.28 792	9.99 942	3
10680	58	8.71 395	243	5.31 462	5.31 404	8.71 453	244	1.28 547	9.99 942	2
10740	59	8.71 638	242	5.31 462	5.31 403	8.71 697	243	1.28 303	9.99 941	1
10800	60	8.71 880		5.31 462	5.31 403	8.71 940		1.28 060	9.99 940	0
		L Cos	d			L Cot	c d	L Tan	L Sin	′

*177° 267° *357°

87°

′	L Sin	d	L Tan	c d	L Cot	L Cos	
0	8.71 880		8.71 940		1.28 060	9.99 940	60
		240		241			
1	8.72 120		8.72 181		1.27 819	9.99 940	59
		239		239			
2	8.72 359	238	8.72 420	239	1.27 580	9.99 939	58
				237			
3	8.72 597	237	8.72 659		1.27 341	9.99 938	57
				236			
4	8.72 834	235	8.72 896		1.27 104	9.99 938	56
				236			
5	8.73 069	234	8.73 132		1.26 868	9.99 937	55
				234			
6	8.73 303	232	8.73 366		1.26 634	9.99 936	54
				234			
7	8.73 535		8.73 600		1.26 400	9.99 936	53
		232		232			
8	8.73 767		8.73 832		1.26 168	9.99 935	52
		230		231			
9	8.73 997		8.74 063		1.25 937	9.99 934	51
		229		229			
10	8.74 226		8.74 292		1.25 708	9.99 934	50
		228		229			
11	8.74 454		8.74 521		1.25 479	9.99 933	49
		226		227			
12	8.74 680		8.74 748		1.25 252	9.99 932	48
		226		226			
13	8.74 906		8.74 974		1.25 026	9.99 932	47
		224		225			
14	8.75 130		8.75 199		1.24 801	9.99 931	46
		223		224			
15	8.75 353		8.75 423		1.24 577	9.99 930	45
		222		222			
16	8.75 575		8.75 645		1.24 355	9.99 929	44
		220		222			
17	8.75 795		8.75 867		1.24 133	9.99 929	43
		220		220			
18	8.76 015		8.76 087		1.23 913	9.99 928	42
		219		219			
19	8.76 234		8.76 306		1.23 694	9.99 927	41
		217		219			
20	8.76 451		8.76 525		1.23 475	9.99 926	40
		216		217			
21	8.76 667		8.76 742		1.23 258	9.99 926	39
		216		216			
22	8.76 883		8.76 958		1.23 042	9.99 925	38
		214		215			
23	8.77 097		8.77 173		1.22 827	9.99 924	37
		213		214			
24	8.77 310		8.77 387		1.22 613	9.99 923	36
		212		213			
25	8.77 522		8.77 600		1.22 400	9.99 923	35
		211		211			
26	8.77 733		8.77 811		1.22 189	9.99 922	34
		210		211			
27	8.77 943		8.78 022		1.21 978	9.99 921	33
		209		210			
28	8.78 152		8.78 232		1.21 768	9.99 920	32
		208		209			
29	8.78 360		8.78 441		1.21 559	9.99 920	31
		208		208			
30	8.78 568		8.78 649		1.21 351	9.99 919	30
		206		206			
31	8.78 774		8.78 855		1.21 145	9.99 918	29
		205		206			
32	8.78 979		8.79 061		1.20 939	9.99 917	28
		204		205			
33	8.79 183		8 79 266		1.20 734	9.99 917	27
		203		204			
34	8.79 386		8.79 470		1.20 530	9.99 916	26
		202		203			
35	8 79 588		8.79 673		1.20 327	9 99 915	25
		201		202			
36	8.79 789		8.79 875		1.20 125	9.99 914	24
		201		201			
37	8.79 990		8.80 076		1.19 924	9.99 913	23
		199		201			
38	8 80 189		8.80 277		1.19 723	9.99 913	22
		199		199			
39	8.80 388		8 80 476		1.19 524	9.99 912	21
		197		198			
40	8 80 585		8.80 674		1.19 326	9.99 911	20
		197		198			
41	8 80 782		8 80 872		1.19 128	9.99 910	19
		196		196			
42	8.80 978		8.81 068		1.18 932	9.99 909	18
		195		196			
43	8.81 173		8.81 264		1.18 736	9.99 909	17
		194		195			
44	8.81 367		8.81 459		1.18 541	9.99 908	16
		193		194			
45	8.81 560		8.81 653		1.18 347	9.99 907	15
		192		193			
46	8.81 752		8.81 846		1.18 154	9.99 906	14
		192		192			
47	8.81 944		8.82 038		1.17 962	9.99 905	13
		190		192			
48	8.82 134		8.82 230		1.17 770	9.99 904	12
		190		190			
49	8.82 324		8.82 420		1.17 580	9.99 904	11
		189		190			
50	8.82 513		8.82 610		1.17 390	9.99 903	10
		188		189			
51	8.82 701		8.82 799		1.17 201	9.99 902	9
		187		188			
52	8.82 888		8.82 987		1.17 013	9.99 901	8
		187		188			
53	8.83 075		8.83 175		1.16 825	9.99 900	7
		186		186			
54	8.83 261		8.83 361		1.16 639	9.99 899	6
		185		186			
55	8 83 446		8.83 547		1.16 453	9.99 898	5
		184		185			
56	8.83 630		8.83 732		1.16 268	9.99 898	4
		183		184			
57	8.83 813		8.83 916		1.16 084	9.99 897	3
		183		184			
58	8.83 996		8.84 100		1.15 900	9.99 896	2
		181		182			
59	8.84 177		8.84 282		1.15 718	9.99 895	1
		181		182			
60	8.84 358		8.84 464		1.15 536	9.99 894	0
	L Cos	d	L Cot	c d	L Tan	L Sin	′

	P	P	P	P	P
	241	240	237	235	234
1	4.0	4.0	4.0	3.9	3.9
2	8.0	8.0	7.9	7.8	7.8
3	12.0	12.0	11.8	11.8	11.7
4	16.1	15.9	15.8	15.7	15.6
5	20.1	19.9	19.8	19.6	19.5
6	24.1	23.9	23.7	23.5	23.4
7	28.1	27.9	27.6	27.4	27.3
8	32.1	31.9	31.6	31.3	31.2
9	36.2	35.8	35.6	35.2	35.1
10	40.2	39.8	39.5	39.2	39.0
20	80.3	79.7	79.0	78.3	78.0
30	120.5	119.5	118.5	117.5	117.0
40	160.7	159.3	158.0	156.7	156.0
50	200.8	199.2	197.5	195.8	195.0
	232	230	227	225	223
1	3.9	3.8	3.8	3.8	3.7
2	7.7	7.6	7.6	7.5	7.4
3	11.6	11.4	11.4	11.2	11.2
4	15.5	15.3	15.1	15.0	14.9
5	19.3	19.1	18.9	18.8	18.6
6	23.2	22.9	22.7	22.5	22.3
7	27.1	26.7	26.5	26.3	26.0
8	30.9	30.5	30.3	30.0	29.7
9	34.8	34.4	34.0	33.8	33.4
10	38.7	38.2	37.8	37.5	37.2
20	77.3	76.3	75.7	75.0	74.3
30	116.0	114.5	113.5	112.5	111.5
40	154.7	152.7	151.3	150.0	148.7
50	193.3	190.8	189.2	187.5	185.8
	222	220	217	215	213
1	3.7	3.7	3.6	3.6	3.6
2	7.4	7.3	7.2	7.2	7.1
3	11.1	11.0	10.8	10.8	10.6
4	14.8	14.7	14.5	14.3	14.2
5	18.5	18.3	18.1	17.9	17.8
6	22.2	22.0	21.7	21.5	21.3
7	25.9	25.7	25.3	25.1	24.8
8	29.6	29.3	28.9	28.7	28.4
9	33.3	33.0	32.6	32.2	32.0
10	37.0	36.7	36.2	35.8	35.5
20	74.0	73.3	72.3	71.7	71.0
30	111.0	110.0	108.5	107.5	106.5
40	148.0	146.7	144.7	143.3	142.0
50	185.0	183.3	180.8	179.2	177.5
	211	208	206	203	201
1	3.5	3.5	3.4	3.4	3.4
2	7.0	6.9	6.9	6.8	6.7
3	10.6	10.4	10.3	10.2	10.0
4	14.1	13.9	13.7	13.5	13.4
5	17.6	17.3	17.2	16.9	16.8
6	21.1	20.8	20.6	20.3	20.1
7	24.6	24.3	24.0	23.7	23.4
8	28.1	27.7	27.5	27.1	26.8
9	31.6	31.2	30.9	30.4	30.2
10	35.2	34.7	34.3	33.8	33.5
20	70.1	69.3	68.7	67.7	67.0
30	105.5	104.0	103.0	101.5	100.5
40	140.7	138.7	137.3	135.3	134.0
50	175.8	173.3	171.7	169.2	167.5
	199	197	195	193	192
1	3.3	3.3	3.2	3.2	3.2
2	6.6	6.6	6.5	6.4	6.4
3	10.0	9.8	9.8	9.6	9.6
4	13.3	13.1	13.0	12.9	12.8
5	16.6	16.4	16.2	16.1	16.0
6	19.9	19.7	19.5	19.3	19.2
7	23.2	23.0	22.8	22.5	22.4
8	26.5	26.3	26.0	25.7	25.6
9	29.8	29.6	29.2	29.0	28.8
10	33.2	32.8	32.5	32.2	32.0
20	66.3	65.7	65.0	64.3	64.0
30	99.5	98.5	97.5	96.5	96.0
40	132.7	131.3	130.0	128.7	128.0
50	165.8	164.2	162.5	160.8	160.0
	189	187	185	183	181
1	3.2	3.1	3.1	3.0	3.0
2	6.3	6.2	6.2	6.1	6.0
3	9.4	9.4	9.2	9.2	9.0
4	12.6	12.5	12.3	12.2	12.1
5	15.8	15.6	15.4	15.2	15.1
6	18.9	18.7	18.5	18.3	18.1
7	22.0	21.8	21.6	21.4	21.1
8	25.2	24.9	24.7	24.4	24.1
9	28.4	28.0	27.8	27.4	27.2
10	31.5	31.2	30.8	30.5	30.2
20	63.0	62.3	61.7	61.0	60.3
30	94.5	93.5	92.5	91.5	90.5
40	126.0	124.7	123.3	122.0	120.7
50	157.5	155.8	154.2	152.5	150.8

′	L Sin	d	L Tan	c d	L Cot	L Cos		P P				
0	8.84 358		8.84 464		1.15 536	9.99 894	60		182	181	179	178	177
		181		182				1	3.0	3.0	3.0	3.0	3.0
1	8.84 539		8.84 646		1.15 354	9.99 893	59	2	6.1	6.0	6.0	5.9	5.9
2	8.84 718	179	8.84 826	180	1.15 174	9.99 892	58	3	9.1	9.0	9.0	8.9	8.8
3	8.84 897	179	8.85 006	180	1.14 994	9.99 891	57	4	12.1	12.1	11.9	11.9	11.8
4	8.85 075	178	8.85 185	179	1.14 815	9.99 891	56	5	15.2	15.1	14.9	14.8	14.8
5	8.85 252	177	8.85 363	178	1.14 637	9.99 890	55	6	18.2	18.1	17.9	17.8	17.7
6	8.85 429	177	8.85 540	177	1.14 460	9.99 889	54	7	21.2	21.1	20.9	20.8	20.6
7	8.85 605	176	8.85 717	177	1.14 283	9.99 888	53	8	24.3	24.1	23.9	23 7	23 6
8	8.85 780	175	8.85 893	176	1.14 107	9.99 887	52	9	27.3	27.2	26.8	26.7	26.6
9	8.85 955	175	8.86 069	176	1.13 931	9.99 886	51	10	30.3	30.2	29.8	29.7	29.5
10	8.86 128	173	8.86 243	174	1.13 757	9.99 885	50	20	60.7	60.3	59.7	59.3	59.0
11	8.86 301	173	8.86 417	174	1.13 583	9.99 884	49	30	91.0	90.5	89.5	89 0	88.5
12	8.86 474	173	8.86 591	174	1.13 409	9.99 883	48	40	121.3	120.7	119.3	118.7	118.0
13	8.86 645	171	8.86 763	172	1.13 237	9.99 882	47	50	151 7	150.8	149.2	148.3	147.5
14	8.86 816	171	8.86 935	172	1.13 065	9.99 881	46		176	175	174	173	172
15	8.86 987	171	8.87 106	171	1.12 894	9.99 880	45	1	2.9	2.9	2.9	2.9	2.9
16	8.87 156	169	8.87 277	171	1.12 723	9.99 879	44	2	5.9	5 8	5.8	5.8	5.7
17	8.87 325	169	8.87 447	170	1.12 553	9.99 879	43	3	8.8	8.8	8.7	8 6	8.6
18	8.87 494	169	8.87 616	169	1.12 384	9.99 878	42	4	11 7	11.7	11.6	11.5	11.5
19	8.87 661	167	8.87 785	169	1.12 215	9.99 877	41	5	14.7	14.6	14.5	14.4	14.3
20	8.87 829	168	8.87 953	168	1.12 047	9.99 876	40	6	17.6	17 5	17.4	17.3	17.2
21	8.87 995	166	8.88 120	167	1.11 880	9.99 875	39	7	20.5	20.4	20.3	20.2	20.1
22	8.88 161	166	8.88 287	167	1.11 713	9.99 874	38	8	23.5	23.3	23.2	23 1	22.9
23	8.88 326	165	8.88 453	166	1.11 547	9.99 873	37	9	26 4	26.2	26 1	26 0	25.8
24	8.88 490	164	8.88 618	165	1.11 382	9.99 872	36	10	29.3	29 2	29.0	28.8	28.7
25	8.88 654	164	8.88 783	165	1.11 217	9.99 871	35	20	58.7	58.3	58.0	57.7	57.3
26	8.88 817	163	8.88 948	165	1.11 052	9.99 870	34	30	88.0	87 5	87.0	86.5	86.0
27	8.88 980	163	8.89 111	163	1.10 889	9.99 869	33	40	117.3	116.7	116.0	115.3	114.7
28	8.89 142	162	8.89 274	163	1.10 726	9.99 868	32	50	146.7	145.8	145 0	144.2	143.3
29	8.89 304	162	8.89 437	163	1.10 563	9.99 867	31		171	170	169	168	167
30	8.89 464	160	8.89 598	161	1.10 402	9.99 866	30	1	2.8	2.8	2.8	2.8	2.8
31	8.89 625	161	8.89 760	162	1.10 240	9.99 865	29	2	5.7	5.7	5.6	5.6	5.6
32	8.89 784	159	8.89 920	160	1.10 080	9.99 864	28	3	8.6	8.5	8.4	8.4	8.4
33	8.89 943	159	8.90 080	160	1.09 920	9.99 863	27	4	11.4	11.3	11.3	11.2	11.1
34	8.90 102	159	8.90 240	160	1.09 760	9.99 862	26	5	14 2	14.2	14.1	14.0	13.9
35	8.90 260	158	8.90 399	159	1.09 601	9.99 861	25	6	17 1	17.0	16.9	16.8	16.7
36	8.90 417	157	8.90 557	158	1.09 443	9.99 860	24	7	20.0	19.8	19.7	19.6	19 5
37	8.90 574	157	8.90 715	158	1.09 285	9.99 859	23	8	22 8	22.7	22.5	22.4	22.3
38	8.90 730	156	8.90 872	157	1.09 128	9.99 858	22	9	25 6	25.5	25.4	25.2	25.0
39	8.90 885	155	8.91 029	157	1.08 971	9.99 857	21	10	28.5	28.3	28.2	28.0	27 8
40	8.91 040	155	8.91 185	156	1.08 815	9.99 856	20	20	57.0	56.7	56.3	56.0	55.7
41	8.91 195	155	8.91 340	155	1.08 660	9.99 855	19	30	85.5	85.0	84.5	84.0	83.5
42	8.91 349	154	8.91 495	155	1.08 505	9.99 854	18	40	114.0	113.3	112.7	112.0	111.3
43	8.91 502	153	8.91 650	153	1.08 350	9.99 853	17	50	142.5	141.7	140.8	140.0	139.2
44	8.91 655	153	8.91 803	154	1.08 197	9.99 852	16		166	165	164	163	162
45	8.91 807	152	8.91 957	153	1.08 043	9.99 851	15	1	2 8	2 8	2.7	2.7	2.7
46	8.91 959	152	8.92 110	153	1.07 890	9.99 850	14	2	5.5	5 5	5.5	5.4	5.4
47	8.92 110	151	8.92 262	152	1.07 738	9.99 848	13	3	8 3	8.2	8.2	8.2	8.1
48	8.92 261	151	8.92 414	152	1.07 586	9.99 847	12	4	11.1	11.0	10.9	10.9	10.8
49	8.92 411	150	8.92 565	151	1.07 435	9.99 846	11	5	13 8	13 8	13 7	13.6	13.5
50	8.92 561	150	8.92 716	151	1.07 284	9.99 845	10	6	16.6	16.5	16.4	16.3	16.2
51	8.92 710	149	8.92 866	150	1.07 134	9.99 844	9	7	19.4	19 2	19.1	19.0	18.9
52	8.92 859	149	8.93 016	150	1.06 984	9.99 843	8	8	22.1	22 0	21.9	21.7	21.6
53	8.93 007	148	8.93 165	149	1.06 835	9.99 842	7	9	24 9	24.8	24.6	24.4	24.3
54	8.93 154	147	8.93 313	148	1.06 687	9.99 841	6	10	27 7	27.5	27.3	27.2	27.0
55	8.93 301	147	8.93 462	149	1.06 538	9.99 840	5	20	55.3	55.0	54.7	54.3	54 0
56	8.93 448	147	8.93 609	147	1.06 391	9.99 839	4	30	83.0	82.5	82.0	81.5	81.0
57	8.93 594	146	8.93 756	147	1.06 244	9.99 838	3	40	110 7	110.0	109.3	108.7	108.0
58	8.93 740	146	8.93 903	147	1.06 097	9.99 837	2	50	138.3	137.5	136.7	135.8	135.0
59	8.93 885	145	8.94 049	146	1.05 951	9.99 836	1		161	160	159	158	157
60	8.94 030	145	8.94 195		1.05 805	9.99 834	0	1	2.7	2.7	2.6	2.6	2.6
	L Cos	d	L Cot	c d	L Tan	L Sin	′	2	5 4	5.3	5.3	5.3	5.2
								3	8.0	8.0	8.0	7.9	7.8
								4	10.7	10.7	10.6	10.5	10.5
								5	13.4	13.3	13.2	13.2	13.1
								6	16.1	16.0	15.9	15 8	15.7
								7	18.8	18.7	18.6	18.4	18.3
								8	21.5	21.3	21.2	21.1	20.9
								9	24.2	24.0	23.8	23.7	23.6
								10	26.8	26.7	26.5	26.3	26.2
								20	53.7	53.3	53.0	52.7	52.3
								30	80.5	80.0	79.5	79.0	78.5
								40	107.3	106.7	106.0	105.3	104.7
								50	134.2	133.3	132.5	131.7	130.8
									156	155	154	153	152
								1	2.6	2.6	2.6	2.6	2.5
								2	5.2	5.2	5.1	5.1	5.1
								3	7 8	7.8	7.7	7.6	7.6
								4	10.4	10.3	10.3	10.2	10.1
								5	13.0	12.9	12.8	12.8	12.7
								6	15.6	15.5	15.4	15.3	15.2
								7	18.2	18.1	18.0	17.8	17.7
								8	20.8	20.7	20.5	20.4	20.3
								9	23.4	23.2	23.1	22 9	22.8
								10	26.0	25.8	25.7	25.5	25.3
								20	52.0	51.7	51.3	51.0	50.7
								30	78.0	77.5	77.0	76.5	76.0
								40	104.0	103.3	102.7	102.0	101.3
								50	130.0	129.2	128.3	127.5	126.7
									P P				

′	L Sin	d	L Tan	c d	L Cot	L Cos		P P				
0	8.94 030		8.94 195		1.05 805	9.99 834	60		151	140	148	147	146
		144		145				1	2 5	2.5	2.5	2.4	2.4
1	8.94 174	143	8.94 340	145	1.05 660	9.99 833	59	2	5 0	5.0	4.9	4.9	4.9
2	8.94 317	144	8.94 485	145	1.05 515	9.99 832	58	3	7.6	7.4	7.4	7.4	7.3
3	8.94 461	142	8.94 630	143	1.05 370	9.99 831	57	4	10.1	9.9	9.9	9.8	9.7
4	8.94 603	143	8.94 773	144	1.05 227	9.99 830	56	5	12.6	12.4	12.3	12.2	12.2
5	8.94 746	141	8.94 917	143	1.05 083	9.99 829	55	6	15.1	14.9	14.8	14.7	14.6
6	8.94 887	142	8.95 060	142	1.04 940	9.99 828	54	7	17.6	17.4	17.3	17.2	17.0
7	8.95 029	141	8.95 202	142	1.04 798	9.99 827	53	8	20.1	19.9	19.7	19.6	19.5
8	8.95 170	140	8.95 344	142	1.04 656	9.99 825	52	9	22.6	22.4	22.2	22.0	21.9
9	8.95 310	140	8.95 486	141	1.04 514	9.99 824	51	10	25.2	24.8	24.7	24.5	24.3
10	8.95 450	139	8.95 627	140	1.04 373	9.99 823	50	20	50.3	49.7	49.3	49.0	48 7
11	8.95 589	139	8.95 767	141	1.04 233	9.99 822	49	30	75.5	74.5	74.0	73.5	73.0
12	8.95 728	139	8.95 908	139	1.04 092	9.99 821	48	40	100.7	99.3	98.7	98.0	97.3
13	8.95 867	138	8.96 047	140	1.03 952	9.99 820	47	50	125.8	124.2	123.3	122.5	121.7
14	8.96 005	138	8.96 187	138	1.03 813	9.99 819	46		145	144	143	142	141
15	8.96 143	137	8.96 325	139	1.03 675	9.99 817	45	1	2.4	2.4	2.4	2.4	2.4
16	8.96 280	137	8.96 464	138	1.03 536	9.99 816	44	2	4.8	4.8	4.8	4.7	4.7
17	8.96 417	136	8.96 602	137	1.03 398	9.99 815	43	3	7.2	7.2	7.2	7.1	7.0
18	8.96 553	136	8.96 739	138	1.03 261	9.99 814	42	4	9 7	9.6	9.5	9.5	9.4
19	8.96 689	136	8.96 877	136	1.03 123	9.99 813	41	5	12.1	12.0	11.9	11.8	11.8
20	8.96 825	135	8.97 013	137	1.02 987	9.99 812	40	6	14.5	14.4	14.3	14.2	14.1
21	8.96 960	135	8.97 150	135	1.02 850	9.99 810	39	7	16.9	16.8	16.7	16.6	16.4
22	8.97 095	134	8.97 285	136	1.02 715	9.99 809	38	8	19.3	19.2	19.1	18.9	18.8
23	8.97 229	134	8.97 421	135	1.02 579	9.99 808	37	9	21.8	21.6	21.4	21.3	21.2
24	8.97 363	133	8.97 556	135	1.02 444	9.99 807	36	10	24.2	24.0	23.8	23.7	23.5
25	8.97 496	133	8.97 691	134	1.02 309	9.99 806	35	20	48.3	48.0	47.7	47.3	47.0
26	8.97 629	133	8.97 825	134	1.02 175	9.99 804	34	30	72.5	72.0	71.5	71.0	70.5
27	8.97 762	132	8.97 959	133	1.02 041	9.99 803	33	40	96.7	96.0	95.3	94.7	94.0
28	8.97 894	132	8.98 092	133	1.01 908	9.99 802	32	50	120.8	120.0	119.2	118.3	117.5
29	8.98 026	131	8.98 225	133	1.01 775	9.99 801	31		140	139	138	137	136
30	8.98 157	131	8.98 358	132	1.01 642	9.99 800	30	1	2.3	2.3	2.3	2.3	2.3
31	8.98 288	131	8.98 490	132	1.01 510	9.99 798	29	2	4.7	4.6	4.6	4.6	4.5
32	8.98 419	130	8.98 622	131	1.01 378	9.99 797	28	3	7.0	7.0	6.9	6.8	6.8
33	8.98 549	130	8.98 753	131	1.01 247	9.99 796	27	4	9.3	9.3	9.2	9.1	9.1
34	8.98 679	129	8.98 884	131	1.01 116	9.99 795	26	5	11 7	11.6	11.5	11.4	11.3
35	8.98 808	129	8.99 015	130	1.00 985	9.99 793	25	6	14.0	13.9	13.8	13.7	13.6
36	8.98 937	129	8.99 145	130	1.00 855	9.99 792	24	7	16.3	16.2	16.1	16.0	15.9
37	8.99 066	128	8.99 275	130	1.00 725	9.99 791	23	8	18.7	18.5	18.4	18.3	18.1
38	8.99 194	128	8.99 405	129	1.00 595	9.99 790	22	9	21.0	20.8	20.7	20.6	20.4
39	8.99 322	128	8.99 534	128	1.00 466	9.99 788	21	10	23.3	23.2	23.0	22.8	22.7
40	8.99 450	127	8.99 662	129	1.00 338	9.99 787	20	20	46.7	46.3	46.0	45.7	45.3
41	8.99 577	127	8.99 791	128	1.00 209	9.99 786	19	30	70.0	69.5	69.0	68.5	68.0
42	8.99 704	126	8.99 919	127	1.00 081	9.99 785	18	40	93.3	92.7	92.0	91.3	90.7
43	8.99 830	126	9.00 046	128	0.99 954	9.99 783	17	50	116.7	115.8	115.0	114.2	113.3
44	8.99 956	126	9.00 174	126	0.99 826	9.99 782	16		135	134	133	132	131
45	9.00 082	125	9.00 301	127	0.99 699	9.99 781	15	1	2.2	2.2	2.2	2.2	2.2
46	9.00 207	125	9.00 427	126	0.99 573	9.99 780	14	2	4.5	4.5	4.4	4.4	4.4
47	9.00 332	124	9.00 553	126	0.99 447	9.99 778	13	3	6.8	6.7	6.6	6.6	6.6
48	9.00 456	125	9.00 679	126	0.99 321	9.99 777	12	4	9.0	8.9	8.9	8.8	8.7
49	9.00 581	123	9.00 805	125	0.99 195	9.99 776	11	5	11.2	11.2	11.1	11.0	10.9
50	9.00 704	124	9.00 930	125	0.99 070	9.99 775	10	6	13.5	13.4	13.3	13.2	13.1
51	9.00 828	123	9.01 055	124	0.98 945	9.99 773	9	7	15.8	15.6	15.5	15.4	15.3
52	9.00 951	123	9.01 179	124	0.98 821	9.99 772	8	8	18.0	17.9	17.7	17.6	17.5
53	9.01 074	122	9.01 303	124	0.98 697	9.99 771	7	9	20.2	20.1	20.0	19.8	19.6
54	9.01 196	122	9.01 427	123	0.98 573	9.99 769	6	10	22.5	22.3	22.2	22.0	21.8
55	9.01 318	122	9.01 550	123	0.98 450	9.99 768	5	20	45.0	44.7	44.3	44.0	43.7
56	9.01 440	121	9.01 673	123	0.98 327	9.99 767	4	30	67.5	67.0	66.5	66.0	65.5
57	9.01 561	121	9.01 796	122	0.98 204	9.99 765	3	40	90.0	89.3	88.7	88.0	87.3
58	9.01 682	121	9.01 918	122	0.98 082	9.99 764	2	50	112.5	111.7	110.8	110.0	109.2
59	9.01 803	120	9.02 040	122	0.97 960	9.99 763	1		130	129	128	127	126
60	9.01 923		9.02 162		0.97 838	9.99 761	0	1	2.2	2.2	2.1	2.1	2.1
	L Cos	d	L Cot	c d	L Tan	L Sin	′	2	4.3	4.3	4.3	4.2	4.2
								3	6.5	6.4	6.4	6.3	6.3
								4	8.7	8.6	8.5	8.5	8.4
								5	10.8	10.8	10.7	10.6	10.5
								6	13.0	12.9	12.8	12.7	12.6
								7	15.2	15.0	14.9	14.8	14.7
								8	17.3	17.2	17.1	16.9	16.8
								9	19.5	19.4	19.2	19.0	18.9
								10	21.7	21.5	21.3	21.2	21.0
								20	43.3	43.0	42.7	42.3	42.0
								30	65.0	64.5	64.0	63.5	63.0
								40	86.7	86.0	85.3	84.7	84.0
								50	108.3	107.5	106.7	105.8	105.0
									125	124	123	122	121
								1	2.1	2.1	2.0	2.0	2.0
								2	4.2	4.1	4.1	4.1	4.0
								3	6.2	6.2	6.2	6.1	6.0
								4	8.3	8.3	8.2	8.1	8.1
								5	10.4	10.3	10.2	10.2	10.1
								6	12.5	12.4	12.3	12.2	12.1
								7	14.6	14.5	14.4	14.2	14.1
								8	16.7	16.5	16.4	16.3	16.1
								9	18.8	18.6	18.4	18.3	18.2
								10	20.8	20.7	20.5	20.3	20.2
								20	41.7	41.3	41.0	40.7	40.3
								30	62.5	62.0	61.5	61.0	60.5
								40	83.3	82.7	82.0	81.3	80.7
								50	104.2	103.3	102.5	101.7	100.8
									P P				

'	L Sin	d	L Tan	c d	L Cot	L Cos		P P
0	9.01 923		9.02 162		0.97 838	9.99 761	60	
		120		121				
1	9.02 043	120	9 02 283	121	0.97 717	9 99 760	59	
2	9.02 163	120	9.02 404	121	0.97 596	9 99 759	58	
3	9 02 283	119	9.02 525	120	0 97 475	9.99 757	57	
4	9.02 402	118	9 02 645	121	0.97 355	9.99 756	56	
5	9.02 520	119	9.02 766	119	0 97 234	9 99 755	55	
6	9 02 639	118	9 02 885	120	0 97 115	9.99 753	54	
7	9.02 757	117	9 03 005	119	0.96 995	9.99 752	53	
8	9 02 874	118	9 03 124	118	0.96 876	9 99 751	52	
9	9 02 992	117	9 03 242	119	0.96 758	9.99 749	51	
10	9.03 109	117	9 03 361	118	0 96 630	9 99 748	50	
11	9.03 226	116	9 03 479	118	0.96 521	9.99 747	49	
12	9 03 342	116	9 03 597	118	0.96 403	9 99 745	48	
13	9.03 458	116	9 03 714	117	0.96 286	9.99 744	47	
14	9 03 574	116	9 03 832	118	0.96 168	9 99 742	46	
15	9.03 690	115	9.03 948	116	0.96 052	9 99 741	45	
16	9.03 805	115	9 04 065	117	0 95 935	9.99 740	44	
17	9 03 920	114	9 01 181	116	0 95 819	9 99 738	43	
18	9.04 034	115	9.04 297	116	0.95 703	9.99 737	42	
19	9 04 149	113	9.04 413	115	0 95 587	9.99 736	41	
20	9 04 262	114	9 04 528	115	0 95 472	9 99 734	40	
21	9 04 376	114	9 04 643	115	0.95 357	9 99 733	39	
22	9.04 490	113	9.04 758	115	0 95 242	9 99 731	38	
23	9 04 603	112	9.04 873	114	0 95 127	9.99 730	37	
24	9.04 715	113	9 04 987	114	0 95 013	9 99 728	36	
25	9.04 828	112	9 05 101	113	0.94 899	9 99 727	35	
26	9 04 940	112	9.05 214	114	0 94 786	9.99 726	34	
27	9.05 052	112	9.05 328	113	0.94 672	9.99 724	33	
28	9 05 164	111	9.05 441	112	0 94 559	9.99 723	32	
29	9 05 275	111	9 05 553	113	0.94 447	9.99 721	31	
30	9.05 386	111	9 05 666	112	0.94 334	9.99 720	30	
31	9.05 497	110	9 05 778	112	0 94 222	9.99 718	29	
32	9.05 607	110	9 05 890	112	0.94 110	9.99 717	28	
33	9.05 717	110	9 06 002	111	0.93 998	9.99 716	27	
34	9.05 827	110	9 06 113	111	0 93 887	9.99 714	26	
35	9.05 937	109	9.06 224	111	0.93 776	9.99 713	25	
36	9 06 046	109	9.06 335	110	0.93 665	9.99 711	24	
37	9.06 155	109	9 06 445	111	0.93 555	9.99 710	23	
38	9.06 264	108	9 06 556	110	0.93 444	9 99 708	22	
39	9.06 372	109	9 06 666	109	0.93 334	9.99 707	21	
40	9 06 481	108	9.06 775	110	0 93 225	9.99 705	20	
41	9.06 589	107	9 06 885	109	0.93 115	9.99 704	19	
42	9 06 696	108	9 06 994	109	0.93 006	9.99 702	18	
43	9.06 804	107	9 07 103	108	0.92 897	9.99 701	17	
44	9.06 911	107	9.07 211	109	0.92 789	9.99 699	16	
45	9.07 018	106	9.07 320	108	0.92 680	9.99 698	15	
46	9.07 124	107	9.07 428	108	0.92 572	9.99 696	14	
47	9.07 231	106	9.07 536	107	0.92 464	9.99 695	13	
48	9.07 337	105	9 07 643	108	0.92 357	9 99 693	12	
49	9.07 442	106	9.07 751	107	0.92 249	9 99 692	11	
50	9.07 546	105	9.07 858	106	0.92 142	9.99 690	10	
51	9.07 653	105	9.07 964	106	0.92 036	9.99 689	9	
52	9.07 758	105	9.08 071	107	0.91 929	9.99 687	8	
53	9.07 863	105	9.08 177	106	0.91 823	9.99 686	7	
54	9.07 968	104	9.08 283	106	0.91 717	9.99 684	6	
55	9.08 072	104	9.08 389	106	0.91 611	9.99 683	5	
56	9.08 176	104	9.08 495	105	0.91 505	9.99 681	4	
57	9.08 280	103	9.08 600	105	0.91 400	9.99 680	3	
58	9.08 383	103	9.08 705	105	0.91 295	9.99 678	2	
59	9.08 486	103	9.08 810	104	0.91 190	9.99 677	1	
60	9.08 589		9.08 914		0.91 086	9.99 675	0	
	L Cos	d	L Cot	c d	L Tan	L Sin	'	P P

	121	120	119	118
1	2.0	2.0	2.0	2.0
2	4.0	4.0	4.0	3.9
3	6.0	6.0	6.0	5.9
4	8.1	8.0	7.9	7.9
5	10 1	10 0	9 9	9 8
6	12 1	12.0	11.9	11 8
7	14.1	14 0	13.9	13 8
8	16 1	16 0	15 9	15.7
9	18 2	18 0	17.8	17.7
10	20.2	20 0	19.8	19 7
20	40.3	40.0	39 7	39.3
30	60.5	60.0	59 5	59.0
40	80 7	80 0	79.3	78 7
50	100.8	100.0	99.2	98.3

	117	116	115	114
1	2.0	1 9	1 9	1.9
2	3 9	3.9	3.8	3.8
3	5 8	5.8	5 8	5.7
4	7.8	7 7	7 7	7 6
5	9 8	9 7	9 6	9.5
6	11 7	11 6	11.5	11.4
7	13 6	13.5	13 4	13 3
8	15.6	15 5	15 3	15 2
9	17 6	17.4	17.2	17 1
10	19 5	19 3	19 2	19.0
20	39 0	38.7	38 3	38.0
30	58 5	58 0	57 5	57 0
40	78 0	77.3	76.7	76.0
50	97 5	96.7	95 8	95.0

	113	112	111	110
1	1.9	1.9	1.8	1.8
2	3.8	3.7	3 7	3.7
3	5.6	5 6	5.6	5.5
4	7.5	7.5	7.4	7.3
5	9 4	9.3	9 2	9.2
6	11 3	11.2	11.1	11.0
7	13.2	13 1	13.0	12.8
8	15.1	14 9	14 8	14.7
9	17.0	16.8	16.6	16.5
10	18 8	18.7	18.5	18 3
20	37.7	37.3	37.0	36.7
30	56.5	56.0	55.5	55.0
40	75.3	74.7	74.0	73.3
50	94.2	93.3	92.5	91.7

	109	108	107	106
1	1.8	1.8	1.8	1.8
2	3.6	3.6	3 6	3.5
3	5.4	5.4	5.4	5.3
4	7.3	7.2	7.1	7.1
5	9.1	9.0	8.9	8.8
6	10.9	10.8	10.7	10.6
7	12.7	12.6	12.5	12.4
8	14.5	14.4	14.3	14.1
9	16.4	16.2	16.0	15.9
10	18.2	18.0	17.8	17.7
20	36 3	36.0	35.7	35.3
30	54.5	54.0	53.5	53.0
40	72.7	72.0	71.3	70.7
50	90.8	90.0	89.2	88.3

7°

*97° 187° *277°

′	L Sin	d	L Tan	c d	L Cot	L Cos		P P			
0	9.08 589	103	9.08 914	105	0.91 086	9.99 675	60		105	104	103	102
1	9.08 692	103	9.09 019	104	0.90 981	9.99 674	59	1	1.8	1.7	1.7	1.7
2	9.08 795	102	9.09 123	104	0.90 877	9.99 672	58	2	3.5	3.5	3.4	3.4
3	9.08 897	102	9.09 227	103	0.90 773	9.99 670	57	3	5.2	5.2	5.2	5.1
4	9.08 999	102	9.09 330	104	0.90 670	9.99 669	56	4	7.0	6.9	6.9	6.8
5	9.09 101	101	9.09 434	103	0.90 566	9.99 667	55	5	8.8	8.7	8.6	8.5
6	9.09 202	102	9.09 537	103	0.90 463	9.99 666	54	6	10.5	10.4	10.3	10.2
7	9.09 304	101	9.09 640	102	0.90 360	9.99 664	53	7	12.2	12.1	12.0	11.9
8	9.09 405	101	9.09 742	102	0.90 258	9.99 663	52	8	14.0	13.9	13.7	13.6
9	9.09 506	100	9.09 845	103	0.90 155	9.99 661	51	9	15.8	15.6	15.4	15.3
10	9.09 606	101	9.09 947	102	0.90 053	9.99 659	50	10	17.5	17.3	17.2	17.0
11	9.09 707	100	9.10 049	101	0.89 951	9.99 658	49	20	35.0	34.7	34.3	34.0
12	9.09 807	100	9.10 150	102	0.89 850	9.99 656	48	30	52.5	52.0	51.5	51.0
13	9.09 907	99	9.10 252	101	0.89 748	9.99 655	47	40	70.0	69.3	68.7	68.0
14	9.10 006	100	9.10 353	101	0.89 647	9.99 653	46	50	87.5	86.7	85.8	85.0
15	9.10 106	99	9.10 454	101	0.89 546	9.99 651	45					
16	9.10 205	99	9.10 555	101	0.89 445	9.99 650	44		101	100	99	98
17	9.10 304	98	9.10 656	100	0.89 344	9.99 648	43	1	1.7	1.7	1.6	1.6
18	9.10 402	99	9.10 756	100	0.89 244	9.99 647	42	2	3.4	3.3	3.3	3.3
19	9.10 501	98	9.10 856	100	0.89 144	9.99 645	41	3	5.0	5.0	5.0	4.9
20	9.10 599	98	9.10 956	100	0.89 044	9.99 643	40	4	6.7	6.7	6.6	6.5
21	9.10 697	98	9.11 056	99	0.88 944	9.99 642	39	5	8.4	8.3	8.2	8.2
22	9.10 795	98	9.11 155	99	0.88 845	9.99 640	38	6	10.1	10.0	9.9	9.8
23	9.10 893	97	9.11 254	99	0.88 746	9.99 638	37	7	11.8	11.7	11.6	11.4
24	9.10 990	97	9.11 353	99	0.88 647	9.99 637	36	8	13.5	13.3	13.2	13.1
25	9.11 087	97	9.11 452	99	0.88 548	9.99 635	35	9	15.2	15.0	14.8	14.7
26	9.11 184	97	9.11 551	99	0.88 449	9.99 633	34	10	16.8	16.7	16.5	16.3
27	9.11 281	97	9.11 649	98	0.88 351	9.99 632	33	20	33.7	33.3	33.0	32.7
28	9.11 377	96	9.11 747	98	0.88 253	9.99 630	32	30	50.5	50.0	49.5	49.0
29	9.11 474	97	9.11 845	98	0.88 155	9.99 629	31	40	67.3	66.7	66.0	65.3
30	9.11 570	96	9.11 943	98	0.88 057	9.99 627	30	50	84.2	83.3	82.5	81.7
31	9.11 666	96	9.12 040	97	0.87 960	9.99 625	29					
32	9.11 761	95	9.12 138	98	0.87 862	9.99 624	28		97	96	95	94
33	9.11 857	96	9.12 235	97	0.87 765	9.99 622	27	1	1.6	1.6	1.6	1.6
34	9.11 952	95	9.12 332	97	0.87 668	9.99 620	26	2	3.2	3.2	3.2	3.1
35	9.12 047	95	9.12 428	96	0.87 572	9.99 618	25	3	4.8	4.8	4.8	4.7
36	9.12 142	95	9.12 525	97	0.87 475	9.99 617	24	4	6.5	6.4	6.3	6.3
37	9.12 236	94	9.12 621	96	0.87 379	9.99 615	23	5	8.1	8.0	7.9	7.8
38	9.12 331	95	9.12 717	96	0.87 283	9.99 613	22	6	9.7	9.6	9.5	9.4
39	9.12 425	94	9.12 813	96	0.87 187	9.99 612	21	7	11.3	11.2	11.1	11.0
40	9.12 519	94	9.12 909	96	0.87 091	9.99 610	20	8	12.9	12.8	12.7	12.5
41	9.12 612	93	9.13 004	95	0.86 996	9.99 608	19	9	14.6	14.4	14.2	14.1
42	9.12 706	94	9.13 099	95	0.86 901	9.99 607	18	10	16.2	16.0	15.8	15.7
43	9.12 799	93	9.13 194	95	0.86 806	9.99 605	17	20	32.3	32.0	31.7	31.3
44	9.12 892	93	9.13 289	95	0.86 711	9.99 603	16	30	48.5	48.0	47.5	47.0
45	9.12 985	93	9.13 384	95	0.86 616	9.99 601	15	40	64.7	64.0	63.3	62.7
46	9.13 078	93	9.13 478	94	0.86 522	9.99 600	14	50	80.8	80.0	79.2	78.3
47	9.13 171	93	9.13 573	95	0.86 427	9.99 598	13					
48	9.13 263	92	9.13 667	94	0.86 333	9.99 596	12		93	92	91	90
49	9.13 355	92	9.13 761	94	0.86 239	9.99 595	11	1	1.6	1.5	1.5	1.5
50	9.13 447	92	9.13 854	93	0.86 146	9.99 593	10	2	3.1	3.1	3.0	3.0
51	9.13 539	92	9.13 948	94	0.86 052	9.99 591	9	3	4.6	4.6	4.6	4.5
52	9.13 630	91	9.14 041	93	0.85 959	9.99 589	8	4	6.2	6.1	6.1	6.0
53	9.13 722	92	9.14 134	93	0.85 866	9.99 588	7	5	7.8	7.7	7.6	7.5
54	9.13 813	91	9.14 227	93	0.85 773	9.99 586	6	6	9.3	9.2	9.1	9.0
55	9.13 904	91	9.14 320	93	0.85 680	9.99 584	5	7	10.8	10.7	10.6	10.5
56	9.13 994	90	9.14 412	92	0.85 588	9.99 582	4	8	12.4	12.3	12.1	12.0
57	9.14 085	91	9.14 504	92	0.85 496	9.99 581	3	9	14.0	13.8	13.6	13.5
58	9.14 175	90	9.14 597	93	0.85 403	9.99 579	2	10	15.5	15.3	15.2	15.0
59	9.14 266	91	9.14 688	91	0.85 312	9.99 577	1	20	31.0	30.7	30.3	30.0
60	9.14 356	90	9.14 780	92	0.85 220	9.99 575	0	30	46.5	46.0	45.5	45.0
								40	62.0	61.3	60.7	60.0
								50	77.5	76.7	75.8	75.0
	L Cos	d	L Cot	c d	L Tan	L Sin		P P				

*172° 262° *352°

′	L Sin	d	L Tan	c d	L Cot	L Cos		P	P	
									92	91	90
0	9.14 356	89	9.14 780	92	0.85 220	9.99 575	60				
1	9.14 445	90	9.14 872	91	0.85 128	9.99 574	59	1	1.5	1.5	1.5
2	9.14 535	89	9.14 963	91	0.85 037	9.99 572	58	2	3.1	3.0	3.0
3	9.14 624	90	9.15 054	91	0.84 946	9.99 570	57	3	4.6	4.6	4.5
4	9.14 714	89	9.15 145	91	0.84 855	9.99 568	56	4	6.1	6.1	6.0
5	9.14 803	88	9.15 236	91	0.84 764	9.99 566	55	5	7.7	7.6	7.5
6	9.14 891	89	9.15 327	90	0.84 673	9.99 565	54	6	9.2	9.1	9.0
7	9.14 980	89	9.15 417	91	0.84 583	9.99 563	53	7	10.7	10.6	10.5
8	9.15 069	88	9.15 508	90	0.84 492	9.99 561	52	8	12.3	12.1	12.0
9	9.15 157	88	9.15 598	90	0.84 402	9.99 559	51	9	13.8	13.6	13.5
10	9.15 245	88	9.15 688	89	0.84 312	9.99 557	50	10	15.3	15.2	15.0
11	9.15 333	88	9.15 777	90	0.84 223	9.99 556	49	20	30.7	30.3	30.0
12	9.15 421	87	9.15 867	89	0.84 133	9.99 554	48	30	46.0	45.5	45.0
13	9.15 508	88	9.15 956	90	0.84 044	9.99 552	47	40	61.3	60.7	60.0
14	9.15 596	87	9.16 046	89	0.83 954	9.99 550	46	50	76.7	75.8	75.0
15	9.15 683	87	9.16 135	89	0.83 865	9.99 548	45		89	88	87
16	9.15 770	87	9.16 224	88	0.83 776	9.99 546	44	1	1.5	1.5	1.4
17	9.15 857	87	9.16 312	89	0.83 688	9.99 545	43	2	3.0	2.9	2.9
18	9.15 944	86	9.16 401	88	0.83 599	9.99 543	42	3	4.4	4.4	4.4
19	9.16 030	86	9.16 489	88	0.83 511	9.99 541	41	4	5.9	5.9	5.8
20	9.16 116	87	9.16 577	88	0.83 423	9.99 539	40	5	7.4	7.3	7.2
21	9.16 203	86	9.16 665	88	0.83 335	9.99 537	39	6	8.9	8.8	8.7
22	9.16 289	85	9.16 753	88	0.83 247	9.99 535	38	7	10.4	10.3	10.2
23	9.16 374	86	9.16 841	87	0.83 159	9.99 533	37	8	11.9	11.7	11.6
24	9.16 460	85	9.16 928	88	0.83 072	9.99 532	36	9	13.4	13.2	13.0
25	9.16 545	86	9.17 016	87	0.82 984	9.99 530	35	10	14.8	14.7	14.5
26	9.16 631	85	9.17 103	87	0.82 897	9.99 528	34	20	29.7	29.3	29.0
27	9.16 716	85	9.17 190	87	0.82 810	9.99 526	33	30	44.5	44.0	43.5
28	9.16 801	85	9.17 277	86	0.82 723	9.99 524	32	40	59.3	58.7	58.0
29	9.16 886	84	9.17 363	87	0.82 637	9.99 522	31	50	74.2	73.3	72.5
30	9.16 970	85	9.17 450	86	0.82 550	9.99 520	30		86	85	84
31	9.17 055	84	9.17 536	86	0.82 464	9.99 518	29	1	1.4	1.4	1.4
32	9.17 139	84	9.17 622	86	0.82 378	9.99 517	28	2	2.9	2.8	2.8
33	9.17 223	84	9.17 708	86	0.82 292	9.99 515	27	3	4.3	4.2	4.2
34	9.17 307	84	9.17 794	86	0 82 206	9.99 513	26	4	5.7	5.7	5.6
35	9.17 391	83	9.17 880	85	0.82 120	9.99 511	25	5	7.2	7.1	7.0
36	9.17 474	84	9.17 965	86	0.82 035	9.99 509	24	6	8.6	8.5	8.4
37	9.17 558	83	9.18 051	85	0.81 949	9.99 507	23	7	10.0	9.9	9.8
38	9.17 641	83	9.18 136	85	0.81 864	9.99 505	22	8	11.5	11.3	11.2
39	9.17 724	83	9.18 221	85	0.81 779	9.99 503	21	9	12.9	12.8	12.6
40	9.17 807	83	9.18 306	85	0.81 694	9.99 501	20	10	14.3	14.2	14.0
41	9.17 890	83	9.18 391	84	0.81 609	9.99 499	19	20	28.7	28.3	28.0
42	9.17 973	82	9.18 475	85	0.81 525	9.99 497	18	30	43.0	42.5	42.0
43	9.18 055	82	9.18 560	84	0.81 440	9.99 495	17	40	57.3	56.7	56.0
44	9.18 137	83	9.18 644	84	0.81 356	9.99 494	16	50	71.7	70.8	70.0
45	9.18 220	82	9.18 728	84	0.81 272	9.99 492	15		83	82	81
46	9.18 302	81	9.18 812	84	0.81 188	9.99 490	14	1	1.4	1.4	1.4
47	9.18 383	82	9.18 896	83	0.81 104	9.99 488	13	2	2 8	2.7	2.7
48	9.18 465	82	9.18 979	84	0.81 021	9.99 486	12	3	4.2	4.1	4.0
49	9.18 547	81	9.19 063	83	0.80 937	9.99 484	11	4	5.5	5.5	5.4
50	9.18 628	81	9.19 146	83	0.80 854	9.99 482	10	5	6.9	6.8	6.8
51	9.18 709	81	9.19 229	83	0.80 771	9.99 480	9	6	8.3	8.2	8.1
52	9.18 790	81	9.19 312	83	0.80 688	9.99 478	8	7	9.7	9.6	9.4
53	9.18 871	81	9.19 395	83	0.80 605	9.99 476	7	8	11.1	10.9	10.8
54	9.18 952	81	9.19 478	83	0.80 522	9.99 474	6	9	12.4	12.3	12.2
55	9.19 033	80	9.19 561	82	0.80 439	9.99 472	5	10	13.8	13.7	13.5
56	9.19 113	80	9.19 643	82	0.80 357	9.99 470	4	20	27.7	27.3	27.0
57	9.19 193	80	9.19 725	82	0.80 275	9.99 468	3	30	41.5	41.0	40.5
58	9.19 273	80	9.19 807	82	0.80 193	9.99 466	2	40	55.3	54.7	54.0
59	9.19 353	80	9.19 889	82	0.80 111	9.99 464	1	50	69.2	68.3	67.5
60	9.19 433		9.19 971		0.80 029	9.99 462	0				
	L Cos	d	L Cot	c d	L Tan	L Sin	′		P	P	

′	L Sin	d	L Tan	c d	L Cot	L Cos		P P
0	9.19 433	80	9.19 971	82	0.80 029	9.99 462	60	
1	9.19 513	79	9.20 053	81	0.79 947	9.99 460	59	
2	9.19 592	80	9.20 134	81	0.79 866	9.99 458	58	
3	9.19 672	79	9.20 216	82	0.79 784	9.99 456	57	
4	9.19 751	79	9.20 297	81	0.79 703	9.99 454	56	
5	9.19 830	79	9.20 378	81	0.79 622	9.99 452	55	
6	9.19 909	79	9.20 459	81	0.79 541	9.99 450	54	
7	9.19 988	79	9.20 540	81	0.79 460	9.99 448	53	
8	9.20 067	78	9.20 621	80	0.79 379	9.99 446	52	
9	9.20 145	78	9.20 701	81	0.79 299	9.99 444	51	
10	9.20 223	79	9.20 782	80	0.79 218	9.99 442	50	
11	9.20 302	78	9.20 862	80	0.79 138	9.99 440	49	
12	9.20 380	78	9.20 942	80	0.79 058	9.99 438	48	
13	9.20 458	77	9.21 022	80	0.78 978	9.99 436	47	
14	9.20 535	78	9.21 102	80	0.78 898	9.99 434	46	
15	9.20 613	78	9.21 182	79	0.78 818	9.99 432	45	
16	9.20 691	77	9.21 261	80	0.78 739	9.99 429	44	
17	9.20 768	77	9.21 341	79	0.78 659	9.99 427	43	
18	9.20 845	77	9.21 420	79	0.78 580	9.99 425	42	
19	9.20 922	77	9.21 499	79	0.78 501	9.99 423	41	
20	9.20 999	77	9.21 578	79	0.78 422	9.99 421	40	
21	9.21 076	77	9.21 657	79	0.78 343	9.99 419	39	
22	9.21 153	77	9.21 736	78	0.78 264	9.99 417	38	
23	9.21 229	76	9 21 814	79	0.78 186	9.99 415	37	
24	9.21 306	77	9.21 893	78	0.78 107	9.99 413	36	
25	9.21 382	76	9.21 971	78	0.78 029	9.99 411	35	
26	9.21 458	76	9.22 049	78	0.77 951	9.99 409	34	
27	9.21 534	76	9.22 127	78	0.77 873	9.99 407	33	
28	9.21 610	75	9.22 205	78	0.77 795	9.99 404	32	
29	9.21 685	76	9.22 283	78	0.77 717	9.99 402	31	
30	9.21 761	75	9.22 361	77	0.77 639	9.99 400	30	
31	9.21 836	76	9.22 438	78	0.77 562	9.99 398	29	
32	9.21 912	75	9.22 516	77	0.77 484	9.99 396	28	
33	9.21 987	75	9.22 593	77	0.77 407	9.99 394	27	
34	9.22 062	75	9.22 670	77	0.77 330	9.99 392	26	
35	9.22 137	74	9.22 747	77	0.77 253	9.99 390	25	
36	9.22 211	75	9.22 824	77	0.77 176	9.99 388	24	
37	9.22 286	75	9.22 901	76	0.77 099	9.99 385	23	
38	9.22 361	74	9.22 977	77	0.77 023	9.99 383	22	
39	9.22 435	74	9.23 054	76	0.76 946	9.99 381	21	
40	9.22 509	74	9.23 130	76	0.76 870	9.99 379	20	
41	9.22 583	74	9.23 206	77	0.76 794	9.99 377	19	
42	9.22 657	74	9.23 283	76	0.76 717	9.99 375	18	
43	9.22 731	74	9.23 359	76	0.76 641	9.99 372	17	
44	9.22 805	73	9.23 435	75	0.76 565	9.99 370	16	
45	9.22 878	74	9.23 510	76	0.76 490	9.99 368	15	
46	9.22 952	73	9.23 586	75	0.76 414	9.99 366	14	
47	9.23 025	73	9.23 661	76	0.76 339	9.99 364	13	
48	9.23 098	73	9.23 737	75	0.76 263	9.99 362	12	
49	9.23 171	73	9.23 812	75	0.76 188	9.99 359	11	
50	9.23 244	73	9.23 887	75	0.76 113	9.99 357	10	
51	9.23 317	73	9.23 962	75	0.76 038	9.99 355	9	
52	9.23 390	72	9.24 037	75	0.75 963	9.99 353	8	
53	9.23 462	73	9.24 112	74	0.75 888	9.99 351	7	
54	9.23 535	72	9.24 186	75	0.75 814	9.99 348	6	
55	9 23 607	72	9.24 261	74	0.75 739	9.99 346	5	
56	9.23 679	73	9.24 335	75	0.75 665	9.99 344	4	
57	9.23 752	71	9.24 410	74	0.75 590	9.99 342	3	
58	9.23 823	72	9.24 484	74	0.75 516	9.99 340	2	
59	9.23 895	72	9.24 558	74	0.75 442	9.99 337	1	
60	9.23 967		9.24 632		0.75 368	9.99 335	0	
	L Cos	d	L Cot	c d	L Tan	L Sin	′	P P

	80	79	78	77
1	1.3	1.3	1.3	1.3
2	2.7	2.6	2.6	2.6
3	4.0	4.0	3.9	3.8
4	5.3	5.3	5.2	5.1
5	6.7	6.6	6.5	6.4
6	8.0	7.9	7.8	7.7
7	9.3	9.2	9.1	9.0
8	10.7	10.5	10.4	10.3
9	12.0	11.8	11.7	11.6
10	13.3	13.2	13.0	12.8
20	26.7	26.3	26.0	25.7
30	40.0	39.5	39.0	38.5
40	53.3	52.7	52.0	51.3
50	66.7	65.8	65.0	64.2

	76	75	74	73
1	1.3	1.2	1.2	1.2
2	2.5	2.5	2.5	2.4
3	3.8	3.8	3.7	3.6
4	5.1	5.0	4.9	4.9
5	6.3	6.2	6.2	6.1
6	7.6	7.5	7.4	7.3
7	8.9	8.8	8.6	8.5
8	10.1	10.0	9.9	9.7
9	11.4	11.2	11.1	11.0
10	12.7	12.5	12.3	12.2
20	25.3	25.0	24.7	24.3
30	38.0	37.5	37.0	36.5
40	50.7	50.0	49.3	48.7
50	63 3	62.5	61.7	60.8

	72	71	3	2
1	1.2	1.2	0.0	0.0
2	2.4	2.4	0.1	0.1
3	3.6	3.6	0.2	0.1
4	4.8	4.7	0.2	0.1
5	6.0	5.9	0.2	0.2
6	7.2	7.1	0.3	0.2
7	8.4	8.3	0.4	0.2
8	9.6	9.5	0.4	0.3
9	10.8	10.6	0.4	0.3
10	12.0	11.8	0.5	0.3
20	24.0	23.7	1.0	0.7
30	36.0	35.5	1.5	1.0
40	48.0	47.3	2.0	1.3
50	60.0	59.2	2.5	1.7

	3/79	3/78	3/77
0			
1	13.2	13.0	12.8
2	39.5	39.0	38.5
3	65.8	65.0	64.2

	3/76	3/75	3/74
0			
1	12.7	12.5	12.3
2	38.0	37.5	37.0
3	63.3	62.5	61.7

10°

*100° 190° *280°

	L Sin	d	L Tan	cd	L Cot	L Cos	d		P P
0	9.23 967	72	9.24 632	74	0.75 368	9.99 335	2	60	
1	9.24 039	71	9.24 706	73	0.75 294	9 99 333	2	59	74 73 72
2	9.24 110	71	9.24 779	74	0.75 221	9.99 331	2	58	1 1.2 1.2 1.2
3	9.24 181	72	9.24 853	73	0.75 147	9.99 328	3	57	2 2 5 2.4 2.4
4	9.24 253	71	9.24 926	74	0.75 074	9.99 326	2	56	3 3 7 3.6 3 6
5	9.24 324	71	9.25 000	73	0.75 000	9.99 324	2	55	4 4.9 4.9 4 8
6	9.24 395	71	9.25 073	73	0.74 927	9.99 322	2	54	5 6.2 6.1 6.0
7	9.24 466	70	9.25 146	73	0.74 854	9.99 319	3	53	6 7.4 7.3 7.2
8	9.24 536	71	9.25 219	73	0.74 781	9.99 317	2	52	7 8.6 8.5 8.4
9	9.24 607	70	9.25 292	73	0.74 708	9.99 315	2	51	8 9.9 9.7 9.6
10	9.24 677	71	9 25 365	72	0.74 635	9.99 313	2	50	9 11.1 11.0 10.8
11	9.24 748	70	9.25 437	73	0.74 563	9.99 310	3	49	10 12.3 12.2 12.0
12	9.24 818	70	9.25 510	72	0.74 490	9.99 308	2	48	20 24.7 24.3 24.0
13	9.24 888	70	9.25 582	73	0.74 418	9.99 306	2	47	30 37 0 36 5 36.0
14	9.24 958	70	9.25 655	72	0.74 345	9.99 304	2	46	40 49.3 48.7 48.0
15	9.25 028	70	9 25 727	72	0.74 273	9.99 301	3	45	50 61.7 60.8 60.0
16	9.25 098	70	9.25 799	72	0.74 201	9.99 299	2	44	
17	9.25 168	69	9.25 871	72	0.74 129	9.99 297	2	43	71 70 69
18	9.25 237	70	9.25 943	72	0.74 057	9.99 294	3	42	1 1.2 1.2 1.2
19	9 25 307	69	9.26 015	71	0.73 985	9.99 292	2	41	2 2.4 2.3 2.3
20	9 25 376	69	9.26 086	72	0.73 914	9.99 290	2	40	3 3.6 3.5 3.4
21	9.25 445	69	9.26 158	71	0.73 842	9.99 288	2	39	4 4.7 4.7 4.6
22	9 25 514	69	9.26 229	72	0.73 771	9.99 285	3	38	5 5.9 5.8 5.8
23	9.25 583	69	9.26 301	71	0.73 699	9 99 283	2	37	6 7.1 7.0 6 9
24	9.25 652	69	9.26 372	71	0 73 628	9.99 281	2	36	7 8.3 8.2 8.0
25	9.25 721	69	9.26 443	71	0.73 557	9 99 278	3	35	8 9.5 9.3 9.2
26	9.25 790	68	9.26 514	71	0.73 486	9.99 276	2	34	9 10.6 10.5 10.4
27	9.25 858	69	9.26 585	70	0.73 415	9.99 274	2	33	10 11.8 11.7 11.5
28	9.25 927	68	9.26 655	71	0.73 345	9.99 271	3	32	20 23.7 23.3 23.0
29	9.25 995	68	9.26 726	71	0.73 274	9 99 269	2	31	30 35.5 35.0 34 5
30	9 26 063	68	9 26 797	70	0.73 203	9.99 267	2	30	40 47.3 46.7 46.0
31	9.26 131	68	9.26 867	70	0.73 133	9.99 264	3	29	50 59.2 58.3 57.5
32	9.26 199	68	9.26 937	71	0.73 063	9.99 262	2	28	
33	9.26 267	68	9.27 008	70	0.72 992	9.99 260	2	27	68 67 66
34	9.26 335	68	9.27 078	70	0.72 922	9.99 257	3	26	1 1.1 1.1 1.1
35	9.26 403	67	9.27 148	70	0.72 852	9.99 255	2	25	2 2 3 2.2 2.2
36	9.26 470	68	9.27 218	70	0.72 782	9.99 252	3	24	3 3.4 3.4 3.3
37	9.26 538	67	9.27 288	69	0.72 712	9.99 250	2	23	4 4.5 4.5 4.4
38	9.26 605	67	9.27 357	70	0.72 643	9.99 248	2	22	5 5.7 5.6 5.5
39	9.26 672	67	9.27 427	69	0.72 573	9.99 245	3	21	6 6 8 6.7 6.6
40	9.26 739	67	9.27 496	70	0.72 504	9.99 243	2	20	7 7 9 7.8 7.7
41	9.26 806	67	9.27 566	69	0.72 434	9.99 241	2	19	8 9.1 8.9 8.8
42	9.26 873	67	9.27 635	69	0.72 365	9.99 238	3	18	9 10.2 10.0 9 9
43	9.26 940	67	9.27 704	69	0.72 296	9.99 236	3	17	10 11.3 11.2 11.0
44	9.27 007	66	9.27 773	69	0.72 227	9.99 233	2	16	20 22.7 22.3 22.0
45	9.27 073	67	9 27 842	69	0.72 158	9.99 231	2	15	30 34.0 33.5 33.0
46	9.27 140	66	9.27 911	69	0.72 089	9.99 229	3	14	40 45.3 44 7 44.0
47	9.27 206	67	9.27 980	69	0.72 020	9.99 226	2	13	50 56.7 55.8 55.0
48	9.27 273	66	9.28 049	68	0.71 951	9.99 224	2	12	
49	9.27 339	66	9 28 117	69	0.71 883	9.99 221	3	11	3 3 3
50	9.27 405	66	9 28 186	68	0.71 814	9.99 219	2	10	74 73 72
51	9.27 471	66	9 28 254	69	0.71 746	9.99 217	2	9	0 12.3 12.2 12.0
52	9 27 537	65	9.28 323	68	0.71 677	9.99 214	3	8	1 37.0 36.5 36.0
53	9.27 602	66	9.28 391	68	0.71 609	9.99 212	3	7	2 61.7 60.8 60.0
54	9.27 668	66	9.28 459	68	0.71 541	9.99 209	2	6	3
55	9.27 734	65	9.28 527	68	0.71 473	9.99 207	3	5	3 3 3 3
56	9.27 799	65	9.28 595	67	0.71 405	9.99 204	2	4	71 70 69 68
57	9.27 864	66	9.28 662	68	0.71 338	9.99 202	2	3	0 11.8 11.7 11.5 11.3
58	9.27 930	65	9.28 730	68	0.71 270	9.99 200	3	2	1 35.5 35.0 34.5 34.0
59	9.27 995	65	9.28 798	67	0.71 202	9.99 197	2	1	2 59.2 58.3 57.5 56.7
60	9.28 060		9.28 865		0.71 135	9.99 195		0	3
	L Cos	d	L Cot	cd	L Tan	L Sin	d	'	P P

*169° 259° *349°

79°

11°

*101° 191° *281°

′	L Sin	d	L Tan	cd	L Cot	L Cos	d		P P		
0	9.28 060	65	9.28 865	68	0.71 135	9.99 195	3	60		65	64	63
1	9.28 125	65	9.28 933	67	0.71 067	9.99 192	2	59	1	1.1	1.1	1.0
2	9.28 190	64	9.29 000	67	0.71 000	9.99 190	3	58	2	2.2	2.1	2.1
3	9.28 254	65	9.29 067	67	0.70 933	9.99 187	2	57	3	3.2	3.2	3.2
4	9.28 319	65	9.29 134	67	0.70 866	9.99 185	3	56	4	4.3	4.3	4.2
5	9.28 384	64	9.29 201	67	0.70 799	9.99 182	2	55	5	5.4	5.3	5.2
6	9.28 448	64	9.29 268	67	0.70 732	9.99 180	3	54	6	6.5	6.4	6.3
7	9.28 512	65	9.29 335	67	0.70 665	9.99 177	2	53	7	7.6	7.5	7.4
8	9.28 577	64	9.29 402	66	0.70 598	9.99 175	3	52	8	8.7	8.5	8.4
9	9.28 641	64	9.29 468	67	0.70 532	9.99 172	2	51	9	9.8	9.6	9.4
10	9.28 705	64	9.29 535	66	0.70 465	9.99 170	3	50	10	10.8	10.7	10.5
11	9.28 769	64	9.29 601	67	0.70 399	9.99 167	2	49	20	21.7	21.3	21.0
12	9.28 833	63	9.29 668	66	0.70 332	9.99 165	3	48	30	32.5	32.0	31.5
13	9.28 896	64	9.29 734	66	0.70 266	9.99 162	2	47	40	43.3	42.7	42.0
14	9.28 960	64	9.29 800	66	0.70 200	9.99 160	3	46	50	54.2	53.3	52.5
15	9.29 024	63	9.29 866	66	0.70 134	9.99 157	2	45				
16	9.29 087	63	9.29 932	66	0.70 068	9.99 155	3	44		62	61	60
17	9.29 150	64	9.29 998	66	0.70 002	9.99 152	2	43	1	1.0	1.0	1.0
18	9.29 214	63	9.30 064	66	0.69 936	9.99 150	3	42	2	2.1	2.0	2.0
19	9.29 277	63	9.30 130	65	0.69 870	9.99 147	2	41	3	3.1	3.0	3.0
20	9.29 340	63	9.30 195	66	0.69 805	9.99 145	3	40	4	4.1	4.1	4.0
21	9.29 403	63	9.30 261	65	0.69 739	9.99 142	2	39	5	5.2	5.1	5.0
22	9.29 466	63	9.30 326	65	0.69 674	9.99 140	3	38	6	6.2	6.1	6.0
23	9.29 529	62	9.30 391	66	0.69 609	9.99 137	2	37	7	7.2	7.1	7.0
24	9.29 591	63	9.30 457	65	0.69 543	9.99 135	3	36	8	8.3	8.1	8.0
25	9.29 654	62	9.30 522	65	0.69 478	9.99 132	2	35	9	9.3	9.2	9.0
26	9.29 716	63	9.30 587	65	0.69 413	9.99 130	3	34	10	10.3	10.2	10.0
27	9.29 779	62	9.30 652	65	0.69 348	9.99 127	3	33	20	20.7	20.3	20.0
28	9.29 841	62	9.30 717	65	0.69 283	9.99 124	3	32	30	31.0	30.5	30.0
29	9.29 903	63	9.30 782	64	0.69 218	9.99 122	2	31	40	41.3	40.7	40.0
30	9.29 966	62	9.30 846	65	0.69 154	9.99 119	3	30	50	51.7	50.8	50.0
31	9.30 028	62	9.30 911	64	0.69 089	9.99 117	2	29				
32	9.30 090	61	9.30 975	65	0.69 025	9.99 114	3	28		59	3	2
33	9.30 151	62	9.31 040	64	0.68 960	9.99 112	3	27	1	1.0	0.0	0.0
34	9.30 213	62	9.31 104	64	0.68 896	9.99 109	3	26	2	2.0	0.1	0.1
35	9.30 275	61	9.31 168	65	0.68 832	9.99 106	3	25	3	3.0	0.2	0.1
36	9.30 336	62	9.31 233	64	0.68 767	9.99 104	3	24	4	3.9	0.2	0.1
37	9.30 398	61	9.31 297	64	0.68 703	9.99 101	2	23	5	4.9	0.2	0.2
38	9.30 459	62	9.31 361	64	0.68 639	9.99 099	3	22	6	5.9	0.3	0.2
39	9.30 521	61	9.31 425	64	0.68 575	9.99 096	3	21	7	6.9	0.4	0.2
40	9.30 582	61	9.31 489	63	0.68 511	9.99 093	3	20	8	7.9	0.4	0.3
41	9.30 643	61	9.31 552	64	0.68 448	9.99 091	2	19	9	8.8	0.4	0.3
42	9.30 704	61	9.31 616	63	0.68 384	9.99 088	3	18	10	9.8	0.5	0.3
43	9.30 765	61	9.31 679	64	0.68 321	9.99 086	3	17	20	19.7	1.0	0.7
44	9.30 826	61	9.31 743	63	0.68 257	9.99 083	3	16	30	29.5	1.5	1.0
45	9.30 887	60	9.31 806	64	0.68 194	9.99 080	2	15	40	39.3	2.0	1.3
46	9.30 947	61	9.31 870	63	0.68 130	9.99 078	3	14	50	49.2	2.5	1.7
47	9.31 008	60	9.31 933	63	0.68 067	9.99 075	3	13				
48	9.31 068	61	9.31 996	63	0.68 004	9.99 072	2	12		3	3	3
49	9.31 129	60	9.32 059	63	0.67 941	9.99 070	3	11		67	66	65
50	9.31 189	61	9.32 122	63	0.67 878	9.99 067	3	10	0	11.2	11.0	10.8
51	9.31 250	60	9.32 185	63	0.67 815	9.99 064	3	9	1	33.5	33.0	32.5
52	9.31 310	60	9.32 248	63	0.67 752	9.99 062	2	8	2	55.8	55.0	54.2
53	9.31 370	60	9.32 311	62	0.67 689	9.99 059	3	7	3			
54	9.31 430	60	9.32 373	63	0.67 627	9.99 056	3	6				
55	9.31 490	59	9.32 436	62	0.67 564	9.99 054	2	5		3	3	3
56	9.31 549	60	9.32 498	63	0.67 502	9.99 051	3	4		64	63	62
57	9.31 609	60	9.32 561	62	0.67 439	9.99 048	3	3	0	10.7	10.5	10.3
58	9.31 669	59	9.32 623	62	0.67 377	9.99 046	2	2	1	32.0	31.5	31.0
59	9.31 728	60	9.32 685	62	0.67 315	9.99 043	3	1	2	53.3	52.5	51.7
60	9.31 788		9.32 747		0.67 253	9.99 040	3	0	3			
	L Cos	d	L Cot	cd	L Tan	L Sin	d	′	P P			

*168° 258° *348°

12°

*102° 192° *282°

′	L Sin	d	L Tan	cd	L Cot	L Cos	d		P P
0	9.31 788	59	9.32 747	63	0.67 253	9.99 040	2	60	
1	9.31 847	60	9.32 810	62	0.67 190	9.99 038	3	59	63 | 62 | 61
2	9.31 907	59	9.32 872	61	0.67 128	9.99 035	3	58	1 | 1.0 | 1.0 | 1.0
3	9.31 966	59	9.32 933	62	0.67 067	9.99 032	2	57	2 | 2.1 | 2.1 | 2.0
4	9.32 025	59	9.32 995	62	0.67 005	9.99 030	3	56	3 | 3.2 | 3.1 | 3.0
5	9.32 084	59	9.33 057	62	0.66 943	9.99 027	3	55	4 | 4.2 | 4.1 | 4.1
6	9.32 143	59	9.33 119	61	0.66 881	9.99 024	2	54	5 | 5.2 | 5.2 | 5.1
7	9.32 202	59	9.33 180	62	0.66 820	9.99 022	3	53	6 | 6.3 | 6.2 | 6.1
8	9.32 261	58	9.33 242	61	0.66 758	9.99 019	3	52	7 | 7.4 | 7.2 | 7.1
9	9.32 319	59	9.33 303	62	0.66 697	9.99 016	3	51	8 | 8.4 | 8.3 | 8.1
10	9.32 378	59	9.33 365	61	0.66 635	9.99 013	2	50	9 | 9.4 | 9.3 | 9.2
11	9.32 437	58	9.33 426	61	0.66 574	9.99 011	3	49	10 | 10.5 | 10.3 | 10.2
12	9.32 495	58	9.33 487	61	0.66 513	9.99 008	3	48	20 | 21.0 | 20.7 | 20.3
13	9.32 553	59	9.33 548	61	0.66 452	9.99 005	3	47	30 | 31.5 | 31.0 | 30.5
14	9.32 612	58	9.33 609	61	0.66 391	9.99 002	2	46	40 | 42.0 | 41.3 | 40.7
15	9.32 670	58	9.33 670	61	0.66 330	9.99 000	3	45	50 | 52.5 | 51.7 | 50.8
16	9.32 728	58	9.33 731	61	0.66 269	9.98 997	3	44	
17	9.32 786	58	9.33 792	61	0.66 208	9.98 994	3	43	60 | 59 | 58
18	9.32 844	58	9.33 853	60	0.66 147	9.98 991	2	42	1 | 1.0 | 1.0 | 1.0
19	9.32 902	58	9.33 913	61	0.66 087	9.98 989	3	41	2 | 2.0 | 2.0 | 1.9
20	9.32 960	58	9.33 974	60	0.66 026	9.98 986	3	40	3 | 3.0 | 3.0 | 2.9
21	9.33 018	57	9.34 034	61	0.65 966	9.98 983	3	39	4 | 4.0 | 3.9 | 3.9
22	9.33 075	58	9.34 095	60	0.65 905	9.98 980	3	38	5 | 5.0 | 4.9 | 4.8
23	9.33 133	57	9.34 155	60	0.65 845	9.98 978	2	37	6 | 6.0 | 5.9 | 5.8
24	9.33 190	58	9.34 215	61	0 65 785	9.98 975	3	36	7 | 7.0 | 6.9 | 6.8
25	9.33 248	57	9.34 276	60	0.65 724	9.98 972	3	35	8 | 8.0 | 7.9 | 7.7
26	9.33 305	57	9.34 336	60	0.65 664	9.98 969	3	34	9 | 9.0 | 8.8 | 8.7
27	9.33 362	58	9.34 396	60	0.65 604	9.98 967	2	33	10 | 10.0 | 9.8 | 9.7
28	9.33 420	57	9.34 456	60	0.65 544	9.98 964	3	32	20 | 20.0 | 19.7 | 19.3
29	9.33 477	57	9.34 516	60	0.65 484	9.98 961	3	31	30 | 30.0 | 29.5 | 29.0
30	9.33 534	57	9 34 576	59	0.65 424	9.98 958	3	30	40 | 40.0 | 39.3 | 38.7
31	9.33 591	56	9.34 635	60	0.65 365	9.98 955	2	29	50 | 50.0 | 49.2 | 48.3
32	9.33 647	57	9.34 695	60	0.65 305	9.98 953	3	28	
33	9.33 704	57	9.34 755	59	0.65 245	9.98 950	3	27	57 | 56 | 55
34	9.33 761	57	9.34 814	60	0.65 186	9.98 947	3	26	1 | 1.0 | 0.9 | 0 9
35	9.33 818	56	9.34 874	59	0.65 126	9.98 944	3	25	2 | 1.9 | 1.9 | 1.8
36	9.33 874	57	9.34 933	59	0.65 067	9.98 941	3	24	3 | 2.8 | 2.8 | 2.8
37	9.33 931	56	9.34 992	59	0.65 008	9.98 938	2	23	4 | 3.8 | 3.7 | 3.7
38	9.33 987	56	9.35 051	59	0.64 949	9.98 936	3	22	5 | 4.8 | 4.7 | 4.6
39	9.34 043	57	9.35 111	60	0.64 889	9.98 933	3	21	6 | 5.7 | 5.6 | 5.5
40	9.34 100	56	9.35 170	59	0.64 830	9.98 930	3	20	7 | 6.6 | 6.5 | 6.4
41	9.34 156	56	9.35 229	59	0.64 771	9.98 927	3	19	8 | 7.6 | 7.5 | 7.3
42	9.34 212	56	9.35 288	59	0.64 712	9.98 924	3	18	9 | 8.6 | 8.4 | 8.2
43	9.34 268	56	9.35 347	59	0.64 653	9.98 921	2	17	10 | 9.5 | 9.3 | 9.2
44	9.34 324	56	9.35 405	58	0.64 595	9.98 919	3	16	20 | 19.0 | 18.7 | 18.3
45	9.34 380	56	9.35 464	59	0.64 536	9.98 916	3	15	30 | 28.5 | 28.0 | 27.5
46	9.34 436	55	9.35 523	59	0.64 477	9.98 913	3	14	40 | 38.0 | 37.3 | 36.7
47	9.34 491	56	9.35 581	58	0.64 419	9.98 910	3	13	50 | 47.5 | 46.7 | 45.8
48	9.34 547	55	9.35 640	59	0.64 360	9.98 907	3	12	
49	9.34 602	56	9.35 698	58	0.64 302	9.98 904	3	11	3 | 3 | 3
50	9.34 658	55	9.35 757	59	0.64 243	9.98 901	3	10	62 | 61 | 60
51	9.34 713	56	9.35 815	58	0.64 185	9.98 898	3	9	0 | 10.3 | 10.2 | 10.0
52	9.34 769	55	9.35 873	58	0.64 127	9.98 896	2	8	1 | 31.0 | 30.5 | 30.0
53	9.34 824	55	9.35 931	58	0.64 069	9.98 893	3	7	2 | 51.7 | 50.8 | 50.0
54	9.34 879	55	9.35 989	58	0.64 011	9.98 890	3	6	3
55	9.34 934	55	9.36 047	58	0.63 953	9.98 887	3	5	
56	9.34 989	55	9.36 105	58	0.63 895	9.98 884	3	4	3 | 3 | 3
57	9.35 044	55	9.36 163	58	0.63 837	9.98 881	3	3	59 | 58 | 57
58	9.35 099	55	9.36 221	58	0.63 779	9.98 878	3	2	0 | 9.8 | 9.7 | 9.5
59	9.35 154	55	9.36 279	57	0.63 721	9.98 875	3	1	1 | 29.5 | 29.0 | 28.5
60	9.35 209		9.36 336		0.63 664	9.98 872		0	2 | 49.2 | 48.3 | 47.5
	L Cos	d	L Cot	cd	L Tan	L Sin	d	′	P P

*167° 257° *347°

13°

*103° 193° *283°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P
0	9.35 209		9.36 336		0.63 664	9.98 872		60	57 56 55
		54		58			3		1 1.0 0.9 0.9
1	9.35 263		9.36 394		0.63 606	9.98 869		59	2 1.9 1.9 1.8
2	9.35 318	55	9.36 452	58	0.63 548	9.98 867	2	58	3 2.8 2.8 2.8
3	9.35 373	55	9.36 509	57	0.63 491	9.98 864	3	57	4 3.8 3.7 3.7
		54		57			3		5 4.8 4.7 4.6
4	9.35 427		9.36 566	58	0.63 434	9.98 861		56	6 5.7 5.6 5.5
5	9.35 481	54	9.36 624	57	0.63 376	9.98 858	3	55	7 6.6 6.5 6.4
6	9.35 536	55	9.36 681	57	0.63 319	9.98 855	3	54	8 7.6 7.5 7.3
		54		57			3		9 8.6 8.4 8.2
7	9.35 590		9.36 738		0.63 262	9.98 852		53	
8	9.35 644	54	9.36 795	57	0.63 205	9.98 849	3	52	
9	9.35 698	54	9.36 852	57	0.63 148	9.98 846	3	51	
		54		57			3		
10	9.35 752		9.36 909		0.63 091	9.98 843		50	
11	9.35 806	54	9.36 966	57	0.63 034	9.98 840	3	49	
12	9.35 860	54	9.37 023	57	0.62 977	9.98 837	3	48	
13	9.35 914	54	9.37 080	57	0.62 920	9.98 834	3	47	
		54		57			3		
14	9.35 968		9.37 137		0.62 863	9.98 831		46	
15	9.36 022	54	9.37 193	56	0.62 807	9.98 828	3	45	
16	9.36 075	53	9.37 250	57	0.62 750	9.98 825	3	44	54 53 52
		54		56			3		1 0.9 0.9 0.9
17	9.36 129		9.37 306		0.62 694	9.98 822		43	2 1.8 1.8 1.7
18	9.36 182	53	9.37 363	57	0.62 637	9.98 819	3	42	3 2.7 2.6 2.6
19	9.36 236	54	9.37 419	56	0.62 581	9.98 816	3	41	4 3.6 3.5 3.5
		53		57			3		5 4.5 4.4 4.3
20	9.36 289		9.37 476		0.62 524	9.98 813		40	6 5.4 5.3 5.2
21	9.36 342	53	9.37 532	56	0.62 468	9.98 810	3	39	7 6.3 6.2 6.1
22	9.36 395	53	9.37 588	56	0.62 412	9.98 807	3	38	8 7.2 7.1 6.9
23	9.36 449	54	9.37 644	56	0.62 356	9.98 804	3	37	9 8.1 8.0 7.8
		53		56			3		
24	9.36 502		9.37 700		0.62 300	9.98 801		36	
25	9.36 555	53	9.37 756	56	0.62 244	9.98 798	3	35	
26	9.36 608	53	9.37 812	56	0.62 188	9.98 795	3	34	
		52		56			3		
27	9.36 660		9.37 868		0.62 132	9.98 792		33	
28	9.36 713	53	9.37 924	56	0.62 076	9.98 789	3	32	
29	9.36 766	53	9.37 980	56	0.62 020	9.98 786	3	31	
		53		55			3		
30	9.36 819		9.38 035		0.61 965	9.98 783		30	51 4 3 2
31	9.36 871	52	9.38 091	56	0.61 909	9.98 780	3	29	1 0.8 0.1 0.0 0.0
32	9.36 924	53	9.38 147	56	0.61 853	9.98 777	3	28	2 1.7 0.1 0.1 0.1
33	9.36 976	52	9.38 202	55	0.61 798	9.98 774	3	27	3 2.6 0.2 0.2 0.1
		52		55			3		
34	9.37 028		9.38 257		0.61 743	9.98 771		26	4 3.4 0.3 0.2 0.1
35	9.37 081	53	9.38 313	56	0.61 687	9.98 768	3	25	5 4.2 0.3 0.2 0.2
36	9.37 133	52	9.38 368	55	0.61 632	9.98 765	3	24	6 5.1 0.4 0.3 0.2
		52		55			3		
37	9.37 185		9.38 423		0.61 577	9.98 762		23	7 6.0 0.5 0.4 0.2
38	9.37 237	52	9.38 479	56	0.61 521	9.98 759	3	22	8 6.8 0.5 0.4 0.3
39	9.37 289	52	9.38 534	55	0.61 466	9.98 756	3	21	9 7.6 0.6 0.4 0.3
		52		55			3		
40	9.37 341		9.38 589		0.61 411	9.98 753		20	10 8.5 0.7 0.5 0.3
41	9.37 393	52	9.38 644	55	0.61 356	9.98 750	3	19	20 17.0 1.3 1.0 0.7
42	9.37 445	52	9.38 699	55	0.61 301	9.98 746	4	18	30 25.5 2.0 1.5 1.0
43	9.37 497	52	9.38 754	55	0.61 246	9.98 743	3	17	40 34.0 2.7 2.0 1.3
		52		54			3		50 42.5 3.3 2.5 1.7
44	9.37 549		9.38 808		0.61 192	9.98 740		16	
45	9.37 600	51	9.38 863	55	0.61 137	9.98 737	3	15	
46	9.37 652	52	9.38 918	55	0.61 082	9.98 734	3	14	
		51		54			3		
47	9.37 703		9.38 972		0.61 028	9.98 731		13	
48	9.37 755	52	9.39 027	55	0.60 973	9.98 728	3	12	
49	9.37 806	51	9.39 082	55	0.60 918	9.98 725	3	11	
		52		54			3		
50	9.37 858		9.39 136		0.60 864	9.98 722		10	
51	9.37 909	51	9.39 190	54	0.60 810	9.98 719	3	9	
52	9.37 960	51	9.39 245	55	0.60 755	9.98 715	4	8	
53	9.38 011	51	9.39 299	54	0.60 701	9.98 712	3	7	
		51		54			3		
54	9.38 062		9.39 353		0.60 647	9.98 709		6	
55	9.38 113	51	9.39 407	54	0.60 593	9.98 706	3	5	
56	9.38 164	51	9.39 461	54	0.60 539	9.98 703	3	4	
		51		54			3		
57	9.38 215		9.39 515		0.60 485	9.98 700		3	
58	9.38 266	51	9.39 569	54	0.60 431	9.98 697	3	2	
59	9.38 317	51	9.39 623	54	0.60 377	9.98 694	3	1	
60	9.38 368	51	9.39 677	54	0.60 323	9.98 690	4	0	
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′	P P

	4	4	3	3
	55	54	58	57
0				
1	6.9	6.8	9.7	9.5
2	20.6	20.2	29.0	28.5
3	34.4	33.8	48.3	47.5
4	48.1	47.2	—	—

	3	3	3
	56	55	54
0			
1	9.3	9.2	9.0
2	28.0	27.5	27.0
3	46.7	45.8	45.0

*166° 256° *346°

76°

14°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	
0	9.38 368		9.39 677		0.60 323	9.98 690		60
1	9.38 418	50	9.39 731	54	0.60 269	9.98 687	3	59
2	9.38 469	51	9.39 785	54	0.60 215	9.98 684	3	58
3	9.38 519	50	9.39 838	53	0.60 162	9.98 681	3	57
4	9.38 570	51	9.39 892	54	0.60 108	9.98 678	3	56
5	9.38 620	50	9.39 945	53	0.60 055	9.98 675	3	55
6	9.38 670	50	9.39 999	54	0.60 001	9.98 671	4	54
7	9.38 721	51	9.40 052	53	0.59 948	9.98 668	3	53
8	9.38 771	50	9.40 106	54	0.59 894	9.98 665	3	52
9	9.38 821	50	9.40 159	53	0.59 841	9.98 662	3	51
10	9.38 871	50	9.40 212	53	0.59 788	9.98 659	3	50
11	9.38 921	50	9.40 266	54	0.59 734	9.98 656	4	49
12	9.38 971	50	9.40 319	53	0.59 681	9.98 652	3	48
13	9.39 021	50	9.40 372	53	0.59 628	9.98 649	3	47
14	9.39 071	50	9.40 425	53	0.59 575	9.98 646	3	46
15	9.39 121	50	9.40 478	53	0.59 522	9.98 643	3	45
16	9.39 170	49	9.40 531	53	0.59 469	9.98 640	4	44
17	9.39 220	50	9.40 584	53	0.59 416	9.98 636	3	43
18	9.39 270	50	9.40 636	52	0.59 364	9.98 633	3	42
19	9.39 319	49	9.40 689	53	0.59 311	9.98 630	3	41
20	9.39 369	50	9.40 742	53	0.59 258	9.98 627	4	40
21	9.39 418	49	9.40 795	53	0.59 205	9.98 623	3	39
22	9.39 467	49	9.40 847	52	0.59 153	9.98 620	3	38
23	9.39 517	50	9.40 900	53	0.59 100	9.98 617	3	37
24	9.39 566	49	9.40 952	52	0.59 048	9.98 614	4	36
25	9.39 615	49	9.41 005	53	0.58 995	9.98 610	3	35
26	9.39 664	49	9.41 057	52	0.58 943	9.98 607	3	34
27	9.39 713	49	9.41 109	52	0.58 891	9.98 604	3	33
28	9.39 762	49	9.41 161	52	0.58 839	9.98 601	4	32
29	9.39 811	49	9.41 214	53	0.58 786	9.98 597	3	31
30	9.39 860	49	9.41 266	52	0.58 734	9.98 594	3	30
31	9.39 909	49	9.41 318	52	0.58 682	9.98 591	3	29
32	9.39 958	48	9.41 370	52	0.58 630	9.98 588	4	28
33	9.40 006	49	9.41 422	52	0.58 578	9.98 584	3	27
34	9.40 055	48	9.41 474	52	0.58 526	9.98 581	3	26
35	9.40 103	49	9.41 526	52	0.58 474	9.98 578	4	25
36	9.40 152	48	9.41 578	51	0.58 422	9.98 574	3	24
37	9.40 200	49	9.41 629	52	0.58 371	9.98 571	3	23
38	9.40 249	48	9.41 681	52	0.58 319	9.98 568	3	22
39	9.40 297	49	9.41 733	51	0.58 267	9.98 565	4	21
40	9.40 346	48	9.41 784	52	0.58 216	9.98 561	3	20
41	9.40 394	48	9.41 836	52	0.58 164	9.98 558	3	19
42	9.40 442	48	9.41 887	51	0.58 113	9.98 555	4	18
43	9.40 490	48	9.41 939	52	0.58 061	9.98 551	3	17
44	9.40 538	48	9.41 990	51	0.58 010	9.98 548	3	16
45	9.40 586	48	9.42 041	51	0.57 959	9.98 545	4	15
46	9.40 634	48	9.42 093	52	0.57 907	9.98 541	3	14
47	9.40 682	48	9.42 144	51	0.57 856	9.98 538	3	13
48	9.40 730	48	9.42 195	51	0.57 805	9.98 535	4	12
49	9.40 778	47	9.42 246	51	0.57 754	9.98 531	3	11
50	9.40 825	48	9.42 297	51	0.57 703	9.98 528	3	10
51	9.40 873	48	9.42 348	51	0.57 652	9.98 525	4	9
52	9.40 921	47	9.42 399	51	0.57 601	9.98 521	3	8
53	9.40 968	48	9.42 450	51	0.57 550	9.98 518	3	7
54	9.41 016	47	9.42 501	51	0.57 499	9.98 515	4	6
55	9.41 063	48	9.42 552	51	0.57 448	9.98 511	3	5
56	9.41 111	47	9.42 603	50	0.57 397	9.98 508	3	4
57	9.41 158	47	9.42 653	51	0.57 347	9.98 505	4	3
58	9.41 205	47	9.42 704	51	0.57 296	9.98 501	3	2
59	9.41 252	48	9.42 755	50	0.57 245	9.98 498	4	1
60	9.41 300		9.42 805		0.57 195	9.98 494		0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

P P

	54	53	52
1	0.9	0.9	0.9
2	1.8	1.8	1.7
3	2.7	2.6	2.6
4	3.6	3.5	3.5
5	4.5	4.4	4.3
6	5.4	5.3	5.2
7	6.3	6.2	6.1
8	7.2	7.1	6.9
9	8.1	8.0	7.8
10	9.0	8.8	8.7
20	18.0	17.7	17.3
30	27.0	26.5	26.0
40	36.0	35.3	34.7
50	45.0	44.2	43.3

	51	50	49
1	0.8	0.8	0.8
2	1.7	1.7	1.6
3	2.6	2.5	2.4
4	3.4	3.3	3.3
5	4.2	4.2	4.1
6	5.1	5.0	4.9
7	6.0	5.8	5.7
8	6.8	6.7	6.5
9	7.6	7.5	7.4
10	8.5	8.3	8.2
20	17.0	16.7	16.3
30	25.5	25.0	24.5
40	34.0	33.3	32.7
50	42.5	41.7	40.8

	48	47	4	3
1	0.8	0.8	0.1	0.0
2	1.6	1.6	0.1	0.1
3	2.4	2.4	0.2	0.2
4	3.2	3.1	0.3	0.2
5	4.0	3.9	0.3	0.2
6	4.8	4.7	0.4	0.3
7	5.6	5.5	0.5	0.4
8	6.4	6.3	0.5	0.4
9	7.2	7.0	0.6	0.4
10	8.0	7.8	0.7	0.5
20	16.0	15.7	1.3	1.0
30	24.0	23.5	2.0	1.5
40	32.0	31.3	2.7	2.0
50	40.0	39.2	3.3	2.5

	4/54	4/53	4/52	4/51
0	6.8	6.6	6.5	6.4
1	20.2	19.9	19.5	19.1
2	33.8	33.1	32.5	31.9
3	47.2	46.4	45.5	44.6
4				

	3/54	3/53	3/52	3/51
0	9.0	8.8	8.7	8.5
1	27.0	26.5	26.0	25.5
2	45.0	44.2	43.3	42.5
3				

15°

*105° 195° *285°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P	P
									51	50	49
0	9.41 300	47	9.42 805	51	0.57 195	9.98 494	3	60			
1	9.41 347	47	9.42 856	50	0.57 144	9.98 491	3	59	1	0.8	0.8	0.8
2	9.41 394	47	9.42 906	51	0.57 094	9.98 488	4	58	2	1.7	1.7	1.6
3	9.41 441	47	9.42 957	50	0.57 043	9.98 484	3	57	3	2.6	2.5	2.4
4	9.41 488	47	9.43 007	50	0.56 993	9.98 481	3	56	4	3.4	3.3	3.3
5	9.41 535	47	9.43 057	51	0.56 943	9.98 477	4	55	5	4.2	4.2	4.1
6	9.41 582	47	9.43 108	50	0.56 892	9.98 474	3	54	6	5.1	5.0	4.9
7	9.41 628	46	9.43 158	50	0.56 842	9.98 471	3	53	7	6.0	5.8	5.7
8	9.41 675	47	9.43 208	50	0.56 792	9.98 467	4	52	8	6.8	6.7	6.5
9	9.41 722	47	9.43 258	50	0.56 742	9.98 464	3	51	9	7.6	7.5	7.4
10	9.41 768	46	9.43 308	50	0.56 692	9.98 460	4	50	10	8.5	8.3	8.2
11	9.41 815	47	9.43 358	50	0.56 642	9.98 457	3	49	20	17.0	16.7	16.3
12	9.41 861	46	9.43 408	50	0.56 592	9.98 453	4	48	30	25.5	25.0	24.5
13	9.41 908	47	9.43 458	50	0.56 542	9.98 450	3	47	40	34.0	33.3	32.7
14	9.41 954	46	9.43 508	50	0.56 492	9.98 447	3	46	50	42.5	41.7	40.8
15	9.42 001	47	9.43 558	49	0.56 442	9.98 443	4	45				
16	9.42 047	46	9.43 607	50	0.56 393	9.98 440	3	44				
17	9.42 093	46	9.43 657	50	0.56 343	9.98 436	4	43		48	47	46
18	9.42 140	47	9.43 707	49	0.56 293	9.98 433	3	42	1	0.8	0.8	0.8
19	9.42 186	46	9.43 756	50	0.56 244	9.98 429	4	41	2	1.6	1.6	1.5
20	9.42 232	46	9.43 806	49	0.56 194	9.98 426	3	40	3	2.4	2.4	2.3
21	9.42 278	46	9.43 855	50	0.56 145	9.98 422	4	39	4	3.2	3.1	3.1
22	9.42 324	46	9.43 905	49	0.56 095	9.98 419	4	38	5	4.0	3.9	3.8
23	9.42 370	46	9.43 954	50	0.56 046	9.98 415	3	37	6	4.8	4.7	4.6
24	9.42 416	46	9.44 004	49	0.55 996	9.98 412	3	36	7	5.6	5.5	5.4
25	9.42 461	45	9.44 053	49	0.55 947	9.98 409	4	35	8	6.4	6.3	6.1
26	9 42 507	46	9.44 102	49	0.55 898	9.98 405	3	34	9	7.2	7.0	6.9
27	9.42 553	46	9.44 151	50	0.55 849	9.98 402	4	33	10	8.0	7.8	7.7
28	9.42 599	46	9.44 201	49	0.55 799	9.98 398	3	32	20	16.0	15.7	15.3
29	9.42 644	45	9.44 250	49	0.55 750	9.98 395	4	31	30	24.0	23.5	23.0
30	9.42 690	46	9.44 299	49	0.55 701	9.98 391	3	30	40	32.0	31.3	30.7
31	9.42 735	45	9.44 348	49	0.55 652	9.98 388	4	29	50	40.0	39.2	38.3
32	9.42 781	46	9.44 397	49	0.55 603	9.98 384	3	28				
33	9.42 826	45	9.44 446	49	0.55 554	9.98 381	4	27		45	44	4	3
34	9.42 872	46	9.44 495	49	0.55 505	9.98 377	4	26	1	0.8	0.7	0.1	0.0
35	9.42 917	45	9.44 544	48	0.55 456	9.98 373	4	25	2	1.5	1.5	0.1	0.1
36	9.42 962	45	9.44 592	49	0.55 408	9.98 370	3	24	3	2.2	2.2	0.2	0.2
37	9.43 008	46	9.44 641	49	0.55 359	9.98 366	4	23	4	3.0	2.9	0.3	0.2
38	9.43 053	45	9.44 690	48	0.55 310	9.98 363	3	22	5	3.8	3.7	0.3	0.2
39	9.43 098	45	9.44 738	49	0.55 262	9.98 359	4	21	6	4.5	4.4	0.4	0.3
40	9.43 143	45	9.44 787	49	0.55 213	9.98 356	3	20	7	5.2	5.1	0.5	0.4
41	9.43 188	45	9.44 836	48	0.55 164	9.98 352	4	19	8	6.0	5.9	0.5	0.4
42	9.43 233	45	9.44 884	49	0.55 116	9.98 349	3	18	9	6.8	6.6	0.6	0.4
43	9.43 278	45	9.44 933	48	0.55 067	9.98 345	4	17	10	7.5	7.3	0.7	0.5
44	9.43 323	44	9.44 981	48	0.55 019	9.98 342	3	16	20	15.0	14.7	1.3	1.0
45	9.43 367	45	9.45 029	49	0.54 971	9.98 338	4	15	30	22.5	22.0	2.0	1.5
46	9.43 412	45	9.45 078	48	0.54 922	9.98 334	4	14	40	30.0	29.3	2.7	2.0
47	9.43 457	45	9.45 126	48	0.54 874	9.98 331	3	13	50	37.5	36.7	3.3	2.5
48	9.43 502	45	9.45 174	48	0.54 826	9.98 327	4	12					
49	9.43 546	44	9.45 222	49	0.54 778	9.98 324	3	11		4	4	4	4
50	9.43 591	45	9.45 271	48	0.54 729	9.98 320	4	10		50	49	48	47
51	9.43 635	44	9.45 319	48	0.54 681	9.98 317	3	9	0	6.2	6.1	6.0	5.9
52	9.43 680	45	9.45 367	48	0.54 633	9.98 313	4	8	1	18.8	18.4	18.0	17.6
53	9.43 724	44	9.45 415	48	0.54 585	9.98 309	4	7	2	31.2	30.6	30.0	29.4
54	9.43 769	45	9.45 463	48	0.54 537	9.98 306	3	6	3	43.8	42.9	42.0	41.1
55	9.43 813	44	9.45 511	48	0.54 489	9.98 302	4	5	4				
56	9.43 857	44	9.45 559	47	0.54 441	9.98 299	3	4		3	3	3	3
57	9.43 901	44	9.45 606	48	0.54 394	9.98 295	4	3		51	50	49	48
58	9.43 946	45	9.45 654	48	0.54 346	9.98 291	4	2	0	8.5	8.3	8.2	8.0
59	9.43 990	44	9.45 702	48	0.54 298	9.98 288	3	1	1	25.5	25.0	24.5	24.0
60	9.44 034		9.45 750		0.54 250	9.98 284	4	0	2	42.5	41.7	40.8	40.0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′	3				
									P	P

*164° 254° *344°

74°

16°

*106° 196° *286°

	L Sin	d	L Tan	c d	L Cot	L Cos	d	
0	9.44 034		9.45 750		0.54 250	9.98 284		60
		44		47			3	
1	9.44 078		9.45 797		0.54 203	9 98 281		59
		44		48			4	
2	9.44 122		9.45 845		0.54 155	9.98 277		58
		44		47			4	
3	9.44 166		9.45 892		0.54 108	9.98 273		57
		44		48			3	
4	9.44 210		9.45 940		0.54 060	9.98 270		56
		43		47			4	
5	9.44 253		9.45 987		0.54 013	9.98 266		55
		44		48			4	
6	9.44 297		9.46 035		0.53 965	9.98 262		54
		44		47			3	
7	9.44 341		9.46 082		0.53 918	9.98 259		53
		44		48			4	
8	9.44 385		9.46 130		0.53 870	9.98 255		52
		43		47			4	
9	9.44 428		9.46 177		0.53 823	9.98 251		51
		44		47			3	
10	9.44 472		9.46 224		0.53 776	9.98 248		50
		44		47			4	
11	9.44 516		9.46 271		0.53 729	9.98 244		49
		43		48			4	
12	9.44 559		9.46 319		0.53 681	9.98 240		48
		43		47			3	
13	9.44 602		9.46 366		0.53 634	9.98 237		47
		44		47			4	
14	9.44 646		9.46 413		0.53 587	9.98 233		46
		43		47			4	
15	9.44 689		9.46 460		0.53 540	9.98 229		45
		44		47			3	
16	9.44 733		9.46 507		0.53 493	9.98 226		44
		43		47			4	
17	9.44 776		9.46 554		0.53 446	9.98 222		43
		43		47			4	
18	9 44 819		9.46 601		0.53 399	9.98 218		42
		43		47			3	
19	9.44 862		9.46 648		0.53 352	9.98 215		41
		43		46			4	
20	9.44 905		9.46 694		0.53 306	9.98 211		40
		43		47			4	
21	9.44 948		9.46 741		0.53 259	9.98 207		39
		44		47			3	
22	9.44 992		9.46 788		0.53 212	9.98 204		38
		43		47			4	
23	9.45 035		9.46 835		0.53 165	9.98 200		37
		42		46			4	
24	9.45 077		9.46 881		0.53 119	9.98 196		36
		43		47			4	
25	9.45 120		9.46 928		0.53 072	9.98 192		35
		43		47			3	
26	9.45 163		9.46 975		0.53 025	9.98 189		34
		43		46			4	
27	9.45 206		9.47 021		0.52 979	9.98 185		33
		43		47			4	
28	9.45 249		9.47 068		0.52 932	9.98 181		32
		43		46			4	
29	9.45 292		9.47 114		0.52 886	9.98 177		31
		42		46			3	
30	9.45 334		9.47 160		0.52 840	9.98 174		30
		43		47			4	
31	9.45 377		9.47 207		0.52 793	9.98 170		29
		42		46			4	
32	9.45 419		9.47 253		0.52 747	9.98 166		28
		43		46			4	
33	9.45 462		9.47 299		0.52 701	9.98 162		27
		42		47			3	
34	9.45 504		9.47 346		0.52 654	9.98 159		26
		43		46			4	
35	9.45 547		9.47 392		0.52 608	9.98 155		25
		42		46			4	
36	9.45 589		9.47 438		0.52 562	9.98 151		24
		43		46			4	
37	9.45 632		9.47 484		0.52 516	9.98 147		23
		42		46			3	
38	9.45 674		9.47 530		0.52 470	9.98 144		22
		42		46			4	
39	9.45 716		9.47 576		0.52 424	9.98 140		21
		42		46			4	
40	9.45 758		9.47 622		0.52 378	9.98 136		20
		43		46			4	
41	9.45 801		9.47 668		0.52 332	9.98 132		19
		42		46			4	
42	9.45 843		9.47 714		0.52 286	9.98 129		18
		42		46			3	
43	9.45 885		9.47 760		0.52 240	9.98 125		17
		42		46			4	
44	9.45 927		9.47 806		0.52 194	9.98 121		16
		42		46			4	
45	9.45 969		9.47 852		0.52 148	9.98 117		15
		42		45			4	
46	9.46 011		9.47 897		0.52 103	9.98 113		14
		42		46			3	
47	9.46 053		9.47 943		0.52 057	9.98 110		13
		42		46			4	
48	9.46 095		9.47 989		0.52 011	9.98 106		12
		41		46			4	
49	9.46 136		9.48 035		0.51 965	9.98 102		11
		42		45			4	
50	9.46 178		9.48 080		0.51 920	9.98 098		10
		42		46			4	
51	9.46 220		9.48 126		0.51 874	9.98 094		9
		42		45			4	
52	9.46 262		9.48 171		0.51 829	9.98 090		8
		41		46			3	
53	9.46 303		9.48 217		0.51 783	9.98 087		7
		42		45			4	
54	9.46 345		9.48 262		0.51 738	9.98 083		6
		41		45			4	
55	9.46 386		9.48 307		0.51 693	9.98 079		5
		42		46			4	
56	9.46 428		9.48 353		0.51 647	9.98 075		4
		41		45			4	
57	9.46 469		9.48 398		0.51 602	9.98 071		3
		42		45			4	
58	9.46 511		9.48 443		0.51 557	9.98 067		2
		41		46			4	
59	9.46 552		9.48 489		0.51 511	9.98 063		1
		42		45			4	
60	9.46 594		9.48 534		0.51 466	9.98 060		0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	

*163° 253° *343°

73°

	P		
	48	47	46
1	0 8	0.8	0.8
2	1.6	1.6	1.5
3	2.4	2.4	2.3
4	3.2	3.1	3.1
5	4.0	3.9	3.8
6	4.8	4.7	4.6
7	5.6	5.5	5.4
8	6.4	6.3	6.1
9	7.2	7.0	6.9
10	8.0	7.8	7.7
20	16.0	15.7	15.3
30	24.0	23.5	23.0
40	32.0	31.3	30.7
50	40.0	39.2	38.3

	P		
	45	44	43
1	0.8	0.7	0.7
2	1.5	1.5	1.4
3	2.2	2.2	2.2
4	3.0	2.9	2.9
5	3.8	3.7	3.6
6	4.5	4.4	4.3
7	5.2	5.1	5.0
8	6.0	5.9	5.7
9	6.8	6.6	6.4
10	7.5	7.3	7.2
20	15.0	14.7	14.3
30	22.5	22.0	21.5
40	30.0	29.3	28.7
50	37.5	36.7	35.8

	P			
	42	41	4	3
1	0.7	0.7	0.1	0.0
2	1.4	1.4	0.1	0.1
3	2.1	2.0	0.2	0.2
4	2.8	2.7	0.3	0.2
5	3.5	3.4	0.3	0.2
6	4.2	4.1	0.4	0.3
7	4.9	4.8	0.5	0.4
8	5.6	5.5	0.5	0.4
9	6.3	6.2	0.6	0.4
10	7.0	6.8	0.7	0.5
20	14.0	13.7	1.3	1.0
30	21.0	20.5	2.0	1.5
40	28.0	27.3	2.7	2.0
50	35.0	34.2	3.3	2.5

	P			
	4/48	4/47	4/46	4/45
0				
1	6.0	5.9	5.8	5.6
2	18.0	17.6	17.2	16.9
3	30.0	29.4	28.8	28.1
4	42.0	41.1	40.2	39.4

	P			
	3/48	3/47	3/46	3/45
0				
1	8.0	7.8	7.7	7.5
2	24.0	23.5	23.0	22.5
2	40.0	39.2	38.3	37.5
3				

P P

17°

*107° 197° *287°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P		
0	9.46 594		9.48 534		0.51 466	9.98 060		60		45	44	43
		41		45			4					
1	9.46 635		9.48 579		0.51 421	9.98 056		59	1	0.8	0.7	0.7
2	9.46 676	41	9.48 624	45	0.51 376	9.98 052	4	58	2	1.5	1.5	1.4
3	9.46 717	41	9.48 669	45	0.51 331	9.98 048	4	57	3	2.2	2.2	2.2
		41		45			4		4	3.0	2.9	2.9
4	9.46 758		9.48 714		0.51 286	9.98 044		56				
5	9.46 800	42	9.48 759	45	0.51 241	9.98 040	4	55	5	3.8	3.7	3.6
6	9.46 841	41	9.48 804	45	0.51 196	9.98 036	4	54	6	4.5	4.4	4.3
		41		45			4		7	5.2	5.1	5.0
7	9.46 882		9.48 849		0.51 151	9.98 032		53	8	6.0	5.9	5.7
8	9.46 923	41	9.48 894	45	0.51 106	9.98 029	3	52	9	6.8	6.6	6.4
9	9.46 964	41	9.48 939	45	0.51 061	9.98 025	4	51				
10	9.47 005	41	9.48 984	45	0.51 016	9.98 021	4	50	10	7.5	7.3	7.2
11	9.47 045	40	9.49 029	44	0.50 971	9.98 017	4	49	20	15.0	14.7	14.3
12	9.47 086	41	9.49 073	45	0.50 927	9.98 013	4	48	30	22.5	22.0	21.5
13	9.47 127	41	9.49 118	45	0.50 882	9.98 009	4	47	40	30.0	29.3	28.7
		41		45			4		50	37.5	36.7	35.8
14	9.47 168		9.49 163		0.50 837	9.98 005		46				
15	9.47 209	41	9.49 207	44	0.50 793	9.98 001	4	45		42	41	40
16	9.47 249	40	9.49 252	45	0.50 748	9.97 997	4	44	1	0.7	0.7	0.7
		41		44			4					
17	9.47 290		9.49 296		0.50 704	9.97 993		43	2	1.4	1.4	1.3
18	9.47 330	40	9.49 341	45	0.50 659	9.97 989	4	42	3	2.1	2.0	2.0
19	9.47 371	41	9.49 385	44	0.50 615	9.97 986	4	41	4	2.8	2.7	2.7
		40		45			3					
20	9.47 411		9.49 430		0.50 570	9.97 982	4	40	5	3 5	3.4	3.3
21	9.47 452	41	9.49 474	44	0.50 526	9.97 978	4	39	6	4.2	4.1	4.0
22	9.47 492	40	9.49 519	45	0.50 481	9.97 974	4	38	7	4.9	4.8	4.7
23	9.47 533	41	9.49 563	44	0.50 437	9.97 970	4	37	8	5.6	5.5	5 3
		40		44			4		9	6.3	6.2	6.0
24	9.47 573		9.49 607		0.50 393	9.97 966		36				
25	9.47 613	40	9.49 652	45	0.50 348	9.97 962	4	35	10	7.0	6.8	6.7
26	9.47 654	41	9.49 696	44	0.50 304	9.97 958	4	34	20	14.0	13.7	13.3
		40		44			4		30	21.0	20.5	20.0
27	9.47 694		9.49 740		0.50 260	9.97 954		33	40	28.0	27.3	26 7
28	9.47 734	40	9.49 784	44	0.50 216	9.97 950	4	32	50	35.0	34.2	33.3
29	9.47 774	40	9.49 828	44	0.50 172	9.97 946	4	31				
30	9.47 814	40	9.49 872	44	0.50 128	9.97 942	4	30		39	5	4	3
31	9.47 854	40	9.49 916	44	0.50 084	9.97 938	4	29	1	0.6	0.1	0.1	0.0
32	9.47 894	40	9.49 960	44	0.50 040	9.97 934	4	28	2	1.3	0.2	0.1	0.1
33	9.47 934	40	9.50 004	44	0.49 996	9.97 930	4	27	3	2.0	0.2	0.2	0.2
		40		44			4		4	2.6	0.3	0.3	0.2
34	9.47 974		9.50 048		0.49 952	9.97 926		26					
35	9.48 014	40	9 50 092	44	0.49 908	9.97 922	4	25	5	3.2	0.4	0.3	0.2
36	9.48 054	40	9.50 136	44	0.49 864	9.97 918	4	24	6	3.9	0.5	0.4	0.3
		40		44			4		7	4.6	0.6	0.5	0.4
37	9.48 094		9.50 180		0.49 820	9.97 914		23	8	5.2	0.7	0.5	0.4
38	9.48 133	39	9.50 223	43	0.49 777	9.97 910	4	22	9	5.8	0.8	0.6	0.4
39	9.48 173	40	9.50 267	44	0.49 733	9.97 906	4	21					
		40		44			4						
40	9.48 213		9.50 311		0.49 689	9.97 902		20	10	6.5	0.8	0.7	0.5
41	9.48 252	39	9.50 355	44	0.49 645	9.97 898	4	19	20	13.0	1.7	1.3	1.0
42	9.48 292	40	9.50 398	43	0.49 602	9.97 894	4	18	30	19.5	2.5	2.0	1.5
43	9.48 332	40	9.50 442	44	0.49 558	9.97 890	4	17	40	26.0	3.3	2.7	2.0
		39		43			4		50	32.5	4.2	3.3	2.5
44	9.48 371		9.50 485		0.49 515	9.97 886		16					
45	9.48 411	40	9.50 529	44	0.49 471	9.97 882	4	15		5	4	4	
46	9.48 450	39	9.50 572	43	0.49 428	9.97 878	4	14		43	45	44	
		40		44			4						
47	9.48 490		9.50 616		0.49 384	9.97 874		13					
48	9.48 529	39	9.50 659	43	0.49 341	9.97 870	4	12	0	4.3	5.6	5.5	
49	9.48 568	39	9.50 703	44	0.49 297	9.97 866	4	11	1	12.9	16.9	16.5	
50	9.48 607	39	9.50 746	43	0 49 254	9.97 861	5	10	2	21.5	28.1	27.5	
		40		43			4		3	30.1	39.4	38.5	
51	9.48 647		9.50 789		0.49 211	9.97 857		9	4	38.7	—	—	
52	9.48 686	39	9.50 833	44	0.49 167	9.97 853	4	8	5				
53	9.48 725	39	9.50 876	43	0.49 124	9.97 849	4	7					
		39		43			4			4	3	3	
54	9.48 764		9.50 919		0.49 081	9.97 845		6		43	45	44	
55	9.48 803	39	9.50 962	43	0.49 038	9.97 841	4	5					
56	9.48 842	39	9.51 005	43	0.48 995	9.97 837	4	4	0	5.4	7.5	7.3	
		39		43			4		1	16.1	22.5	22.0	
57	9.48 881		9.51 048		0.48 952	9.97 833		3	2	26.9	37.5	36.7	
58	9.48 920	39	9.51 092	44	0.48 908	9.97 829	4	2	3	37.6	—	—	
59	9.48 959	39	9.51 135	43	0.48 865	9.97 825	4	1	4				
60	9.48 998	39	9.51 178	43	0.48 822	9.97 821	4	0					
	L Cos	d	L Cot	c d	L Tan	L Sin	d		P P			

*162° 252° *342°

18°

*108° 198° *288°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	
0	9.48 998		9.51 178		0 48 822	9.97 821		60
1	9 49 037	39	9 51 221	43	0 48 779	9 97 817	4	59
2	9.49 076	39	9.51 264	43	0.48 736	9.97 812	5	58
3	9.49 115	39	9.51 306	42	0.48 694	9 97 808	4	57
4	9.49 153	38	9 51 349	43	0.48 651	9.97 804	4	56
5	9.49 192	39	9.51 392	43	0.48 608	9.97 800	4	55
6	9.49 231	39	9.51 435	43	0.48 565	9.97 796	4	54
7	9 49 269	38	9 51 478	42	0.48 522	9.97 792	4	53
8	9 49 308	39	9.51 520	43	0.48 480	9.97 788	4	52
9	9 49 347	39	9.51 563	43	0 48 437	9.97 784	5	51
10	9 49 385	38	9.51 606	42	0.48 394	9.97 779	4	50
11	9 49 424	39	9.51 648	43	0.48 352	9 97 775	4	49
12	9.49 462	38	9 51 691	43	0.48 309	9.97 771	4	48
13	9.49 500	38	9.51 734	42	0.48 266	9.97 767	4	47
14	9.49 539	39	9 51 776	43	0 48 224	9.97 763	4	46
15	9 49 577	38	9 51 819	42	0 48 181	9 97 759	5	45
16	9.49 615	38	9 51 861	42	0.48 139	9.97 754	4	44
17	9 49 654	39	9 51 903	43	0.48 097	9.97 750	4	43
18	9 49 692	38	9 51 946	42	0.48 054	9.97 746	4	42
19	9 49 730	38	9.51 988	43	0.48 012	9 97 742	4	41
20	9.49 768	38	9.52 031	42	0 47 969	9 97 738	4	40
21	9 49 806	38	9.52 073	42	0.47 927	9.97 734	5	39
22	9.49 844	38	9.52 115	42	0.47 885	9 97 729	4	38
23	9.49 882	38	9 52 157	43	0.47 843	9.97 725	4	37
24	9.49 920	38	9.52 200	42	0.47 800	9.97 721	4	36
25	9.49 958	38	9.52 242	42	0.47 758	9 97 717	4	35
26	9 49 996	38	9.52 284	42	0.47 716	9.97 713	5	34
27	9 50 034	38	9.52 326	42	0.47 674	9.97 708	4	33
28	9.50 072	38	9 52 368	42	0.47 632	9.97 704	4	32
29	9.50 110	38	9 52 410	42	0.47 590	9.97 700	4	31
30	9 50 148	37	9 52 452	42	0 47 548	9 97 696	5	30
31	9.50 185	38	9.52 494	42	0.47 506	9 97 691	4	29
32	9.50 223	38	9.52 536	42	0 47 464	9.97 687	4	28
33	9.50 261	37	9.52 578	42	0.47 422	9.97 683	4	27
34	9.50 298	38	9.52 620	41	0.47 380	9 97 679	5	26
35	9.50 336	38	9.52 661	42	0.47 339	9.97 674	4	25
36	9 50 374	37	9.52 703	42	0.47 297	9.97 670	4	24
37	9.50 411	38	9 52 745	42	0.47 255	9.97 666	4	23
38	9.50 449	37	9.52 787	42	0.47 213	9.97 662	5	22
39	9.50 486	37	9.52 829	41	0.47 171	9.97 657	4	21
40	9 50 523	38	9 52 870	42	0.47 130	9.97 653	4	20
41	9 50 561	37	9.52 912	41	0.47 088	9.97 649	4	19
42	9 50 598	37	9.52 953	42	0.47 047	9.97 645	5	18
43	9.50 635	36	9.52 995	42	0.47 005	9.97 640	4	17
44	9.50 673	37	9.53 037	41	0.46 963	9.97 636	4	16
45	9.50 710	37	9.53 078	42	0.46 922	9.97 632	4	15
46	9.50 747	37	9.53 120	41	0.46 880	9.97 628	5	14
47	9.50 784	37	9.53 161	41	0.46 839	9.97 623	4	13
48	9.50 821	37	9.53 202	42	0.46 798	9.97 619	4	12
49	9.50 858	37	9.53 244	41	0.46 756	9.97 615	5	11
50	9.50 896	38	9.53 285	42	0.46 715	9.97 610	4	10
51	9.50 933	37	9.53 327	41	0.46 673	9.97 606	4	9
52	9.50 970	37	9.53 368	41	0.46 632	9.97 602	5	8
53	9 51 007	37	9.53 409	41	0.46 591	9.97 597	4	7
54	9.51 043	36	9.53 450	42	0.46 550	9.97 593	4	6
55	9.51 080	37	9.53 492	41	0.46 508	9.97 589	5	5
56	9.51 117	37	9.53 533	41	0.46 467	9.97 584	4	4
57	9.51 154	37	9.53 574	41	0.46 426	9.97 580	4	3
58	9.51 191	37	9.53 615	41	0.46 385	9.97 576	4	2
59	9.51 227	36	9.53 656	41	0.46 344	9.97 571	5	1
60	9.51 264	37	9.53 697		0.46 303	9.97 567	4	0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

P	P		
	43	42	41
1	0.7	0.7	0.7
2	1.4	1.4	1.4
3	2.2	2.1	2.0
4	2.9	2.8	2.7
5	3 6	3.5	3.4
6	4.3	4.2	4.1
7	5.0	4.9	4.8
8	5.7	5.6	5.5
9	6.4	6.3	6.2
10	7.2	7.0	6.8
20	14.3	14.0	13.7
30	21.5	21.0	20.5
40	28.7	28.0	27.3
50	35.8	35.0	34.2
	39	38	37
1	0.6	0.6	0.6
2	1.3	1.3	1.2
3	2.0	1.9	1.8
4	2.6	2 5	2.5
5	3.2	3.2	3.1
6	3.9	3.8	3.7
7	4.6	4.4	4.3
8	5.2	5.1	4.9
9	5.8	5.7	5.6
10	6.5	6.3	6.2
20	13.0	12.7	12.3
30	19.5	19.0	18.5
40	26.0	25.3	24.7
50	32.5	31.7	30.8
	36	5	4
1	0 6	0.1	0.1
2	1.2	0.2	0 1
3	1.8	0.2	0.2
4	2.4	0.3	0.3
5	3.0	0.4	0.3
6	3.6	0.5	0.4
7	4.2	0.6	0.5
8	4 8	0.7	0.5
9	5 4	0.8	0.6
10	6.0	0.8	0.7
20	12.0	1.7	1.3
30	18.0	2.5	2.0
40	24.0	3.3	2.7
50	30.0	4.2	3.3

	5	5	5
	43	42	41
0			
1	4.3	4.2	4.1
2	12.9	12.6	12.3
3	21.5	21.0	20.5
4	30.1	29.4	28.7
5	38.7	37.8	36.9
	4	4	4
	43	42	41
0			
1	5.4	5.2	5.1
2	16.1	15.8	15.4
3	26.9	26.2	25.6
4	37.6	36.8	35.9

*161° 251° *341° 71°

	L Sin	d	L Tan	c d	L Cot	L Cos	d	
0	9 51 264		9.53 697		0.46 303	9.97 567		60
1	9.51 301	37	9.53 738	41	0.46 262	9 97 563	4	59
2	9.51 338	37	9.53 779	41	0.46 221	9.97 558	5	58
3	9.51 374	36	9.53 820	41	0.46 180	9.97 554	4	57
4	9.51 411	37	9.53 861	41	0.46 139	9.97 550	4	56
5	9.51 447	36	9.53 902	41	0.46 098	9.97 545	5	55
6	9.51 484	37	9.53 943	41	0.46 057	9.97 541	4	54
7	9.51 520	36	9.53 984	41	0.46 016	9.97 536	5	53
8	9.51 557	37	9.54 025	41	0.45 975	9.97 532	4	52
9	9.51 593	36	9.54 065	40	0.45 935	9.97 528	4	51
10	9.51 629	36	9.54 106	41	0.45 894	9.97 523	5	50
11	9.51 666	37	9.54 147	41	0.45 853	9.97 519	4	49
12	9.51 702	36	9.54 187	40	0.45 813	9.97 515	4	48
13	9.51 738	36	9.54 228	41	0.45 772	9.97 510	5	47
14	9.51 774	36	9.54 269	41	0.45 731	9.97 506	4	46
15	9.51 811	37	9.54 309	40	0.45 691	9.97 501	5	45
16	9.51 847	36	9.54 350	41	0.45 650	9.97 497	4	44
17	9.51 883	36	9.54 390	40	0.45 610	9.97 492	5	43
18	9.51 919	36	9.54 431	41	0.45 569	9.97 488	4	42
19	9.51 955	36	9.54 471	40	0.45 529	9.97 484	4	41
20	9.51 991	36	9.54 512	41	0.45 488	9.97 479	5	40
21	9 52 027	36	9.54 552	40	0.45 448	9.97 475	4	39
22	9.52 063	36	9.54 593	41	0.45 407	9 97 470	5	38
23	9.52 099	36	9.54 633	40	0.45 367	9.97 466	4	37
24	9.52 135	36	9.54 673	40	0.45 327	9.97 461	5	36
25	9 52 171	36	9.54 714	41	0.45 286	9.97 457	4	35
26	9.52 207	36	9.54 754	40	0.45 246	9.97 453	4	34
27	9.52 242	35	9.54 794	40	0.45 206	9.97 448	5	33
28	9.52 278	36	9.54 835	41	0.45 165	9.97 444	4	32
29	9.52 314	36	9.54 875	40	0.45 125	9 97 439	5	31
30	9.52 350	36	9.54 915	40	0.45 085	9.97 435	4	30
31	9.52 385	35	9.54 955	40	0.45 045	9.97 430	5	29
32	9.52 421	36	9.54 995	40	0.45 005	9.97 426	4	28
33	9.52 456	35	9.55 035	40	0.44 965	9.97 421	5	27
34	9.52 492	36	9.55 075	40	0.44 925	9.97 417	4	26
35	9.52 527	35	9.55 115	40	0.44 885	9.97 412	5	25
36	9.52 563	36	9.55 155	40	0.44 845	9.97 408	4	24
37	9.52 598	35	9.55 195	40	0.44 805	9.97 403	5	23
38	9.52 634	36	9.55 235	40	0.44 765	9.97 399	4	22
39	9.52 669	35	9.55 275	40	0.44 725	9.97 394	5	21
40	9.52 705	36	9.55 315	40	0.44 685	9 97 390	4	20
41	9.52 740	35	9.55 355	40	0.44 645	9.97 385	5	19
42	9 52 775	35	9.55 395	40	0.44 605	9.97 381	4	18
43	9.52 811	36	9.55 434	39	0.44 566	9.97 376	5	17
44	9.52 846	35	9.55 474	40	0.44 526	9.97 372	4	16
45	9.52 881	35	9.55 514	40	0.44 486	9.97 367	5	15
46	9.52 916	35	9.55 554	40	0.44 446	9.97 363	4	14
47	9.52 951	35	9.55 593	39	0.44 407	9.97 358	5	13
48	9.52 986	35	9.55 633	40	0.44 367	9.97 353	4	12
49	9.53 021	35	9.55 673	40	0.44 327	9.97 349	5	11
50	9.53 056	35	9.55 712	39	0.44 288	9.97 344	4	10
51	9.53 092	36	9.55 752	40	0.44 248	9.97 340	5	9
52	9.53 126	34	9.55 791	39	0.44 209	9.97 335	4	8
53	9.53 161	35	9.55 831	40	0.44 169	9.97 331	4	7
54	9.53 196	35	9.55 870	39	0.44 130	9.97 326	5	6
55	9.53 231	35	9.55 910	40	0.44 090	9.97 322	4	5
56	9.53 266	35	9.55 949	39	0.44 051	9.97 317	5	4
57	9.53 301	35	9.55 989	40	0.44 011	9.97 312	4	3
58	9.53 336	34	9.56 028	39	0.43 972	9.97 308	4	2
59	9.53 370	35	9.56 067	39	0.43 933	9.97 303	5	1
60	9.53 405		9.56 107	40	0.43 893	9.97 299	4	0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	'

P	P		
	41	40	39
1	0.7	0.7	0.6
2	1.4	1.3	1.3
3	2.0	2.0	2.0
4	2.7	2.7	2.6
5	3.4	3.3	3.2
6	4.1	4.0	3.9
7	4.8	4.7	4.6
8	5.5	5.3	5.2
9	6.2	6.0	5.8
10	6.8	6.7	6.5
20	13.7	13.3	13.0
30	20.5	20.0	19.5
40	27.3	26.7	26.0
50	34.2	33.3	32.5
	37	36	35
1	0.6	0.6	0.6
2	1.2	1.2	1.2
3	1.8	1.8	1.8
4	2.5	2.4	2.3
5	3.1	3.0	2.9
6	3.7	3.6	3.5
7	4.3	4.2	4.1
8	4 9	4 8	4.7
9	5.6	5.4	5.2
10	6.2	6.0	5.8
20	12.3	12.0	11.7
30	18.5	18.0	17.5
40	24.7	24.0	23.3
50	30.8	30.0	29.2
	34	5	4
1	0.6	0.1	0.1
2	1.1	0.2	0.1
3	1.7	0.2	0.2
4	2.3	0.3	0.3
5	2.8	0.4	0.3
6	3.4	0.5	0.4
7	4.0	0.6	0.5
8	4.5	0.7	0.5
9	5.1	0.8	0.6
10	5.7	0.8	0.7
20	11.3	1.7	1.3
30	17.0	2.5	2.0
40	22.7	3.3	2.7
50	28.3	4.2	3.3

	5/41	5/40	5/36
0			
1	4.1	4.0	3.9
2	12.3	12.0	11.7
3	20.5	20.0	19.5
4	28.7	28.0	27.3
5	36.9	36.0	35 1
	4/41	4/40	4/39
0			
1	5 1	5.0	4.9
2	15.4	15.0	14.6
3	25.6	25.0	24.4
4	35.9	35.0	34.1

P	P

20°

*110° 200° *290°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P		
0	9.53 405		9.56 107		0.43 893	9.97 299		60		40	39	38
		35		39			5		1	0 7	0.6	0.6
1	9.53 440		9.56 146		0.43 854	9.97 294		59	2	1.3	1.3	1.3
2	9.53 475	35	9.56 185	39	0.43 815	9.97 289	5	58	3	2.0	2.0	1.9
3	9.53 509	34	9.56 224	39	0.43 776	9.97 285	4	57	4	2.7	2.6	2.5
		35		40			5		5	3 3	3.2	3.2
4	9.53 544		9.56 264		0.43 736	9.97 280		56	6	4.0	3.9	3.8
5	9.53 578	34	9.56 303	39	0.43 697	9.97 276	4	55	7	4.7	4.6	4.4
6	9.53 613	35	9.56 342	39	0.43 658	9.97 271	5	54	8	5.3	5.2	5.1
		34		39			5		9	6.0	5.8	5.7
7	9.53 647		9.56 381		0.43 619	9.97 266		53	10	6.7	6.5	6.3
8	9 53 682	35	9.56 420	39	0.43 580	9.97 262	4	52	20	13 3	13.0	12.7
9	9.53 716	34	9.56 459	39	0.43 541	9.97 257	5	51	30	20.0	19.5	19.0
10	9.53 751	35	9.56 498	39	0.43 502	9.97 252	5	50	40	26.7	26.0	25 3
		34		39			4		50	33.3	32.5	31.7
11	9.53 785		9.56 537		0.43 463	9.97 248		49		37	35	34
12	9.53 819	34	9.56 576	39	0.43 424	9.97 243	5	48	1	0.6	0.6	0.6
13	9.53 854	35	9.56 615	39	0.43 385	9.97 238	5	47	2	1.2	1.2	1.1
		34		39			4		3	1.8	1.8	1.7
14	9.53 888		9.56 654		0.43 346	9.97 234		46	4	2.5	2.3	2.3
15	9.53 922	34	9.56 693	39	0.43 307	9.97 229	5	45	5	3 1	2.9	2.8
16	9.53 957	35	9.56 732	39	0.43 268	9.97 224	5	44	6	3.7	3.5	3 4
		34		39			4		7	4.3	4.1	4.0
17	9.53 991		9.56 771		0.43 229	9.97 220		43	8	4.9	4.7	4 5
18	9.54 025	34	9.56 810	39	0.43 190	9.97 215	5	42	9	5.6	5.2	5.1
19	9.54 059	34	9.56 849	39	0.43 151	9.97 210	5	41	10	6 2	5.8	5.7
20	9.54 093	34	9.56 887	38	0.43 113	9.97 206	4	40	20	12.3	11.7	11.3
		34		39			5		30	18.5	17.5	17.0
21	9.54 127		9.56 926		0.43 074	9.97 201		39	40	24.7	23.3	22.7
22	9.54 161	34	9.56 965	39	0.43 035	9.97 196	5	38	50	30.8	29.2	28.3
23	9.54 195	34	9.57 004	39	0.42 996	9.97 192	4	37		33	5	4
		34		38			5		1	0.6	0.1	0.1
24	9.54 229		9.57 042		0.42 958	9.97 187		36	2	1.1	0.2	0.1
25	9.54 263	34	9.57 081	39	0.42 919	9.97 182	5	35	3	1.6	0.2	0.2
26	9.54 297	34	9.57 120	39	0.42 880	9.97 178	4	34	4	2.2	0.3	0.3
		34		38			5		5	2.8	0.4	0.3
27	9.54 331		9.57 158		0.42 842	9.97 173		33	6	3.3	0.5	0.4
28	9.54 365	34	9.57 197	39	0.42 803	9.97 168	5	32	7	3.8	0.6	0.5
29	9.54 399	34	9.57 235	38	0.42 765	9.97 163	5	31	8	4.4	0.7	0.5
30	9.54 433	34	9.57 274	39	0.42 726	9.97 159	4	30	9	5.0	0.8	0.6
		33		38			5		10	5.5	0.8	0.7
31	9.54 466		9.57 312		0.42 688	9.97 154		29	20	11.0	1.7	1.3
32	9.54 500	34	9.57 351	39	0.42 649	9.97 149	5	28	30	16.5	2.5	2.0
33	9.54 534	34	9.57 389	38	0.42 611	9.97 145	4	27	40	22.0	3.3	2.7
		33		39			5		50	27.5	4.2	3.3
34	9.54 567		9.57 428		0.42 572	9.97 140		26		5	5	5
35	9.54 601	34	9.57 466	38	0.42 534	9.97 135	5	25		40	39	38
36	9.54 635	34	9.57 504	38	0.42 496	9.97 130	5	24	0	4.0	3.9	3.8
		33		39			4		1	12.0	11.7	11.4
37	9.54 668		9.57 543		0.42 457	9.97 126		23	2	20.0	19.5	19.0
38	9.54 702	34	9.57 581	38	0.42 419	9.97 121	5	22	3	28.0	27.3	26.6
39	9.54 735	33	9.57 619	38	0.42 381	9.97 116	5	21	4	36.0	35.1	34.2
40	9.54 769	34	9.57 658	39	0.42 342	9.97 111	5	20	5			
		33		38			4			5	4	4
41	9.54 802		9.57 696		0.42 304	9.97 107		19		37	39	38
42	9.54 836	34	9.57 734	38	0.42 266	9.97 102	5	18	0	3.7	4.9	4.8
43	9.54 869	33	9.57 772	38	0.42 228	9.97 097	5	17	1	11.1	14.6	14.2
		34		38			5		2	18.5	24.4	23.8
44	9.54 903		9.57 810		0.42 190	9.97 092		16	3	25.9	34.1	33.2
45	9.54 936	33	9.57 849	39	0.42 151	9.97 087	5	15	4	33.3	—	—
46	9.54 969	33	9.57 887	38	0.42 113	9 97 083	4	14	5			
		34		38			5					
47	9.55 003		9.57 925		0.42 075	9.97 078		13				
48	9.55 036	33	9.57 963	38	0.42 037	9.97 073	5	12				
49	9.55 069	33	9.58 001	38	0.41 999	9.97 068	5	11				
50	9.55 102	33	9.58 039	38	0.41 961	9.97 063	5	10				
		34		38			4					
51	9.55 136		9.58 077		0.41 923	9.97 059		9				
52	9.55 169	33	9.58 115	38	0.41 885	9.97 054	5	8				
53	9.55 202	33	9.58 153	38	0.41 847	9.97 049	5	7				
		33		38			5					
54	9.55 235		9.58 191		0.41 809	9.97 044		6				
55	9.55 268	33	9.58 229	38	0.41 771	9.97 039	5	5				
56	9.55 301	33	9.58 267	38	0.41 733	9.97 035	4	4				
		33		37			5					
57	9.55 334		9.58 304		0.41 696	9.97 030		3				
58	9.55 367	33	9.58 342	38	0.41 658	9.97 025	5	2				
59	9.55 400	33	9.58 380	38	0.41 620	9.97 020	5	1				
60	9.55 433	33	9.58 418	38	0.41 582	9.97 015	5	0				
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′	P P			

*159° 249° *339°

′	L Sin	d	L Tan	cd	L Cot	L Cos	d	′
0	9.55 433		9.58 418		0.41 582	9.97 015		60
		33		37			5	
1	9.55 466	33	9.58 455	38	0.41 545	9.97 010	5	59
2	9.55 499	33	9.58 493	38	0.41 507	9.97 005	4	58
3	9.55 532	32	9.58 531	38	0.41 469	9.97 001	5	57
4	9.55 564	33	9.58 569	37	0.41 431	9.96 996	5	56
5	9.55 597	33	9.58 606	38	0.41 394	9.96 991	5	55
6	9.55 630	33	9.58 644	37	0.41 356	9.96 986	5	54
7	9.55 663	32	9.58 681	38	0.41 319	9.96 981	5	53
8	9.55 695	33	9.58 719	38	0.41 281	9.96 976	5	52
9	9.55 728	33	9.58 757	37	0.41 243	9.96 971	5	51
10	9.55 761	32	9.58 794	38	0.41 206	9.96 966	4	50
11	9.55 793	33	9.58 832	37	0.41 168	9.96 962	5	49
12	9.55 826	32	9.58 869	38	0.41 131	9.96 957	5	48
13	9.55 858	33	9.58 907	37	0.41 093	9.96 952	5	47
14	9.55 891	32	9.58 944	37	0.41 056	9.96 947	5	46
15	9.55 923	33	9.58 981	38	0.41 019	9.96 942	5	45
16	9.55 956	32	9.59 019	37	0.40 981	9.96 937	5	44
17	9.55 988	33	9.59 056	38	0.40 944	9.96 932	5	43
18	9.56 021	32	9.59 094	37	0.40 906	9.96 927	5	42
19	9.56 053	32	9.59 131	37	0.40 869	9.96 922	5	41
20	9.56 085	33	9.59 168	37	0.40 832	9.96 917	5	40
21	9.56 118	32	9.59 205	38	0.40 795	9.96 912	5	39
22	9.56 150	32	9.59 243	37	0.40 757	9.96 907	4	38
23	9.56 182	33	9.59 280	37	0.40 720	9.96 903	5	37
24	9.56 215	32	9.59 317	37	0.40 683	9.96 898	5	36
25	9.56 247	32	9.59 354	37	0.40 646	9.96 893	5	35
26	9.56 279	32	9.59 391	38	0.40 609	9.96 888	5	34
27	9.56 311	32	9.59 429	37	0.40 571	9.96 883	5	33
28	9.56 343	32	9.59 466	37	0.40 534	9.96 878	5	32
29	9.56 375	33	9.59 503	37	0.40 497	9.96 873	5	31
30	9.56 408	32	9.59 540	37	0.40 460	9.96 868	5	30
31	9.56 440	32	9.59 577	37	0.40 423	9.96 863	5	29
32	9.56 472	32	9.59 614	37	0.40 386	9.96 858	5	28
33	9.56 504	32	9.59 651	37	0.40 349	9.96 853	5	27
34	9.56 536	32	9.59 688	37	0.40 312	9.96 848	5	26
35	9.56 568	31	9.59 725	37	0.40 275	9.96 843	5	25
36	9.56 599	32	9.59 762	37	0.40 238	9.96 838	5	24
37	9.56 631	32	9.59 799	36	0.40 201	9.96 833	5	23
38	9.56 663	32	9.59 835	37	0.40 165	9.96 828	5	22
39	9.56 695	32	9.59 872	37	0.40 128	9.96 823	5	21
40	9.56 727	32	9.59 909	37	0.40 091	9.96 818	5	20
41	9.56 759	31	9.59 946	37	0.40 054	9.96 813	5	19
42	9.56 790	32	9.59 983	36	0.40 017	9.96 808	5	18
43	9.56 822	32	9.60 019	37	0.39 981	9.96 803	5	17
44	9.56 854	32	9.60 056	37	0.39 944	9.96 798	5	16
45	9.56 886	31	9.60 093	37	0.39 907	9.96 793	5	15
46	9.56 917	32	9.60 130	36	0.39 870	9.96 788	5	14
47	9.56 949	31	9.60 166	37	0.39 834	9.96 783	5	13
48	9.56 980	32	9.60 203	37	0.39 797	9.96 778	6	12
49	9.57 012	32	9.60 240	36	0.39 760	9.96 772	5	11
50	9.57 044	31	9.60 276	37	0.39 724	9.96 767	5	10
51	9.57 075	32	9.60 313	36	0.39 687	9.96 762	5	9
52	9.57 107	31	9.60 349	37	0.39 651	9.96 757	5	8
53	9.57 138	31	9.60 386	36	0.39 614	9.96 752	5	7
54	9.57 169	32	9.60 422	37	0.39 578	9.96 747	5	6
55	9.57 201	31	9.60 459	36	0.39 541	9.96 742	5	5
56	9.57 232	32	9.60 495	37	0.39 505	9.96 737	5	4
57	9.57 264	31	9.60 532	36	0.39 468	9.96 732	5	3
58	9.57 295	31	9.60 568	37	0.39 432	9.96 727	5	2
59	9.57 326	32	9.60 605	36	0.39 395	9.96 722	5	1
60	9.57 358		9.60 641		0.39 359	9.96 717		0
	L Cos	d	L Cot	cd	L Tan	L Sin	d	′

P	P		
	38	37	36
1	0.6	0.6	0.6
2	1.3	1.2	1.2
3	1.9	1.8	1.8
4	2.5	2.5	2.4
5	3.2	3.1	3.0
6	3.8	3.7	3.6
7	4.4	4.3	4.2
8	5.1	4.9	4.8
9	5.7	5.6	5.4
10	6.3	6.2	6.0
20	12.7	12.3	12.0
30	19.0	18.5	18.0
40	25.3	24.7	24.0
50	31.7	30.8	30.0
	33	32	31
1	0.6	0.5	0.5
2	1.1	1.1	1.0
3	1.6	1.6	1.6
4	2.2	2.1	2.1
5	2.8	2.7	2.6
6	3.3	3.2	3.1
7	3.8	3.7	3.6
8	4.4	4.3	4.1
9	5.0	4.8	4.6
10	5.5	5.3	5.2
20	11.0	10.7	10.3
30	16.5	16.0	15.5
40	22.0	21.3	20.7
50	27.5	26.7	25.8
	6	5	4
1	0.1	0.1	0.1
2	0.2	0.2	0.1
3	0.3	0.2	0.2
4	0.4	0.3	0.3
5	0.5	0.4	0.3
6	0.6	0.5	0.4
7	0.7	0.6	0.5
8	0.8	0.7	0.5
9	0.9	0.8	0.6
10	1.0	0.8	0.7
20	2.0	1.7	1.3
30	3.0	2.5	2.0
40	4.0	3.3	2.7
50	5.0	4.2	3.3

	6/37	5/38	5/37
0			
1	3.1	3.8	3.7
2	9.2	11.4	11.1
3	15.4	19.0	18.5
4	21.6	26.6	25.9
5	27.8	34.2	33.3
6	33.9	—	—
	5/36	4/38	4/37
0			
1	3.6	4.8	4.6
2	10.8	14.2	13.9
3	18.0	23.8	23.1
4	25.2	33.2	32.4
5	32.4	—	—

22°

*112° 202° *292°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P		
0	9.57 358	31	9.60 641	36	0.39 359	9.96 717	6	60		37	36	35
1	9.57 389	31	9.60 677	37	0.39 323	9.96 711	5	59	1	0.6	0.6	0.6
2	9.57 420	31	9.60 714	36	0.39 286	9.96 706	5	58	2	1.2	1.2	1.2
3	9.57 451	31	9.60 750	36	0.39 250	9.96 701	5	57	3	1.8	1.8	1.8
4	9.57 482	32	9.60 786	37	0.39 214	9.96 696	5	56	4	2.5	2.4	2.3
5	9 57 514	31	9.60 823	36	0.39 177	9.96 691	5	55	5	3.1	3.0	2.9
6	9.57 545	31	9.60 859	36	0.39 141	9.96 686	5	54	6	3.7	3.6	3.5
7	9.57 576	31	9.60 895	36	0.39 105	9.96 681	5	53	7	4.3	4.2	4.1
8	9.57 607	31	9.60 931	36	0.39 069	9.96 676	5	52	8	4.9	4.8	4.7
9	9.57 638	31	9.60 967	36	0.39 033	9.96 670	6	51	9	5.6	5.4	5.2
10	9.57 669	31	9.61 004	37	0.38 996	9 96 665	5	50	10	6.2	6.0	5.8
11	9.57 700	31	9.61 040	36	0.38 960	9.96 660	5	49	20	12.3	12.0	11.7
12	9.57 731	31	9.61 076	36	0.38 924	9.96 655	5	48	30	18.5	18.0	17.5
13	9.57 762	31	9.61 112	36	0.38 888	9.96 650	5	47	40	24.7	24.0	23.3
14	9.57 793	31	9.61 148	36	0.38 852	9.96 645	6	46	50	30.8	30.0	29.2
15	9.57 824	31	9.61 184	36	0.38 816	9.96 640	5	45		32	31	30
16	9.57 855	30	9.61 220	36	0.38 780	9.96 634	5	44	1	0.5	0.5	0.5
17	9.57 885	31	9.61 256	36	0.38 744	9.96 629	5	43	2	1.1	1.0	1.0
18	9.57 916	31	9.61 292	36	0.38 708	9.96 624	5	42	3	1.6	1.6	1.5
19	9.57 947	31	9.61 328	36	0.38 672	9.96 619	5	41	4	2.1	2.1	2.0
20	9.57 978	30	9.61 364	36	0.38 636	9.96 614	6	40	5	2.7	2.6	2.5
21	9.58 008	31	9.61 400	36	0.38 600	9.96 608	5	39	6	3.2	3.1	3.0
22	9.58 039	31	9.61 436	36	0.38 564	9.96 603	5	38	7	3.7	3.6	3.5
23	9.58 070	31	9.61 472	36	0.38 528	9.96 598	5	37	8	4.3	4.1	4.0
24	9.58 101	30	9.61 508	36	0.38 492	9.96 593	5	36	9	4.8	4.6	4.5
25	9.58 131	31	9.61 544	35	0.38 456	9.96 588	6	35	10	5.3	5.2	5.0
26	9.58 162	30	9.61 579	36	0.38 421	9.96 582	5	34	20	10.7	10.3	10.0
27	9.58 192	31	9.61 615	36	0.38 385	9.96 577	5	33	30	16.0	15.5	15.0
28	9.58 223	30	9.61 651	36	0.38 349	9.96 572	5	32	40	21.3	20.7	20.0
29	9.58 253	31	9.61 687	36	0.38 313	9.96 567	5	31	50	26.7	25.8	25.0
30	9.58 284	30	9.61 722	36	0.38 278	9.96 562	5	30		29	6	5
31	9.58 314	31	9.61 758	36	0.38 242	9.96 556	6	29	1	0.5	0.1	0.1
32	9.58 345	30	9.61 794	36	0.38 206	9.96 551	5	28	2	1.0	0.2	0.2
33	9.58 375	31	9.61 830	36	0.38 170	9.96 546	5	27	3	1.4	0.3	0.2
34	9.58 406	30	9.61 865	35	0.38 135	9.96 541	6	26	4	1.9	0.4	0.3
35	9.58 436	31	9.61 901	36	0.38 099	9.96 535	5	25	5	2.4	0.5	0.4
36	9.58 467	30	9.61 936	35	0.38 064	9.96 530	5	24	6	2.9	0.6	0.5
37	9.58 497	30	9.61 972	36	0.38 028	9.96 525	5	23	7	3.4	0.7	0.6
38	9.58 527	30	9.62 008	36	0.37 992	9.96 520	5	22	8	3.9	0.8	0.7
39	9.58 557	31	9.62 043	35	0.37 957	9.96 514	6	21	9	4.4	0.9	0.8
40	9.58 588	30	9.62 079	36	0.37 921	9.96 509	5	20	10	4.8	1.0	0.8
41	9.58 618	30	9.62 114	35	0.37 886	9.96 504	6	19	20	9.7	2.0	1.7
42	9.38 648	30	9.62 150	36	0.37 850	9.96 498	5	18	30	14.5	3.0	2.5
43	9.58 678	31	9.62 185	35	0.37 815	9.96 493	5	17	40	19.3	4.0	3.3
44	9.58 709	30	9.62 221	36	0.37 779	9.96 488	5	16	50	24.2	5.0	4.2
45	9.58 739	30	9.62 256	35	0.37 744	9.96 483	6	15		6	6	
46	9.58 769	30	9.62 292	36	0.37 708	9.96 477	5	14		36	35	
47	9.58 799	30	9.62 327	35	0.37 673	9.96 472	5	13	0			
48	9.58 829	30	9.62 362	35	0.37 638	9.96 467	6	12	1	3.0	2.9	
49	9.58 859	30	9.62 398	36	0.37 602	9.96 461	5	11	2	9.0	8.8	
50	9.58 889	30	9.62 433	35	0.37 567	9.96 456	5	10	3	15.0	14.6	
51	9.58 919	30	9.62 468	35	0.37 532	9.96 451	6	9	4	21.0	20.4	
52	9.58 949	30	9.62 504	36	0.37 496	9.96 445	5	8	5	27.0	26.2	
53	9.58 979	30	9.62 539	35	0.37 461	9.96 440	5	7	6	33.0	32.1	
54	9.59 009	30	9.62 574	35	0.37 426	9.96 435	6	6		5	5	5
55	9.59 039	30	9.62 609	36	0.37 391	9.96 429	5	5		37	36	35
56	9.59 069	29	9.62 645	35	0.37 355	9.96 424	5	4	0			
57	9.59 098	30	9.62 680	35	0.37 320	9.96 419	6	3	1	3.7	3.6	3.5
58	9.59 128	30	9.62 715	35	0.37 285	9.96 413	5	2	2	11.1	10.8	10.5
59	9.59 158	30	9.62 750	35	0.37 250	9.96 408	5	1	3	18.5	18.0	17.5
60	9.59 188		9.62 785		0.37 215	9.96 403		0	4	25.9	25.2	24.5
									5	33.3	32.4	31.5
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′	P P			

*157° 247° *337°

67°

23°

*113° 203° *293°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d
0	9.59 188		9.62 785		0.37 215	9.96 403	
		30		35			6
1	9.59 218		9.62 820		0.37 180	9.96 397	
		29		35			5
2	9.59 247		9.62 855		0.37 145	9.96 392	
		30		35			5
3	9.59 277		9.62 890		0.37 110	9.96 387	
		30		36			6
4	9.59 307		9.62 926		0.37 074	9.96 381	
		29		35			5
5	9.59 336		9.62 961		0.37 039	9.96 376	
		30		35			6
6	9.59 366		9.62 996		0.37 004	9.96 370	
		30		35			5
7	9.59 396		9.63 031		0.36 969	9.96 365	
		29		35			5
8	9.59 425		9.63 066		0.36 934	9.96 360	
		30		35			6
9	9.59 455		9.63 101		0.36 899	9.96 354	
		29		34			5
10	9.59 484		9.63 135		0.36 865	9.96 349	
		30		35			6
11	9.59 514		9.63 170		0.36 830	9.96 343	
		30		35			5
12	9.59 543		9.63 205		0.36 795	9.96 338	
		29		35			5
13	9.59 573		9.63 240		0.36 760	9.96 333	
		30		35			6
14	9.59 602		9.63 275		0.36 725	9.96 327	
		29		35			5
15	9.59 632		9.63 310		0.36 690	9.96 322	
		29		35			6
16	9.59 661		9.63 345		0.36 655	9.96 316	
		29		34			5
17	9.59 690		9.63 379		0.36 621	9.96 311	
		30		35			6
18	9.59 720		9.63 414		0.36 586	9.96 305	
		29		35			5
19	9.59 749		9.63 449		0.36 551	9.96 300	
		29		35			6
20	9.59 778		9.63 484		0.36 516	9.96 294	
		30		34			5
21	9.59 808		9.63 519		0.36 481	9.96 289	
		29		35			5
22	9.59 837		9.63 553		0.36 447	9.96 284	
		29		35			6
23	9.59 866		9.63 588		0.36 412	9.96 278	
		29		34			5
24	9.59 895		9.63 623		0.36 377	9.96 273	
		29		35			6
25	9.59 924		9.63 657		0.36 343	9.96 267	
		30		34			5
26	9.59 954		9.63 692		0.36 308	9.96 262	
		29		35			6
27	9.59 983		9.63 726		0.36 274	9.96 256	
		29		35			6
28	9.60 012		9.63 761		0.36 239	9.96 251	
		29		34			5
29	9.60 041		9.63 796		0.36 204	9.96 245	
		29		35			6
30	9.60 070		9.63 830		0.36 170	9.96 240	
		29		34			5
31	9.60 099		9.63 865		0.36 135	9.96 234	
		29		35			6
32	9.60 128		9.63 899		0.36 101	9.96 229	
		29		34			5
33	9.60 157		9.63 934		0.36 066	9.96 223	
		29		35			6
34	9.60 186		9.63 968		0.36 032	9.96 218	
		29		34			5
35	9.60 215		9.64 003		0.35 997	9.96 212	
		29		35			6
36	9.60 244		9.64 037		0.35 963	9.96 207	
		29		34			5
37	9.60 273		9.64 072		0.35 928	9.96 201	
		29		34			6
38	9.60 302		9.64 106		0.35 894	9.96 196	
		29		35			5
39	9.60 331		9.64 140		0.35 860	9.96 190	
		28		34			6
40	9.60 359		9.64 175		0.35 825	9.96 185	
		29		34			5
41	9.60 388		9.64 209		0.35 791	9.96 179	
		29		35			6
42	9.60 417		9.64 243		0.35 757	9.96 174	
		29		34			6
43	9.60 446		9.64 278		0.35 722	9.96 168	
		28		34			6
44	9.60 474		9.64 312		0.35 688	9.96 162	
		29		35			6
45	9.60 503		9.64 346		0.35 654	9.96 157	
		29		34			5
46	9.60 532		9.64 381		0.35 619	9.96 151	
		29		34			6
47	9.60 561		9.64 415		0.35 585	9.96 146	
		28		34			5
48	9.60 589		9.64 449		0.35 551	9.96 140	
		29		34			6
49	9.60 618		9.64 483		0.35 517	9.96 135	
		28		34			6
50	9.60 646		9.64 517		0.35 483	9.96 129	
		29		34			6
51	9.60 675		9.64 552		0.35 448	9.96 123	
		29		34			5
52	9.60 704		9.64 586		0.35 414	9.96 118	
		28		34			6
53	9.60 732		9.64 620		0.35 380	9.96 112	
		29		34			5
54	9.60 761		9.64 654		0.35 346	9.96 107	
		28		34			6
55	9.60 789		9.64 688		0.35 312	9.96 101	
		29		34			6
56	9.60 818		9.64 722		0.35 278	9.96 095	
		28		34			5
57	9.60 846		9.64 756		0.35 244	9.96 090	
		29		34			6
58	9.60 875		9.64 790		0.35 210	9.96 084	
		28		34			6
59	9.60 903		9.64 824		0.35 176	9.96 079	
		28		34			6
60	9.60 931		9.64 858		0.35 142	9.96 073	
	L Cos	d	L Cot	c d	L Tan	L Sin	d

*156° 246° *336°

66°

	P	P	
60	36	35	34
59	0.6	0.6	0.6
58	1.2	1.2	1.1
57	1.8	1.8	1.7
56	2.4	2.3	2.3
55	3.0	2.9	2.8
54	3.6	3.5	3.4
53	4.2	4.1	4.0
52	4.8	4.7	4.5
51	5.4	5.2	5.1
50	6.0	5.8	5.7
49	12.0	11.7	11.3
48	18.0	17.5	17.0
47	24.0	23.3	22.7
46	30.0	29.2	28.3
45	30	29	28
44	0.5	0.5	0.5
43	1.0	1.0	0.9
42	1.5	1.4	1.4
41	2.0	1.9	1.9
40	2.5	2.4	2.3
39	3.0	2.9	2.8
38	3.5	3.4	3.3
37	4.0	3.9	3.7
36	4.5	4.4	4.2
35	5.0	4.8	4.7
34	10.0	9.7	9.3
33	15.0	14.5	14.0
32	20.0	19.3	18.7
31	25.0	24.2	23.3
30	6	6	5
29	1	0.1	0.1
28	2	0.2	0.2
27	3	0.3	0.2
26	4	0.4	0.3
25	5	0.5	0.4
24	6	0.6	0.5
23	7	0.7	0.6
22	8	0.8	0.7
21	9	0.9	0.8
20	10	1.0	0.8
19	20	2.0	1.7
18	30	3.0	2.5
17	40	4.0	3.3
16	50	5.0	4.2
15	6	6	6
14	36	35	34
13	0	3.0	2.9	2.8
12	1	9.0	8.8	8.5
11	2	15.0	14.6	14.2
10	3	21.0	20.4	19.8
9	4	27.0	26.2	25.5
8	5	33.0	32.1	31.2
7	6			
6		5	5	
5		35	34	
4	0	3.5	3.4	
3	1	10.5	10.2	
2	2	17.5	17.0	
1	3	24.5	23.8	
0	4	31.5	30.6	
	5			
′	P	P	

24°

*114° 204° *294°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	′
0	9.60 931		9.64 858		0.35 142	9.96 073		60
1	9.60 960	29	9.64 892	34	0.35 108	9.96 067	6	59
2	9.60 988	28	9.64 926	34	0.35 074	9.96 062	5	58
3	9.61 016	28	9.64 960	34	0.35 040	9.96 056	6	57
4	9.61 045	29	9.64 994	34	0.35 006	9.96 050	6	56
5	9.61 073	28	9.65 028	34	0.34 972	9.96 045	5	55
6	9.61 101	28	9.65 062	34	0.34 938	9.96 039	6	54
7	9.61 129	28	9.65 096	34	0.34 904	9.96 034	5	53
8	9.61 158	29	9.65 130	34	0.34 870	9.96 028	6	52
9	9.61 186	28	9.65 164	33	0.34 836	9.96 022	6	51
10	9.61 214	28	9.65 197	34	0.34 803	9.96 017	5	50
11	9.61 242	28	9.65 231	34	0.34 769	9.96 011	6	49
12	9.61 270	28	9.65 265	34	0.34 735	9.96 005	6	48
13	9.61 298	28	9.65 299	34	0.34 701	9.96 000	5	47
14	9.61 326	28	9.65 333	33	0.34 667	9.95 994	6	46
15	9.61 354	28	9.65 366	34	0.34 634	9.95 988	6	45
16	9.61 382	29	9.65 400	34	0.34 600	9.95 982	6	44
17	9.61 411	27	9.65 434	33	0.34 566	9.95 977	5	43
18	9.61 438	28	9.65 467	34	0.34 533	9.95 971	6	42
19	9.61 466	28	9.65 501	34	0.34 499	9.95 965	6	41
20	9.61 494	28	9.65 535	33	0.34 465	9.95 960	5	40
21	9.61 522	28	9.65 568	34	0.34 432	9.95 954	6	39
22	9.61 550	28	9.65 602	34	0.34 398	9.95 948	6	38
23	9.61 578	28	9.65 636	33	0.34 364	9.95 942	6	37
24	9.61 606	28	9.65 669	34	0.34 331	9.95 937	5	36
25	9.61 634	28	9.65 703	33	0.34 297	9.95 931	6	35
26	9.61 662	27	9.65 736	34	0.34 264	9.95 925	6	34
27	9.61 689	28	9.65 770	33	0.34 230	9.95 920	5	33
28	9.61 717	28	9.65 803	34	0.34 197	9.95 914	6	32
29	9.61 745	28	9.65 837	33	0.34 163	9.95 908	6	31
30	9.61 773	27	9.65 870	34	0.34 130	9.95 902	6	30
31	9.61 800	28	9.65 904	33	0.34 096	9.95 897	5	29
32	9.61 828	28	9.65 937	34	0.34 063	9.95 891	6	28
33	9.61 856	27	9.65 971	33	0.34 029	9.95 885	6	27
34	9.61 883	28	9.66 004	34	0.33 996	9.95 879	6	26
35	9.61 911	28	9.66 038	33	0.33 962	9.95 873	6	25
36	9.61 939	27	9.66 071	33	0.33 929	9.95 868	5	24
37	9.61 966	28	9.66 104	34	0.33 896	9.95 862	6	23
38	9.61 994	27	9.66 138	33	0.33 862	9.95 856	6	22
39	9.62 021	28	9.66 171	33	0.33 829	9.95 850	6	21
40	9.62 049	27	9.66 204	34	0.33 796	9.95 844	6	20
41	9.62 076	28	9.66 238	33	0.33 762	9.95 839	5	19
42	9.62 104	27	9.66 271	33	0.33 729	9.95 833	6	18
43	9.62 131	28	9.66 304	33	0.33 696	9.95 827	6	17
44	9.62 159	27	9.66 337	34	0.33 663	9.95 821	6	16
45	9.62 186	28	9.66 371	33	0.33 629	9.95 815	6	15
46	9.62 214	27	9.66 404	33	0.33 596	9.95 810	5	14
47	9.62 241	27	9.66 437	33	0.33 563	9.95 804	6	13
48	9.62 268	28	9.66 470	33	0.33 530	9.95 798	6	12
49	9.62 296	27	9.66 503	34	0.33 497	9.95 792	6	11
50	9.62 323	27	9.66 537	33	0.33 463	9.95 786	6	10
51	9.62 350	27	9.66 570	33	0.33 430	9.95 780	6	9
52	9.62 377	28	9.66 603	33	0.33 397	9.95 775	5	8
53	9.62 405	27	9.66 636	33	0.33 364	9.95 769	6	7
54	9.62 432	27	9.66 669	33	0.33 331	9.95 763	6	6
55	9.62 459	27	9.66 702	33	0.33 298	9.95 757	6	5
56	9.62 486	27	9.66 735	33	0.33 265	9.95 751	6	4
57	9.62 513	28	9.66 768	33	0.33 232	9.95 745	6	3
58	9.62 541	27	9.66 801	33	0.33 199	9.95 739	6	2
59	9.62 568	27	9.66 834	33	0.33 166	9.95 733	5	1
60	9.62 595		9.66 867		0.33 133	9.95 728		0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

*155° 245° *335°

65°

P P

	34	33
1	0.6	0.6
2	1.1	1.1
3	1.7	1.6
4	2.3	2.2
5	2.8	2.8
6	3.4	3.3
7	4.0	3.8
8	4.5	4.4
9	5.1	5.0
10	5.7	5.5
20	11.3	11.0
30	17.0	16.5
40	22.7	22.0
50	28.3	27.5

	29	28	27
1	0.5	0.5	0.4
2	1.0	0.9	0.9
3	1.4	1.4	1.4
4	1.9	1.9	1.8
5	2.4	2.3	2.2
6	2.9	2.8	2.7
7	3.4	3.3	3.2
8	3.9	3 7	3.6
9	4.4	4.2	4.0
10	4.8	4.7	4.5
20	9.7	9.3	9.0
30	14.5	14 0	13.5
40	19.3	18.7	18.0
50	24.2	23.3	22.5

	6	5
1	0.1	0.1
2	0.2	0.2
3	0.3	0.2
4	0.4	0.3
5	0.5	0.4
6	0.6	0.5
7	0.7	0.6
8	0.8	0.7
9	0.9	0.8
10	1.0	0.8
20	2.0	1.7
30	3.0	2.5
40	4.0	3.3
50	5.0	4.2

	6 / 34	6 / 33	5 / 34
0			
1	2.8	2.8	3.4
2	8.5	8.2	10.2
3	14.2	13.8	17.0
4	19.8	19.2	23.8
5	25.5	24.8	30.6
6	31.2	30.2	—

25°

*115° 205° *295°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P
0	9.62 595		9.66 867		0.33 133	9.95 728		60	
1	9.62 622	27	9.66 900	33	0.33 100	9.95 722	6	59	
2	9.62 649	27	9.66 933	33	0.33 067	9.95 716	6	58	
3	9.62 676	27	9.66 966	33	0.33 034	9.95 710	6	57	
4	9.62 703	27	9.66 999	33	0.33 001	9.95 704	6	56	
5	9.62 730	27	9.67 032	33	0.32 968	9.95 698	6	55	
6	9.62 757	27	9.67 065	33	0.32 935	9.95 692	6	54	
7	9.62 784	27	9.67 098	33	0.32 902	9.95 686	6	53	
8	9.62 811	27	9.67 131	33	0.32 869	9.95 680	6	52	
9	9.62 838	27	9.67 163	32	0.32 837	9.95 674	6	51	
10	9.62 865	27	9.67 196	33	0.32 804	9.95 668	6	50	
11	9.62 892	27	9.67 229	33	0.32 771	9.95 663	5	49	
12	9.62 918	26	9.67 262	33	0.32 738	9.95 657	6	48	
13	9.62 945	27	9.67 295	33	0.32 705	9.95 651	6	47	
14	9.62 972	27	9.67 327	32	0.32 673	9.95 645	6	46	
15	9.62 999	27	9.67 360	33	0.32 640	9.95 639	6	45	
16	9.63 026	27	9.67 393	33	0.32 607	9.95 633	6	44	
17	9.63 052	26	9.67 426	33	0.32 574	9.95 627	6	43	
18	9.63 079	27	9.67 458	32	0.32 542	9.95 621	6	42	
19	9.63 106	27	9.67 491	33	0.32 509	9.95 615	6	41	
20	9.63 133	27	9.67 524	33	0.32 476	9.95 609	6	40	
21	9.63 159	26	9.67 556	32	0.32 444	9.95 603	6	39	
22	9.63 186	27	9.67 589	33	0.32 411	9.95 597	6	38	
23	9.63 213	27	9.67 622	33	0.32 378	9.95 591	6	37	
24	9.63 239	26	9.67 654	32	0.32 346	9.95 585	6	36	
25	9.63 266	27	9.67 687	33	0.32 313	9.95 579	6	35	
26	9.63 292	26	9.67 719	32	0.32 281	9.95 573	6	34	
27	9.63 319	27	9.67 752	33	0.32 248	9.95 567	6	33	
28	9.63 345	26	9.67 785	33	0.32 215	9.95 561	6	32	
29	9.63 372	27	9.67 817	32	0.32 183	9.95 555	6	31	
30	9.63 398	26	9.67 850	33	0.32 150	9.95 549	6	30	
31	9.63 425	27	9.67 882	32	0.32 118	9.95 543	6	29	
32	9.63 451	26	9.67 915	33	0.32 085	9.95 537	6	28	
33	9.63 478	27	9.67 947	32	0.32 053	9.95 531	6	27	
34	9.63 504	26	9.67 980	33	0.32 020	9.95 525	6	26	
35	9.63 531	27	9.68 012	32	0.31 988	9.95 519	6	25	
36	9.63 557	26	9.68 044	32	0.31 956	9.95 513	6	24	
37	9.63 583	26	9.68 077	33	0.31 923	9.95 507	6	23	
38	9.63 610	27	9.68 109	32	0.31 891	9.95 500	7	22	
39	9.63 636	26	9.68 142	33	0.31 858	9.95 494	6	21	
40	9.63 662	26	9.68 174	32	0.31 826	9.95 488	6	20	
41	9.63 689	27	9.68 206	32	0.31 794	9.95 482	6	19	
42	9.63 715	26	9.68 239	33	0.31 761	9.95 476	6	18	
43	9.63 741	26	9.68 271	32	0.31 729	9.95 470	6	17	
44	9.63 767	26	9.68 303	32	0.31 697	9.95 464	6	16	
45	9.63 794	27	9.68 336	33	0.31 664	9.95 458	6	15	
46	9.63 820	26	9.68 368	32	0.31 632	9.95 452	6	14	
47	9.63 846	26	9.68 400	32	0.31 600	9.95 446	6	13	
48	9.63 872	26	9.68 432	32	0.31 568	9.95 440	6	12	
49	9.63 898	26	9.68 465	33	0.31 535	9.95 434	6	11	
50	9.63 924	26	9.68 497	32	0.31 503	9.95 427	7	10	
51	9.63 950	26	9.68 529	32	0.31 471	9.95 421	6	9	
52	9.63 976	26	9.68 561	32	0.31 439	9.95 415	6	8	
53	9.64 002	26	9.68 593	32	0.31 407	9.95 409	6	7	
54	9.64 028	26	9.68 626	33	0.31 374	9.95 403	6	6	
55	9.64 054	26	9.68 658	32	0.31 342	9.95 397	6	5	
56	9.64 080	26	9.68 690	32	0.31 310	9.95 391	7	4	
57	9.64 106	26	9.68 722	32	0.31 278	9.95 384	6	3	
58	9.64 132	26	9.68 754	32	0.31 246	9.95 378	6	2	
59	9.64 158	26	9.68 786	32	0.31 214	9.95 372	6	1	
60	9.64 184		9.68 818		0.31 182	9.95 366		0	
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′	P P

*154° 244° *334°

64°

	33	32
1	0.6	0.5
2	1.1	1.1
3	1.6	1.6
4	2.2	2.1
5	2.8	2.7
6	3.3	3.2
7	3.8	3.7
8	4.4	4.3
9	5.0	4.8
10	5.5	5.3
20	11.0	10.7
30	16.5	16.0
40	22.0	21.3
50	27.5	26.7

	27	26
1	0.4	0.4
2	0.9	0.9
3	1.4	1.3
4	1.8	1.7
5	2.2	2.2
6	2.7	2.6
7	3.2	3.0
8	3.6	3.5
9	4.0	3.9
10	4.5	4.3
20	9.0	8.7
30	13.5	13.0
40	18.0	17.3
50	22.5	21.7

	7	6	5
1	0.1	0.1	0.1
2	0.2	0.2	0.2
3	0.4	0.3	0.2
4	0.5	0.4	0.3
5	0.6	0.5	0.4
6	0.7	0.6	0.5
7	0.8	0.7	0.6
8	0.9	0.8	0.7
9	1.0	0.9	0.8
10	1.2	1.0	0.8
20	2.3	2.0	1.7
30	3.5	3.0	2.5
40	4.7	4.0	3.3
50	5.8	5.0	4.2

	7	6	5
	32	32	33
0			
1	2 3	2.7	3.3
2	6.9	8.0	9.9
3	11.4	13.3	16.5
4	16.0	18.7	23.1
5	20.6	24.0	29.7
6	25.1	29.3	—
7	29.7	—	—

26°

*116° 206° *296°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	′
0	9.64 184	26	9.68 818	32	0.31 182	9.95 366	6	60
1	9.64 210	26	9.68 850	32	0.31 150	9.95 360	6	59
2	9.64 236	26	9.68 882	32	0.31 118	9.95 354	6	58
3	9.64 262	26	9.68 914	32	0.31 086	9.95 348	7	57
4	9.64 288	25	9.68 946	32	0.31 054	9.95 341	6	56
5	9.64 313	26	9.68 978	32	0.31 022	9.95 335	6	55
6	9.64 339	26	9.69 010	32	0.30 990	9.95 329	6	54
7	9.64 365	26	9.69 042	32	0.30 958	9.95 323	6	53
8	9.64 391	26	9.69 074	32	0.30 926	9.95 317	7	52
9	9.64 417	25	9.69 106	32	0.30 894	9.95 310	6	51
10	9.64 442	26	9.69 138	32	0.30 862	9.95 304	6	50
11	9.64 468	26	9.69 170	32	0.30 830	9.95 298	6	49
12	9.64 494	25	9.69 202	32	0.30 798	9.95 292	6	48
13	9.64 519	26	9.69 234	32	0.30 766	9.95 286	7	47
14	9.64 545	26	9.69 266	32	0.30 734	9.95 279	6	46
15	9.64 571	25	9.69 298	31	0.30 702	9.95 273	6	45
16	9.64 596	26	9.69 329	32	0.30 671	9.95 267	6	44
17	9.64 622	25	9.69 361	32	0.30 639	9.95 261	7	43
18	9.64 647	26	9.69 393	32	0.30 607	9.95 254	6	42
19	9.64 673	25	9.69 425	32	0.30 575	9.95 248	6	41
20	9.64 698	26	9.69 457	31	0.30 543	9.95 242	6	40
21	9.64 724	25	9.69 488	32	0.30 512	9.95 236	6	39
22	9.64 749	26	9.69 520	32	0.30 480	9.95 229	7	38
23	9.64 775	25	9.69 552	32	0.30 448	9.95 223	6	37
24	9.64 800	26	9.69 584	31	0.30 416	9.95 217	6	36
25	9.64 826	25	9.69 615	32	0.30 385	9.95 211	7	35
26	9.64 851	26	9.69 647	32	0.30 353	9.95 204	6	34
27	9.64 877	25	9.69 679	31	0.30 321	9.95 198	6	33
28	9.64 902	25	9.69 710	32	0.30 290	9.95 192	7	32
29	9.64 927	26	9.69 742	32	0.30 258	9.95 185	6	31
30	9.64 953	25	9.69 774	31	0.30 226	9.95 179	6	30
31	9.64 978	25	9.69 805	32	0.30 195	9.95 173	6	29
32	9.65 003	26	9.69 837	31	0.30 163	9.95 167	6	28
33	9.65 029	25	9.69 868	32	0.30 132	9.95 160	7	27
34	9.65 054	25	9.69 900	32	0.30 100	9.95 154	6	26
35	9.65 079	25	9.69 932	31	0.30 068	9.95 148	6	25
36	9.65 104	26	9.69 963	32	0.30 037	9.95 141	7	24
37	9.65 130	25	9.69 995	31	0.30 005	9.95 135	6	23
38	9.65 155	25	9.70 026	32	0.29 974	9.95 129	6	22
39	9.65 180	25	9.70 058	31	0.29 942	9.95 122	7	21
40	9.65 205	25	9.70 089	32	0.29 911	9.95 116	6	20
41	9.65 230	25	9.70 121	31	0.29 879	9.95 110	6	19
42	9.65 255	26	9.70 152	32	0.29 848	9.95 103	7	18
43	9.65 281	25	9.70 184	31	0.29 816	9.95 097	6	17
44	9.65 306	25	9.70 215	32	0.29 785	9.95 090	7	16
45	9.65 331	25	9.70 247	31	0.29 753	9.95 084	6	15
46	9.65 356	25	9.70 278	31	0.29 722	9.95 078	6	14
47	9.65 381	25	9.70 309	32	0.29 691	9.95 071	7	13
48	9.65 406	25	9.70 341	31	0.29 659	9.95 065	6	12
49	9.65 431	25	9.70 372	32	0.29 628	9.95 059	6	11
50	9.65 456	25	9.70 404	31	0.29 596	9.95 052	7	10
51	9.65 481	25	9.70 435	31	0.29 565	9.95 046	6	9
52	9.65 506	25	9.70 466	32	0.29 534	9.95 039	7	8
53	9.65 531	25	9.70 498	31	0.29 502	9.95 033	6	7
54	9.65 556	24	9.70 529	31	0.29 471	9.95 027	6	6
55	9.65 580	25	9.70 560	32	0.29 440	9.95 020	7	5
56	9.65 605	25	9.70 592	31	0.29 408	9.95 014	6	4
57	9.65 630	25	9.70 623	31	0.29 377	9.95 007	7	3
58	9.65 655	25	9.70 654	31	0.29 346	9.95 001	6	2
59	9.65 680	25	9.70 685	32	0.29 315	9.94 995	6	1
60	9.65 705		9.70 717		0.29 283	9.94 988	7	0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

*153° 243° *333°

63°

P P

	32	31
1	0.5	0.5
2	1.1	1.0
3	1.6	1.6
4	2.1	2.1
5	2.7	2.6
6	3.2	3.1
7	3.7	3.6
8	4.3	4.1
9	4.8	4.6
10	5.3	5.2
20	10.7	10.3
30	16.0	15.5
40	21.3	20.7
50	26.7	25.8

	26	25	24
1	0.4	0.4	0.4
2	0.9	0.8	0.8
3	1.3	1.2	1.2
4	1.7	1.7	1.6
5	2.2	2.1	2.0
6	2.6	2.5	2.4
7	3.0	2.9	2.8
8	3.5	3.3	3.2
9	3.9	3.8	3.6
10	4.3	4.2	4.0
20	8.7	8.3	8.0
30	13.0	12.5	12.0
40	17.3	16.7	16.0
50	21.7	20.8	20.0

	7	6
1	0.1	0.1
2	0.2	0.2
3	0.4	0.3
4	0.5	0.4
5	0.6	0.5
6	0.7	0.6
7	0.8	0.7
8	0.9	0.8
9	1.0	0.9
10	1.2	1.0
20	2.3	2.0
30	3.5	3.0
40	4.7	4.0
50	5.8	5.0

	7/32	7/31	6/32
0			
1	2.3	2.2	2.7
2	6.9	6.6	8.0
3	11.4	11.1	13.3
4	16.0	15.5	18.7
5	20.6	19.9	24.0
6	25.1	24.4	29.3
7	29.7	28.8	—

P P

27°

*117° 207° *297°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	′
0	9.65 705	24	9.70 717	31	0.29 283	9.94 988	6	60
1	9.65 729	25	9.70 748	31	0.29 252	9.94 982	7	59
2	9.65 754	25	9.70 779	31	0.29 221	9.94 975	6	58
3	9.65 779	25	9.70 810	31	0.29 190	9.94 969	7	57
4	9.65 804	24	9.70 841	32	0.29 159	9.94 962	6	56
5	9.65 828	25	9.70 873	31	0.29 127	9.94 956	7	55
6	9.65 853	25	9.70 904	31	0.29 096	9.94 949	6	54
7	9.65 878	24	9.70 935	31	0.29 065	9.94 943	7	53
8	9.65 902	25	9.70 966	31	0.29 034	9.94 936	6	52
9	9.65 927	25	9.70 997	31	0.29 003	9.94 930	7	51
10	9.65 952	24	9.71 028	31	0.28 972	9.94 923	6	50
11	9.65 976	25	9.71 059	31	0.28 941	9.94 917	6	49
12	9.66 001	24	9.71 090	31	0.28 910	9.94 911	7	48
13	9.66 025	25	9.71 121	32	0.28 879	9.94 904	6	47
14	9.66 050	25	9.71 153	31	0.28 847	9 94 898	7	46
15	9.66 075	24	9.71 184	31	0.28 816	9.94 891	6	45
16	9.66 099	25	9.71 215	31	0.28 785	9.94 885	7	44
17	9.66 124	24	9.71 246	31	0.28 754	9.94 878	7	43
18	9.66 148	25	9.71 277	31	0.28 723	9.94 871	6	42
19	9.66 173	24	9.71 308	31	0.28 692	9.94 865	7	41
20	9.66 197	24	9.71 339	31	0.28 661	9.94 858	6	40
21	9.66 221	25	9.71 370	31	0.28 630	9.94 852	7	39
22	9.66 246	24	9.71 401	30	0.28 599	9.94 845	6	38
23	9.66 270	25	9.71 431	31	0.28 569	9.94 839	7	37
24	9.66 295	24	9.71 462	31	0.28 538	9.94 832	7	36
25	9.66 319	24	9.71 493	31	0.28 507	9.94 826	6	35
26	9.66 343	25	9.71 524	31	0.28 476	9.94 819	7	34
27	9.66 368	24	9.71 555	31	0.28 445	9.94 813	6	33
28	9.66 392	24	9.71 586	31	0.28 414	9.94 806	7	32
29	9.66 416	25	9.71 617	31	0.28 383	9 94 799	6	31
30	9.66 441	24	9.71 648	31	0.28 352	9 94 793	7	30
31	9.66 465	24	9.71 679	30	0.28 321	9.94 786	6	29
32	9.66 489	24	9.71 709	31	0.28 291	9.94 780	7	28
33	9.66 513	24	9.71 740	31	0.28 260	9.94 773	6	27
34	9.66 537	25	9.71 771	31	0 28 229	9.94 767	7	26
35	9.66 562	24	9.71 802	31	0.28 198	9 94 760	7	25
36	9.66 586	24	9.71 833	30	0.28 167	9.94 753	6	24
37	9.66 610	24	9.71 863	31	0.28 137	9.94 747	7	23
38	9.66 634	24	9.71 894	31	0.28 106	9.94 740	6	22
39	9.66 658	24	9.71 925	30	0.28 075	9.94 734	7	21
40	9.66 682	24	9.71 955	31	0.28 045	9 94 727	7	20
41	9.66 706	25	9.71 986	31	0.28 014	9.94 720	6	19
42	9.66 731	24	9.72 017	31	0.27 983	9.94 714	7	18
43	9.66 755	24	9.72 048	30	0.27 952	9.94 707	7	17
44	9.66 779	24	9.72 078	31	0.27 922	9.94 700	6	16
45	9.66 803	24	9.72 109	31	0.27 891	9.94 694	7	15
46	9.66 827	24	9.72 140	30	0.27 860	9.94 687	7	14
47	9.66 851	24	9.72 170	31	0.27 830	9.94 680	6	13
48	9.66 875	24	9.72 201	30	0.27 799	9.94 674	7	12
49	9.66 899	23	9.72 231	31	0.27 769	9.94 667	7	11
50	9.66 922	24	9.72 262	31	0 27 738	9 94 660	7	10
51	9.66 946	24	9.72 293	30	0.27 707	9.94 654	6	9
52	9.66 970	24	9.72 323	31	0.27 677	9.94 647	7	8
53	9.66 994	24	9.72 354	30	0.27 646	9.94 640	7	7
54	9.67 018	24	9.72 384	31	0.27 616	9.94 634	6	6
55	9.67 042	24	9.72 415	30	0.27 585	9.94 627	7	5
56	9.67 066	24	9.72 445	31	0.27 555	9.94 620	7	4
57	9.67 090	23	9.72 476	30	0.27 524	9.94 614	6	3
58	9.67 113	24	9.72 506	31	0.27 494	9.94 607	7	2
59	9.67 137	24	9.72 537	30	0.27 463	9.94 600	7	1
60	9.67 161		9.72 567		0.27 433	9.94 593	7	0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

*152° 242° *332°

62°

P P

	32	31	30
1	0.5	0.5	0.5
2	1.1	1.0	1.0
3	1.6	1.6	1.5
4	2.1	2.1	2.0
5	2.7	2.6	2.5
6	3.2	3.1	3.0
7	3.7	3.6	3.5
8	4.3	4.1	4.0
9	4.8	4.6	4.5
10	5.3	5.2	5.0
20	10.7	10.3	10.0
30	16.0	15.5	15.0
40	21.3	20.7	20.0
50	26.7	25.8	25.0

	25	24	23
1	0.4	0.4	0.4
2	0.8	0.8	0.8
3	1.2	1.2	1.2
4	1.7	1.6	1.5
5	2 1	2.0	1.9
6	2.5	2.4	2.3
7	2.9	2.8	2 7
8	3 3	3.2	3.1
9	3.8	3.6	3.4
10	4.2	4.0	3.8
20	8.3	8.0	7.7
30	12.5	12.0	11.5
40	16.7	16.0	15.3
50	20.8	20.0	19.2

	7	6
1	0.1	0.1
2	0.2	0.2
3	0.4	0.3
4	0.5	0.4
5	0.6	0.5
6	0.7	0.6
7	0.8	0.7
8	0.9	0.8
9	1.0	0.9
10	1.2	1.0
20	2.3	2.0
30	3.5	3.0
40	4.7	4.0
50	5.8	5.0

	7/30	6/31	6/30
0			
1	2.1	2.6	2.5
2	6.4	7.8	7.5
3	10.7	12.9	12.5
4	15.0	18.1	17.5
5	19.3	23.2	22.5
6	23.6	28.4	27.5
7	27.9	—	—

28°

*118° 208° *298°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P
0	9.67 161		9.72 567		0.27 433	9.94 593		60	
		24		31			6		
1	9.67 185		9.72 598		0.27 402	9.94 587		59	
2	9.67 208	23	9.72 628	30	0.27 372	9.94 580	7	58	
3	9.67 232	24	9.72 659	31	0.27 341	9 94 573	7	57	
		24		30			6		
4	9.67 256		9.72 689		0.27 311	9.94 567		56	
5	9.67 280	24	9.72 720	31	0 27 280	9.94 560	7	55	
6	9.67 303	23	9.72 750	30	0.27 250	9.94 553	7	54	
		24		30			7		
7	9.67 327		9.72 780		0.27 220	9.94 546		53	
8	9.67 350	23	9.72 811	31	0.27 189	9.94 540	6	52	
9	9.67 374	24	9.72 841	30	0.27 159	9.94 533	7	51	
10	9 67 398	24	9.72 872	31	0.27 128	9.94 526	7	50	
11	9.67 421	23	9.72 902	30	0.27 098	9.94 519	7	49	
12	9.67 445	24	9.72 932	30	0.27 068	9.94 513	6	48	
13	9.67 468	23	9.72 963	31	0.27 037	9.94 506	7	47	
		24		30			7		
14	9.67 492		9.72 993		0.27 007	9.94 499		46	
15	9.67 515	23	9.73 023	30	0.26 977	9.94 492	7	45	
16	9.67 539	24	9.73 054	31	0.26 946	9.94 485	7	44	
		23		30			6		
17	9.67 562		9.73 084		0.26 916	9.94 479		43	
18	9.67 586	24	9.73 114	30	0.26 886	9.94 472	7	42	
19	9.67 609	23	9.73 144	30	0.26 856	9.94 465	7	41	
20	9.67 633	24	9 73 175	31	0.26 825	9.94 458	7	40	
		23		30			7		
21	9.67 656		9.73 205		0.26 795	9.94 451		39	
22	9.67 680	24	9.73 235	30	0.26 765	9.94 445	6	38	
23	9.67 703	23	9.73 265	30	0.26 735	9.94 438	7	37	
		23		30			7		
24	9.67 726		9.73 295		0.26 705	9.94 431		36	
25	9.67 750	24	9 73 326	31	0.26 674	9.94 424	7	35	
26	9.67 773	23	9.73 356	30	0.26 644	9.94 417	7	34	
		23		30			7		
27	9.67 796		9.73 386		0.26 614	9.94 410		33	
28	9.67 820	24	9.73 416	30	0.26 584	9.94 404	6	32	
29	9.67 843	23	9.73 446	30	0.26 554	9.94 397	7	31	
30	9.67 866	23	9.73 476	30	0.26 524	9.94 390	7	30	
31	9.67 890	24	9.73 507	31	0.26 493	9.94 383	7	29	
32	9.67 913	23	9.73 537	30	0.26 463	9.94 376	7	28	
33	9.67 936	23	9.73 567	30	0.26 433	9.94 369	7	27	
		23		30			7		
34	9.67 959		9.73 597		0.26 403	9.94 362		26	
35	9 67 982	23	9.73 627	30	0.26 373	9.94 355	7	25	
36	9.68 006	24	9.73 657	30	0.26 343	9.94 349	6	24	
		23		30			7		
37	9.68 029		9.73 687		0.26 313	9.94 342		23	
38	9.68 052	23	9 73 717	30	0.26 283	9.94 335	7	22	
39	9.68 075	23	9.73 747	30	0.26 253	9.94 328	7	21	
40	9.68 098	23	9.78 777	30	0.26 223	9.94 321	7	20	
		23		30			7		
41	9.68 121		9.73 807		0.26 193	9.94 314		19	
42	9.68 144	23	9.73 837	30	0.26 163	9.94 307	7	18	
43	9.68 167	23	9.73 867	30	0.26 133	9.94 300	7	17	
		23		30			7		
44	9 68 190		9.73 897		0.26 103	9.94 293		16	
45	9.68 213	23	9.73 927	30	0.26 073	9.94 286	7	15	
46	9.68 237	24	9.73 957	30	0.26 043	9.94 279	7	14	
		23		30			6		
47	9 68 260		9.73 987		0.26 013	9.94 273		13	
48	9.68 283	23	9.74 017	30	0 25 983	9.94 266	7	12	
49	9.68 305	22	9.74 047	30	0.25 953	9.94 259	7	11	
50	9.68 328	23	0.74 077	30	0.25 923	9.94 252	7	10	
		23		30			7		
51	9.68 351		9.74 107		0.25 893	9.94 245		9	
52	9.68 374	23	9.74 137	30	0.25 863	9.94 238	7	8	
53	9.68 397	23	9.74 166	29	0.25 834	9.94 231	7	7	
		23		30			7		
54	9.68 420		9.74 196		0.25 804	9.94 224		6	
55	9.68 443	23	9.74 226	30	0.25 774	9.94 217	7	5	
56	9.68 466	23	9.74 256	30	0.25 744	9.94 210	7	4	
		23		30			7		
57	9.68 489		9.74 286		0.25 714	9.94 203		3	
58	9.68 512	23	9.74 316	30	0.25 684	9.94 196	7	2	
59	9.68 534	22	9.74 345	29	0.25 655	9.94 189	7	1	
60	9.68 557	23	9.74 375	30	0.25 625	9.94 182	7	0	
	L Cos	d	L Cot	c d	L Tan	L Sin	d		P P

	31	30	29
1	0 5	0.5	0.5
2	1.0	1.0	1.0
3	1.6	1.5	1.4
4	2.1	2.0	1.9
5	2.6	2.5	2.4
6	3.1	3.0	2.9
7	3.6	3.5	3.4
8	4.1	4.0	3.9
9	4.6	4.5	4.4
10	5.2	5.0	4.8
20	10.3	10.0	9 7
30	15.5	15.0	14.5
40	20.7	20.0	19.3
50	25.8	25.0	24.2

	24	23	22
1	0.4	0.4	0.4
2	0.8	0.8	0.7
3	1.2	1.2	1.1
4	1.6	1.5	1.5
5	2.0	1.9	1.8
6	2.4	2.3	2.2
7	2.8	2.7	2.6
8	3.2	3.1	2 9
9	3.6	3.4	3 3
10	4.0	3.8	3.7
20	8.0	7.7	7.3
30	12.0	11.5	11.0
40	16.0	15.3	14.7
50	20.0	19.2	18.3

	7	6
1	0.1	0.1
2	0.2	0.2
3	0.4	0.3
4	0.5	0.4
5	0.6	0.5
6	0.7	0.6
7	0.8	0.7
8	0.9	0.8
9	1.0	0.9
10	1.2	1.0
20	2.3	2.0
30	3.5	3.0
40	4.7	4.0
50	5.8	5.0

	7/31	6/31	6/30
0			
1	2.2	2.6	2.5
2	6.6	7.8	7.5
3	11.1	12.9	12.5
4	15.5	18.1	17.5
5	19.9	23.2	22.5
6	24.4	28.4	27.5
7	28.8	—	—

*151° 241° *331°

61°

29°

*119° 209° *299°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	
0	9.68 557		9.74 375		0.25 625	9.94 182		60
		23		30			7	
1	9.68 580	23	9.74 405	30	0.25 595	9.94 175	7	59
2	9.68 603	23	9.74 435	30	0.25 565	9.94 168	7	58
3	9.68 625	22	9.74 465	30	0.25 535	9.94 161	7	57
		23		29			7	
4	9.68 648		9.74 494		0.25 506	9.94 154		56
5	9.68 671	23	9.74 524	30	0.25 476	9.94 147	7	55
6	9.68 694	23	9.74 554	30	0.25 446	9.94 140	7	54
		22		29			7	
7	9.68 716		9.74 583		0.25 417	9.94 133		53
8	9.68 739	23	9.74 613	30	0.25 387	9.94 126	7	52
9	9.68 762	23	9.74 643	30	0.25 357	9.94 119	7	51
10	9.68 784	22	9.74 673	30	0.25 327	9.94 112	7	50
		23		29			7	
11	9.68 807		9.74 702		0.25 298	9.94 105		49
12	9.68 829	22	9.74 732	30	0.25 268	9.94 098	7	48
13	9.68 852	23	9.74 762	30	0.25 238	9.94 090	8	47
		23		29			7	
14	9.68 875		9.74 791		0.25 209	9.94 083		46
15	9.68 897	22	9.74 821	30	0.25 179	9.94 076	7	45
16	9.68 920	23	9.74 851	30	0.25 149	9.94 069	7	44
		22		29			7	
17	9.68 942		9.74 880		0.25 120	9.94 062		43
18	9.68 965	23	9.74 910	30	0.25 090	9.94 055	7	42
19	9.68 987	22	9.74 939	29	0.25 061	9.94 048	7	41
20	9.69 010	23	9.74 969	30	0.25 031	9.94 041	7	40
		22		29			7	
21	9.69 032		9.74 998		0.25 002	9.94 034		39
22	9.69 055	23	9.75 028	30	0.24 972	9.94 027	7	38
23	9.69 077	22	9.75 058	30	0.24 942	9.94 020	7	37
		23		29			8	
24	9.69 100		9.75 087		0.24 913	9.94 012		36
25	9.69 122	22	9.75 117	30	0.24 883	9.94 005	7	35
26	9.69 144	22	9.75 146	29	0.24 854	9.93 998	7	34
		23		30			7	
27	9.69 167		9.75 176		0.24 824	9.93 991		33
28	9.69 189	22	9.75 205	29	0.24 795	9.93 984	7	32
29	9.69 212	23	9.75 235	30	0.24 765	9.93 977	7	31
30	9.69 234	22	9.75 264	29	0.24 736	9.93 970	7	30
		22		30			7	
31	9.69 256		9.75 294		0.24 706	9.93 963		29
32	9.69 279	23	9.75 323	29	0.24 677	9.93 955	8	28
33	9.69 301	22	9.75 353	30	0.24 647	9.93 948	7	27
		22		29			7	
34	9.69 323		9.75 382		0.24 618	9.93 941		26
35	9.69 345	22	9.75 411	29	0.24 589	9.93 934	7	25
36	9.69 368	23	9.75 441	30	0.24 559	9.93 927	7	24
		22		29			7	
37	9.69 390		9.75 470		0.24 530	9.93 920		23
38	9.69 412	22	9.75 500	30	0.24 500	9.93 912	8	22
39	9.69 434	22	9.75 529	29	0.24 471	9.93 905	7	21
40	9.69 456	22	9.75 558	29	0.24 442	9.93 898	7	20
		23		30			7	
41	9.69 479		9.75 588		0.24 412	9.93 891		19
42	9.69 501	22	9.75 617	29	0.24 383	9.93 884	7	18
43	9.69 523	22	9.75 647	30	0.24 353	9.93 876	8	17
		22		29			7	
44	9.69 545		9.75 676		0.24 324	9.93 869		16
45	9.69 567	22	9.75 705	29	0.24 295	9.93 862	7	15
46	9.69 589	22	9.75 735	30	0.24 265	9.93 855	7	14
		22		29			8	
47	9.69 611		9.75 764		0.24 236	9.93 847		13
48	9.69 633	22	9.75 793	29	0.24 207	9.93 840	7	12
49	9.69 655	22	9.75 822	29	0.24 178	9.93 833	7	11
50	9.69 677	22	9.75 852	30	0.24 148	9.93 826	7	10
		22		29			7	
51	9.69 699		9.75 881		0.24 119	9.93 819		9
52	9.69 721	22	9.75 910	29	0.24 090	9.93 811	8	8
53	9.69 743	22	9.75 939	29	0.24 061	9.93 804	7	7
		22		30			7	
54	9.69 765		9.75 969		0.24 031	9.93 797		6
55	9.69 787	22	9.75 998	29	0.24 002	9.93 789	8	5
56	9.69 809	22	9.76 027	29	0.23 973	9.93 782	7	4
		22		29			7	
57	9.69 831		9.76 056		0.23 944	9.93 775		3
58	9.69 853	22	9.76 086	30	0.23 914	9.93 768	7	2
59	9.69 875	22	9.76 115	29	0.23 885	9.93 760	8	1
60	9.69 897	22	9.76 144	29	0.23 856	9.93 753	7	0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

*150° 240° *330°

60°

P P			
	30	29	23
1	0.5	0.5	0.4
2	1.0	1.0	0.8
3	1.5	1.4	1.2
4	2.0	1.9	1.5
5	2.5	2.4	1.9
6	3.0	2.9	2.3
7	3.5	3.4	2.7
8	4.0	3.9	3.1
9	4.5	4.4	3.4
10	5.0	4.8	3.8
20	10.0	9.7	7.7
30	15.0	14.5	11.5
40	20.0	19.3	15.3
50	25.0	24.2	19.2

	22	8	7
1	0.4	0.1	0.1
2	0.7	0.3	0.2
3	1.1	0.4	0.4
4	1.5	0.5	0.5
5	1.8	0.7	0.6
6	2.2	0.8	0.7
7	2.6	0.9	0.8
8	2.9	1.1	0.9
9	3.3	1.2	1.0
10	3.7	1.3	1.2
20	7.3	2.7	2.3
30	11.0	4.0	3.5
40	14.7	5.3	4.7
50	18.3	6.7	5.8

	8 / 30	8 / 29
0		
1	1.9	1.8
2	5.6	5.4
3	9.4	9.1
4	13.1	12.7
5	16.9	16.3
6	20.6	19.9
7	24.4	23.6
8	28.1	27.2

	7 / 30	7 / 29
0		
1	2.1	2.1
2	6.1	6.2
3	10.7	10.4
4	15.0	14.5
5	19.3	18.6
6	23.6	22.8
7	27.9	26.9

P P

30°

*120° 210° *300°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	′
0	9.69 897	22	9.76 144	29	0.23 856	9.93 753	7	60
1	9.69 919	22	9.76 173	29	0.23 827	9.93 746	8	59
2	9.69 941	22	9.76 202	29	0.23 798	9.93 738	7	58
3	9.69 963	21	9.76 231	30	0.23 769	9 93 731	7	57
4	9.69 984	22	9.76 261	29	0.23 739	9.93 724	7	56
5	9.70 006	22	9.76 290	29	0.23 710	9.93 717	8	55
6	9.70 028	22	9.76 319	29	0.23 681	9.93 709	7	54
7	9.70 050	22	9.76 348	29	0.23 652	9.93 702	7	53
8	9.70 072	22	9.76 377	29	0.23 623	9.93 695	8	52
9	9.70 093	21	9.76 406	29	0.23 594	9.93 687	7	51
10	9.70 115	22	9.76 435	29	0.23 565	9.93 680	7	50
11	9.70 137	22	9.76 464	29	0.23 536	9.93 673	8	49
12	9.70 159	22	9.76 493	29	0 23 507	9.93 665	7	48
13	9.70 180	21	9.76 522	29	0.23 478	9.93 658	8	47
14	9.70 202	22	9 76 551	29	0.23 449	9 93 650	7	46
15	9.70 224	22	9.76 580	29	0.23 420	9.93 643	7	45
16	9.70 245	21	9.76 609	29	0.23 391	9.93 636	8	44
17	9.70 267	22	9.76 639	30	0.23 361	9.93 628	7	43
18	9.70 288	21	9.76 668	29	0.23 332	9.93 621	7	42
19	9.70 310	22	9.76 697	29	0 23 303	9.93 614	8	41
20	9.70 332	22	9 76 725	28	0 23 275	9 93 606	7	40
21	9.70 353	21	9.76 754	29	0.23 246	9.93 599	8	39
22	9.70 375	22	9.76 783	29	0.23 217	9 93 591	7	38
23	9.70 396	21	9.76 812	29	0 23 188	9.93 584	7	37
24	9.70 418	22	9.76 841	29	0.23 159	9.93 577	8	36
25	9.70 439	21	9.76 870	29	0.23 130	9.93 569	7	35
26	9.70 461	22	9.76 899	29	0.23 101	9.93 562	8	34
27	9.70 482	21	9.76 928	29	0.23 072	9.93 554	7	33
28	9.70 504	22	9 76 957	29	0.23 043	9.93 547	8	32
29	9.70 525	21	9.76 986	29	0.23 014	9.93 539	7	31
30	9.70 547	22	9.77 015	29	0 22 985	9.93 532	7	30
31	9.70 568	21	9.77 044	29	0.22 956	9.93 525	8	29
32	9.70 590	22	9.77 073	29	0.22 927	9.93 517	7	28
33	9.70 611	21	9.77 101	28	0.22 899	9 93 510	8	27
34	9.70 633	22	9.77 130	29	0.22 870	9.93 502	7	26
35	9.70 654	21	9.77 159	29	0.22 841	9 93 495	8	25
36	9.70 675	21	9.77 188	29	0.22 812	9.93 487	7	24
37	9.70 697	22	9.77 217	29	0.22 783	9.93 480	8	23
38	9.70 718	21	9.77 246	29	0.22 754	9.93 472	7	22
39	9.70 739	21	9 77 274	28	0.22 726	9 93 465	8	21
40	9.70 761	22	9.77 303	29	0.22 697	9 93 457	7	20
41	9.70 782	21	9.77 332	29	0.22 668	9.93 450	8	19
42	9.70 803	21	9.77 361	29	0.22 639	9 93 442	7	18
43	9.70 824	21	9.77 390	29	0.22 610	9.93 435	8	17
44	9.70 846	22	9.77 418	28	0.22 582	9.93 427	7	16
45	9.70 867	21	9.77 447	29	0.22 553	9.93 420	8	15
46	9.70 888	21	9.77 476	29	0.22 524	9.93 412	7	14
47	9.70 909	21	9.77 505	29	0.22 495	9.93 405	8	13
48	9.70 931	22	9.77 533	28	0.22 467	9.93 397	8	12
49	9.70 952	21	9.77 562	29	0.22 438	9.93 390	7	11
50	9 70 973	21	9.77 591	29	0.22 409	9.93 382	8	10
51	9.70 994	21	9.77 619	28	0.22 381	9.93 375	7	9
52	9.71 015	21	9.77 648	29	0.22 352	9 93 367	8	8
53	9.71 036	21	9.77 677	29	0 22 323	9.93 360	7	7
54	9.71 058	22	9.77 706	29	0.22 294	9.93 352	8	6
55	9.71 079	21	9.77 734	28	0.22 266	9 93 344	8	5
56	9.71 100	21	9.77 763	29	0.22 237	9.93 337	7	4
57	9.71 121	21	9.77 791	28	0.22 209	9.93 329	8	3
58	9.71 142	21	9.77 820	29	0.22 180	9.93 322	7	2
59	9.71 163	21	9.77 849	29	0.22 151	9.93 314	8	1
60	9.71 184	21	9.77 877	28	0.22 123	9.93 307	7	0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

*149° 239° *329°

59°

P P

	30	29	28
1	0.5	0.5	0.5
2	1.0	1.0	0.9
3	1.5	1.4	1.4
4	2.0	1.9	1.9
5	2.5	2.4	2.3
6	3.0	2.9	2.8
7	3.5	3.4	3.3
8	4.0	3.9	3.7
9	4.5	4.4	4.2
10	5 0	4.8	4.7
20	10.0	9.7	9.3
30	15.0	14.5	14.0
40	20.0	19.3	18.7
50	25.0	24.2	23.3

	22	21
1	0.4	0.4
2	0.7	0.7
3	1.1	1.0
4	1.5	1.4
5	1.8	1.8
6	2.2	2.1
7	2.6	2.4
8	2 9	2.8
9	3.3	3.2
10	3 7	3.5
20	7.3	7.0
30	11.0	10.5
40	14.7	14.0
50	18.3	17.5

	8	7
1	0.1	0.1
2	0.3	0.2
3	0.4	0.4
4	0.5	0.5
5	0.7	0.6
6	0.8	0.7
7	0.9	0.8
8	1.1	0.9
9	1.2	1.0
10	1.3	1.2
20	2.7	2.3
30	4.0	3.5
40	5 3	4.7
50	6.7	5.8

	7/30	7/29	7/28
0			
1	2.1	2.1	2.0
2	6.4	6.2	6.0
3	10.7	10.4	10.0
4	15.0	14.5	14.0
5	19.3	18.6	18.0
6	23.6	22.8	22.0
7	27.9	26.9	26.0

31°

*121° 211° *301°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P
0	9.71 184		9.77 877		0.22 123	9.93 307		60	
1	9.71 205	21	9.77 906	29	0.22 094	9.93 299	8	59	29 28
2	9.71 226	21	9.77 935	29	0.22 065	9.93 291	8	58	1 0.5 0.5
3	9.71 247	21	9.77 963	28	0.22 037	9.93 284	7	57	2 1.0 0.9
4	9.71 268	21	9.77 992	29	0.22 008	9.93 276	8	56	3 1.4 1.4
5	9.71 289	21	9.78 020	28	0.21 980	9.93 269	7	55	4 1.9 1.9
6	9.71 310	21	9.78 049	29	0.21 951	9.93 261	8	54	5 2.4 2.3
7	9.71 331	21	9.78 077	28	0.21 923	9.93 253	8	53	6 2.9 2.8
8	9 71 352	21	9.78 106	29	0.21 894	9.93 246	7	52	7 3.4 3.3
9	9.71 373	20	9.78 135	29	0.21 865	9.93 238	8	51	8 3.9 3.7
10	9.71 393	21	9.78 163	28	0.21 837	9.93 230	8	50	9 4.4 4.2
11	9.71 414	21	9.78 192	29	0.21 808	9.93 223	7	49	10 4.8 4.7
12	9.71 435	21	9.78 220	28	0.21 780	9.93 215	8	48	20 9.7 9.3
13	9.71 456	21	9.78 249	29	0.21 751	9.93 207	8	47	30 14.5 14.0
14	9.71 477	21	9.78 277	28	0.21 723	9.93 200	7	46	40 19.3 18.7
15	9.71 498	21	9.78 306	29	0.21 694	9.93 192	8	45	50 24.2 23.3
16	9.71 519	21	9.78 334	28	0.21 666	9.93 184	8	44	
17	9.71 539	20	9.78 363	29	0.21 637	9.93 177	7	43	21 20
18	9.71 560	21	9.78 391	28	0.21 609	9.93 169	8	42	1 0.4 0.3
19	9.71 581	21	9.78 419	28	0.21 581	9.93 161	8	41	2 0.7 0.7
20	9.71 602	21	9.78 448	29	0 21 552	9.93 154	7	40	3 1.0 1.0
21	9.71 622	20	9.78 476	28	0.21 524	9.93 146	8	39	4 1.4 1.3
22	9.71 643	21	9.78 505	29	0.21 495	9.93 138	8	38	5 1 8 1.7
23	9.71 664	21	9.78 533	28	0.21 467	9.93 131	7	37	6 2.1 2.0
24	9.71 685	21	9.78 562	29	0.21 438	9.93 123	8	36	7 2.4 2.3
25	9.71 705	20	9.78 590	28	0.21 410	9.93 115	8	35	8 2.8 2.7
26	9.71 726	21	9.78 618	28	0.21 382	9.93 108	7	34	9 3.2 3.0
27	9.71 747	21	9.78 647	29	0.21 353	9.93 100	8	33	10 3.5 3.3
28	9.71 767	20	9.78 675	28	0.21 325	9.93 092	8	32	20 7.0 6.7
29	9.71 788	21	9.78 704	29	0.21 296	9.93 084	8	31	30 10.5 10.0
30	9.71 809	21	9.78 732	28	0.21 268	9.93 077	7	30	40 14.0 13.3
31	9.71 829	20	9.78 760	28	0.21 240	9.93 069	8	29	50 17.5 16.7
32	9.71 850	21	9.78 789	29	0.21 211	9.93 061	8	28	
33	9.71 870	20	9.78 817	28	0.21 183	9.93 053	8	27	8 7
34	9.71 891	21	9.78 845	28	0.21 155	9.93 046	7	26	1 0.1 0.1
35	9.71 911	20	9.78 874	29	0.21 126	9.93 038	8	25	2 0.3 0.2
36	9.71 932	21	9.78 902	28	0.21 098	9.93 030	8	24	3 0.4 0.4
37	9.71 952	20	9.78 930	28	0.21 070	9.93 022	8	23	4 0.5 0.5
38	9.71 973	21	9.78 959	29	0.21 041	9.93 014	8	22	5 0.7 0.6
39	9.71 994	21	9.78 987	28	0.21 013	9.93 007	7	21	6 0.8 0.7
40	9.72 014	20	9.79 015	28	0.20 985	9.92 999	8	20	7 0.9 0.8
41	9.72 034	20	9.79 043	28	0.20 957	9.92 991	8	19	8 1.1 0.9
42	9.72 055	21	9.79 072	29	0.20 928	9.92 983	8	18	9 1.2 1.0
43	9.72 075	20	9.79 100	28	0.20 900	9.92 976	7	17	10 1.3 1.2
44	9.72 096	21	9.79 128	28	0.20 872	9.92 968	8	16	20 2.7 2.3
45	9.72 116	20	9.79 156	29	0.20 844	9.92 960	8	15	30 4.0 3.5
46	9.72 137	21	9.79 185	28	0.20 815	9.92 952	8	14	40 5.3 4.7
47	9.72 157	20	9.79 213	28	0.20 787	9.92 944	8	13	50 6.7 5.8
48	9.72 177	20	9.79 241	28	0.20 759	9.92 936	8	12	
49	9.72 198	21	9.79 269	28	0.20 731	9.92 929	7	11	
50	9.72 218	20	9.79 297	29	0.20 703	9.92 921	8	10	
51	9.72 238	20	9.79 326	28	0.20 674	9.92 913	8	9	
52	9.72 259	21	9.79 354	28	0.20 646	9.92 905	8	8	
53	9.72 279	20	9.79 382	28	0.20 618	9.92 897	8	7	
54	9.72 299	20	9.79 410	28	0.20 590	9.92 889	8	6	
55	9.72 320	21	9.79 438	28	0.20 562	9.92 881	7	5	
56	9.72 340	20	9.79 466	29	0.20 534	9.92 874	8	4	
57	9.72 360	20	9.79 495	28	0.20 505	9.92 866	8	3	
58	9.72 381	21	9.79 523	28	0.20 477	9.92 858	8	2	
59	9.72 401	20	9.79 551	28	0.20 449	9.92 850	8	1	
60	9.72 421	20	9.79 579		0.20 421	9.92 842	8	0	
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′	P P

c	8/30	8/29	8/28
1	1.9	1.8	1.8
2	5.6	5.4	5.2
3	9.4	9.1	8.8
4	13.1	12.7	12.2
5	16.9	16.3	15.8
6	20.6	19.9	19.2
7	24.4	23.6	22.8
8	28.1	27.2	26.2

*148° 238° *328°

58°

32°

*122° 212° *302°

′	L Sin	d	L Tan	cd	L Cot	L Cos	d		P P
0	9.72 421		9.79 579		0.20 421	9.92 842		60	
1	9.72 441	20	9.79 607	28	0.20 393	9.92 834	8	59	
2	9.72 461	20	9.79 635	28	0.20 365	9.92 826	8	58	
3	9.72 482	21	9.79 663	28	0.20 337	9.92 818	8	57	
4	9.72 502	20	9.79 691	28	0.20 309	9.92 810	8	56	
5	9.72 522	20	9.79 719	28	0.20 281	9.92 803	7	55	
6	9.72 542	20	9.79 747	29	0.20 253	9.92 795	8	54	
7	9.72 562	20	9.79 776	28	0.20 224	9.92 787	8	53	
8	9.72 582	20	9.79 804	28	0.20 196	9.92 779	8	52	
9	9.72 602	20	9.79 832	28	0.20 168	9.92 771	8	51	
10	9.72 622	21	9.79 860	28	0.20 140	9.92 763	8	50	
11	9.72 643	20	9.79 888	28	0.20 112	9.92 755	8	49	
12	9.72 663	20	9.79 916	28	0.20 084	9.92 747	8	48	
13	9.72 683	20	9.79 944	28	0.20 056	9.92 739	8	47	
14	9.72 703	20	9.79 972	28	0.20 028	9.92 731	8	46	
15	9.72 723	20	9.80 000	28	0 20 000	9.92 723	8	45	
16	9.72 743	20	9.80 028	28	0.19 972	9.92 715	8	44	
17	9.72 763	20	9.80 056	28	0.19 944	9.92 707	8	43	
18	9.72 783	20	9.80 084	28	0.19 916	9.92 699	8	42	
19	9.72 803	20	9.80 112	28	0.19 888	9.92 691	8	41	
20	9.72 823	20	9.80 140	28	0.19 860	9 92 683	8	40	
21	9.72 843	20	9 80 168	27	0.19 832	9.92 675	8	39	
22	9.72 863	20	9.80 195	28	0.19 805	9.92 667	8	38	
23	9.72 883	19	9.80 223	28	0.19 777	9.92 659	8	37	
24	9.72 902	20	9.80 251	26	0.19 749	9.92 651	8	36	
25	9.72 922	20	9.80 279	28	0.19 721	9.92 643	8	35	
26	9.72 942	20	9.80 307	28	0.19 693	9.92 635	8	34	
27	9.72 962	20	9.80 335	28	0.19 665	9.92 627	8	33	
28	9.72 982	20	9.80 363	28	0.19 637	9.92 619	8	32	
29	9.73 002	20	9.80 391	28	0.19 609	9 92 611	8	31	
30	9.73 022	19	9.80 419	28	0.19 581	9.92 603	8	30	
31	9.73 041	20	9.80 447	27	0.19 553	9.92 595	8	29	
32	9.73 061	20	9.80 474	28	0.19 526	9.92 587	8	28	
33	9.73 081	20	9 80 502	28	0.19 498	9.92 579	8	27	
34	9.73 101	20	9.80 530	28	0.19 470	9.92 571	8	26	
35	9.73 121	19	9.80 558	28	0.19 442	9.92 563	8	25	
36	9.73 140	20	9.80 586	28	0.19 414	9.92 555	9	24	
37	9.73 160	20	9.80 614	28	0.19 386	9.92 546	8	23	
38	9.73 180	20	9.80 642	27	0.19 358	9.92 538	8	22	
39	9.73 200	19	9.80 669	28	0.19 331	9.92 530	8	21	
40	9.73 219	20	9.80 697	28	0.19 303	9.92 522	8	20	
41	9.73 239	20	9.80 725	28	0.19 275	9.92 514	8	19	
42	9.73 259	19	9.80 753	28	0.19 247	9.92 506	8	18	
43	9.73 278	20	9.80 781	27	0.19 219	9.92 498	8	17	
44	9.73 298	20	9.80 808	28	0.19 192	9.92 490	8	16	
45	9.73 318	19	9.80 836	28	0.19 164	9.92 482	9	15	
46	9.73 337	20	9.80 864	28	0.19 136	9.92 473	8	14	
47	9.73 357	20	9.80 892	27	0.19 108	9.92 465	8	13	
48	9.73 377	19	9.80 919	28	0.19 081	9.92 457	8	12	
49	9.73 396	20	9.80 947	28	0.19 053	9.92 449	8	11	
50	9.73 416	19	9.80 975	28	0.19 025	9.92 441	8	10	
51	9.73 435	20	9.81 003	27	0.18 997	9.92 433	8	9	
52	9.73 455	19	9.81 030	28	0.18 970	9.92 425	9	8	
53	9.73 474	20	9.81 058	28	0.18 942	9.92 416	8	7	
54	9.73 494	19	9.81 086	27	0.18 914	9.92 408	8	6	
55	9.73 513	20	9.81 113	28	0.18 887	9.92 400	8	5	
56	9.73 533	19	9.81 141	28	0.18 859	9.92 392	8	4	
57	9.73 552	20	9.81 169	27	0.18 831	9.92 384	8	3	
58	9.73 572	19	9.81 196	28	0.18 804	9.92 376	9	2	
59	9.73 591	20	9.81 224	28	0.18 776	9.92 367	8	1	
60	9.73 611		9.81 252		0.18 748	9.92 359		0	
	L Cos	d	L Cot	cd	L Tan	L Sin	d	′	P P

	29	28	27
1	0.5	0.5	0.4
2	1.0	0.9	0.9
3	1.4	1.4	1.4
4	1.9	1.9	1.8
5	2.4	2.3	2.2
6	2.9	2.8	2.7
7	3.4	3.3	3.2
8	3.9	3.7	3.6
9	4.4	4.2	4.0
10	4.8	4.7	4.5
20	9.7	9.3	9.0
30	14.5	14.0	13.5
40	19.3	18.7	18.0
50	24.2	23.3	22.5

	21	20	19
1	0.4	0.3	0.3
2	0.7	0.7	0.6
3	1.0	1.0	1.0
4	1.4	1.3	1.3
5	1.8	1.7	1.6
6	2.1	2.0	1.9
7	2.4	2.3	2.2
8	2.8	2.7	2.5
9	3.2	3.0	2.8
10	3.5	3.3	3.2
20	7.0	6.7	6.3
30	10.5	10.0	9.5
40	14.0	13.3	12.7
50	17.5	16.7	15.8

	9	8	7
1	0.2	0.1	0.1
2	0.3	0.3	0.2
3	0.4	0.4	0.4
4	0.6	0.5	0.5
5	0.8	0.7	0.6
6	0.9	0.8	0.7
7	1.0	0.9	0.8
8	1.2	1.1	0.9
9	1.4	1.2	1.0
10	1.5	1.3	1.2
20	3.0	2.7	2.3
30	4.5	4.0	3.5
40	6.0	5.3	4.7
50	7.5	6.7	5.8

	8/29	8/28	7/28
0			
1	1.8	1.8	2.0
2	5.4	5.2	5.0
3	9.1	8.8	10.0
4	12.7	12.2	14.0
5	16.3	15.8	18.0
6	19.9	19.2	22.0
7	23.6	22.8	26.0
8	27.2	26.2	—

*147° 237° *327°

57°

33°

*123° 213° *303°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	
0	9.73 611		9.81 252		0.18 748	9.92 359		60
		19		27			8	
1	9.73 630		9.81 279		0.18 721	9.92 351		59
		20		28			8	
2	9.73 650		9.81 307		0.18 693	9.92 343		58
		19		28			8	
3	9 73 669		9.81 335		0.18 665	9.92 335		57
		20		27			9	
4	9.73 689		9.81 362		0.18 638	9.92 326		56
		19		28			8	
5	9.73 708		9.81 390		0.18 610	9.92 318		55
		19		28			8	
6	9.73 727		9.81 418		0.18 582	9.92 310		54
		20		27			8	
7	9.73 747		9.81 445		0.18 555	9.92 302		53
		19		28			9	
8	9.73 766		9.81 473		0.18 527	9.92 293		52
		19		27			8	
9	9.73 785		9 81 500		0.18 500	9.92 285		51
		20		28			8	
10	9.73 805		9.81 528		0.18 472	9.92 277		50
		19		28			8	
11	9.73 824		9.81 556		0.18 444	9.92 269		49
		19		27			9	
12	9.73 843		9.81 583		0.18 417	9.92 260		48
		20		28			8	
13	9.73 863		9.81 611		0.18 389	9.92 252		47
		19		27			8	
14	9 73 882		9.81 638		0.18 362	9.92 244		46
		19		28			9	
15	9.73 901		9.81 666		0.18 334	9.92 235		45
		20		27			8	
16	9.73 921		9.81 693		0.18 307	9.92 227		44
		19		28			8	
17	9.73 940		9.81 721		0 18 279	9.92 219		43
		19		27			8	
18	9.73 959		9.81 748		0.18 252	9 92 211		42
		19		28			9	
19	9.73 978		9.81 776		0.18 224	9.92 202		41
		19		27			8	
20	9 73 997		9.81 803		0.18 197	9.92 194		40
		20		28			8	
21	9.74 017		9.81 831		0.18 169	9.92 186		39
		19		27			9	
22	9.74 036		9 81 858		0.18 142	9.92 177		38
		19		28			8	
23	9 74 055		9.81 886		0.18 114	9.92 169		37
		19		27			8	
24	9.74 074		9.81 913		0 18 087	9.92 161		36
		19		28			9	
25	9.74 093		9 81 941		0 18 059	9.92 152		35
		20		27			8	
26	9.74 113		9.81 968		0.18 032	9.92 144		34
		19		28			8	
27	9.74 132		9.81 996		0.18 004	9.92 136		33
		19		27			9	
28	9 74 151		9.82 023		0.17 977	9.92 127		32
		19		28			8	
29	9.74 170		9.82 051		0.17 949	9.92 119		31
		19		27			8	
30	9.74 189		9.82 078		0.17 922	9.92 111		30
		19		28			9	
31	9 74 208		9.82 106		0.17 894	9.92 102		29
		19		27			8	
32	9.74 227		9.82 133		0.17 867	9.92 094		28
		19		28			8	
33	9.74 246		9.82 161		0.17 839	9.92 086		27
		19		27			9	
34	9.74 265		9.82 188		0.17 812	9.92 077		26
		19		27			8	
35	9 74 284		9.82 215		0.17 785	9.92 069		25
		19		28			9	
36	9.74 303		9.82 243		0.17 757	9.92 060		24
		19		27			8	
37	9.74 322		9.82 270		0.17 730	9.92 052		23
		19		28			8	
38	9.74 341		9.82 298		0.17 702	9.92 044		22
		19		27			9	
39	9.74 360		9.82 325		0.17 675	9.92 035		21
		19		27			8	
40	9.74 379		9.82 352		0.17 648	9.92 027		20
		19		28			9	
41	9.74 398		9.32 380		0.17 620	9.92 018		19
		19		27			8	
42	9.74 417		9 82 407		0.17 593	9.92 010		18
		19		28			8	
43	9.74 436		9 82 435		0.17 565	9.92 002		17
		19		27			9	
44	9 74 455		9.82 462		0.17 538	9.91 993		16
		19		27			8	
45	9.74 474		9.82 489		0.17 511	9.91 985		15
		19		28			9	
46	9.74 493		9.82 517		0.17 483	9.91 976		14
		19		27			8	
47	9.74 512		9.82 544		0.17 456	9.91 968		13
		19		27			9	
48	9 74 531		9.82 571		0.17 429	9.91 959		12
		18		28			8	
49	9.74 549		9 82 599		0.17 401	9.91 951		11
		19		27			8	
50	9.74 568		9 82 626		0.17 374	9.91 942		10
		19		27			9	
51	9.74 587		9.82 653		0.17 347	9.91 934		9
		19		26			8	
52	9.74 606		9.82 681		0.17 319	9.91 925		8
		19		27			8	
53	9.74 625		9.82 708		0.17 292	9.91 917		7
		19		27			9	
54	9.74 644		9.82 735		0.17 265	9.91 908		6
		18		27			8	
55	9.74 662		9.82 762		0.17 238	9.91 900		5
		19		28			8	
56	9.74 681		9.82 790		0.17 210	9.91 891		4
		19		27			9	
57	9.74 700		9.82 817		0.17 183	9.91 883		3
		19		27			8	
58	9.74 719		9.82 844		0.17 156	9.91 874		2
		18		27			8	
59	9.74 737		9.82 871		0.17 129	9.91 866		1
		19		28			9	
60	9.74 756		9.82 899		0.17 101	9.91 857		0
′	L Cos	d	L Cot	c d	L Tan	L Sin	d	

*146° 236° *326°

56°

P P		
	28	27
1	0.5	0.4
2	0.9	0.9
3	1.4	1.4
4	1.9	1.8
5	2.3	2.2
6	2.8	2 7
7	3.3	3.2
8	3.7	3.6
9	4.2	4.0
10	4.7	4.5
20	9.3	9.0
30	14.0	13.5
40	18.7	18.0
50	23.3	22.5

	20	19	18
1	0.3	0.3	0.3
2	0.7	0.6	0.6
3	1.0	1.0	0.9
4	1.3	1.3	1.2
5	1.7	1.6	1.5
6	2.0	1.9	1.8
7	2.3	2.2	2.1
8	2.7	2.5	2.4
9	3.0	2.8	2.7
10	3.3	3.2	3.0
20	6.7	6.3	6.0
30	10.0	9.5	9.0
40	13 3	12.7	12.0
50	16.7	15 8	15.0

	9	8
1	0.2	0.1
2	0.3	0.3
3	0 4	0 4
4	0.6	0.5
5	0 8	0.7
6	0.9	0.8
7	1.0	0.9
8	1.2	1.1
9	1.4	1.2
10	1.5	1.3
20	3.0	2 7
30	4 5	4 0
40	6 0	5.3
50	7.5	6 7

	9/28	9/27	8/27
0	1.6	1.5	1.7
1	4.7	4.5	5.1
2	7.8	7.5	8.4
3	10.9	10.5	11.8
4	14.0	13.5	15.2
5	17.1	16.5	18.6
6	20.2	19.5	21.9
7	23.3	22.5	25.3
8	26.4	25.5	—
9			

P P

34°

*124° 214° *304°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	
0	9.74 756	19	9.82 899	27	0.17 101	9.91 857	8	60
1	9.74 775	19	9.82 926	27	0.17 074	9.91 849	9	59
2	9.74 794	18	9.82 953	27	0.17 047	9.91 840	8	58
3	9.74 812	19	9.82 980	28	0.17 020	9.91 832	9	57
4	9.74 831	19	9.83 008	27	0.16 992	9.91 823	9	56
5	9.74 850	18	9.83 035	27	0.16 965	9.91 815	8	55
6	9.74 868	19	9.83 062	27	0.16 938	9.91 806	9	54
7	9.74 887	19	9.83 089	28	0.16 911	9.91 798	8	53
8	9 74 906	18	9.83 117	27	0.16 883	9.91 789	9	52
9	9.74 924	19	9.83 144	27	0.16 856	9.91 781	8	51
10	9.74 943	18	9.83 171	27	0.16 829	9.91 772	9	50
11	9.74 961	19	9.83 198	27	0.16 802	9.91 763	9	49
12	9.74 980	19	9 83 225	27	0.16 775	9.91 755	8	48
13	9.74 999	18	9.83 252	28	0.16 748	9.91 746	9	47
14	9.75 017	19	9.83 280	27	0.16 720	9.91 738	8	46
15	9.75 036	18	9.83 307	27	0.16 693	9.91 729	9	45
16	9.75 054	19	9.83 334	27	0.16 666	9.91 720	9	44
17	9.75 073	18	9.83 361	27	0.16 639	9.91 712	8	43
18	9.75 091	19	9.83 388	27	0.16 612	9 91 703	9	42
19	9.75 110	18	9.83 415	27	0.16 585	9.91 695	8	41
20	9 75 128	19	9 83 442	28	0.16 558	9.91 686	9	40
21	9 75 147	18	9.83 470	27	0.16 530	9.91 677	9	39
22	9.75 165	19	9.83 497	27	0.16 503	9.91 669	8	38
23	9.75 184	18	9.83 524	27	0.16 476	9.91 660	9	37
24	9 75 202	19	9.83 551	27	0 16 449	9.91 651	9	36
25	9.75 221	18	9.83 578	27	0.16 422	9.91 643	8	35
26	9.75 239	19	9.83 605	27	0.16 395	9.91 634	9	34
27	9.75 258	18	9.83 632	27	0.16 368	9.91 625	9	33
28	9.75 276	18	9.83 659	27	0.16 341	9.91 617	8	32
29	9 75 294	19	9.83 686	27	0.16 314	9.91 608	9	31
30	9 75 313	18	9.83 713	27	0 16 287	9.91 599	9	30
31	9.75 331	19	9.83 740	28	0.16 260	9.91 591	8	29
32	9 75 350	18	9.83 768	27	0.16 232	9.91 582	9	28
33	9.75 368	18	9 83 795	27	0.16 205	9.91 573	9	27
34	9.75 386	19	9.83 822	27	0.16 178	9.91 565	8	26
35	9.75 405	18	9 83 849	27	0.16 151	9.91 556	9	25
36	9.75 423	18	9.83 876	27	0.16 124	9.91 547	9	24
37	9.75 441	18	9 83 903	27	0.16 097	9.91 538	9	23
38	9 75 459	19	9.83 930	27	0.16 070	9.91 530	8	22
39	9.75 478	18	9 83 957	27	0.16 043	9.91 521	9	21
40	9.75 496	18	9 83 984	27	0 16 016	9 91 512	9	20
41	9.75 514	19	9.84 011	27	0.15 989	9.91 504	8	19
42	9.75 533	18	9.84 038	27	0.15 962	9.91 495	9	18
43	9.75 551	18	9.84 065	27	0.15 935	9.91 486	9	17
44	9.75 569	18	9.84 092	27	0.15 908	9 91 477	9	16
45	9.75 587	18	9.84 119	27	0.15 881	9.91 469	8	15
46	9 75 605	19	9.84 146	27	0.15 854	9.91 460	9	14
47	9.75 624	18	9 84 173	27	0.15 827	9.91 451	9	13
48	9.75 642	18	9 84 200	27	0.15 800	9.91 442	9	12
49	9.75 660	18	9.84 227	27	0.15 773	9.91 433	9	11
50	9.75 678	18	9 84 254	26	0.15 746	9.91 425	8	10
51	9.75 696	18	9.84 280	27	0.15 720	9.91 416	9	9
52	9.75 714	19	9.84 307	27	0.15 693	9.91 407	9	8
53	9.75 733	18	9.84 334	27	0.15 666	9.91 398	9	7
54	9.75 751	18	9 84 361	27	0.15 639	9.91 389	9	6
55	9.75 769	18	9.84 388	27	0.15 612	9.91 381	8	5
56	9.75 787	18	9.84 415	27	0.15 585	9.91 372	9	4
57	9.75 805	18	9.84 442	27	0.15 558	9.91 363	9	3
58	9.75 823	18	9.84 469	27	0.15 531	9.91 354	9	2
59	9.75 841	18	9.84 496	27	0.15 504	9 91 345	9	1
60	9.75 859		9.84 523		0.15 477	9.91 336	9	0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

*145° 235° *325°

55°

P P

	28	27	26
1	0.5	0.4	0.4
2	0.9	0.9	0.9
3	1.4	1.4	1.3
4	1.9	1.8	1.7
5	2.3	2.2	2.2
6	2.8	2.7	2.6
7	3.3	3.2	3.0
8	3.7	3.6	3.5
9	4.2	4.0	3.9
10	4.7	4.5	4.3
20	9.3	9.0	8.7
30	14 0	13.5	13.0
40	18.7	18 0	17.3
50	23.3	22.5	21.7

	19	18
1	0.3	0.3
2	0.6	0.6
3	1.0	0.9
4	1.3	1.2
5	1.6	1.5
6	1.9	1.8
7	2 2	2.1
8	2 5	2 4
9	2.8	2.7
10	3.2	3 0
20	6.3	6.0
30	9.5	9.0
40	12 7	12.0
50	15.8	15 0

	9	8
1	0 2	0.1
2	0.3	0.3
3	0.4	0 4
4	0.6	0.5
5	0 8	0 7
6	0.9	0.8
7	1.0	0.9
8	1.2	1.1
9	1.4	1.2
10	1.5	1.3
20	3.0	2.7
30	4 5	4.0
40	6.0	5.3
50	7.5	6.7

	$\frac{9}{28}$	$\frac{8}{28}$	$\frac{8}{27}$
0			
1	1.6	1.8	1.7
2	4.7	5.2	5.1
3	7.8	8.8	8.4
4	10.9	12.2	11.8
5	14.0	15.8	15.2
6	17.1	19.2	18.6
7	20.2	22.8	21.9
8	23.3	26.2	25.3
9	26.4	—	—

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	
0	9.75 859	18	9.84 523	27	0.15 477	9.91 336	8	60
1	9.75 877	18	9.84 550	26	0.15 450	9.91 328	9	59
2	9.75 895	18	9.84 576	27	0.15 424	9.91 319	9	58
3	9.75 913	18	9.84 603	27	0.15 397	9.91 310	9	57
4	9.75 931	18	9 84 630	27	0 15 370	9.91 301	9	56
5	9.75 949	18	9.84 657	27	0.15 343	9.91 292	9	55
6	9.75 967	18	9.84 684	27	0.15 316	9.91 283	9	54
7	9.75 985	18	9.84 711	27	0.15 289	9.91 274	8	53
8	9.76 003	18	9.84 738	26	0.15 262	9.91 266	9	52
9	9.76 021	18	9 84 764	27	0.15 236	9 91 257	9	51
10	9.76 039	18	9 84 791	27	0.15 209	9.91 248	9	50
11	9.76 057	18	9.84 818	27	0.15 182	9 91 239	9	49
12	9.76 075	18	9.84 845	27	0.15 155	9.91 230	9	48
13	9.76 093	18	9 84 872	27	0.15 128	9.91 221	9	47
14	9.76 111	18	9.84 899	26	0.15 101	9.91 212	9	46
15	9.76 129	17	9.84 925	27	0 15 075	9.91 203	9	45
16	9.76 146	18	9.84 952	27	0.15 048	9.91 194	9	44
17	9.76 164	18	9.84 979	27	0.15 021	9.91 185	9	43
18	9.76 182	18	9.85 006	27	0.14 994	9.91 176	9	42
19	9 76 200	18	9.85 033	26	0.14 967	9.91 167	9	41
20	9.76 218	18	9 85 059	27	0.14 941	9 91 158	9	40
21	9.76 236	17	9.85 086	27	0.14 914	9 91 149	9	39
22	9.76 253	18	9.85 113	27	0.14 887	9.91 141	8	38
23	9.76 271	18	9 85 140	26	0 14 860	9 91 132	9	37
24	9.76 289	18	9.85 166	27	0 14 834	9.91 123	9	36
25	9.76 307	17	9 85 193	27	0.14 807	9.91 114	9	35
26	9.76 324	18	9 85 220	27	0 14 780	9.91 105	9	34
27	9.76 342	18	9 85 247	26	0.14 753	9.91 096	9	33
28	9.76 360	18	9 85 273	27	0 14 727	9.91 087	9	32
29	9.76 378	17	9 85 300	27	0 14 700	9 91 078	9	31
30	9.76 395	18	9.85 327	27	0 14 673	9 91 069	9	30
31	9.76 413	18	9 85 354	26	0.14 646	9.91 060	9	29
32	9.76 431	17	9 85 380	27	0.14 620	9 91 051	9	28
33	9.76 448	18	9 85 407	27	0.14 593	9.91 042	9	27
34	9.76 466	18	9.85 434	26	0.14 566	9.91 033	10	26
35	9.76 484	17	9.85 460	27	0.14 540	9.91 023	9	25
36	9.76 501	18	9.85 487	27	0.14 513	9 91 014	9	24
37	9.76 519	18	9.85 514	26	0.14 486	9.91 005	9	23
38	9.76 537	17	9.85 540	27	0 14 460	9 90 996	9	22
39	9 76 554	18	9.85 567	27	0 14 433	9 90 987	9	21
40	9.76 572	18	9.85 594	26	0.14 406	9 90 978	9	20
41	9.76 590	17	9.85 620	27	0.14 380	9.90 969	9	19
42	9.76 607	18	9.85 647	27	0.14 353	9.90 960	9	18
43	9.76 625	17	9.85 674	26	0.14 326	9.90 951	9	17
44	9.76 642	18	9.85 700	27	0.14 300	9.90 942	9	16
45	9.76 660	17	9.85 727	27	0.14 273	9.90 933	9	15
46	9.76 677	18	9 85 754	26	0.14 246	9.90 924	9	14
47	9.76 695	17	9.85 780	27	0.14 220	9.90 915	9	13
48	9.76 712	18	9.85 807	27	0.14 193	9.90 906	10	12
49	9.76 730	17	9.85 834	26	0.14 166	9.90 896	9	11
50	9.76 747	18	9.85 860	27	0.14 140	9.90 887	9	10
51	9.76 765	17	9.85 887	26	0.14 113	9.90 878	9	9
52	9.76 782	18	9.85 913	27	0.14 087	9.90 869	9	8
53	9.76 800	17	9.85 940	27	0.14 060	9.90 860	9	7
54	9.76 817	18	9.85 967	26	0.14 033	9.90 851	9	6
55	9.76 835	17	9.85 993	27	0.14 007	9.90 842	9	5
56	9.76 852	18	9.86 020	26	0.13 980	9.90 832	10	4
57	9.76 870	17	9.86 046	27	0.13 954	9.90 823	9	3
58	9.76 887	17	9.86 073	27	0.13 927	9.90 814	9	2
59	9.76 904	18	9.86 100	26	0.13 900	9.90 805	9	1
60	9.76 922		9.86 126		0.13 874	9.90 796	9	0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

P P

	27	26	18
1	0.4	0.4	0.3
2	0.9	0.9	0.6
3	1.4	1.3	0.9
4	1.8	1.7	1.2
5	2.2	2.2	1.5
6	2.7	2.6	1.8
7	3.2	3.0	2.1
8	3.6	3.5	2.4
9	4.0	3.9	2.7
10	4.5	4.3	3.0
20	9.0	8.7	6.0
30	13.5	13.0	9.0
40	18.0	17.3	12.0
50	22.5	21.7	15.0

	17	10	9	8
1	0.3	0.2	0.2	0.1
2	0.6	0.3	0.3	0.3
3	0 8	0.5	0.4	0.4
4	1.1	0.7	0.6	0.5
5	1.4	0.8	0.8	0.7
6	1.7	1 0	0.9	0.8
7	2.0	1.2	1.0	0.9
8	2.3	1.3	1.2	1.1
9	2 6	1.5	1.4	1 2
10	2.8	1.7	1.5	1.3
20	5.7	3.3	3.0	2.7
30	8.5	5.0	4.5	4.0
40	11.3	6.7	6.0	5.3
50	14.2	8.3	7.5	6.7

	10/27	10/26
0		
1	1.4	1.3
2	4.1	3.9
3	6.8	6.5
4	9.4	9.1
5	12 2	11.7
6	14.8	14.3
7	17.6	16.9
8	20.2	19.5
9	22.9	22.1
10	25.6	24.7

	9/27	9/26
0		
1	1.5	1.4
2	4.5	4.3
3	7.5	7.2
4	10.5	10.1
5	13.5	13.0
6	16 5	15.9
7	19.5	18.8
8	22.5	21.7
9	25.5	24.6

P P

36°

*126° 216° *306°

	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P
0	9.76 922	17	9.86 126	27	0.13 874	9.90 796	9	60	
1	9.76 939	18	9.86 153	26	0.13 847	9.90 787	10	59	
2	9.76 957	17	9.86 179	27	0.13 821	9 90 777	9	58	
3	9.76 974	17	9.86 206	26	0.13 794	9 90 768	9	57	
4	9.76 991	18	9.86 232	27	0.13 768	9 90 759	9	56	
5	9.77 009	17	9.86 259	26	0.13 741	9.90 750	9	55	
6	9.77 026	17	9.86 285	27	0.13 715	9 90 741	10	54	
7	9.77 043	18	9.86 312	26	0.13 688	9.90 731	9	53	
8	9.77 061	17	9.86 338	27	0.13 662	9.90 722	9	52	
9	9.77 078	17	9.86 365	27	0 13 635	9.90 713	9	51	
10	9.77 095	17	9.86 392	26	0.13 608	9 90 704	10	50	
11	9.77 112	18	9.86 418	27	0.13 582	9.90 694	9	49	
12	9.77 130	17	9.86 445	26	0.13 555	9.90 685	9	48	
13	9.77 147	17	9.86 471	27	0.13 529	9.90 676	9	47	
14	9.77 164	17	9.86 498	26	0.13 502	9.90 667	10	46	
15	9.77 181	18	9.86 524	27	0.13 476	9.90 657	9	45	
16	9.77 199	17	9.86 551	26	0.13 449	9.90 648	9	44	
17	9.77 216	17	9.86 577	26	0.13 423	9 90 639	9	43	
18	9.77 233	17	9.86 603	27	0.13 397	9.90 630	10	42	
19	9.77 250	18	9.86 630	26	0.13 370	9.90 620	9	41	
20	9.77 268	17	9.86 656	27	0 13 344	9 90 611	9	40	
21	9.77 285	17	9.86 683	26	0.13 317	9.90 602	10	39	
22	9.77 302	17	9.86 709	27	0.13 291	9.90 592	9	38	
23	9.77 319	17	9.86 736	26	0.13 264	9.90 583	9	37	
24	9.77 336	17	9.86 762	27	0.13 238	9.90 574	9	36	
25	9.77 353	17	9 86 789	26	0.13 211	9.90 565	10	35	
26	9.77 370	17	9.86 815	27	0.13 185	9.90 555	9	34	
27	9.77 387	18	9.86 842	26	0.13 158	9.90 546	9	33	
28	9.77 405	17	9.86 868	26	0.13 132	9.90 537	10	32	
29	9.77 422	17	9.86 894	27	0 13 106	9.90 527	9	31	
30	9.77 439	17	9.86 921	26	0.13 079	9 90 518	9	30	
31	9.77 456	17	9.86 947	27	0.13 053	9.90 509	10	29	
32	9.77 473	17	9.86 974	26	0.13 026	9.90 499	9	28	
33	9.77 490	17	9.87 000	27	0.13 000	9.90 490	10	27	
34	9.77 507	17	9.87 027	26	0 12 973	9.90 480	9	26	
35	9.77 524	17	9.87 053	26	0.12 947	9.90 471	9	25	
36	9.77 541	17	9.87 079	27	0.12 921	9.90 462	10	24	
37	9.77 558	17	9.87 106	26	0.12 894	9.90 452	9	23	
38	9.77 575	17	9.87 132	26	0.12 868	9.90 443	9	22	
39	9.77 592	17	9.87 158	27	0.12 842	9.90 434	10	21	
40	9.77 609	17	9.87 185	26	0.12 815	9.90 424	9	20	
41	9.77 626	17	9.87 211	27	0.12 789	9.90 415	10	19	
42	9.77 643	17	9.87 238	26	0.12 762	9.90 405	9	18	
43	9.77 660	17	9.87 264	26	0.12 736	9.90 396	10	17	
44	9.77 677	17	9.87 290	27	0.12 710	9.90 386	9	16	
45	9.77 694	17	9.87 317	26	0.12 683	9.90 377	9	15	
46	9.77 711	17	9.87 343	26	0.12 657	9.90 368	10	14	
47	9.77 728	16	9.87 369	27	0.12 631	9.90 358	9	13	
48	9.77 744	17	9.87 396	26	0.12 604	9.90 349	10	12	
49	9.77 761	17	9.87 422	26	0.12 578	9.90 339	9	11	
50	9.77 778	17	9.87 448	27	0.12 552	9.90 330	10	10	
51	9.77 795	17	9.87 475	26	0.12 525	9.90 320	9	9	
52	9.77 812	17	9.87 501	26	0.12 499	9.90 311	10	8	
53	9.77 829	17	9.87 527	27	0.12 473	9.90 301	9	7	
54	9.77 846	16	9.87 554	26	0.12 446	9.90 292	10	6	
55	9.77 862	17	9.87 580	26	0.12 420	9.90 282	9	5	
56	9.77 879	17	9.87 606	27	0.12 394	9.90 273	10	4	
57	9.77 896	17	9.87 633	26	0.12 367	9.90 263	9	3	
58	9.77 913	17	9.87 659	26	0.12 341	9.90 254	10	2	
59	9.77 930	16	9.87 685	26	0.12 315	9.90 244	9	1	
60	9.77 946		9.87 711		0.12 289	9.90 235		0	
	L Cos	d	L Cot	c d	L Tan	L Sin	d	'	P P

	27	26
1	0.4	0.4
2	0 9	0.9
3	1.4	1.3
4	1.8	1.7
5	2 2	2.2
6	2.7	2.6
7	3.2	3.0
8	3.6	3.5
9	4.0	3.9
10	4.5	4 3
20	9 0	8.7
30	13 5	13 0
40	18 0	17.3
50	22 5	21 7

	18	17	16
1	0 3	0 3	0.3
2	0 6	0 6	0.5
3	0 9	0 8	0.8
4	1 2	1.1	1.1
5	1 5	1.4	1.3
6	1.8	1.7	1.6
7	2 1	2.0	1.9
8	2.4	2.3	2.1
9	2.7	2.6	2.4
10	3 0	2.8	2.7
20	6 0	5 7	5.3
30	9.0	8.5	8.0
40	12 0	11.3	10.7
50	15.0	14.2	13.3

	10	9
1	0 2	0.2
2	0.3	0.3
3	0.5	0 4
4	0 7	0.6
5	0 8	0.8
6	1 0	0 9
7	1 2	1.0
8	1.3	1.2
9	1.5	1.4
10	1.7	1.5
20	3.3	3.0
30	5 0	4.5
40	6.7	6.0
50	8.3	7.5

	9/27	9/26
0		
1	1.5	1.4
2	4.5	4.3
3	7.5	7.2
4	10.5	10.1
5	13.5	13.0
6	16.5	15.9
7	19.5	18.8
8	22.5	21.7
9	25.5	24.6

37°

*127° 217° *307°

′	L Sin	d	L Tan	cd	L Cot	L Cos	d	′
0	9.77 946	17	9.87 711	27	0.12 289	9.90 235	10	60
1	9.77 963	17	9.87 738	26	0.12 262	9.90 225	9	59
2	9.77 980	17	9.87 764	26	0.12 236	9.90 216	10	58
3	9.77 997	16	9.87 790	27	0.12 210	9 90 206	9	57
4	9.78 013	17	9.87 817	26	0.12 183	9.90 197	10	56
5	9.78 030	17	9.87 843	26	0.12 157	9.90 187	9	55
6	9.78 047	16	9.87 869	26	0.12 131	9.90 178	10	54
7	9.78 063	17	9.87 895	27	0.12 105	9.90 168	9	53
8	9.78 080	17	9.87 922	26	0.12 078	9.90 159	10	52
9	9.78 097	16	9.87 948	26	0.12 052	9.90 149	10	51
10	9.78 113	17	9.87 974	26	0.12 026	9.90 139	9	50
11	9.78 130	17	9.88 000	27	0.12 000	9.90 130	10	49
12	9.78 147	16	9.88 027	26	0 11 973	9 90 120	9	48
13	9.78 163	17	9.88 053	26	0.11 947	9.90 111	10	47
14	9.78 180	17	9.88 079	26	0.11 921	9.90 101	10	46
15	9.78 197	16	9 88 105	26	0.11 895	9.90 091	9	45
16	9.78 213	17	9.88 131	27	0.11 869	9.90 082	10	44
17	9.78 230	16	9.88 158	26	0.11 842	9.90 072	9	43
18	9.78 246	17	9.88 184	26	0.11 816	9.90 063	10	42
19	9.78 263	17	9.88 210	26	0.11 790	9.90 053	10	41
20	9.78 280	16	9.88 236	26	0.11 764	9.90 043	9	40
21	9.78 296	17	9 88 262	27	0.11 738	9.90 034	10	39
22	9 78 313	16	9.88 289	26	0.11 711	9.90 024	10	38
23	9.78 329	17	9.88 315	26	0.11 685	9.90 014	9	37
24	9.78 346	16	9.88 341	26	0 11 659	9.90 005	10	36
25	9.78 362	17	9.88 367	26	0.11 633	9.89 995	10	35
26	9 78 379	16	9.88 393	27	0.11 607	9.89 985	9	34
27	9.78 395	17	9.88 420	26	0.11 580	9.89 976	10	33
28	9.78 412	16	9.88 446	26	0.11 554	9.89 966	10	32
29	9.78 428	17	9.88 472	26	0.11 528	9 89 956	9	31
30	9.78 445	16	9.88 498	26	0.11 502	9.89 947	10	30
31	9 78 461	17	9.88 524	26	0.11 476	9.89 937	10	29
32	9.78 478	16	9.88 550	27	0.11 450	9.89 927	9	28
33	9.78 494	16	9.88 577	26	0.11 423	9.89 918	10	27
34	9.78 510	17	9.88 603	26	0.11 397	9.89 908	10	26
35	9.78 527	16	9.88 629	26	0.11 371	9.89 898	10	25
36	9.78 543	17	9.88 655	26	0.11 345	9.89 888	9	24
37	9 78 560	16	9 88 681	26	0.11 319	9 89 879	10	23
38	9.78 576	16	9.88 707	26	0.11 293	9.89 869	10	22
39	9.78 592	17	9 88 733	26	0.11 267	9.89 859	10	21
40	9.78 609	16	9.88 759	27	0.11 241	9.89 849	9	20
41	9.78 625	17	9.88 786	26	0.11 214	9.89 840	10	19
42	9.78 642	16	9.88 812	26	0.11 188	9.89 830	10	18
43	9.78 658	16	9.88 838	26	0.11 162	9.89 820	10	17
44	9.78 674	17	9.88 864	26	0.11 136	9.89 810	9	16
45	9.78 691	16	9.88 890	26	0.11 110	9.89 801	10	15
46	9.78 707	16	9.88 916	26	0.11 084	9.89 791	10	14
47	9.78 723	16	9.88 942	26	0.11 058	9.89 781	10	13
48	9.78 739	17	9.88 968	26	0.11 032	9.89 771	10	12
49	9.78 756	16	9.88 994	26	0.11 006	9.89 761	9	11
50	9.78 772	16	9.89 020	26	0.10 980	9.89 752	10	10
51	9.78 788	17	9.89 046	27	0.10 954	9.89 742	10	9
52	9.78 805	16	9.89 073	26	0.10 927	9.89 732	10	8
53	9.78 821	16	9.89 099	26	0.10 901	9.89 722	10	7
54	9.78 837	16	9.89 125	26	0.10 875	9.89 712	10	6
55	9.78 853	16	9.89 151	26	0.10 849	9.89 702	9	5
56	9.78 869	17	9.89 177	26	0.10 823	9.89 693	10	4
57	9.78 886	16	9.89 203	26	0.10 797	9.89 683	10	3
58	9.78 902	16	9.89 229	26	0.10 771	9.89 673	10	2
59	9.78 918	16	9.89 255	26	0.10 745	9.89 663	10	1
60	9.78 934		9.89 281		0.10 719	9.89 653		0
	L Cos	d	L Cot	cd	L Tan	L Sin	d	′

*142° 232° *322°

52°

P P

	27	26
1	0.4	0.4
2	0.9	0.9
3	1.4	1.3
4	1.8	1.7
5	2.2	2.2
6	2.7	2.6
7	3.2	3.0
8	3.6	3.5
9	4.0	3.9
10	4.5	4.3
20	9 0	8.7
30	13.5	13.0
40	18.0	17.3
50	22.5	21.7

	17	16
1	0.3	0.3
2	0 6	0.5
3	0.8	0.8
4	1.1	1.1
5	1.4	1.3
6	1.7	1.6
7	2.0	1.9
8	2.3	2 1
9	2.6	2.4
10	2.8	2.7
20	5.7	5.3
30	8.5	8.0
40	11.3	10.7
50	14.2	13.3

	10	9
1	0.2	0.2
2	0.3	0.3
3	0.5	0.4
4	0.7	0 6
5	0.8	0.8
6	1.0	0.9
7	1.2	1.0
8	1.3	1.2
9	1.5	1.4
10	1.7	1.5
20	3.3	3.0
30	5.0	4.5
40	6.7	6.0
50	8.3	7.5

	10/27	10/28
0	1.4	1.3
1	4.1	3.9
2	6.8	6.5
3	9.4	9.1
4	12.2	11.7
5	14.8	14.3
6	17.6	16.9
7	20.2	19.5
8	22.9	22.1
9	25.6	24.7
10		

38°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	′
0	9.78 934	16	9.89 281	26	0.10 719	9.89 653	10	60
1	9.78 950	17	9.89 307	26	0.10 693	9.89 643	10	59
2	9.78 967	16	9.89 333	26	0.10 667	9.89 633	10	58
3	9.78 983	16	9.89 359	26	0.10 641	9.89 624	9	57
4	9.78 999	16	9.89 385	26	0.10 615	9.89 614	10	56
5	9.79 015	16	9.89 411	26	0.10 589	9.89 604	10	55
6	9.79 031	16	9.89 437	26	0.10 563	9.89 594	10	54
7	9.79 047	16	9.89 463	26	0.10 537	9.89 584	10	53
8	9.79 063	16	9.89 489	26	0.10 511	9.89 574	10	52
9	9.79 079	16	9.89 515	26	0.10 485	9.89 564	10	51
10	9.79 095	16	9.89 541	26	0.10 459	9.89 554	10	50
11	9.79 111	17	9.89 567	26	0.10 433	9.89 544	10	49
12	9.79 128	16	9.89 593	26	0.10 407	9.89 534	10	48
13	9.79 144	16	9.89 619	26	0.10 381	9.89 524	10	47
14	9.79 160	16	9.89 645	26	0.10 355	9.89 514	10	46
15	9.79 176	16	9.89 671	25	0.10 329	9.89 504	9	45
16	9.79 192	16	9.89 697	26	0.10 303	9.89 495	10	44
17	9.79 208	16	9.89 723	26	0.10 277	9.89 485	10	43
18	9.79 224	16	9.89 749	26	0.10 251	9.89 475	10	42
19	9.79 240	16	9.89 775	26	0.10 225	9.89 465	10	41
20	9.79 256	16	9.89 801	26	0.10 199	9.89 455	10	40
21	9.79 272	16	9.89 827	26	0.10 173	9.89 445	10	39
22	9.79 288	16	9.89 853	26	0.10 147	9.89 435	10	38
23	9.79 304	15	9.89 879	26	0.10 121	9.89 425	10	37
24	9.79 319	16	9.89 905	26	0.10 095	9.89 415	10	36
25	9.79 335	16	9.89 931	26	0.10 069	9.89 405	10	35
26	9.79 351	16	9.89 957	26	0.10 043	9.89 395	10	34
27	9.79 367	16	9.89 983	26	0.10 017	9.89 385	10	33
28	9.79 383	16	9.90 009	26	0.09 991	9.89 375	11	32
29	9.79 399	15	9.90 035	26	0.09 965	9.89 364	10	31
30	9.79 415	16	9.90 061	25	0.09 939	9.89 354	10	30
31	9.79 431	15	9.90 086	26	0.09 914	9.89 344	10	29
32	9 79 447	16	9.90 112	26	0.09 888	9.89 334	10	28
33	9.79 463	15	9 90 138	25	0.09 862	9.89 324	10	27
34	9.79 478	16	9 90 164	26	0.09 836	9.89 314	10	26
35	9.79 494	16	9.90 190	26	0.09 810	9.89 304	10	25
36	9.79 510	16	9.90 216	26	0.09 784	9.89 294	10	24
37	9.79 526	16	9.90 242	26	0.09 758	9.89 284	10	23
38	9.79 542	16	9.90 268	26	0.09 732	9.89 274	10	22
39	9.79 558	15	9.90 294	26	0.09 706	9.89 264	10	21
40	9.79 573	16	9.90 320	26	0.09 680	9.89 254	10	20
41	9.79 589	16	9.90 346	25	0.09 654	9.89 244	11	19
42	9.79 605	16	9.90 371	26	0.09 629	9.89 233	10	18
43	9.79 621	15	9.90 397	26	0.09 603	9.89 223	10	17
44	9.79 636	16	9.90 423	26	0.09 577	9.89 213	10	16
45	9.79 652	16	9.90 449	26	0.09 551	9.89 203	10	15
46	9.79 668	16	9.90 475	26	0.09 525	9.89 193	10	14
47	9.79 684	15	9.90 501	26	0.09 499	9.89 183	10	13
48	9.79 699	16	9.90 527	26	0.09 473	9.89 173	11	12
49	9.79 715	16	9.90 553	25	0.09 447	9.89 162	10	11
50	9.79 731	15	9.90 578	26	0.09 422	9.89 152	10	10
51	9.79 746	16	9.90 604	26	0.09 396	9.89 142	10	9
52	9.79 762	16	9.90 630	26	0.09 370	9.89 132	10	8
53	9.79 778	15	9.90 656	26	0.09 344	9.89 122	10	7
54	9.79 793	16	9.90 682	26	0.09 318	9.89 112	11	6
55	9.79 809	16	9.90 708	26	0.09 292	9.89 101	10	5
56	9.79 825	15	9.90 734	25	0.09 266	9.89 091	10	4
57	9.79 840	16	9.90 759	26	0.09 241	9.89 081	10	3
58	9.79 856	16	9.90 785	26	0.09 215	9.89 071	11	2
59	9.79 872	15	9.90 811	26	0.09 189	9.89 060	10	1
60	9.79 887		9.90 837		0.09 163	9.89 050		0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

P P

	26	25
1	0.4	0.4
2	0.9	0.8
3	1.3	1.2
4	1.7	1.7
5	2.2	2.1
6	2.6	2.5
7	3.0	2.9
8	3.5	3.3
9	3.9	3.8
10	4.3	4.2
20	8.7	8.3
30	13.0	12.5
40	17.3	16.7
50	21.7	20.8

	17	16	15
1	0.3	0.3	0.2
2	0.6	0.5	0.5
3	0.8	0.8	0.8
4	1.1	1.1	1.0
5	1.4	1.3	1.2
6	1.7	1.6	1.5
7	2.0	1.9	1.8
8	2.3	2.1	2.0
9	2.6	2.4	2.2
10	2.8	2.7	2.5
20	5.7	5.3	5.0
30	8.5	8.0	7.5
40	11.3	10.7	10.0
50	14.2	13.3	12.5

	11	10	9
1	0.2	0.2	0.2
2	0.4	0.3	0.3
3	0.6	0.5	0.4
4	0.7	0.7	0.6
5	0.9	0.8	0.8
6	1.1	1.0	0.9
7	1.3	1.2	1.0
8	1.5	1.3	1.2
9	1.6	1.5	1.4
10	1.8	1.7	1.5
20	3.7	3.3	3.0
30	5.5	5.0	4.5
40	7.3	6.7	6.0
50	9.2	8.3	7.5

	10/26	10/25	9/26
0	1.3	1.2	1.4
1	3.9	3.8	4.3
2	6.5	6.2	7.2
3	9.1	8.8	10.1
4	11.7	11.2	13.0
5	14.3	13.8	15.9
6	16.9	16.2	18.8
7	19.5	18.8	21.7
8	22.1	21.2	24.6
9	24.7	23.8	—
10			

P P

39°

*129° 219° *309°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P
0	9 79 887	16	9.90 837	26	0.09 163	9.89 050	10	60	
1	9.79 903	15	9.90 863	26	0.09 137	9 89 040	10	59	26 25
2	9.79 918	16	9.90 889	25	0.09 111	9.89 030	10	58	1 0.4 0.4
3	9.79 934	16	9.90 914	26	0.09 086	9.89 020	11	57	2 0.9 0.8
4	9.79 950	15	9.90 940	26	0.09 060	9.89 009	10	56	3 1.3 1.2
5	9.79 965	16	9.90 966	26	0.09 034	9.88 999	10	55	4 1.7 1.7
6	9.79 981	15	9.90 992	26	0.09 008	9.88 989	11	54	5 2.2 2.1
7	9 79 996	16	9.91 018	25	0 08 982	9.88 978	10	53	6 2.6 2.5
8	9.80 012	15	9 91 043	26	0 08 957	9 88 968	10	52	7 3.0 2.9
9	9.80 027	16	9.91 069	26	0 08 931	9.88 958	10	51	8 3.5 3.3
10	9.80 043	15	9.91 095	26	0.08 905	9.88 948	11	50	9 3.9 3.8
11	9.80 058	16	9.91 121	26	0.08 879	9.88 937	10	49	10 4.3 4 2
12	9.80 074	15	9.91 147	25	0.08 853	9.88 927	10	48	20 8.7 8.3
13	9.80 089	16	9.91 172	26	0.08 828	9.88 917	11	47	30 13.0 12.5
14	9.80 105	15	9.91 198	26	0.08 802	9 88 906	10	46	40 17.3 16.7
15	9 80 120	16	9 91 224	26	0.08 776	9.88 896	10	45	50 21.7 20.8
16	9.80 136	15	9.91 250	26	0.08 750	9.88 886	11	44	16 15
17	9.80 151	15	9.91 276	25	0.08 724	9.88 875	10	43	1 0.3 0 2
18	9.80 166	16	9.91 301	26	0.08 699	9.88 865	10	42	2 0.5 0.5
19	9.80 182	15	9.91 327	26	0.08 673	9.88 855	11	41	3 0.8 0.8
20	9.80 197	16	9 91 353	26	0 08 647	9 88 844	10	40	4 1.1 1.0
21	9.80 213	15	9.91 379	25	0 08 621	9.88 834	10	39	5 1.3 1.2
22	9.80 228	16	9.91 404	26	0.08 596	9 88 824	11	38	6 1.6 1.5
23	9.80 244	15	9.91 430	26	0.08 570	9.88 813	10	37	7 1.9 1.8
24	9.80 259	15	9.91 456	26	0.08 544	9 88 803	10	36	8 2.1 2.0
25	9.80 274	16	9 91 482	25	0.08 518	9.88 793	11	35	9 2.4 2.2
26	9.80 290	15	9.91 507	26	0.08 493	9.88 782	10	34	10 2.7 2.5
27	9.80 305	15	9.91 533	26	0.08 467	9.88 772	11	33	20 5.3 5.0
28	9.80 320	16	9.91 559	26	0.08 441	9.88 761	10	32	30 8.0 7.5
29	9.80 336	15	9.91 585	25	0 08 415	9.88 751	10	31	40 10.7 10.0
30	9 80 351	15	9.91 610	26	0.08 390	9 88 741	11	30	50 13.3 12.5
31	9.80 366	16	9.91 036	26	0.08 364	9.88 730	10	29	11 10
32	9.80 382	15	9.91 662	26	0.08 338	9 88 720	11	28	1 0.2 0.2
33	9.80 397	15	9.91 688	25	0.08 312	9.88 709	10	27	2 0.4 0.3
34	9.80 412	16	9.91 713	26	0.08 287	9.88 699	11	26	3 0.6 0.5
35	9.80 428	15	9.91 739	26	0.08 261	9.88 688	10	25	4 0.7 0.7
36	9.80 443	15	9.91 765	26	0.08 235	9.88 678	10	24	5 0.9 0.8
37	9.80 458	15	9.91 791	25	0.08 209	9.88 668	11	23	6 1.1 1.0
38	9.80 473	16	9.91 816	26	0.08 184	9.88 657	10	22	7 1 3 1.2
39	9.80 489	15	9.91 842	26	0.08 158	9.88 647	11	21	8 1.5 1.3
40	9.80 504	15	9.91 868	25	0.08 132	9.88 636	10	20	9 1.6 1.5
41	9.80 519	15	9.91 893	26	0.08 107	9.88 626	11	19	10 1.8 1.7
42	9 80 534	16	9.91 919	26	0.08 081	9.88 615	10	18	20 3.7 3.3
43	9.80 550	15	9.91 945	26	0.08 055	9.88 605	11	17	30 5.5 5.0
44	9.80 565	15	9.91 971	25	0 08 029	9.88 594	10	16	40 7.3 6.7
45	9.80 580	15	9 91 996	26	0.08 004	9.88 584	11	15	50 9.2 8.3
46	9.80 595	15	9.92 022	26	0 07 978	9.88 573	10	14	
47	9.80 610	15	9.92 048	25	0.07 952	9.88 563	11	13	11 11
48	9.80 625	16	9.92 073	26	0.07 927	9.88 552	10	12	26 25
49	9.80 641	15	9.92 099	26	0.07 901	9.88 542	11	11	0 1.2 1.1
50	9.80 656	15	9.92 125	25	0.07 875	9.88 531	10	10	1 3.5 3.4
51	9.80 671	15	9.92 150	26	0.07 850	9.88 521	11	9	2 5.9 5.7
52	9.80 686	15	9.92 176	26	0.07 824	9.88 510	11	8	3 8.3 7.9
53	9.80 701	15	9.92 202	25	0.07 798	9.88 499	10	7	4 10.6 10.2
54	9.80 716	15	9.92 227	26	0.07 773	9.88 489	11	6	5 13.0 12.5
55	9.80 731	15	9.92 253	26	0.07 747	9.88 478	10	5	6 15.4 14.8
56	9.80 746	16	9.92 279	25	0.07 721	9.88 468	11	4	7 17.7 17.1
57	9.80 762	15	9.92 304	26	0.07 696	9.88 457	10	3	8 20.1 19.3
58	9.80 777	15	9.92 330	26	0.07 670	9.88 447	11	2	9 22.5 21.6
59	9.80 792	15	9.92 356	25	0.07 644	9.88 436	11	1	10 24.8 23.9
60	9.80 807		9.92 381		0.07 619	9.88 425		0	11
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′	P P

*140° 230° *320°

50°

40°

*130° 220° *310°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P
0	9.80 807		9.92 381		0.07 619	9.88 425		60	
		15		26			10		26 25
1	9.80 822		9.92 407		0.07 593	9.88 415	11	59	1 0.4 0.4
2	9.80 837	15	9.92 433	26	0.07 567	9.88 404	10	58	2 0.9 0.8
3	9.80 852	15	9.92 458	25	0.07 542	9.88 394	11	57	3 1.3 1.2
4	9.80 867	15	9.92 484	26	0.07 516	9.88 383	11	56	4 1.7 1.7
5	9.80 882	15	9.92 510	26	0.07 490	9.88 372	10	55	5 2.2 2.1
6	9.80 897	15	9.92 535	25	0.07 465	9.88 362	11	54	6 2.6 2.5
7	9.80 912	15	9.92 561	26	0.07 439	9 88 351	11	53	7 3.0 2.9
8	9.80 927	15	9.92 587	26	0.07 413	9.88 340	10	52	8 3.5 3.3
9	9.80 942	15	9.92 612	25	0.07 388	9.88 330	11	51	9 3.9 3.8
10	9.80 957	15	9.92 638	26	0.07 362	9.88 319	11	50	10 4.3 4.2
11	9.80 972	15	9.92 663	25	0.07 337	9.88 308	11	49	20 8.7 8.3
12	9.80 987	15	9.92 689	26	0.07 311	9.88 298	10	48	30 13.0 12.5
13	9.81 002	15	9.92 715	26	0.07 285	9.88 287	11	47	40 17.3 16.7
14	9.81 017	15	9.92 740	25	0.07 260	9.88 276	11	46	50 21.7 20.8
15	9.81 032	15	9.92 766	26	0.07 234	9.88 266	10	45	
16	9.81 047	15	9.92 792	26	0.07 208	9.88 255	11	44	15 14
17	9.81 061	14	9.92 817	25	0.07 183	9.88 244	11	43	1 0.2 0.2
18	9.81 076	15	9.92 843	26	0.07 157	9.88 234	10	42	2 0.5 0.5
19	9.81 091	15	9.92 868	25	0.07 132	9.88 223	11	41	3 0.8 0.7
20	9.81 106	15	9.92 894	26	0.07 106	9.88 212	11	40	4 1.0 0.9
21	9 81 121	15	9.92 920	26	0.07 080	9.88 201	11	39	5 1.2 1.2
22	9.81 136	15	9.92 945	25	0.07 055	9.88 191	10	38	6 1.5 1.4
23	9.81 151	15	9.92 971	26	0.07 029	9.88 180	11	37	7 1.8 1.6
24	9.81 166	15	9.92 996	25	0.07 004	9.88 169	11	36	8 2.0 1.9
25	9.81 180	14	9.93 022	26	0.06 978	9.88 158	11	35	9 2.2 2.1
26	9.81 195	15	9.93 048	26	0.06 952	9.88 148	10	34	10 2.5 2.3
27	9.81 210	15	9.93 073	25	0.06 927	9.88 137	11	33	20 5.0 4.7
28	9.81 225	15	9.93 099	26	0.06 901	9.88 126	11	32	30 7.5 7.0
29	9.81 240	15	9.93 124	25	0.06 876	9.88 115	11	31	40 10.0 9.3
30	9.81 254	14	9.93 150	26	0.06 850	9 88 105	10	30	50 12.5 11.7
31	9.81 269	15	9.93 175	25	0.06 825	9.88 094	11	29	
32	9.81 284	15	9.93 201	26	0.06 799	9.88 083	11	28	11 10
33	9.81 299	15	9.93 227	26	0.06 773	9.88 072	11	27	1 0.2 0.2
34	9.81 314	15	9.93 252	25	0.06 748	9.88 061	11	26	2 0.4 0.3
35	9.81 328	14	9.93 278	26	0.06 722	9.88 051	10	25	3 0.6 0.5
36	9.81 343	15	9.93 303	25	0.06 697	9.88 040	11	24	4 0.7 0.7
37	9.81 358	15	9.93 329	26	0.06 671	9.88 029	11	23	5 0.9 0.8
38	9.81 372	14	9.93 354	25	0.06 646	9.88 018	11	22	6 1.1 1.0
39	9.81 387	15	9.93 380	26	0.06 620	9.88 007	11	21	7 1.3 1.2
40	9.81 402	15	9.93 406	26	0.06 594	9.87 996	11	20	8 1.5 1.3
41	9.81 417	15	9.93 431	25	0.06 569	9.87 985	11	19	9 1.6 1.5
42	9.81 431	14	9.93 457	26	0.06 543	9.87 975	10	18	10 1.8 1.7
43	9.81 446	15	9.93 482	25	0.06 518	9.87 964	11	17	20 3.7 3.3
44	9.81 461	15	9.93 508	26	0.06 492	9.87 953	11	16	30 5.5 5.0
45	9.81 475	14	9.93 533	25	0.06 467	9.87 942	11	15	40 7.3 6.7
46	9.81 490	15	9.93 559	26	0.06 441	9.87 931	11	14	50 9.2 8.3
47	9.81 505	15	9.93 584	25	0.06 416	9.87 920	11	13	
48	9.81 519	14	9.93 610	26	0.06 390	9.87 909	11	12	11 10 10
49	9.81 534	15	9.93 636	26	0.06 364	9.87 898	11	11	26 26 25
50	9.81 549	15	9.93 661	25	0.06 339	9.87 887	11	10	0 1.2 1.3 1.2
51	9.81 563	14	9.93 687	26	0.06 313	9.87 877	10	9	1 3.5 3.9 3.8
52	9.81 578	15	9.93 712	25	0.06 288	9.87 866	11	8	2 5.9 6.5 6.2
53	9.81 592	14	9.93 738	26	0.06 262	9.87 855	11	7	3 8.3 9.1 8.8
54	9.81 607	15	9.93 763	25	0.06 237	9.87 844	11	6	4 10.6 11.7 11.2
55	9.81 622	15	9.93 789	26	0.06 211	9.87 833	11	5	5 13.0 14.3 13.8
56	9.81 636	14	9.93 814	25	0.06 186	9.87 822	11	4	6 15.4 16.9 16.2
57	9.81 651	15	9.93 840	26	0.06 160	9.87 811	11	3	7 17.7 19.5 18.8
58	9.81 665	14	9.93 865	25	0.06 135	9.87 800	11	2	8 20.1 22.1 21.2
59	9.81 680	15	9.93 891	26	0.06 109	9.87 789	11	1	9 22.5 24.7 23.8
60	9.81 694	14	9.93 916	25	0.06 084	9.87 778	11	0	10 24.8 — —
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′	11 — — —
	*139° 229°		*319°		49°				P P

41°

*131° 221° *311°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d		P P
0	9.81 694		9.93 916		0.06 084	9.87 778		60	
		15		26			11		26 25
1	9.81 709		9.93 942		0.06 058	9.87 767		59	1 0.4 0.4
2	9.81 723	14	9.93 967	25	0.06 033	9.87 756	11	58	2 0.9 0.8
3	9.81 738	15	9.93 993	26	0.06 007	9.87 745	11	57	3 1.3 1.2
4	9.81 752	14	9.94 018	25	0.05 982	9.87 734	11	56	4 1.7 1.7
5	9.81 767	15	9.94 044	26	0 05 956	9.87 723	11	55	5 2.2 2.1
6	9.81 781	14	9.94 069	25	0.05 931	9.87 712	11	54	6 2.6 2.5
7	9.81 796	15	9.94 095	26	0.05 905	9.87 701	11	53	7 3.0 2.9
8	9.81 810	14	9.94 120	25	0.05 880	9.87 690	11	52	8 3.5 3.3
9	9.81 825	15	9.94 146	26	0.05 854	9.87 679	11	51	9 3.9 3.8
10	9.81 839	14	9.94 171	25	0.05 829	9.87 668	11	50	10 4.3 4.2
11	9.81 854	15	9.94 197	26	0.05 803	9.87 657	11	49	20 8.7 8.3
12	9.81 868	14	9.94 222	25	0.05 778	9.87 646	11	48	30 13.0 12.5
13	9.81 882	14	9.94 248	26	0 05 752	9.87 635	11	47	40 17.3 16.7
14	9.81 897	15	9.94 273	25	0.05 727	9.87 624	11	46	50 21.7 20.8
15	9.81 911	14	9.94 299	26	0.05 701	9.87 613	12	45	
16	9.81 926	15	9.94 324	25	0.05 676	9.87 601	11	44	15 14
17	9.81 940	14	9.94 350	26	0.05 650	9.87 590	11	43	1 0.2 0.2
18	9.81 955	15	9.94 375	25	0.05 625	9.87 579	11	42	2 0.5 0.5
19	9.81 969	14	9.94 401	26	0.05 599	9.87 568	11	41	3 0.8 0.7
20	9.81 983	14	9.94 426	25	0.05 574	9.87 557	11	40	4 1.0 0.9
21	9.81 998	15	9.94 452	26	0.05 548	9.87 546	11	39	5 1.2 1.2
22	9.82 012	14	9.94 477	25	0.05 523	9.87 535	11	38	6 1.5 1.4
23	9.82 026	14	9.94 503	26	0.05 497	9.87 524	11	37	7 1.8 1.6
24	9.82 041	15	9.94 528	25	0.05 472	9.87 513	11	36	8 2.0 1.9
25	9.82 055	14	9.94 554	26	0.05 446	9.87 501	12	35	9 2.2 2.1
26	9.82 069	14	9.94 579	25	0.05 421	9.87 490	11	34	10 2.5 2.3
27	9.82 084	15	9.94 604	25	0.05 396	9.87 479	11	33	20 5.0 4.7
28	9.82 098	14	9.94 630	26	0.05 370	9.87 468	11	32	30 7.5 7.0
29	9.82 112	14	9.94 655	25	0.05 345	9.87 457	11	31	40 10.0 9.3
30	9.82 126	14	9.94 681	26	0.05 319	9.87 446	11	30	50 12.5 11.7
31	9.82 141	15	9.94 706	25	0.05 294	9.87 434	12	29	12 11
32	9.82 155	14	9.94 732	26	0.05 268	9.87 423	11	28	1 0.2 0.2
33	9.82 169	14	9.94 757	25	0.05 243	9.87 412	11	27	2 0.4 0.4
34	9.82 184	15	9.94 783	26	0.05 217	9.87 401	11	26	3 0.6 0.6
35	9.82 198	14	9.94 808	25	0.05 192	9.87 390	11	25	4 0.8 0.7
36	9.82 212	14	9.94 834	26	0.05 166	9.87 378	12	24	5 1.0 0.9
37	9.82 226	14	9.94 859	25	0.05 141	9.87 367	11	23	6 1.2 1.1
38	9.82 240	14	9 94 884	25	0.05 116	9.87 356	11	22	7 1.4 1.3
39	9.82 255	15	9.94 910	26	0.05 090	9.87 345	11	21	8 1.6 1.5
40	9.82 269	14	9.94 935	25	0.05 065	9 87 334	11	20	9 1.8 1.6
41	9.82 283	14	9.94 961	26	0.05 039	9.87 322	12	19	10 2.0 1.8
42	9.82 297	14	9.94 986	25	0.05 014	9.87 311	11	18	20 4.0 3.7
43	9.82 311	14	9.95 012	26	0.04 988	9.87 300	11	17	30 6.0 5.5
44	9.82 326	15	9.95 037	25	0.04 963	9.87 288	12	16	40 8.0 7.3
45	9.82 340	14	9.95 062	25	0.04 938	9.87 277	11	15	50 10.0 9.2
46	9.82 354	14	9.95 088	26	0.04 912	9.87 266	11	14	
47	9.82 368	14	9.95 113	25	0.04 887	9.87 255	11	13	12 12 11
48	9.82 382	14	9.95 139	26	0.04 861	9.87 243	12	12	26 25 25
49	9.82 396	14	9.95 164	25	0.04 836	9.87 232	11	11	0 1.1 1.1 1.1
50	9.82 410	14	9 95 190	26	0.04 810	9.87 221	11	10	1 3.2 3.1 3.4
51	9.82 424	14	9.95 215	25	0.04 785	9.87 209	12	9	2 5.4 5.2 5.7
52	9.82 439	15	9.95 240	25	0.04 760	9.87 198	11	8	3 7.6 7.3 7.9
53	9.82 453	14	9.95 266	26	0.04 734	9.87 187	11	7	4 9.8 9.4 10.2
54	9.82 467	14	9.95 291	25	0.04 709	9.87 175	12	6	5 11.9 11.5 12.5
55	9.82 481	14	9.95 317	26	0.04 683	9.87 164	11	5	6 14.1 13.5 14.8
56	9.82 495	14	9.95 342	25	0.04 658	9.87 153	11	4	7 16.2 15.6 17.1
57	9.82 509	14	9.95 368	26	0.04 632	9.87 141	12	3	8 18.4 17.7 19.3
58	9.82 523	14	9.95 393	25	0.04 607	9.87 130	11	2	9 20.6 19.8 21.6
59	9.82 537	14	9.95 418	25	0.04 582	9.87 119	11	1	10 22.8 21.9 23.9
60	9.82 551	14	9.95 444	26	0.04 556	9.87 107	12	0	11 24.9 23.9 —
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′	12 P P

*138° 228° *318°

48°

42°

*132° 222° *312°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	′	P P
0	9.82 551	14	9.95 444	25	0.04 556	9.87 107	11	60	
1	9.82 565	14	9.95 469	26	0.04 531	9.87 096	11	59	1 0.4 0.4
2	9.82 579	14	9.95 495	25	0.04 505	9.87 085	12	58	2 0.9 0.8
3	9.82 593	14	9.95 520	25	0.04 480	9.87 073	11	57	3 1.3 1.2
4	9.82 607	14	9.95 545	26	0.04 455	9.87 062	12	56	4 1.7 1.7
5	9.82 621	14	9.95 571	25	0.04 429	9.87 050	11	55	5 2.2 2.1
6	9.82 635	14	9.95 596	26	0.04 404	9.87 039	11	54	6 2.6 2.5
7	9.82 649	14	9.95 622	25	0.04 378	9.87 028	12	53	7 3.0 2.9
8	9.82 663	14	9.95 647	25	0.04 353	9.87 016	11	52	8 3.5 3.3
9	9.82 677	14	9.95 672	26	0.04 328	9.87 005	12	51	9 3.9 3.8
10	9.82 691	14	9.95 698	25	0.04 302	9.86 993	11	50	10 4.3 4.2
11	9.82 705	14	9.95 723	25	0.04 277	9.86 982	12	49	20 8.7 8.3
12	9.82 719	14	9.95 748	26	0.04 252	9.86 970	11	48	30 13.0 12.5
13	9.82 733	14	9.95 774	25	0.04 226	9.86 959	12	47	40 17.3 16.7
14	9.82 747	14	9.95 799	26	0.04 201	9.86 947	11	46	50 21.7 20.8
15	9.82 761	14	9.95 825	25	0.04 175	9.86 936	12	45	
16	9.82 775	13	9.95 850	25	0.04 150	9.86 924	11	44	14 13
17	9.82 788	14	9.95 875	26	0.04 125	9.86 913	11	43	1 0.2 0.2
18	9.82 802	14	9.95 901	25	0.04 099	9.86 902	12	42	2 0.5 0.4
19	9.82 816	14	9.95 926	26	0.04 074	9.86 890	11	41	3 0.7 0.6
20	9.82 830	14	9.95 952	25	0.04 048	9.86 879	12	40	4 0.9 0.9
21	9.82 844	14	9.95 977	25	0.04 023	9.86 867	12	39	5 1.2 1.1
22	9.82 858	14	9.96 002	26	0.03 998	9.86 855	11	38	6 1.4 1.3
23	9.82 872	13	9.96 028	25	0.03 972	9.86 844	12	37	7 1.6 1.5
24	9.82 885	14	9.96 053	25	0.03 947	9.86 832	11	36	8 1.9 1.7
25	9.82 899	14	9.96 078	26	0.03 922	9.86 821	12	35	9 2.1 2.0
26	9.82 913	14	9.96 104	25	0.03 896	9.86 809	11	34	10 2.3 2.2
27	9.82 927	14	9.96 129	26	0.03 871	9.86 798	12	33	20 4.7 4.3
28	9.82 941	14	9.96 155	25	0.03 845	9.86 786	11	32	30 7.0 6.5
29	9.82 955	13	9.96 180	25	0.03 820	9.86 775	12	31	40 9.3 8.7
30	9.82 968	14	9.96 205	26	0.03 795	9.86 763	11	30	50 11.7 10.8
31	9.82 982	14	9.96 231	25	0.03 769	9.86 752	12	29	
32	9.82 996	14	9.96 256	25	0.03 744	9.86 740	12	28	12 11
33	9.83 010	13	9.96 281	26	0.03 719	9.86 728	11	27	1 0.2 0.2
34	9.83 023	14	9.96 307	25	0.03 693	9.86 717	12	26	2 0.4 0.4
35	9.83 037	14	9.96 332	25	0.03 668	9.86 705	11	25	3 0.6 0.6
36	9.83 051	14	9.96 357	26	0.03 643	9.86 694	12	24	4 0.8 0.7
37	9.83 065	13	9.96 383	25	0.03 617	9.86 682	12	23	5 1.0 0.9
38	9.83 078	14	9.96 408	25	0.03 592	9.86 670	11	22	6 1.2 1.1
39	9.83 092	14	9.96 433	26	0.03 567	9.86 659	12	21	7 1.4 1.3
40	9.83 106	14	9.96 459	25	0.03 541	9.86 647	12	20	8 1.6 1.5
41	9.83 120	13	9.96 484	26	0.03 516	9.86 635	11	19	9 1.8 1.6
42	9.83 133	14	9 96 510	25	0.03 490	9.86 624	12	18	10 2.0 1.8
43	9.83 147	14	9.96 535	25	0.03 465	9.86 612	12	17	20 4.0 3.7
44	9.83 161	13	9.96 560	26	0.03 440	9.86 600	11	16	30 6.0 5.5
45	9.83 174	14	9.96 586	25	0.03 414	9.86 589	12	15	40 8.0 7.3
46	9.83 188	14	9.96 611	25	0.03 389	9.86 577	12	14	50 10.0 9.2
47	9.83 202	13	9.96 636	26	0.03 364	9.86 565	11	13	
48	9.83 215	14	9.96 662	25	0.03 338	9.86 554	12	12	12 11 11
49	9.83 229	13	9.96 687	25	0.03 313	9.86 542	12	11	26 26 25
50	9.83 242	14	9.96 712	26	0.03 288	9.86 530	12	10	0 1.1 1.2 1.1
51	9.83 256	14	9.96 738	25	0.03 262	9.86 518	11	9	1 3.2 3.5 3.4
52	9.83 270	13	9.96 763	25	0.03 237	9.86 507	12	8	2 5.4 5.9 5.7
53	9.83 283	14	9.96 788	26	0.03 212	9.86 495	12	7	3 7.6 8.3 7.9
54	9.83 297	13	9.96 814	25	0.03 186	9.86 483	11	6	4 9.8 10.6 10.2
55	9.83 310	14	9.96 839	25	0.03 161	9.86 472	12	5	5 11.9 13.0 12.5
56	9.83 324	14	9.96 864	26	0.03 136	9.86 460	12	4	6 14.1 15.4 14.8
57	9.83 338	13	9.96 890	25	0.03 110	9.86 448	12	3	7 16.2 17.7 17.1
58	9.83 351	14	9.96 915	25	0.03 085	9.86 436	12	2	8 18.4 20.1 19.3
59	9.83 365	13	9.96 940	26	0.03 060	9.86 425	11	1	9 20.6 22.5 21.6
60	9.83 378		9.96 966		0.03 034	9.86 413	12	0	10 22.8 24.8 23.9
								12	11 24.9 — —
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′	P P

*137° 227° *317°

47°

43°

*133° 223° *313°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	
0	9.83 378	14	9.96 966	25	0.03 034	9.86 413	12	60
1	9.83 392	13	9.96 991	25	0.03 009	9.86 401	12	59
2	9.83 405	14	9.97 016	26	0.02 984	9.86 389	12	58
3	9.83 419	13	9.97 042	25	0.02 958	9.86 377	12	57
4	9.83 432	14	9.97 067	25	0.02 933	9.86 366	11	56
5	9.83 446	13	9.97 092	26	0.02 908	9.86 354	12	55
6	9.83 459	14	9.97 118	25	0.02 882	9.86 342	12	54
7	9.83 473	13	9.97 143	25	0.02 857	9.86 330	12	53
8	9.83 486	14	9.97 168	25	0.02 832	9.86 318	12	52
9	9.83 500	13	9.97 193	26	0.02 807	9.86 306	12	51
10	9.83 513	14	9 97 219	25	0.02 781	9 86 295	11	50
11	9.83 527	13	9.97 244	25	0.02 756	9.86 283	12	49
12	9.83 540	14	9.97 269	25	0.02 731	9.86 271	12	48
13	9.83 554	13	9.97 295	26	0.02 705	9.86 259	12	47
14	9.83 567	14	9.97 320	25	0.02 680	9.86 247	12	46
15	9.83 581	13	9.97 345	25	0.02 655	9.86 235	12	45
16	9.83 594	14	9.97 371	26	0.02 629	9.86 223	12	44
17	9.83 608	13	9.97 396	25	0.02 604	9.86 211	11	43
18	9.83 621	13	9.97 421	25	0.02 579	9.86 200	12	42
19	9.83 634	14	9.97 447	26	0.02 553	9.86 188	12	41
20	9.83 648	13	9.97 472	25	0.02 528	9.86 176	12	40
21	9.83 661	13	9.97 497	25	0.02 503	9.86 164	12	39
22	9.83 674	14	9.97 523	26	0.02 477	9 86 152	12	38
23	9.83 688	13	9.97 548	25	0.02 452	9.86 140	12	37
24	9.83 701	14	9.97 573	25	0.02 427	9.86 128	12	36
25	9.83 715	13	9 97 598	25	0.02 402	9.86 116	12	35
26	9.83 728	13	9.97 624	26	0.02 376	9.86 104	12	34
27	9.83 741	14	9.97 649	25	0.02 351	9.86 092	12	33
28	9.83 755	13	9.97 674	25	0.02 326	9.86 080	12	32
29	9.83 768	13	9 97 700	26	0.02 300	9.86 068	12	31
30	9.83 781	13	9.97 725	25	0.02 275	9.86 056	12	30
31	9.83 795	14	9.97 750	25	0.02 250	9.86 044	12	29
32	9.83 808	13	9.97 776	26	0.02 224	9.86 032	12	28
33	9.83 821	13	9.97 801	25	0.02 199	9.86 020	12	27
34	9 83 834	13	9.97 826	25	0.02 174	9.86 008	12	26
35	9 83 848	14	9.97 851	25	0.02 149	9.85 996	12	25
36	9.83 861	13	9.97 877	26	0.02 123	9.85 984	12	24
37	9.83 874	13	9.97 902	25	0.02 098	9.85 972	12	23
38	9.83 887	13	9.97 927	25	0.02 073	9.85 960	12	22
39	9.83 901	14	9.97 953	26	0.02 047	9.85 948	12	21
40	9.83 914	13	9.97 978	25	0.02 022	9.85 936	12	20
41	9.83 927	13	9.98 003	25	0.01 997	9.85 924	12	19
42	9.83 940	13	9.98 029	26	0.01 971	9.85 912	12	18
43	9.83 954	14	9.98 054	25	0.01 946	9.85 900	12	17
44	9.83 967	13	9.98 079	25	0.01 921	9.85 888	12	16
45	9 83 980	13	9.98 104	25	0.01 896	9.85 876	12	15
46	9.83 993	13	9.98 130	26	0.01 870	9.85 864	12	14
47	9.84 006	13	9.98 155	25	0.01 845	9.85 851	13	13
48	9.84 020	14	9.98 180	25	0.01 820	9.85 839	12	12
49	9.84 033	13	9.98 206	26	0.01 794	9.85 827	12	11
50	9.84 046	13	9.98 231	25	0.01 769	9.85 815	12	10
51	9.84 059	13	9.98 256	25	0.01 744	9.85 803	12	9
52	9.84 072	13	9.98 281	25	0.01 719	9.85 791	12	8
53	9.84 085	13	9.98 307	26	0.01 693	9.85 779	12	7
54	9.84 098	13	9.98 332	25	0.01 668	9.85 766	13	6
55	9.84 112	14	9.98 357	25	0.01 643	9.85 754	12	5
56	9.84 125	13	9.98 383	26	0.01 617	9.85 742	12	4
57	9.84 138	13	9.98 408	25	0.01 592	9.85 730	12	3
58	9.84 151	13	9.98 433	25	0.01 567	9.85 718	12	2
59	9.84 164	13	9.98 458	25	0.01 542	9.85 706	12	1
60	9.84 177	13	9.98 484	26	0.01 516	9.85 693	13	0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

*136° 226° *316°

46°

P P

	26	25
1	0.4	0.4
2	0.9	0.8
3	1.3	1.2
4	1.7	1.7
5	2.2	2.1
6	2.6	2.5
7	3.0	2.9
8	3.5	3.3
9	3.9	3.8
10	4.3	4.2
20	8.7	8.3
30	13.0	12.5
40	17.3	16.7
50	21.7	20.8

	14	13
1	0.2	0.2
2	0.5	0.4
3	0.7	0.6
4	0.9	0.9
5	1.2	1.1
6	1.4	1.3
7	1.6	1.5
8	1.9	1.7
9	2.1	2.0
10	2.3	2.2
20	4.7	4 3
30	7.0	6.5
40	9.3	8.7
50	11.7	10.8

	12	11
1	0.2	0.2
2	0.4	0.4
3	0.6	0 6
4	0.8	0.7
5	1.0	0.9
6	1 2	1.1
7	1.4	1.3
8	1.6	1.5
9	1.8	1.6
10	2.0	1.8
20	4.0	3.7
30	6 0	5.5
40	8.0	7 3
50	10.0	9.2

	13/26	13/25	12/25
0	1.0	0.9	1.1
1	3.0	2.9	3.1
2	5.0	4 8	5.2
3	7.0	6.7	7.3
4	9.0	8.7	9.4
5	11.0	10.6	11.5
6	13.0	12.5	13.5
7	15.0	14.4	15.6
8	17.0	16.3	17.7
9	19.0	18.3	19.8
10	21.0	20.2	21.9
11	23.0	22.1	23.9
12	25.0	24.1	—
13			

P P

44°

*134° 224° *314°

′	L Sin	d	L Tan	c d	L Cot	L Cos	d	
0	9.84 177		9.98 484		0.01 516	9.85 693		60
1	9.84 190	13	9.98 509	25	0.01 491	9.85 681	12	59
2	9.84 203	13	9.98 534	25	0.01 466	9.85 669	12	58
3	9.84 216	13	9.98 560	26	0.01 440	9.85 657	12	57
4	9.84 229	13	9.98 585	25	0.01 415	9.85 645	12	56
5	9.84 242	13	9.98 610	25	0.01 390	9.85 632	13	55
6	9.84 255	13	9.98 635	25	0.01 365	9.85 620	12	54
7	9.84 269	14	9.98 661	26	0.01 339	9.85 608	12	53
8	9.84 282	13	9.98 686	25	0.01 314	9.85 596	13	52
9	9.84 295	13	9.98 711	25	0.01 289	9.85 583	12	51
10	9.84 308	13	9.98 737	26	0.01 263	9.85 571	12	50
11	9.84 321	13	9.98 762	25	0.01 238	9.85 559	12	49
12	9.84 334	13	9.98 787	25	0.01 213	9.85 547	13	48
13	9.84 347	13	9.98 812	25	0.01 188	9.85 534	12	47
14	9.84 360	13	9.98 838	26	0.01 162	9.85 522	12	46
15	9.84 373	13	9.98 863	25	0.01 137	9.85 510	13	45
16	9.84 385	12	9.98 888	25	0.01 112	9.85 497	12	44
17	9.84 398	13	9.98 913	25	0.01 087	9.85 485	12	43
18	9.84 411	13	9.98 939	26	0.01 061	9.85 473	12	42
19	9.84 424	13	9.98 964	25	0.01 036	9.85 460	13	41
20	9.84 437	13	9.98 989	25	0.01 011	9.85 448	12	40
21	9.84 450	13	9.99 015	26	0.00 985	9.85 436	12	39
22	9.84 463	13	9.99 040	25	0.00 960	9.85 423	13	38
23	9.84 476	13	9.99 065	25	0.00 935	9.85 411	12	37
24	9.84 489	13	9.99 090	25	0.00 910	9.85 399	12	36
25	9.84 502	13	9.99 116	26	0.00 884	9.85 386	13	35
26	9.84 515	13	9.99 141	25	0.00 859	9.85 374	12	34
27	9.84 528	13	9.99 166	25	0.00 834	9.85 361	13	33
28	9.84 540	12	9.99 191	25	0.00 809	9.85 349	12	32
29	9.84 553	13	9.99 217	26	0.00 783	9.85 337	12	31
30	9.84 566	13	9.99 242	25	0.00 758	9.85 324	13	30
31	9.84 579	13	9.99 267	25	0.00 733	9.85 312	12	29
32	9.84 592	13	9.99 293	26	0.00 707	9.85 299	13	28
33	9.84 605	13	9.99 318	25	0.00 682	9.85 287	12	27
34	9.84 618	13	9.99 343	25	0.00 657	9.85 274	13	26
35	9.84 630	12	9.99 368	25	0.00 632	9.85 262	12	25
36	9.84 643	13	9.99 394	26	0.00 606	9.85 250	12	24
37	9.84 656	13	9.99 419	25	0.00 581	9.85 237	13	23
38	9.84 669	13	9.99 444	25	0.00 556	9.85 225	12	22
39	9.84 682	13	9.99 469	25	0.00 531	9.85 212	13	21
40	9.84 694	12	9.99 495	26	0.00 505	9.85 200	12	20
41	9.84 707	13	9.99 520	25	0.00 480	9 85 187	13	19
42	9.84 720	13	9.99 545	25	0.00 455	9.85 175	12	18
43	9.84 733	13	9.99 570	25	0.00 430	9.85 162	13	17
44	9.84 745	12	9.99 596	26	0.00 404	9.85 150	12	16
45	9.84 758	13	9.99 621	25	0.00 379	9.85 137	13	15
46	9.84 771	13	9.99 646	25	0.00 354	9.85 125	12	14
47	9.84 784	13	9.99 672	26	0.00 328	9.85 112	13	13
48	9.84 796	12	9.99 697	25	0.00 303	9.85 100	12	12
49	9.84 809	13	9.99 722	25	0.00 278	9.85 087	13	11
50	9.84 822	13	9.99 747	25	0.00 253	9.85 074	13	10
51	9.84 835	13	9.99 773	26	0.00 227	9.85 062	12	9
52	9.84 847	12	9.99 798	25	0.00 202	9.85 049	13	8
53	9.84 860	13	9.99 823	25	0.00 177	9.85 037	12	7
54	9.84 873	13	9.99 848	25	0.00 152	9.85 024	13	6
55	9.84 885	12	9.99 874	26	0.00 126	9.85 012	12	5
56	9.84 898	13	9.99 899	25	0.00 101	9.84 999	13	4
57	9.84 911	13	9.99 924	25	0.00 076	9.84 986	13	3
58	9.84 923	12	9.99 949	25	0.00 051	9.84 974	12	2
59	9.84 936	13	9.99 975	26	0.00 025	9.84 961	13	1
60	9.84 949	13	0.00 000	25	0.00 000	9.84 949	12	0
	L Cos	d	L Cot	c d	L Tan	L Sin	d	′

*135° 225° *315°

45°

P P

	26	25
1	0.4	0.4
2	0.9	0.8
3	1.3	1.2
4	1.7	1.7
5	2.2	2.1
6	2.6	2.5
7	3.0	2.9
8	3.5	3.3
9	3.9	3.8
10	4.3	4.2
20	8.7	8.3
30	13.0	12.5
40	17.3	16.7
50	21.7	20.8

	14	13	12
1	0.2	0.2	0.2
2	0.5	0.4	0.4
3	0.7	0.6	0 6
4	0.9	0.9	0.8
5	1.2	1.1	1.0
6	1.4	1.3	1.2
7	1.6	1.5	1.4
8	1.9	1.7	1.6
9	2.1	2.0	1.8
10	2.3	2.2	2.0
20	4.7	4 3	4.0
30	7.0	6.5	6.0
40	9.3	8.7	8.0
50	11.7	10.8	10.0

	13/26	13/25
0	1.0	0.9
1	3.0	2.9
2	5.0	4.8
3	7.0	6.7
4	9.0	8.7
5	11.0	10.6
6	13.0	12.5
7	15.0	14.4
8	17.0	16.3
9	19.0	18.3
10	21.0	20.2
11	23.0	22.1
12	25.0	24.1
13		

	12/26	12/25
0	1.1	1.1
1	3.2	3.1
2	5.4	5.2
3	7.6	7.3
4	9.8	9.4
5	11.9	11.5
6	14.1	13.5
7	16.2	15.6
8	18.4	17.7
9	20.6	19.8
10	22.8	21.9
11	24.9	23.9
12		

P P

TABLE OF THE NATURAL

TRIGONOMETRIC FUNCTIONS

FROM MINUTE TO MINUTE.

*90° 180° *270° 0° NATURAL 1° *91° 181° *271

′	Sin	Tan	Cot	Cos	
0	0.0000	0.0000	∞	1.0000	60
1	0.0003	0.0003	3437.75	1.0000	59
2	0.0006	0.0006	1718.87	1.0000	58
3	0.0009	0.0009	1145.92	1.0000	57
4	0.0012	0.0012	859.436	1.0000	56
5	0.0015	0.0015	687.549	1.0000	55
6	0.0017	0.0017	572.957	1.0000	54
7	0.0020	0.0020	491.106	1.0000	53
8	0.0023	0.0023	429.718	1.0000	52
9	0.0026	0.0026	381.971	1.0000	51
10	0.0029	0.0029	343.774	1.0000	50
11	0.0032	0.0032	312.521	1.0000	49
12	0.0035	0.0035	286.478	1.0000	48
13	0.0038	0.0038	264.441	1.0000	47
14	0.0041	0.0041	245.552	1.0000	46
15	0.0044	0.0044	229.182	1.0000	45
16	0.0047	0.0047	214.858	1.0000	44
17	0.0049	0.0049	202.219	1.0000	43
18	0.0052	0.0052	190.984	1.0000	42
19	0.0055	0.0055	180.932	1.0000	41
20	0.0058	0.0058	171.885	1.0000	40
21	0.0061	0.0061	163.700	1.0000	39
22	0.0064	0.0064	156.259	1.0000	38
23	0.0067	0.0067	149.465	1.0000	37
24	0.0070	0.0070	143.237	1.0000	36
25	0.0073	0.0073	137.507	1.0000	35
26	0.0076	0.0076	132.219	1.0000	34
27	0.0079	0.0079	127.321	1.0000	33
28	0.0081	0.0081	122.774	1.0000	32
29	0.0084	0.0084	118.540	1.0000	31
30	0.0087	0.0087	114.589	1.0000	30
31	0.0090	0.0090	110.892	1.0000	29
32	0.0093	0.0093	107.426	1.0000	28
33	0.0096	0.0096	104.171	1.0000	27
34	0.0099	0.0099	101.107	1.0000	26
35	0.0102	0.0102	98.2179	0.9999	25
36	0.0105	0.0105	95.4895	0.9999	24
37	0.0108	0.0108	92.9085	0.9999	23
38	0.0111	0.0111	90.4633	0.9999	22
39	0.0113	0.0113	88.1436	0.9999	21
40	0.0116	0.0116	85.9398	0.9999	20
41	0.0119	0.0119	83.8435	0.9999	19
42	0.0122	0.0122	81.8470	0.9999	18
43	0.0125	0.0125	79.9434	0.9999	17
44	0.0128	0.0128	78.1263	0.9999	16
45	0.0131	0.0131	76.3900	0.9999	15
46	0.0134	0.0134	74.7292	0.9999	14
47	0.0137	0.0137	73.1390	0.9999	13
48	0.0140	0.0140	71.6151	0.9999	12
49	0.0143	0.0143	70.1533	0.9999	11
50	0.0145	0.0145	68.7501	0.9999	10
51	0.0148	0.0148	67.4019	0.9999	9
52	0.0151	0.0151	66.1055	0.9999	8
53	0.0154	0.0154	64.8580	0.9999	7
54	0.0157	0.0157	63.6567	0.9999	6
55	0.0160	0.0160	62.4992	0.9999	5
56	0.0163	0.0163	61.3829	0.9999	4
57	0.0166	0.0166	60.3058	0.9999	3
58	0.0169	0.0169	59.2659	0.9999	2
59	0.0172	0.0172	58.2612	0.9999	1
60	0.0175	0.0175	57.2900	0.9998	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.0175	0.0175	57.2900	0.9998	60
1	0.0177	0.0177	56.3506	0.9998	59
2	0.0180	0.0180	55.4415	0.9998	58
3	0.0183	0.0183	54.5613	0.9998	57
4	0.0186	0.0186	53.7086	0.9998	56
5	0.0189	0.0189	52.8821	0.9998	55
6	0.0192	0.0192	52.0807	0.9998	54
7	0.0195	0.0195	51.3032	0.9998	53
8	0.0198	0.0198	50.5485	0.9998	52
9	0.0201	0.0201	49.8157	0.9998	51
10	0.0204	0.0204	49.1039	0.9998	50
11	0.0207	0.0207	48.4121	0.9998	49
12	0.0209	0.0209	47.7395	0.9998	48
13	0.0212	0.0212	47.0853	0.9998	47
14	0.0215	0.0215	46.4489	0.9998	46
15	0.0218	0.0218	45.8294	0.9998	45
16	0.0221	0.0221	45.2261	0.9998	44
17	0.0224	0.0224	44.6386	0.9997	43
18	0.0227	0.0227	44.0661	0.9997	42
19	0.0230	0.0230	43.5081	0.9997	41
20	0.0233	0.0233	42.9641	0.9997	40
21	0.0236	0.0236	42.4335	0.9997	39
22	0.0239	0.0239	41.9158	0.9997	38
23	0.0241	0.0241	41.4106	0.9997	37
24	0.0244	0.0244	40.9174	0.9997	36
25	0.0247	0.0247	40.4358	0.9997	35
26	0.0250	0.0250	39.9655	0.9997	34
27	0.0253	0.0253	39.5059	0.9997	33
28	0.0256	0.0256	39.0568	0.9997	32
29	0.0259	0.0259	38.6177	0.9997	31
30	0.0262	0.0262	38.1885	0.9997	30
31	0.0265	0.0265	37.7686	0.9996	29
32	0.0268	0.0268	37.3579	0.9996	28
33	0.0270	0.0271	36.9560	0.9996	27
34	0.0273	0.0274	36.5627	0.9996	26
35	0.0276	0.0276	36.1776	0.9996	25
36	0.0279	0.0279	35.8006	0.9996	24
37	0.0282	0.0282	35.4313	0.9996	23
38	0.0285	0.0285	35.0695	0.9996	22
	0.0288	0.0288	34.7151	0.9996	21
40	0.0291	0.0291	34.3678	0.9996	20
41	0.0294	0.0294	34.0273	0.9996	19
42	0.0297	0.0297	33.6935	0.9996	18
43	0.0300	0.0300	33.3662	0.9996	17
44	0.0302	0.0303	33.0452	0.9995	16
45	0.0305	0.0306	32.7303	0.9995	15
46	0.0308	0.0308	32.4213	0.9995	14
47	0.0311	0.0311	32.1181	0.9995	13
48	0.0314	0.0314	31.8205	0.9995	12
49	0.0317	0.0317	31.5284	0.9995	11
50	0.0320	0.0320	31.2416	0.9995	10
51	0.0323	0.0323	30.9599	0.9995	9
52	0.0326	0.0326	30.6833	0.9995	8
53	0.0329	0.0329	30.4116	0.9995	7
54	0.0332	0.0332	30.1446	0.9995	6
55	0.0334	0.0335	29.8823	0.9994	5
56	0.0337	0.0338	29.6245	0.9994	4
57	0.0340	0.0340	29.3711	0.9994	3
58	0.0343	0.0343	29.1220	0.9994	2
59	0.0346	0.0346	28.8771	0.9994	1
60	0.0349	0.0349	28.6363	0.9994	0
	Cos	Cot	Tan	Sin	′

179° 269° *359° 89° NATURAL 88° *178° 268° *358°

*92° 182° *272° 2° NATURAL 3° *93° 183° *273°

′	Sin	Tan	Cot	Cos	
0	0.0349	0.0349	28.6303	0.9994	60
1	0.0352	0.0352	28.3994	0.9994	59
2	0.0355	0.0355	28.1664	0.9994	58
3	0.0358	0.0358	27.9372	0.9994	57
4	0.0361	0.0361	27.7117	0.9993	56
5	0.0364	0.0364	27.4899	0.9993	55
6	0.0366	0.0367	27.2715	0.9993	54
7	0.0369	0.0370	27.0566	0.9993	53
8	0.0372	0.0373	26.8450	0.9993	52
9	0.0375	0.0375	26.6367	0.9993	51
10	0.0378	0.0378	26.4316	0.9993	50
11	0.0381	0.0381	26.2296	0.9993	49
12	0.0384	0.0384	26.0307	0.9993	48
13	0.0387	0.0387	25 8348	0.9993	47
14	0.0390	0.0390	25.6418	0.9992	46
15	0.0393	0.0393	25.4517	0.9992	45
16	0.0396	0.0396	25.2644	0.9992	44
17	0.0398	0.0399	25.0798	0.9992	43
18	0.0401	0.0402	24.8978	0.9992	42
19	0.0404	0.0405	24.7185	0.9992	41
20	0.0407	0.0407	24.5418	0.9992	40
21	0.0410	0.0410	24.3675	0.9992	39
22	0.0413	0.0413	24.1957	0.9991	38
23	0 0416	0.0416	24.0263	0.9991	37
24	0.0419	0.0419	23.8593	0.9991	36
25	0.0422	0.0422	23.6945	0.9991	35
26	0.0425	0.0425	23.5321	0.9991	34
27	0.0427	0.0428	23.3718	0.9991	33
28	0.0430	0.0431	23.2137	0.9991	32
29	0.0433	0.0434	23.0577	0.9991	31
30	0.0436	0.0437	22.9038	0.9990	30
31	0.0439	0.0440	22.7519	0.9990	29
32	0.0442	0.0442	22.6020	0.9990	28
33	0.0445	0.0445	22.4541	0.9990	27
34	0.0448	0.0448	22.3081	0.9990	26
35	0.0451	0.0451	22.1640	0.9990	25
36	0.0454	0.0454	22.0217	0.9990	24
37	0.0457	0.0457	21.8813	0.9990	23
38	0.0459	0.0460	21.7426	0.9989	22
39	0.0462	0.0463	21.6056	0.9989	21
40	0.0465	0.0466	21.4704	0.9989	20
41	0.0468	0.0469	21.3369	0.9989	19
42	0.0471	0.0472	21.2049	0.9989	18
43	0.0474	0.0475	21.0747	0.9989	17
44	0.0477	0.0477	20.9460	0.9989	16
45	0.0480	0.0480	20.8188	0.9988	15
46	0.0483	0.0483	20.6932	0.9988	14
47	0.0486	0.0486	20.5691	0.9988	13
48	0.0488	0.0489	20.4465	0.9988	12
49	0.0491	0.0492	20.3253	0.9988	11
50	0.0494	0.0495	20.2056	0.9988	10
51	0.0497	0.0498	20.0872	0.9988	9
52	0.0500	0.0501	19.9702	0.9987	8
53	0.0503	0.0504	19.8546	0.9987	7
54	0.0506	0.0507	19.7403	0.9987	6
55	0.0509	0.0509	19.6273	0.9987	5
56	0.0512	0.0512	19.5156	0.9987	4
57	0.0515	0.0515	19.4051	0.9987	3
58	0.0518	0.0518	19.2959	0.9987	2
59	0.0520	0.0521	19.1879	0.9986	1
60	0.0523	0.0524	19.0811	0.9986	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.0523	0.0524	19.0811	0.9986	60
1	0.0526	0.0527	18.9755	0.9986	59
2	0.0529	0.0530	18.8711	0.9986	58
3	0.0532	0.0533	18.7678	0.9986	57
4	0.0535	0.0536	18.6656	0.9986	56
5	0.0538	0.0539	18.5645	0.9986	55
6	0.0541	0.0542	18.4645	0.9985	54
7	0.0544	0.0544	18.3655	0.9985	53
8	0.0547	0.0547	18.2677	0.9985	52
9	0.0550	0.0550	18.1708	0.9985	51
10	0 0552	0.0553	18.0750	0.9985	50
11	0.0555	0.0556	17.9802	0.9985	49
12	0.0558	0.0559	17.8863	0.9984	48
13	0.0561	0.0562	17.7934	0.9984	47
14	0.0564	0.0565	17.7015	0.9984	46
15	0.0567	0.0568	17.6106	0.9984	45
16	0.0570	0.0571	17.5205	0.9984	44
17	0.0573	0.0574	17.4314	0.9984	43
18	0.0576	0.0577	17.3432	0.9983	42
19	0.0579	0.0580	17.2558	0.9983	41
20	0.0581	0.0582	17.1693	0.9983	40
21	0.0584	0.0585	17.0837	0.9983	39
22	0.0587	0.0588	16.9990	0.9983	38
23	0.0590	0.0591	16.9150	0.9983	37
24	0.0593	0.0594	16.8319	0.9982	36
25	0.0596	0.0597	16.7496	0.9982	35
26	0.0599	0.0600	16.6681	0.9982	34
27	0.0602	0.0603	16.5874	0.9982	33
28	0.0605	0.0606	16.5075	0.9982	32
29	0.0608	0.0609	16.4283	0.9982	31
30	0.0610	0.0612	16.3499	0.9981	30
31	0.0613	0.0615	16.2722	0.9981	29
32	0.0616	0.0617	16.1952	0.9981	28
33	0.0619	0.0620	16.1190	0.9981	27
34	0.0622	0.0623	16.0435	0.9981	26
35	0.0625	0.0626	15.9687	0.9980	25
36	0.0628	0.0629	15.8945	0.9980	24
37	0.0631	0.0632	15.8211	0.9980	23
38	0.0634	0.0635	15.7483	0.9980	22
39	0.0637	0.0638	15.6762	0.9980	21
40	0.0640	0.0641	15.6048	0.9980	20
41	0.0642	0.0644	15.5340	0.9979	19
42	0.0645	0.0647	15.4638	0.9979	18
43	0.0648	0.0650	15.3943	0.9979	17
44	0.0651	0.0653	15.3254	0.9979	16
45	0.0654	0.0655	15.2571	0.9979	15
46	0.0657	0.0658	15.1893	0.9978	14
47	0.0660	0.0661	15.1222	0.9978	13
48	0.0663	0.0664	15.0557	0.9978	12
49	0.0666	0.0667	14.9898	0.9978	11
50	0.0669	0.0670	14.9244	0.9978	10
51	0.0671	0.0673	14.8596	0.9977	9
52	0.0674	0.0676	14.7954	0.9977	8
53	0.0677	0.0679	14.7317	0.9977	7
54	0.0680	0.0682	14.6685	0.9977	6
55	0.0683	0.0685	14.6059	0.9977	5
56	0.0686	0.0688	14.5438	0.9976	4
57	0.0689	0.0690	14.4823	0.9976	3
58	0.0692	0.0693	14.4212	0.9976	2
59	0.0695	0.0696	14.3607	0.9976	1
60	0.0698	0.0699	14.3007	0.9976	0
	Cos	Cot	Tan	Sin	′

*177° 267° *357° 87° NATURAL 86° *176° 266° *356°

*94° 184° *274° 4° NATURAL 5° *95° 185° *275°

′	Sin	Tan	Cot	Cos	
0	0.0698	0.0699	14.3007	0.9976	60
1	0.0700	0.0702	14.2411	0.9975	59
2	0.0703	0.0705	14.1821	0.9975	58
3	0.0706	0.0708	14.1235	0.9975	57
4	0.0709	0.0711	14.0655	0.9975	56
5	0.0712	0.0714	14.0079	0.9975	55
6	0.0715	0.0717	13.9507	0.9974	54
7	0.0718	0.0720	13.8940	0.9974	53
8	0.0721	0.0723	13.8378	0.9974	52
9	0.0724	0.0726	13.7821	0.9974	51
10	0.0727	0.0729	13.7267	0.9974	50
11	0.0729	0.0731	13.6719	0.9973	49
12	0.0732	0.0734	13.6174	0.9973	48
13	0.0735	0.0737	13.5634	0.9973	47
14	0.0738	0.0740	13.5098	0.9973	46
15	0.0741	0.0743	13.4566	0.9973	45
16	0.0744	0.0746	13.4039	0.9972	44
17	0.0747	0.0749	13.3515	0.9972	43
18	0.0750	0.0752	13.2996	0.9972	42
19	0.0753	0.0755	13.2480	0.9972	41
20	0.0756	0.0758	13.1969	0.9971	40
21	0.0758	0.0761	13.1461	0.9971	39
22	0.0761	0.0764	13.0958	0.9971	38
23	0.0764	0.0767	13.0458	0.9971	37
24	0.0767	0.0769	12.9962	0.9971	36
25	0.0770	0.0772	12.9469	0.9970	35
26	0.0773	0.0775	12.8981	0.9970	34
27	0.0776	0.0778	12.8496	0.9970	33
28	0.0779	0.0781	12.8014	0.9970	32
29	0.0782	0.0784	12.7536	0.9969	31
30	0.0785	0.0787	12.7062	0.9969	30
31	0.0787	0.0790	12.6591	0.9969	29
32	0.0790	0.0793	12.6124	0.9969	28
33	0.0793	0.0796	12.5660	0.9968	27
34	0.0796	0.0799	12.5199	0.9968	26
35	0.0799	0.0802	12.4742	0.9968	25
36	0.0802	0.0805	12.4288	0.9968	24
37	0.0805	0.0808	12.3838	0.9968	23
38	0.0808	0.0810	12.3390	0.9967	22
39	0.0811	0.0813	12.2946	0.9967	21
40	0.0814	0.0816	12.2505	0.9967	20
41	0.0816	0.0819	12.2067	0.9967	19
42	0.0819	0.0822	12.1632	0.9966	18
43	0.0822	0.0825	12.1201	0.9966	17
44	0.0825	0.0828	12.0772	0.9966	16
45	0.0828	0.0831	12.0346	0.9966	15
46	0.0831	0.0834	11.9923	0.9965	14
47	0.0834	0.0837	11.9504	0.9965	13
48	0.0837	0.0840	11.9087	0.9965	12
49	0.0840	0.0843	11.8673	0.9965	11
50	0.0843	0.0846	11.8262	0.9964	10
51	0.0845	0.0849	11.7853	0.9964	9
52	0.0848	0.0851	11.7448	0.9964	8
53	0.0851	0.0854	11.7045	0.9964	7
54	0.0854	0.0857	11.6645	0.9963	6
55	0.0857	0.0860	11.6248	0.9963	5
56	0.0860	0.0863	11.5853	0.9963	4
57	0.0863	0.0866	11.5461	0.9963	3
58	0.0866	0.0869	11.5072	0.9962	2
59	0.0869	0.0872	11.4685	0.9962	1
60	0.0872	0.0875	11.4301	0.9962	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.0872	0.0875	11.4301	0.9962	60
1	0.0874	0.0878	11.3919	0.9962	59
2	0.0877	0.0881	11.3540	0.9961	58
3	0.0880	0.0884	11.3163	0.9961	57
4	0.0883	0.0887	11.2789	0.9961	56
5	0.0886	0.0890	11.2417	0.9961	55
6	0.0889	0.0892	11.2048	0.9960	54
7	0.0892	0.0895	11.1681	0.9960	53
8	0.0895	0.0898	11.1316	0.9960	52
9	0.0898	0.0901	11.0954	0.9960	51
10	0.0901	0.0904	11.0594	0.9959	50
11	0.0903	0.0907	11.0237	0.9959	49
12	0.0906	0.0910	10.9882	0.9959	48
13	0.0909	0.0913	10.9529	0.9959	47
14	0.0912	0.0916	10.9178	0.9958	46
15	0.0915	0.0919	10.8829	0.9958	45
16	0.0918	0.0922	10.8483	0.9958	44
17	0.0921	0.0925	10.8139	0.9958	43
18	0.0924	0.0928	10.7797	0.9957	42
19	0.0927	0.0931	10.7457	0.9957	41
20	0.0929	0.0934	10.7119	0.9957	40
21	0.0932	0.0936	10.6783	0.9956	39
22	0.0935	0.0939	10.6450	0.9956	38
23	0.0938	0.0942	10.6118	0.9956	37
24	0.0941	0.0945	10.5789	0.9956	36
25	0.0944	0.0948	10.5462	0.9955	35
26	0.0947	0.0951	10.5136	0.9955	34
27	0.0950	0.0954	10.4813	0.9955	33
28	0.0953	0.0957	10.4491	0.9955	32
29	0.0956	0.0960	10.4172	0.9954	31
30	0.0958	0.0963	10.3854	0.9954	30
31	0.0961	0.0966	10.3538	0.9954	29
32	0.0964	0.0969	10.3224	0.9953	28
33	0.0967	0.0972	10.2913	0.9953	27
34	0.0970	0.0975	10.2602	0.9953	26
35	0.0973	0.0978	10.2294	0.9953	25
36	0.0976	0.0981	10.1988	0.9952	24
37	0.0979	0.0983	10.1683	0.9952	23
38	0.0982	0.0986	10.1381	0.9952	22
39	0.0985	0.0989	10.1080	0.9951	21
40	0.0987	0.0992	10.0780	0.9951	20
41	0.0990	0.0995	10.0483	0.9951	19
42	0.0993	0.0998	10.0187	0.9951	18
43	0.0996	0.1001	9.9893	0.9950	17
44	0.0999	0.1004	9.9601	0.9950	16
45	0.1002	0.1007	9.9310	0.9950	15
46	0.1005	0.1010	9.9021	0.9949	14
47	0.1008	0.1013	9.8734	0.9949	13
48	0.1011	0.1016	9.8448	0.9949	12
49	0.1013	0.1019	9.8164	0.9949	11
50	0.1016	0.1022	9.7882	0.9948	10
51	0.1019	0.1025	9.7601	0.9948	9
52	0.1022	0.1028	9.7322	0.9948	8
53	0.1025	0.1030	9.7044	0.9947	7
54	0.1028	0.1033	9.6768	0.9947	6
55	0.1031	0.1036	9.6493	0.9947	5
56	0.1034	0.1039	9.6220	0.9946	4
57	0.1037	0.1042	9.5949	0.9946	3
58	0.1039	0.1045	9.5679	0.9946	2
59	0.1042	0.1048	9.5411	0.9946	1
60	0.1045	0.1051	9.5144	0.9945	0
	Cos	Cot	Tan	Sin	′

*175° 265° *355° 85° NATURAL 84° *174° 264° *354

*96° 186° *276° 6° NATURAL 7° *97° 187° *277°

′	Sin	Tan	Cot	Cos	
0	0.1045	0.1051	9.5144	0.9945	60
1	0.1048	0.1054	9.4878	0.9945	59
2	0.1051	0.1057	9.4614	0.9945	58
3	0.1054	0.1060	9.4352	0.9944	57
4	0.1057	0.1063	9.4090	0.9944	56
5	0.1060	0.1066	9.3831	0.9944	55
6	0.1063	0.1069	9.3572	0.9943	54
7	0.1066	0.1072	9.3315	0.9943	53
8	0.1068	0.1075	9.3060	0.9943	52
9	0.1071	0.1078	9.2806	0.9942	51
10	0.1074	0.1080	9.2553	0.9942	50
11	0.1077	0.1083	9.2302	0.9942	49
12	0.1080	0.1086	9.2052	0.9942	48
13	0.1083	0.1089	9.1803	0.9941	47
14	0.1086	0.1092	9.1555	0.9941	46
15	0.1089	0.1095	9.1309	0.9941	45
16	0.1092	0.1098	9.1065	0.9940	44
17	0.1094	0.1101	9.0821	0.9940	43
18	0.1097	0.1104	9.0579	0.9940	42
19	0.1100	0.1107	9.0338	0.9939	41
20	0.1103	0.1110	9.0098	0.9939	40
21	0.1106	0.1113	8.9860	0.9939	39
22	0.1109	0.1116	8.9623	0.9938	38
23	0.1112	0.1119	8.9387	0.9938	37
24	0.1115	0.1122	8.9152	0.9938	36
25	0.1118	0.1125	8.8919	0.9937	35
26	0.1120	0.1128	8.8686	0.9937	34
27	0.1123	0.1131	8.8455	0.9937	33
28	0.1126	0.1133	8.8225	0.9936	32
29	0.1129	0.1136	8.7996	0.9936	31
30	0.1132	0.1139	8.7769	0.9936	30
31	0.1135	0.1142	8.7542	0.9935	29
32	0.1138	0.1145	8.7317	0.9935	28
33	0.1141	0.1148	8.7093	0.9935	27
34	0.1144	0.1151	8.6870	0.9934	26
35	0.1146	0.1154	8.6648	0.9934	25
36	0.1149	0.1157	8.6427	0.9934	24
37	0.1152	0.1160	8.6208	0.9933	23
38	0.1155	0.1163	8.5989	0.9933	22
39	0.1158	0.1166	8.5772	0.9933	21
40	0.1161	0.1169	8.5555	0.9932	20
41	0.1164	0.1172	8.5340	0.9932	19
42	0.1167	0.1175	8.5126	0.9932	18
43	0.1170	0.1178	8.4913	0.9931	17
44	0.1172	0.1181	8.4701	0.9931	16
45	0.1175	0.1184	8.4490	0.9931	15
46	0.1178	0.1187	8.4280	0.9930	14
47	0.1181	0.1189	8.4071	0.9930	13
48	0.1184	0.1192	8.3863	0.9930	12
49	0.1187	0.1195	8.3656	0.9929	11
50	0.1190	0.1198	8.3450	0.9929	10
51	0.1193	0.1201	8.3245	0.9929	9
52	0.1196	0.1204	8.3041	0.9928	8
53	0.1198	0.1207	8.2838	0.9928	7
54	0.1201	0.1210	8.2636	0.9928	6
55	0.1204	0.1213	8.2434	0.9927	5
56	0.1207	0.1216	8.2234	0.9927	4
57	0.1210	0.1219	8.2035	0.9927	3
58	0.1213	0.1222	8.1837	0.9926	2
59	0.1216	0.1225	8.1640	0.9926	1
60	0.1219	0.1228	8.1443	0.9925	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.1219	0.1228	8.1443	0.9925	60
1	0.1222	0.1231	8.1248	0.9925	59
2	0.1224	0.1234	8.1054	0.9925	58
3	0.1227	0.1237	8.0860	0.9924	57
4	0.1230	0.1240	8.0667	0.9924	56
5	0.1233	0.1243	8.0476	0.9924	55
6	0.1236	0.1246	8.0285	0.9923	54
7	0.1239	0.1249	8.0095	0.9923	53
8	0.1242	0.1251	7.9906	0.9923	52
9	0.1245	0.1254	7.9718	0.9922	51
10	0.1248	0.1257	7.9530	0.9922	50
11	0.1250	0.1260	7.9344	0.9922	49
12	0.1253	0.1263	7.9158	0.9921	48
13	0.1256	0.1266	7.8973	0.9921	47
14	0.1259	0.1269	7.8789	0.9920	46
15	0.1262	0.1272	7.8606	0.9920	45
16	0.1265	0.1275	7.8424	0.9920	44
17	0.1268	0.1278	7.8243	0.9919	43
18	0.1271	0.1281	7.8062	0.9919	42
19	0.1274	0.1284	7.7882	0.9919	41
20	0.1276	0.1287	7.7704	0.9918	40
21	0.1279	0.1290	7.7525	0.9918	39
22	0.1282	0.1293	7.7348	0.9917	38
23	0.1285	0.1296	7.7171	0.9917	37
24	0.1288	0.1299	7.6996	0.9917	36
25	0.1291	0.1302	7.6821	0.9916	35
26	0.1294	0.1305	7.6647	0.9916	34
27	0.1297	0.1308	7.6473	0.9916	33
28	0.1299	0.1311	7.6301	0.9915	32
29	0.1302	0.1314	7.6129	0.9915	31
30	0.1305	0.1317	7.5958	0.9914	30
31	0.1308	0.1319	7.5787	0.9914	29
32	0.1311	0.1322	7.5618	0.9914	28
33	0.1314	0.1325	7.5449	0.9913	27
34	0.1317	0.1328	7.5281	0.9913	26
35	0.1320	0.1331	7.5113	0.9913	25
36	0.1323	0.1334	7.4947	0.9912	24
37	0.1325	0.1337	7.4781	0.9912	23
38	0.1328	0.1340	7.4615	0.9911	22
39	0.1331	0.1343	7.4451	0.9911	21
40	0.1334	0.1346	7.4287	0.9911	20
41	0.1337	0.1349	7.4124	0.9910	19
42	0.1340	0.1352	7.3962	0.9910	18
43	0.1343	0.1355	7.3800	0.9909	17
44	0.1346	0.1358	7.3639	0.9909	16
45	0.1349	0.1361	7.3479	0.9909	15
46	0.1351	0.1364	7.3319	0.9908	14
47	0.1354	0.1367	7.3160	0.9908	13
48	0.1357	0.1370	7.3002	0.9907	12
49	0.1360	0.1373	7.2844	0.9907	11
50	0.1363	0.1376	7.2687	0.9907	10
51	0.1366	0.1379	7.2531	0.9906	9
52	0.1369	0.1382	7.2375	0.9906	8
53	0.1372	0.1385	7.2220	0.9905	7
54	0.1374	0.1388	7.2066	0.9905	6
55	0.1377	0.1391	7.1912	0.9905	5
56	0.1380	0.1394	7.1759	0.9904	4
57	0.1383	0.1397	7.1607	0.9904	3
58	0.1386	0.1399	7.1455	0.9903	2
59	0.1389	0.1402	7.1304	0.9903	1
60	0.1392	0.1405	7.1154	0.9903	0
	Cos	Cot	Tan	Sin	′

173° 263° *353° 83° NATURAL 82° *172° 262° *352°

*98° 188° *278° **8°** NATURAL **9°** *99° 189° *279°

′	Sin	Tan	Cot	Cos	
0	0.1392	0.1405	7.1154	0.9903	60
1	0.1395	0.1408	7.1004	0.9902	59
2	0.1397	0.1411	7.0855	0.9902	58
3	0.1400	0.1414	7.0706	0.9901	57
4	0.1403	0.1417	7.0558	0.9901	56
5	0.1406	0.1420	7.0410	0.9901	55
6	0.1409	0.1423	7.0264	0.9900	54
7	0.1412	0.1426	7.0117	0.9900	53
8	0.1415	0.1429	6.9972	0.9899	52
9	0.1418	0.1432	6.9827	0.9899	51
10	0.1421	0.1435	6.9682	0.9899	50
11	0.1423	0.1438	6.9538	0.9898	49
12	0.1426	0.1441	6.9395	0.9898	48
13	0.1429	0.1444	6.9252	0.9897	47
14	0.1432	0.1447	6.9110	0.9897	46
15	0.1435	0.1450	6.8969	0.9897	45
16	0.1438	0.1453	6.8828	0.9896	44
17	0.1441	0.1456	6.8687	0.9896	43
18	0.1444	0.1459	6.8548	0.9895	42
19	0.1446	0.1462	6.8408	0.9895	41
20	0.1449	0.1465	6.8269	0.9894	40
21	0.1452	0.1468	6.8131	0.9894	39
22	0.1455	0.1471	6.7994	0.9894	38
23	0.1458	0.1474	6.7856	0.9893	37
24	0.1461	0.1477	6.7720	0.9893	36
25	0.1464	0.1480	6.7584	0.9892	35
26	0.1467	0.1483	6.7448	0.9892	34
27	0.1469	0.1486	6.7313	0.9891	33
28	0.1472	0.1489	6.7179	0.9891	32
29	0.1475	0.1492	6.7045	0.9891	31
30	0.1478	0.1495	6.6912	0.9890	30
31	0.1481	0.1497	6.6779	0.9890	29
32	0.1484	0.1500	6.6646	0.9889	28
33	0.1487	0.1503	6.6514	0.9889	27
34	0.1490	0.1506	6.6383	0.9888	26
35	0.1492	0.1509	6.6252	0.9888	25
36	0.1495	0.1512	6.6122	0.9888	24
37	0.1498	0.1515	6.5992	0.9887	23
38	0.1501	0.1518	6.5863	0.9887	22
39	0.1504	0.1521	6.5734	0.9886	21
40	0.1507	0.1524	6.5606	0.9886	20
41	0.1510	0.1527	6.5478	0.9885	19
42	0.1513	0.1530	6.5350	0.9885	18
43	0.1515	0.1533	6.5223	0.9884	17
44	0.1518	0.1536	6.5097	0.9884	16
45	0.1521	0.1539	6.4971	0.9884	15
46	0.1524	0.1542	6.4846	0.9883	14
47	0.1527	0.1545	6.4721	0.9883	13
48	0.1530	0.1548	6.4596	0.9882	12
49	0.1533	0.1551	6.4472	0.9882	11
50	0.1536	0.1554	6.4348	0.9881	10
51	0.1538	0.1557	6.4225	0.9881	9
52	0.1541	0.1560	6.4103	0.9880	8
53	0.1544	0.1563	6.3980	0.9880	7
54	0.1547	0.1566	6.3859	0.9880	6
55	0.1550	0.1569	6.3737	0.9879	5
56	0.1553	0.1572	6.3617	0.9879	4
57	0.1556	0.1575	6.3496	0.9878	3
58	0.1559	0.1578	6.3376	0.9878	2
59	0.1561	0.1581	6.3257	0.9877	1
60	0.1564	0.1584	6.3138	0.9877	0
	Cos	Cot	Tan	Sin	′

	Sin	Tan	Cot	Cos	
0	0.1564	0.1584	6.3138	0.9877	60
1	0.1567	0.1587	6.3019	0.9876	59
2	0.1570	0.1590	6.2901	0.9876	58
3	0.1573	0.1593	6.2783	0.9876	57
4	0.1576	0.1596	6.2666	0.9875	56
5	0.1579	0.1599	6.2549	0.9875	55
6	0.1582	0.1602	6.2432	0.9874	54
7	0.1584	0.1605	6.2316	0.9874	53
8	0.1587	0.1608	6.2200	0.9873	52
9	0.1590	0.1611	6.2085	0.9873	51
10	0.1593	0.1614	6.1970	0.9872	50
11	0.1596	0.1617	6.1856	0.9872	49
12	0.1599	0.1620	6.1742	0.9871	48
13	0.1602	0.1623	6.1628	0.9871	47
14	0.1605	0.1626	6.1515	0.9870	46
15	0.1607	0.1629	6.1402	0.9870	45
16	0.1610	0.1632	6.1290	0.9869	44
17	0.1613	0.1635	6.1178	0.9869	43
18	0.1616	0.1638	6.1066	0.9869	42
19	0.1619	0.1641	6.0955	0.9868	41
20	0.1622	0.1644	6.0844	0.9868	40
21	0.1625	0.1647	6.0734	0.9867	39
22	0.1628	0.1650	6.0624	0.9867	38
23	0.1630	0.1653	6.0514	0.9866	37
24	0.1633	0.1655	6.0405	0.9866	36
25	0.1636	0.1658	6.0296	0.9865	35
26	0.1639	0.1661	6.0188	0.9865	34
27	0.1642	0.1664	6.0080	0.9864	33
28	0.1645	0.1667	5.9972	0.9864	32
29	0.1648	0.1670	5.9865	0.9863	31
30	0.1650	0.1673	5.9758	0.9863	30
31	0.1653	0.1676	5.9651	0.9862	29
32	0.1656	0.1679	5.9545	0.9862	28
33	0.1659	0.1682	5.9439	0.9861	27
34	0.1662	0.1685	5.9333	0.9861	26
35	0.1665	0.1688	5.9228	0.9860	25
36	0.1668	0.1691	5.9124	0.9860	24
37	0.1671	0.1694	5.9019	0.9859	23
38	0.1673	0.1697	5.8915	0.9859	22
39	0.1676	0.1700	5.8811	0.9859	21
40	0.1679	0.1703	5.8708	0.9858	20
41	0.1682	0.1706	5.8605	0.9858	19
42	0.1685	0.1709	5.8502	0.9857	18
43	0.1688	0.1712	5.8400	0.9857	17
44	0.1691	0.1715	5.8298	0.9856	16
45	0.1693	0.1718	5.8197	0.9856	15
46	0.1696	0.1721	5.8095	0.9855	14
47	0.1699	0.1724	5.7994	0.9855	13
48	0.1702	0.1727	5.7894	0.9854	12
49	0.1705	0.1730	5.7794	0.9854	11
50	0.1708	0.1733	5.7694	0.9853	10
51	0.1711	0.1736	5.7594	0.9853	9
52	0.1714	0.1739	5.7495	0.9852	8
53	0.1716	0.1742	5.7396	0.9852	7
54	0.1719	0.1745	5.7297	0.9851	6
55	0.1722	0.1748	5.7199	0.9851	5
56	0.1725	0.1751	5.7101	0.9850	4
57	0.1728	0.1754	5.7004	0.9850	3
58	0.1731	0.1757	5.6906	0.9849	2
59	0.1734	0.1760	5.6809	0.9849	1
60	0.1736	0.1763	5.6713	0.9848	0
	Cos	Cot	Tan	Sin	′

*171° 261° *351° **81°** NATURAL **80°** *170° 260° *350°

*100° 190° *280° **10°** NATURAL **11°** *101° 191° *281°

′	Sin	Tan	Cot	Cos	
0	0.1736	0.1763	5.6713	0.9848	60
1	0.1739	0.1766	5.6617	0.9848	59
2	0.1742	0.1769	5.6521	0.9847	58
3	0.1745	0.1772	5.6425	0.9847	57
4	0.1748	0.1775	5.6329	0.9846	56
5	0.1751	0.1778	5.6234	0.9846	55
6	0.1754	0.1781	5.6140	0.9845	54
7	0.1757	0.1784	5.6045	0.9845	53
8	0.1759	0.1787	5.5951	0.9844	52
9	0.1762	0.1790	5.5857	0.9843	51
10	0.1765	0.1793	5.5764	0.9843	50
11	0.1768	0.1796	5.5671	0.9842	49
12	0.1771	0.1799	5.5578	0.9842	48
13	0.1774	0.1802	5.5485	0.9841	47
14	0.1777	0.1805	5.5393	0.9841	46
15	0.1779	0.1808	5.5301	0.9840	45
16	0.1782	0.1811	5.5209	0.9840	44
17	0.1785	0.1814	5.5118	0.9839	43
18	0.1788	0.1817	5.5026	0.9839	42
19	0.1791	0.1820	5.4936	0.9838	41
20	0.1794	0.1823	5.4845	0.9838	40
21	0.1797	0.1826	5.4755	0.9837	39
22	0.1799	0.1829	5.4665	0.9837	38
23	0.1802	0.1832	5.4575	0.9836	37
24	0.1805	0.1835	5.4486	0.9836	36
25	0.1808	0.1838	5.4397	0.9835	35
26	0.1811	0.1841	5.4308	0.9835	34
27	0.1814	0.1844	5.4219	0.9834	33
28	0.1817	0.1847	5.4131	0.9834	32
29	0.1819	0.1850	5.4043	0.9833	31
30	0.1822	0.1853	5.3955	0.9833	30
31	0.1825	0.1856	5.3868	0.9832	29
32	0.1828	0.1859	5.3781	0.9831	28
33	0.1831	0.1862	5.3694	0.9831	27
34	0.1834	0.1865	5.3607	0.9830	26
35	0.1837	0.1868	5.3521	0.9830	25
36	0.1840	0.1871	5.3435	0.9829	24
37	0.1842	0.1874	5.3349	0.9829	23
38	0.1845	0.1877	5.3263	0.9828	22
39	0.1848	0.1880	5.3178	0.9828	21
40	0.1851	0.1883	5.3093	0.9827	20
41	0.1854	0.1887	5.3008	0.9827	19
42	0.1857	0.1890	5.2924	0.9826	18
43	0.1860	0.1893	5.2839	0.9826	17
44	0.1862	0.1896	5.2755	0.9825	16
45	0.1865	0.1899	5.2672	0.9825	15
46	0.1868	0.1902	5.2588	0.9824	14
47	0.1871	0.1905	5.2505	0.9823	13
48	0.1874	0.1908	5.2422	0.9823	12
49	0.1877	0.1911	5.2339	0.9822	11
50	0.1880	0.1914	5.2257	0.9822	10
51	0.1882	0.1917	5.2174	0.9821	9
52	0.1885	0.1920	5.2092	0.9821	8
53	0.1888	0.1923	5.2011	0.9820	7
54	0.1891	0.1926	5.1929	0.9820	6
55	0.1894	0.1929	5.1848	0.9819	5
56	0.1897	0.1932	5.1767	0.9818	4
57	0.1900	0.1935	5.1686	0.9818	3
58	0.1902	0.1938	5.1606	0.9817	2
59	0.1905	0.1941	5.1526	0.9817	1
60	0.1908	0.1944	5.1446	0.9816	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.1908	0.1944	5.1446	0.9816	60
1	0.1911	0.1947	5.1366	0.9816	59
2	0.1914	0.1950	5.1286	0.9815	58
3	0.1917	0.1953	5.1207	0.9815	57
4	0.1920	0.1956	5.1128	0.9814	56
5	0.1922	0.1959	5.1049	0.9813	55
6	0.1925	0.1962	5.0970	0.9813	54
7	0.1928	0.1965	5.0892	0.9812	53
8	0.1931	0.1968	5.0814	0.9812	52
9	0.1934	0.1971	5.0736	0.9811	51
10	0.1937	0.1974	5.0658	0.9811	50
11	0.1939	0.1977	5.0581	0.9810	49
12	0.1942	0.1980	5.0504	0.9810	48
13	0.1945	0.1983	5.0427	0.9809	47
14	0.1948	0.1986	5.0350	0.9808	46
15	0.1951	0.1989	5.0273	0.9808	45
16	0.1954	0.1992	5.0197	0.9807	44
17	0.1957	0.1995	5.0121	0.9807	43
18	0.1959	0.1998	5.0045	0.9806	42
19	0.1962	0.2001	4.9969	0.9806	41
20	0.1965	0.2004	4.9894	0.9805	40
21	0.1968	0.2007	4.9819	0.9804	39
22	0.1971	0.2010	4.9744	0.9804	38
23	0.1974	0.2013	4.9669	0.9803	37
24	0.1977	0.2016	4.9594	0.9803	36
25	0.1979	0.2019	4.9520	0.9802	35
26	0.1982	0.2022	4.9446	0.9802	34
27	0.1985	0.2025	4.9372	0.9801	33
28	0.1988	0.2028	4.9298	0.9800	32
29	0.1991	0.2031	4.9225	0.9800	31
30	0.1994	0.2035	4.9152	0.9799	30
31	0.1997	0.2038	4.9078	0.9799	29
32	0.1999	0.2041	4.9006	0.9798	28
33	0.2002	0.2044	4.8933	0.9798	27
34	0.2005	0.2047	4.8860	0.9797	26
35	0.2008	0.2050	4.8788	0.9796	25
36	0.2011	0.2053	4.8716	0.9796	24
37	0.2014	0.2056	4.8644	0.9795	23
38	0.2016	0.2059	4.8573	0.9795	22
39	0.2019	0.2062	4.8501	0.9794	21
40	0.2022	0.2065	4.8430	0.9793	20
41	0.2025	0.2068	4.8359	0.9793	19
42	0.2028	0.2071	4.8288	0.9792	18
43	0.2031	0.2074	4.8218	0.9792	17
44	0.2034	0.2077	4.8147	0.9791	16
45	0.2036	0.2080	4.8077	0.9790	15
46	0.2039	0.2083	4.8007	0.9790	14
47	0.2042	0.2086	4.7937	0.9789	13
48	0.2045	0.2089	4.7867	0.9789	12
49	0.2048	0.2092	4.7798	0.9788	11
50	0.2051	0.2095	4.7729	0.9787	10
51	0.2054	0.2098	4.7659	0.9787	9
52	0.2056	0.2101	4.7591	0.9786	8
53	0.2059	0.2104	4.7522	0.9786	7
54	0.2062	0.2107	4.7453	0.9785	6
55	0.2065	0.2110	4.7385	0.9784	5
56	0.2068	0.2113	4.7317	0.9784	4
57	0.2071	0.2116	4.7249	0.9783	3
58	0.2073	0.2119	4.7181	0.9783	2
59	0.2076	0.2123	4.7114	0.9782	1
60	0.2079	0.2126	4.7046	0.9781	0
	Cos	Cot	Tan	Sin	′

*169° 259° *349° **79°** NATURAL **78°** *168° 258° *348°

*102° 192° *282° **12°** NATURAL **13°** *103° 193° *283°

′	Sin	Tan	Cot	Cos	
0	0.2079	0.2126	4.7046	0.9781	60
1	0.2082	0.2129	4 6979	0.9781	59
2	0.2085	0.2132	4.6912	0.9780	58
3	0.2088	0.2135	4.6845	0.9780	57
4	0.2090	0.2138	4.6779	0.9779	56
5	0.2093	0.2141	4 6712	0.9778	55
6	0.2096	0 2144	4.6646	0.9778	54
7	0.2099	0.2147	4.6580	0 9777	53
8	0.2102	0.2150	4.6514	0.9777	52
9	0.2105	0.2153	4 6448	0 9776	51
10	0.2108	0 2156	4.6382	0.9775	50
11	0 2110	0.2159	4 6317	0.9775	49
12	0.2113	0.2162	4.6252	0 9774	48
13	0.2116	0.2165	4.6187	0.9774	47
14	0.2119	0.2168	4.6122	0 9773	46
15	0.2122	0.2171	4.6057	0 9772	45
16	0.2125	0.2174	4.5993	0.9772	44
17	0.2127	0.2177	4.5928	0.9771	43
18	0.2130	0 2180	4 5864	0.9770	42
19	0.2133	0.2183	4 5800	0.9770	41
20	0 2136	0.2186	4 5736	0 9769	40
21	0.2139	0 2189	4 5673	0.9769	39
22	0.2142	0.2193	4 5609	0.9768	38
23	0 2145	0.2196	4 5546	0 9767	37
24	0 2147	0.2199	4.5483	0.9767	36
25	0.2150	0.2202	4 5420	0.9766	35
26	0 2153	0.2205	4 5357	0 9765	34
27	0.2156	0.2208	4.5294	0.9765	33
28	0.2159	0.2211	4 5232	0.9764	32
29	0.2162	0 2214	4.5169	0.9764	31
30	0 2164	0 2217	4.5107	0.9763	30
31	0.2167	0.2220	4 5045	0.9762	29
32	0 2170	0 2223	4 4983	0.9762	28
33	0 2173	0.2226	4.4922	0.9761	27
34	0.2176	0 2229	4 4860	0.9760	26
35	0.2179	0 2232	4.4799	0.9760	25
36	0.2181	0.2235	4.4737	0.9759	24
37	0.2184	0.2238	4.4676	0.9759	23
38	0.2187	0.2241	4 4615	0.9758	22
39	0 2190	0.2244	4.4555	0 9757	21
40	0.2193	0.2247	4.4494	0 9757	20
41	0 2196	0.2251	4 4434	0.9756	19
42	0 2198	0 2254	4 4373	0 9755	18
43	0.2201	0.2257	4.4313	0.9755	17
44	0.2204	0.2260	4.4253	0.9754	16
45	0.2207	0.2263	4.4194	0.9753	15
46	0.2210	0.2266	4.4134	0.9753	14
47	0.2213	0.2269	4.4075	0.9752	13
48	0.2215	0.2272	4.4015	0.9751	12
49	0.2218	0.2275	4.3956	0.9751	11
50	0 2221	0.2278	4.3897	0 9750	10
51	0 2224	0.2281	4.3838	0.9750	9
52	0.2227	0.2284	4.3779	0.9749	8
53	0.2230	0.2287	4.3721	0.9748	7
54	0.2233	0.2290	4.3662	0.9748	6
55	0.2235	0.2293	4.3604	0.9747	5
56	0.2238	0.2296	4.3546	0.9746	4
57	0.2241	0.2299	4.3488	0.9746	3
58	0.2244	0.2303	4.3430	0.9745	2
59	0.2247	0 2306	4.3372	0.9744	1
60	0.2250	0.2309	4.3315	0.9744	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.2250	0.2309	4.3315	0.9744	60
1	0.2252	0.2312	4.3257	0.9743	59
2	0.2255	0.2315	4.3200	0 9742	58
3	0.2258	0.2318	4.3143	0.9742	57
4	0.2261	0.2321	4.3086	0.9741	56
5	0.2264	0.2324	4.3029	0.9740	55
6	0.2267	0.2327	4.2972	0.9740	54
7	0.2269	0.2330	4.2916	0 9739	53
8	0.2272	0.2333	4.2859	0.9738	52
9	0.2275	0.2336	4 2803	0.9738	51
10	0.2278	0 2339	4.2747	0.9737	50
11	0.2281	0.2342	4.2691	0 9736	49
12	0.2284	0.2345	4 2635	0.9736	48
13	0.2286	0.2349	4 2580	0.9735	47
14	0.2289	0.2352	4.2524	0.9734	46
15	0.2292	0.2355	4.2468	0 9734	45
16	0.2295	0.2358	4 2413	0.9733	44
17	0.2298	0.2361	4 2358	0.9732	43
18	0.2300	0.2364	4.2303	0.9732	42
19	0.2303	0 2367	4 2248	0 9731	41
20	0.2306	0.2370	4.2193	0 9730	40
21	0.2309	0.2373	4.2139	0 9730	39
22	0.2312	0.2376	4 2084	0.9729	38
23	0.2315	0.2379	4.2030	0.9728	37
24	0.2317	0 2382	4 1976	0.9728	36
25	0.2320	0.2385	4.1922	0.9727	35
26	0.2323	0.2388	4 1868	0.9726	34
27	0.2326	0 2392	4.1814	0.9726	33
28	0.2329	0.2395	4 1760	0.9725	32
29	0 2332	0.2398	4 1706	0 9724	31
30	0 2334	0 2401	4 1653	0 9724	30
31	0.2337	0 2404	4 1600	0 9723	29
32	0.2340	0.2407	4.1547	0 9722	28
33	0 2343	0 2410	4.1493	0 9722	27
34	0.2346	0 2413	4.1441	0 9721	26
35	0 2349	0.2416	4 1388	0.9720	25
36	0.2351	0.2419	4.1335	0.9720	24
37	0.2354	0.2422	4 1282	0 9719	23
38	0.2357	0.2425	4.1230	0.9718	22
39	0.2360	0.2428	4 1178	0.9718	21
40	0.2363	0.2432	4 1126	0 9717	20
41	0 2366	0 2435	4 1074	0 9716	19
42	0.2368	0.2438	4 1022	0.9715	18
43	0.2371	0.2441	4.0970	0.9715	17
44	0.2374	0.2444	4.0918	0.9714	16
45	0.2377	0.2447	4 0867	0 9713	15
46	0.2380	0.2450	4.0815	0.9713	14
47	0.2383	0.2453	4.0764	0.9712	13
48	0.2385	0.2456	4.0713	0 9711	12
49	0.2388	0.2459	4 0662	0.9711	11
50	0.2391	0 2462	4.0611	0 9710	10
51	0.2394	0.2465	4.0560	0.9709	9
52	0.2397	0.2469	4 0509	0 9709	8
53	0.2399	0.2472	4.0459	0.9708	7
54	0.2402	0.2475	4 0408	0.9707	6
55	0.2405	0.2478	4.0358	0 9706	5
56	0.2408	0.2481	4.0308	0.9706	4
57	0.2411	0.2484	4.0257	0.9705	3
58	0.2414	0.2487	4.0207	0.9704	2
59	0.2416	0.2490	4 0158	0.9704	1
60	0.2419	0.2493	4.0108	0.9703	0
	Cos	Cot	Tan	Sin	′

*167° 257° *347° **77°** NATURAL **76°** *166° 256° *346°

*104° 194° *284° **14°** NATURAL **15°** *105° 195° *285°

′	Sin	Tan	Cot	Cos	
0	0.2419	0 2493	4.0108	0.9703	60
1	0.2422	0.2496	4.0058	0.9702	59
2	0.2425	0.2499	4.0009	0.9702	58
3	0.2428	0.2503	3.9959	0.9701	57
4	0.2431	0.2506	3.9910	0.9700	56
5	0.2433	0.2509	3.9861	0.9699	55
6	0.2436	0.2512	3.9812	0.9699	54
7	0.2439	0.2515	3.9763	0.9698	53
8	0.2442	0.2518	3.9714	0 9697	52
9	0.2445	0.2521	3 9665	0.9697	51
10	0.2447	0 2524	3.9617	0 9696	50
11	0.2450	0.2527	3.9568	0 9695	49
12	0.2453	0.2530	3.9520	0 9694	48
13	0.2456	0.2533	3.9471	0.9694	47
14	0.2459	0.2537	3.9423	0.9693	46
15	0.2462	0.2540	3.9375	0.9692	45
16	0.2464	0.2543	3.9327	0.9692	44
17	0.2467	0 2546	3.9279	0.9691	43
18	0.2470	0 2549	3 9232	0.9690	42
19	0.2473	0.2552	3.9184	0.9689	41
20	0.2476	0.2555	3.9136	0.9689	40
21	0.2478	0.2558	3.9089	0.9688	39
22	0.2481	0.2561	3 9042	0.9687	38
23	0.2484	0.2564	3.8995	0.9687	37
24	0.2487	0.2568	3.8947	0.9686	36
25	0.2490	0.2571	3.8900	0.9685	35
26	0.2493	0.2574	3.8854	0.9684	34
27	0.2495	0.2577	3.8807	0.9684	33
28	0.2498	0.2580	3.8760	0.9683	32
29	0.2501	0.2583	3.8714	0.9682	31
30	0.2504	0.2586	3.8667	0 9681	30
31	0.2507	0.2589	3 8621	0.9681	29
32	0.2509	0.2592	3.8575	0.9680	28
33	0.2512	0.2595	3.8528	0.9679	27
34	0.2515	0.2599	3.8482	0.9679	26
35	0.2518	0.2602	3.8436	0.9678	25
36	0.2521	0.2605	3.8391	0.9677	24
37	0.2524	0.2608	3.8345	0 9676	23
38	0.2526	0.2611	3 8299	0.9676	22
39	0.2529	0.2614	3 8254	0.9675	21
40	0.2532	0.2617	3.8208	0.9674	20
41	0.2535	0.2620	3.8163	0.9673	19
42	0.2538	0.2623	3.8118	0.9673	18
43	0.2540	0.2627	3.8073	0.9672	17
44	0.2543	0.2630	3.8028	0.9671	16
45	0.2546	0.2633	3.7983	0.9670	15
46	0.2549	0.2636	3.7938	0.9670	14
47	0.2552	0.2639	3.7893	0.9669	13
48	0.2554	0.2642	3.7848	0.9668	12
49	0.2557	0.2645	3.7804	0 9667	11
50	0.2560	0.2648	3.7760	0 9667	10
51	0.2563	0.2651	3.7715	0.9666	9
52	0.2566	0.2655	3.7671	0.9665	8
53	0.2569	0.2658	3.7627	0.9665	7
54	0.2571	0.2661	3.7583	0.9664	6
55	0.2574	0.2664	3.7539	0.9663	5
56	0.2577	0.2667	3.7495	0.9662	4
57	0.2580	0.2670	3.7451	0.9662	3
58	0.2583	0.2673	3.7408	0.9661	2
59	0.2585	0.2676	3.7364	0.9660	1
60	0.2588	0.2679	3.7321	0.9659	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.2588	0.2679	3.7321	0.9659	60
1	0.2591	0.2683	3 7277	0 9659	59
2	0.2594	0.2686	3.7234	0.9658	58
3	0.2597	0.2689	3.7191	0.9657	57
4	0.2599	0.2692	3.7148	0 9656	56
5	0.2602	0 2695	3.7105	0.9655	55
6	0.2605	0 2698	3 7062	0.9655	54
7	0.2608	0.2701	3.7019	0.9654	53
8	0.2611	0.2704	3.6976	0.9653	52
9	0.2613	0.2708	3.6933	0 9652	51
10	0.2616	0 2711	3 6891	0.9652	50
11	0.2619	0.2714	3 6848	0.9651	49
12	0.2622	0.2717	3.6806	0 9650	48
13	0.2625	0.2720	3.6764	0.9649	47
14	0.2628	0.2723	3.6722	0.9649	46
15	0.2630	0.2726	3.6680	0.9648	45
16	0.2633	0.2729	3.6638	0.9647	44
17	0.2636	0.2733	3.6596	0.9646	43
18	0.2639	0.2736	3.6554	0.9646	42
19	0.2642	0.2739	3.6512	0 9645	41
20	0 2644	0 2742	3 6470	0.9644	40
21	0 2647	0.2745	3.6429	0.9643	39
22	0.2650	0.2748	3 6387	0 9642	38
23	0.2653	0.2751	3.6346	0.9642	37
24	0.2656	0.2754	3.6305	0.9641	36
25	0.2658	0.2758	3.6264	0.9640	35
26	0.2661	0.2761	3.6222	0.9639	34
27	0.2664	0.2764	3.6181	0.9639	33
28	0.2667	0.2767	3.6140	0.9638	32
29	0.2670	0 2770	3.6100	0.9637	31
30	0.2672	0.2773	3 6059	0 9636	30
31	0.2675	0.2776	3.6018	0.9636	29
32	0.2678	0.2780	3.5978	0.9635	28
33	0.2681	0.2783	3.5937	0.9634	27
34	0.2684	0.2786	3.5897	0.9633	26
35	0.2686	0.2789	3.5856	0.9632	25
36	0.2689	0.2792	3.5816	0.9632	24
37	0.2692	0.2795	3.5776	0.9631	23
38	0.2695	0.2798	3.5736	0.9630	22
39	0.2698	0.2801	3.5696	0.9629	21
40	0.2700	0 2805	3.5656	0.9628	20
41	0.2703	0.2808	3.5616	0.9628	19
42	0.2706	0.2811	3.5576	0.9627	18
43	0.2709	0.2814	3 5536	0.9626	17
44	0.2712	0.2817	3.5497	0.9625	16
45	0.2714	0.2820	3.5457	0.9625	15
46	0.2717	0.2823	3 5418	0.9624	14
47	0.2720	0.2827	3.5379	0.9623	13
48	0.2723	0.2830	3.5339	0.9622	12
49	0.2726	0.2833	3.5300	0.9621	11
50	0.2728	0.2836	3.5261	0.9621	10
51	0.2731	0.2839	3.5222	0.9620	9
52	0.2734	0.2842	3.5183	0.9619	8
53	0.2737	0.2845	3.5144	0.9618	7
54	0.2740	0.2849	3.5105	0.9617	6
55	0.2742	0.2852	3.5067	0.9617	5
56	0.2745	0.2855	3.5028	0.9616	4
57	0.2748	0.2858	3.4989	0.9615	3
58	0.2751	0.2861	3.4951	0.9614	2
59	0.2754	0.2864	3.4912	0.9613	1
60	0.2756	0.2867	3.4874	0.9613	0
	Cos	Cot	Tan	Sin	′

*165° 255° *345° **75°** NATURAL **74°** *164° 254° *344°

*106° 196° *286° **16°** NATURAL **17°** *107° 197° *287°

′	Sin	Tan	Cot	Cos	
0	0.2756	0.2867	3.4874	0.9613	60
1	0.2759	0.2871	3.4836	0.9612	59
2	0.2762	0.2874	3.4798	0.9611	58
3	0.2765	0.2877	3.4760	0.9610	57
4	0.2768	0.2880	3.4722	0.9609	56
5	0.2770	0.2883	3.4684	0.9609	55
6	0.2773	0.2886	3.4646	0.9608	54
7	0.2776	0.2890	3.4608	0.9607	53
8	0.2779	0.2893	3.4570	0.9606	52
9	0.2782	0.2896	3.4533	0.9605	51
10	0.2784	0.2899	3.4495	0.9605	50
11	0.2787	0.2902	3.4458	0.9604	49
12	0.2790	0.2905	3.4420	0.9603	48
13	0.2793	0.2908	3.4383	0.9602	47
14	0.2795	0.2912	3.4346	0.9601	46
15	0.2798	0.2915	3.4308	0.9600	45
16	0.2801	0.2918	3.4271	0.9600	44
17	0.2804	0.2921	3.4234	0.9599	43
18	0.2807	0.2924	3.4197	0.9598	42
19	0.2809	0.2927	3.4160	0.9597	41
20	0.2812	0.2931	3.4124	0.9596	40
21	0.2815	0.2934	3.4087	0.9596	39
22	0.2818	0.2937	3.4050	0.9595	38
23	0.2821	0.2940	3.4014	0.9594	37
24	0.2823	0.2943	3.3977	0.9593	36
25	0.2826	0.2946	3.3941	0.9592	35
26	0.2829	0.2949	3.3904	0.9591	34
27	0.2832	0.2953	3.3868	0.9591	33
28	0.2835	0.2956	3.3832	0.9590	32
29	0.2837	0.2959	3.3796	0.9589	31
30	0.2840	0.2962	3.3759	0.9588	30
31	0.2843	0.2965	3.3723	0.9587	29
32	0.2846	0.2968	3.3687	0.9587	28
33	0.2849	0.2972	3.3652	0.9586	27
34	0.2851	0.2975	3.3616	0.9585	26
35	0.2854	0.2978	3.3580	0.9584	25
36	0.2857	0.2981	3.3544	0.9583	24
37	0.2860	0.2984	3.3509	0.9582	23
38	0.2862	0.2987	3.3473	0.9582	22
39	0.2865	0.2991	3.3438	0.9581	21
40	0.2868	0.2994	3.3402	0.9580	20
41	0.2871	0.2997	3.3367	0.9579	19
42	0.2874	0.3000	3.3332	0.9578	18
43	0.2876	0.3003	3.3297	0.9577	17
44	0.2879	0.3006	3.3261	0.9577	16
45	0.2882	0.3010	3.3226	0.9576	15
46	0.2885	0.3013	3.3191	0.9575	14
47	0.2888	0.3016	3.3156	0.9574	13
48	0.2890	0.3019	3.3122	0.9573	12
49	0.2893	0.3022	3.3087	0.9572	11
50	0.2896	0.3026	3.3052	0.9572	10
51	0.2899	0.3029	3.3017	0.9571	9
52	0.2901	0.3032	3.2983	0.9570	8
53	0.2904	0.3035	3.2948	0.9569	7
54	0.2907	0.3038	3.2914	0.9568	6
55	0.2910	0.3041	3.2879	0.9567	5
56	0.2913	0.3045	3.2845	0.9566	4
57	0.2915	0.3048	3.2811	0.9566	3
58	0.2918	0.3051	3.2777	0.9565	2
59	0.2921	0.3054	3.2743	0.9564	1
60	0.2924	0.3057	3.2709	0.9563	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.2924	0.3057	3.2709	0.9563	60
1	0.2926	0.3060	3.2675	0.9562	59
2	0.2929	0.3064	3.2641	0.9561	58
3	0.2932	0.3067	3.2607	0.9560	57
4	0.2935	0.3070	3.2573	0.9560	56
5	0.2938	0.3073	3.2539	0.9559	55
6	0.2940	0.3076	3.2506	0.9558	54
7	0.2943	0.3080	3.2472	0.9557	53
8	0.2946	0.3083	3.2438	0.9556	52
9	0.2949	0.3086	3.2405	0.9555	51
10	0.2952	0.3089	3.2371	0.9555	50
11	0.2954	0.3092	3.2338	0.9554	49
12	0.2957	0.3096	3.2305	0.9553	48
13	0.2960	0.3099	3.2272	0.9552	47
14	0.2963	0.3102	3.2238	0.9551	46
15	0.2965	0.3105	3.2205	0.9550	45
16	0.2968	0.3108	3.2172	0.9549	44
17	0.2971	0.3111	3.2139	0.9548	43
18	0.2974	0.3115	3.2106	0.9548	42
19	0.2977	0.3118	3.2073	0.9547	41
20	0.2979	0.3121	3.2041	0.9546	40
21	0.2982	0.3124	3.2008	0.9545	39
22	0.2985	0.3127	3.1975	0.9544	38
23	0.2988	0.3131	3.1943	0.9543	37
24	0.2990	0.3134	3.1910	0.9542	36
25	0.2993	0.3137	3.1878	0.9542	35
26	0.2996	0.3140	3.1845	0.9541	34
27	0.2999	0.3143	3.1813	0.9540	33
28	0.3002	0.3147	3.1780	0.9539	32
29	0.3004	0.3150	3.1748	0.9538	31
30	0.3007	0.3153	3.1716	0.9537	30
31	0.3010	0.3156	3.1684	0.9536	29
32	0.3013	0.3159	3.1652	0.9535	28
33	0.3015	0.3163	3.1620	0.9535	27
34	0.3018	0.3166	3.1588	0.9534	26
35	0.3021	0.3169	3.1556	0.9533	25
36	0.3024	0.3172	3.1524	0.9532	24
37	0.3026	0.3175	3.1492	0.9531	23
38	0.3029	0.3179	3.1460	0.9530	22
39	0.3032	0.3182	3.1429	0.9529	21
40	0.3035	0.3185	3.1397	0.9528	20
41	0.3038	0.3188	3.1366	0.9527	19
42	0.3040	0.3191	3.1334	0.9527	18
43	0.3043	0.3195	3.1303	0.9526	17
44	0.3046	0.3198	3.1271	0.9525	16
45	0.3049	0.3201	3.1240	0.9524	15
46	0.3051	0.3204	3.1209	0.9523	14
47	0.3054	0.3207	3.1178	0.9522	13
48	0.3057	0.3211	3.1146	0.9521	12
49	0.3060	0.3214	3.1115	0.9520	11
50	0.3062	0.3217	3.1084	0.9520	10
51	0.3065	0.3220	3.1053	0.9519	9
52	0.3068	0.3223	3.1022	0.9518	8
53	0.3071	0.3227	3.0991	0.9517	7
54	0.3074	0.3230	3.0961	0.9516	6
55	0.3076	0.3233	3.0930	0.9515	5
56	0.3079	0.3236	3.0899	0.9514	4
57	0.3082	0.3240	3.0868	0.9513	3
58	0.3085	0.3243	3.0838	0.9512	2
59	0.3087	0.3246	3.0807	0.9511	1
60	0.3090	0.3249	3.0777	0.9511	0
	Cos	Cot	Tan	Sin	′

163° 253° *343° **73°** NATURAL **72°** *162° 252° *342°

*108° 198° *288° **18°** NATURAL **19°** *109° 199° *289°

′	Sin	Tan	Cot	Cos	
0	0.3090	0.3249	3.0777	0.9511	60
1	0.3093	0.3252	3.0746	0.9510	59
2	0.3096	0.3256	3.0716	0.9509	58
3	0.3098	0.3259	3.0686	0.9508	57
4	0.3101	0.3262	3.0655	0.9507	56
5	0.3104	0.3265	3.0625	0.9506	55
6	0.3107	0.3269	3.0595	0.9505	54
7	0.3110	0.3272	3.0565	0.9504	53
8	0.3112	0.3275	3.0535	0.9503	52
9	0.3115	0.3278	3.0505	0.9502	51
10	0.3118	0.3281	3.0475	0.9502	50
11	0.3121	0.3285	3.0445	0.9501	49
12	0.3123	0.3288	3.0415	0.9500	48
13	0.3126	0.3291	3.0385	0.9499	47
14	0.3129	0.3294	3.0356	0.9498	46
15	0.3132	0.3298	3.0326	0.9497	45
16	0.3134	0.3301	3.0296	0.9496	44
17	0.3137	0.3304	3.0267	0.9495	43
18	0.3140	0.3307	3.0237	0.9494	42
19	0.3143	0.3310	3.0208	0.9493	41
20	0.3145	0.3314	3.0178	0.9492	40
21	0.3148	0.3317	3.0149	0.9492	39
22	0.3151	0.3320	3.0120	0.9491	38
23	0.3154	0.3323	3.0090	0.9490	37
24	0.3156	0.3327	3.0061	0.9489	36
25	0.3159	0.3330	3.0032	0.9488	35
26	0.3162	0.3333	3.0003	0.9487	34
27	0.3165	0.3336	2.9974	0.9486	33
28	0.3168	0.3339	2.9945	0.9485	32
29	0.3170	0.3343	2.9916	0.9484	31
30	0.3173	0.3346	2.9887	0.9483	30
31	0.3176	0.3349	2.9858	0.9482	29
32	0.3179	0.3352	2.9829	0.9481	28
33	0.3181	0.3356	2.9800	0.9480	27
34	0.3184	0.3359	2.9772	0.9480	26
35	0.3187	0.3362	2.9743	0.9479	25
36	0.3190	0.3365	2.9714	0.9478	24
37	0.3192	0.3369	2.9686	0.9477	23
38	0.3195	0.3372	2.9657	0.9476	22
39	0.3198	0.3375	2.9629	0.9475	21
40	0.3201	0.3378	2.9600	0.9474	20
41	0.3203	0.3382	2.9572	0.9473	19
42	0.3206	0.3385	2.9544	0.9472	18
43	0.3209	0.3388	2.9515	0.9471	17
44	0.3212	0.3391	2.9487	0.9470	16
45	0.3214	0.3395	2.9459	0.9469	15
46	0.3217	0.3398	2.9431	0.9468	14
47	0.3220	0.3401	2.9403	0.9467	13
48	0.3223	0.3404	2.9375	0.9466	12
49	0.3225	0.3408	2.9347	0.9466	11
50	0.3228	0.3411	2.9319	0.9465	10
51	0.3231	0.3414	2.9291	0.9464	9
52	0.3234	0.3417	2.9263	0.9463	8
53	0.3236	0.3421	2.9235	0.9462	7
54	0.3239	0.3424	2.9208	0.9461	6
55	0.3242	0.3427	2.9180	0.9460	5
56	0.3245	0.3430	2.9152	0.9459	4
57	0.3247	0.3434	2.9125	0.9458	3
58	0.3250	0.3437	2.9097	0.9457	2
59	0.3253	0.3440	2.9070	0.9456	1
60	0.3256	0.3443	2.9042	0.9455	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.3256	0.3443	2.9042	0.9455	60
1	0.3258	0.3447	2.9015	0.9454	59
2	0.3261	0.3450	2.8987	0.9453	58
3	0.3264	0.3453	2.8960	0.9452	57
4	0.3267	0.3456	2.8933	0.9451	56
5	0.3269	0.3460	2.8905	0.9450	55
6	0.3272	0.3463	2.8878	0.9449	54
7	0.3275	0.3466	2.8851	0.9449	53
8	0.3278	0.3469	2.8824	0.9448	52
9	0.3280	0.3473	2.8797	0.9447	51
10	0.3283	0.3476	2.8770	0.9446	50
11	0.3286	0.3479	2.8743	0.9445	49
12	0.3289	0.3482	2.8716	0.9444	48
13	0.3291	0.3486	2.8689	0.9443	47
14	0.3294	0.3489	2.8662	0.9442	46
15	0.3297	0.3492	2.8636	0.9441	45
16	0.3300	0.3495	2.8609	0.9440	44
17	0.3302	0.3499	2.8582	0.9439	43
18	0.3305	0.3502	2.8556	0.9438	42
19	0.3308	0.3505	2.8529	0.9437	41
20	0.3311	0.3508	2.8502	0.9436	40
21	0.3313	0.3512	2.8476	0.9435	39
22	0.3316	0.3515	2.8449	0.9434	38
23	0.3319	0.3518	2.8423	0.9433	37
24	0.3322	0.3522	2.8397	0.9432	36
25	0.3324	0.3525	2.8370	0.9431	35
26	0.3327	0.3528	2.8344	0.9430	34
27	0.3330	0.3531	2.8318	0.9429	33
28	0.3333	0.3535	2.8291	0.9428	32
29	0.3335	0.3538	2.8265	0.9427	31
30	0.3338	0.3541	2.8239	0.9426	30
31	0.3341	0.3544	2.8213	0.9425	29
32	0.3344	0.3548	2.8187	0.9424	28
33	0.3346	0.3551	2.8161	0.9423	27
34	0.3349	0.3554	2.8135	0.9423	26
35	0.3352	0.3558	2.8109	0.9422	25
36	0.3355	0.3561	2.8083	0.9421	24
37	0.3357	0.3564	2.8057	0.9420	23
38	0.3360	0.3567	2.8032	0.9419	22
39	0.3363	0.3571	2.8006	0.9418	21
40	0.3365	0.3574	2.7980	0.9417	20
41	0.3368	0.3577	2.7955	0.9416	19
42	0.3371	0.3581	2.7929	0.9415	18
43	0.3374	0.3584	2.7903	0.9414	17
44	0.3376	0.3587	2.7878	0.9413	16
45	0.3379	0.3590	2.7852	0.9412	15
46	0.3382	0.3594	2.7827	0.9411	14
47	0.3385	0.3597	2.7801	0.9410	13
48	0.3387	0.3600	2.7776	0.9409	12
49	0.3390	0.3604	2.7751	0.9408	11
50	0.3393	0.3607	2.7725	0.9407	10
51	0.3396	0.3610	2.7700	0.9406	9
52	0.3398	0.3613	2.7675	0.9405	8
53	0.3401	0.3617	2.7650	0.9404	7
54	0.3404	0.3620	2.7625	0.9403	6
55	0.3407	0.3623	2.7600	0.9402	5
56	0.3409	0.3627	2.7575	0.9401	4
57	0.3412	0.3630	2.7550	0.9400	3
58	0.3415	0.3633	2.7525	0.9399	2
59	0.3417	0.3636	2.7500	0.9398	1
60	0.3420	0.3640	2.7475	0.9397	0
	Cos	Cot	Tan	Sin	′

*161° 251° *341° **71°** NATURAL **70°** *160° 250° *340°

*110° 200° *290° **20°** NATURAL **21°** *111° 201° *291°

′	Sin	Tan	Cot	Cos	
0	0.3420	0.3640	2.7475	0.9397	60
1	0.3423	0.3643	2.7450	0.9396	59
2	0.3426	0.3646	2.7425	0.9395	58
3	0.3428	0.3650	2.7400	0.9394	57
4	0.3431	0.3653	2.7376	0.9393	56
5	0.3434	0.3656	2.7351	0.9392	55
6	0.3437	0.3659	2.7326	0.9391	54
7	0.3439	0.3663	2.7302	0.9390	53
8	0.3442	0.3666	2.7277	0.9389	52
9	0.3445	0.3669	2.7253	0.9388	51
10	0.3448	0.3673	2.7228	0.9387	50
11	0.3450	0.3676	2.7204	0.9386	49
12	0.3453	0.3679	2.7179	0.9385	48
13	0.3456	0.3683	2.7155	0.9384	47
14	0.3458	0.3686	2.7130	0.9383	46
15	0.3461	0.3689	2.7106	0.9382	45
16	0.3464	0.3693	2.7082	0.9381	44
17	0.3467	0.3696	2.7058	0.9380	43
18	0.3469	0.3699	2.7034	0.9379	42
19	0.3472	0.3702	2.7009	0.9378	41
20	0.3475	0.3706	2.6985	0.9377	40
21	0.3478	0.3709	2.6961	0.9376	39
22	0.3480	0.3712	2.6937	0.9375	38
23	0.3483	0.3716	2.6913	0.9374	37
24	0.3486	0.3719	2.6889	0.9373	36
25	0.3488	0.3722	2.6865	0.9372	35
26	0.3491	0.3726	2.6841	0.9371	34
27	0.3494	0.3729	2.6818	0.9370	33
28	0.3497	0.3732	2.6794	0.9369	32
29	0.3499	0.3736	2.6770	0.9368	31
30	0.3502	0.3739	2.6746	0.9367	30
31	0.3505	0.3742	2.6723	0.9366	29
32	0.3508	0.3745	2.6699	0.9365	28
33	0.3510	0.3749	2.6675	0.9364	27
34	0.3513	0.3752	2.6652	0.9363	26
35	0.3516	0.3755	2.6628	0.9362	25
36	0.3518	0.3759	2.6605	0.9361	24
37	0.3521	0.3762	2.6581	0.9360	23
38	0.3524	0.3765	2.6558	0.9359	22
39	0.3527	0.3769	2.6534	0.9358	21
40	0.3529	0.3772	2.6511	0.9356	20
41	0.3532	0.3775	2.6488	0.9355	19
42	0.3535	0.3779	2.6464	0.9354	18
43	0.3537	0.3782	2.6441	0.9353	17
44	0.3540	0.3785	2.6418	0.9352	16
45	0.3543	0.3789	2.6395	0.9351	15
46	0.3546	0.3792	2.6371	0.9350	14
47	0.3548	0.3795	2.6348	0.9349	13
48	0.3551	0.3799	2.6325	0.9348	12
49	0.3554	0.3802	2.6302	0.9347	11
50	0.3557	0.3805	2.6279	0.9346	10
51	0.3559	0.3809	2.6256	0.9345	9
52	0.3562	0.3812	2.6233	0.9344	8
53	0.3565	0.3815	2.6210	0.9343	7
54	0.3567	0.3819	2.6187	0.9342	6
55	0.3570	0.3822	2.6165	0.9341	5
56	0.3573	0.3825	2.6142	0.9340	4
57	0.3576	0.3829	2.6119	0.9339	3
58	0.3578	0.3832	2.6096	0.9338	2
59	0.3581	0.3835	2.6074	0.9337	1
60	0.3584	0.3839	2.6051	0.9336	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.3584	0.3839	2.6051	0.9336	60
1	0.3586	0.3842	2.6028	0.9335	59
2	0.3589	0.3845	2.6006	0.9334	58
3	0.3592	0.3849	2.5983	0.9333	57
4	0.3595	0.3852	2.5961	0.9332	56
5	0.3597	0.3855	2.5938	0.9331	55
6	0.3600	0.3859	2.5916	0.9330	54
7	0.3603	0.3862	2.5893	0.9328	53
8	0.3605	0.3865	2.5871	0.9327	52
9	0.3608	0.3869	2.5848	0.9326	51
10	0.3611	0.3872	2.5826	0.9325	50
11	0.3614	0.3875	2.5804	0.9324	49
12	0.3616	0.3879	2.5782	0.9323	48
13	0.3619	0.3882	2.5759	0.9322	47
14	0.3622	0.3885	2.5737	0.9321	46
15	0.3624	0.3889	2.5715	0.9320	45
16	0.3627	0.3892	2.5693	0.9319	44
17	0.3630	0.3895	2.5671	0.9318	43
18	0.3633	0.3899	2.5649	0.9317	42
19	0.3635	0.3902	2.5627	0.9316	41
20	0.3638	0.3906	2.5605	0.9315	40
21	0.3641	0.3909	2.5583	0.9314	39
22	0.3643	0.3912	2.5561	0.9313	38
23	0.3646	0.3916	2.5539	0.9312	37
24	0.3649	0.3919	2.5517	0.9311	36
25	0.3651	0.3922	2.5495	0.9309	35
26	0.3654	0.3926	2.5473	0.9308	34
27	0.3657	0.3929	2.5452	0.9307	33
28	0.3660	0.3932	2.5430	0.9306	32
29	0.3662	0.3936	2.5408	0.9305	31
30	0.3665	0.3939	2.5386	0.9304	30
31	0.3668	0.3942	2.5365	0.9303	29
32	0.3670	0.3946	2.5343	0.9302	28
33	0.3673	0.3949	2.5322	0.9301	27
34	0.3676	0.3953	2.5300	0.9300	26
35	0.3679	0.3956	2.5279	0.9299	25
36	0.3681	0.3959	2.5257	0.9298	24
37	0.3684	0.3963	2.5236	0.9297	23
38	0.3687	0.3966	2.5214	0.9296	22
39	0.3689	0.3969	2.5193	0.9295	21
40	0.3692	0.3973	2.5172	0.9293	20
41	0.3695	0.3976	2.5150	0.9292	19
42	0.3697	0.3979	2.5129	0.9291	18
43	0.3700	0.3983	2.5108	0.9290	17
44	0.3703	0.3986	2.5086	0.9289	16
45	0.3706	0.3990	2.5065	0.9288	15
46	0.3708	0.3993	2.5044	0.9287	14
47	0.3711	0.3996	2.5023	0.9286	13
48	0.3714	0.4000	2.5002	0.9285	12
49	0.3716	0.4003	2.4981	0.9284	11
50	0.3719	0.4006	2.4960	0.9283	10
51	0.3722	0.4010	2.4939	0.9282	9
52	0.3724	0.4013	2.4918	0.9281	8
53	0.3727	0.4017	2.4897	0.9279	7
54	0.3730	0.4020	2.4876	0.9278	6
55	0.3733	0.4023	2.4855	0.9277	5
56	0.3735	0.4027	2.4834	0.9276	4
57	0.3738	0.4030	2.4813	0.9275	3
58	0.3741	0.4033	2.4792	0.9274	2
59	0.3743	0.4037	2.4772	0.9273	1
60	0.3746	0.4040	2.4751	0.9272	0
	Cos	Cot	Tan	Sin	′

*159° 249° *339° **69°** NATURAL **68°** *158° 248° *338°

*112° 202° *292° **22°** NATURAL **23°** *113° 203° *293°

′	Sin	Tan	Cot	Cos	
0	0.3746	0.4040	2.4751	0.9272	60
1	0.3749	0.4044	2.4730	0.9271	59
2	0.3751	0.4047	2.4709	0.9270	58
3	0.3754	0.4050	2.4689	0.9269	57
4	0.3757	0.4054	2.4668	0.9267	56
5	0.3760	0.4057	2.4648	0.9266	55
6	0.3762	0.4061	2.4627	0.9265	54
7	0.3765	0.4064	2.4606	0.9264	53
8	0.3768	0.4067	2.4586	0.9263	52
9	0.3770	0.4071	2.4566	0.9262	51
10	0.3773	0.4074	2.4545	0.9261	50
11	0.3776	0.4078	2.4525	0.9260	49
12	0.3778	0.4081	2.4504	0.9259	48
13	0.3781	0.4084	2.4484	0.9258	47
14	0.3784	0.4088	2.4464	0.9257	46
15	0.3786	0.4091	2.4443	0.9255	45
16	0.3789	0.4095	2.4423	0.9254	44
17	0.3792	0.4098	2.4403	0.9253	43
18	0.3795	0.4101	2.4383	0.9252	42
19	0.3797	0.4105	2.4362	0.9251	41
20	0.3800	0.4108	2.4342	0.9250	40
21	0.3803	0.4111	2.4322	0.9249	39
22	0.3805	0.4115	2.4302	0.9248	38
23	0.3808	0.4118	2.4282	0.9247	37
24	0.3811	0.4122	2.4262	0.9245	36
25	0.3813	0.4125	2.4242	0.9244	35
26	0.3816	0.4129	2.4222	0.9243	34
27	0.3819	0.4132	2.4202	0.9242	33
28	0.3821	0.4135	2.4182	0.9241	32
29	0.3824	0.4139	2.4162	0.9240	31
30	0.3827	0.4142	2.4142	0.9239	30
31	0.3830	0.4146	2.4122	0.9238	29
32	0.3832	0.4149	2.4102	0.9237	28
33	0.3835	0.4152	2.4083	0.9235	27
34	0.3838	0.4156	2.4063	0.9234	26
35	0.3840	0.4159	2.4043	0.9233	25
36	0.3843	0.4163	2.4023	0.9232	24
37	0.3846	0.4166	2.4004	0.9231	23
38	0.3848	0.4169	2.3984	0.9230	22
39	0.3851	0.4173	2.3964	0.9229	21
40	0.3854	0.4176	2.3945	0.9228	20
41	0.3856	0.4180	2.3925	0.9227	19
42	0.3859	0.4183	2.3906	0.9225	18
43	0.3862	0.4187	2.3886	0.9224	17
44	0.3864	0.4190	2.3867	0.9223	16
45	0.3867	0.4193	2.3847	0.9222	15
46	0.3870	0.4197	2.3828	0.9221	14
47	0.3872	0.4200	2.3808	0.9220	13
48	0.3875	0.4204	2.3789	0.9219	12
49	0.3878	0.4207	2.3770	0.9218	11
50	0.3881	0.4210	2.3750	0.9216	10
51	0.3883	0.4214	2.3731	0.9215	9
52	0.3886	0.4217	2.3712	0.9214	8
53	0.3889	0.4221	2.3693	0.9213	7
54	0.3891	0.4224	2.3673	0.9212	6
55	0.3894	0.4228	2.3654	0.9211	5
56	0.3897	0.4231	2.3635	0.9210	4
57	0.3899	0.4234	2.3616	0.9208	3
58	0.3902	0.4238	2.3597	0.9207	2
59	0.3905	0.4241	2.3578	0.9206	1
60	0.3907	0.4245	2.3559	0.9205	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.3907	0.4245	2.3559	0.9205	60
1	0.3910	0.4248	2.3539	0.9204	59
2	0.3913	0.4252	2.3520	0.9203	58
3	0.3915	0.4255	2.3501	0.9202	57
4	0.3918	0.4258	2.3483	0.9200	56
5	0.3921	0.4262	2.3464	0.9199	55
6	0.3923	0.4265	2.3445	0.9198	54
7	0.3926	0.4269	2.3426	0.9197	53
8	0.3929	0.4272	2.3407	0.9196	52
9	0.3931	0.4276	2.3388	0.9195	51
10	0.3934	0.4279	2.3369	0.9194	50
11	0.3937	0.4283	2.3351	0.9192	49
12	0.3939	0.4286	2.3332	0.9191	48
13	0.3942	0.4289	2.3313	0.9190	47
14	0.3945	0.4293	2.3294	0.9189	46
15	0.3947	0.4296	2.3276	0.9188	45
16	0.3950	0.4300	2.3257	0.9187	44
17	0.3953	0.4303	2.3238	0.9186	43
18	0.3955	0.4307	2.3220	0.9184	42
19	0.3958	0.4310	2.3201	0.9183	41
20	0.3961	0.4314	2.3183	0.9182	40
21	0.3963	0.4317	2.3164	0.9181	39
22	0.3966	0.4320	2.3146	0.9180	38
23	0.3969	0.4324	2.3127	0.9179	37
24	0.3971	0.4327	2.3109	0.9178	36
25	0.3974	0.4331	2.3090	0.9176	35
26	0.3977	0.4334	2.3072	0.9175	34
27	0.3979	0.4338	2.3053	0.9174	33
28	0.3982	0.4341	2.3035	0.9173	32
29	0.3985	0.4345	2.3017	0.9172	31
30	0.3987	0.4348	2.2998	0.9171	30
31	0.3990	0.4352	2.2980	0.9169	29
32	0.3993	0.4355	2.2962	0.9168	28
33	0.3995	0.4359	2.2944	0.9167	27
34	0.3998	0.4362	2.2925	0.9166	26
35	0.4001	0.4365	2.2907	0.9165	25
36	0.4003	0.4369	2.2889	0.9164	24
37	0.4006	0.4372	2.2871	0.9162	23
38	0.4009	0.4376	2.2853	0.9161	22
39	0.4011	0.4379	2.2835	0.9160	21
40	0.4014	0.4383	2.2817	0.9159	20
41	0.4017	0.4386	2.2799	0.9158	19
42	0.4019	0.4390	2.2781	0.9157	18
43	0.4022	0.4393	2.2763	0.9155	17
44	0.4025	0.4397	2.2745	0.9154	16
45	0.4027	0.4400	2.2727	0.9153	15
46	0.4030	0.4404	2.2709	0.9152	14
47	0.4033	0.4407	2.2691	0.9151	13
48	0.4035	0.4411	2.2673	0.9150	12
49	0.4038	0.4414	2.2655	0.9148	11
50	0.4041	0.4417	2.2637	0.9147	10
51	0.4043	0.4421	2.2620	0.9146	9
52	0.4046	0.4424	2.2602	0.9145	8
53	0.4049	0.4428	2.2584	0.9144	7
54	0.4051	0.4431	2.2566	0.9143	6
55	0.4054	0.4435	2.2549	0.9141	5
56	0.4057	0.4438	2.2531	0.9140	4
57	0.4059	0.4442	2.2513	0.9139	3
58	0.4062	0.4445	2.2496	0.9138	2
59	0.4065	0.4449	2.2478	0.9137	1
60	0.4067	0.4452	2.2460	0.9135	0
	Cos	Cot	Tan	Sin	′

*157° 247° *337° **67°** NATURAL **66°** *156° 246° *336°

*114° 204° *294° **24°** NATURAL **25°** *115° 205° *295°

′	Sin	Tan	Cot	Cos	
0	0.4067	0.4452	2.2460	0.9135	60
1	0.4070	0.4456	2.2443	0.9134	59
2	0.4073	0.4459	2.2425	0.9133	58
3	0.4075	0.4463	2.2408	0.9132	57
4	0.4078	0.4466	2.2390	0.9131	56
5	0.4081	0.4470	2.2373	0.9130	55
6	0.4083	0.4473	2.2355	0.9128	54
7	0.4086	0.4477	2.2338	0.9127	53
8	0.4089	0.4480	2.2320	0.9126	52
9	0.4091	0.4484	2.2303	0.9125	51
10	0.4094	0.4487	2.2286	0.9124	50
11	0.4097	0.4491	2.2268	0.9122	49
12	0.4099	0.4494	2.2251	0.9121	48
13	0.4102	0.4498	2.2234	0.9120	47
14	0.4105	0.4501	2.2216	0.9119	46
15	0.4107	0.4505	2.2199	0.9118	45
16	0.4110	0.4508	2.2182	0.9116	44
17	0.4112	0.4512	2.2165	0.9115	43
18	0.4115	0.4515	2.2148	0.9114	42
19	0.4118	0.4519	2.2130	0.9113	41
20	0.4120	0.4522	2.2113	0.9112	40
21	0.4123	0.4526	2.2096	0.9110	39
22	0.4126	0.4529	2.2079	0.9109	38
23	0.4128	0.4533	2.2062	0.9108	37
24	0.4131	0.4536	2.2045	0.9107	36
25	0.4134	0.4540	2.2028	0.9106	35
26	0.4136	0.4543	2.2011	0.9104	34
27	0.4139	0.4547	2.1994	0.9103	33
28	0.4142	0.4550	2.1977	0.9102	32
29	0.4144	0.4554	2.1960	0.9101	31
30	0.4147	0.4557	2.1943	0.9100	30
31	0.4150	0.4561	2.1926	0.9098	29
32	0.4152	0.4564	2.1909	0.9097	28
33	0.4155	0.4568	2.1892	0.9096	27
34	0.4158	0.4571	2.1876	0.9095	26
35	0.4160	0.4575	2.1859	0.9094	25
36	0.4163	0.4578	2.1842	0.9092	24
37	0.4165	0.4582	2.1825	0.9091	23
38	0.4168	0.4585	2.1808	0.9090	22
39	0.4171	0.4589	2.1792	0.9089	21
40	0.4173	0.4592	2.1775	0.9088	20
41	0.4176	0.4596	2.1758	0.9086	19
42	0.4179	0.4599	2.1742	0.9085	18
43	0.4181	0.4603	2.1725	0.9084	17
44	0.4184	0.4607	2.1708	0.9083	16
45	0.4187	0.4610	2.1692	0.9081	15
46	0.4189	0.4614	2.1675	0.9080	14
47	0.4192	0.4617	2.1659	0.9079	13
48	0.4195	0.4621	2.1642	0.9078	12
49	0.4197	0.4624	2.1625	0.9077	11
50	0.4200	0.4628	2.1609	0.9075	10
51	0.4202	0.4631	2.1592	0.9074	9
52	0.4205	0.4635	2.1576	0.9073	8
53	0.4208	0.4638	2.1560	0.9072	7
54	0.4210	0.4642	2.1543	0.9070	6
55	0.4213	0.4645	2.1527	0.9069	5
56	0.4216	0.4649	2.1510	0.9068	4
57	0.4218	0.4652	2.1494	0.9067	3
58	0.4221	0.4656	2.1478	0.9066	2
59	0.4224	0.4660	2.1461	0.9064	1
60	0.4226	0.4663	2.1445	0.9063	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.4226	0.4663	2.1445	0.9063	60
1	0.4229	0.4667	2.1429	0.9062	59
2	0.4231	0.4670	2.1413	0.9061	58
3	0.4234	0.4674	2.1396	0.9059	57
4	0.4237	0.4677	2.1380	0.9058	56
5	0.4239	0.4681	2.1364	0.9057	55
6	0.4242	0.4684	2.1348	0.9056	54
7	0.4245	0.4688	2.1332	0.9054	53
8	0.4247	0.4691	2.1315	0.9053	52
9	0.4250	0.4695	2.1299	0.9052	51
10	0.4253	0.4699	2.1283	0.9051	50
11	0.4255	0.4702	2.1267	0.9050	49
12	0.4258	0.4706	2.1251	0.9048	48
13	0.4260	0.4709	2.1235	0.9047	47
14	0.4263	0.4713	2.1219	0.9046	46
15	0.4266	0.4716	2.1203	0.9045	45
16	0.4268	0.4720	2.1187	0.9043	44
17	0.4271	0.4723	2.1171	0.9042	43
18	0.4274	0.4727	2.1155	0.9041	42
19	0.4276	0.4731	2.1139	0.9040	41
20	0.4279	0.4734	2.1123	0.9038	40
21	0.4281	0.4738	2.1107	0.9037	39
22	0.4284	0.4741	2.1092	0.9036	38
23	0.4287	0.4745	2.1076	0.9035	37
24	0.4289	0.4748	2.1060	0.9033	36
25	0.4292	0.4752	2.1044	0.9032	35
26	0.4295	0.4755	2.1028	0.9031	34
27	0.4297	0.4759	2.1013	0.9030	33
28	0.4300	0.4763	2.0997	0.9028	32
29	0.4302	0.4766	2.0981	0.9027	31
30	0.4305	0.4770	2.0965	0.9026	30
31	0.4308	0.4773	2.0950	0.9025	29
32	0.4310	0.4777	2.0934	0.9023	28
33	0.4313	0.4780	2.0918	0.9022	27
34	0.4316	0.4784	2.0903	0.9021	26
35	0.4318	0.4788	2.0887	0.9020	25
36	0.4321	0.4791	2.0872	0.9018	24
37	0.4323	0.4795	2.0856	0.9017	23
38	0.4326	0.4798	2.0840	0.9016	22
39	0.4329	0.4802	2.0825	0.9015	21
40	0.4331	0.4806	2.0809	0.9013	20
41	0.4334	0.4809	2.0794	0.9012	19
42	0.4337	0.4813	2.0778	0.9011	18
43	0.4339	0.4816	2.0763	0.9010	17
44	0.4342	0.4820	2.0748	0.9008	16
45	0.4344	0.4823	2.0732	0.9007	15
46	0.4347	0.4827	2.0717	0.9006	14
47	0.4350	0.4831	2.0701	0.9004	13
48	0.4352	0.4834	2.0686	0.9003	12
49	0.4355	0.4838	2.0671	0.9002	11
50	0.4358	0.4841	2.0655	0.9001	10
51	0.4360	0.4845	2.0640	0.8999	9
52	0.4363	0.4849	2.0625	0.8998	8
53	0.4365	0.4852	2.0609	0.8997	7
54	0.4368	0.4856	2.0594	0.8996	6
55	0.4371	0.4859	2.0579	0.8994	5
56	0.4373	0.4863	2.0564	0.8993	4
57	0.4376	0.4867	2.0549	0.8992	3
58	0.4378	0.4870	2.0533	0.8990	2
59	0.4381	0.4874	2.0518	0.8989	1
60	0.4384	0.4877	2.0503	0.8988	0
	Cos	Cot	Tan	Sin	′

*155° 245° *335° **65°** NATURAL **64°** *154° 244° *334°

*116° 206° *296° **26°** NATURAL **27°** *117° 207° *297°

′	Sin	Tan	Cot	Cos	
0	0.4384	0.4877	2.0503	0.8988	60
1	0.4386	0 4881	2.0488	0.8987	59
2	0.4389	0.4885	2.0473	0.8985	58
3	0.4392	0.4888	2.0458	0.8984	57
4	0.4394	0.4892	2.0443	0.8983	56
5	0.4397	0.4895	2.0428	0.8982	55
6	0.4399	0.4899	2.0413	0.8980	54
7	0.4402	0.4903	2.0398	0.8979	53
8	0.4405	0.4906	2.0383	0.8978	52
9	0.4407	0.4910	2.0368	0.8976	51
10	0.4410	0.4913	2.0353	0.8975	50
11	0.4412	0.4917	2.0338	0.8974	49
12	0.4415	0.4921	2.0323	0.8973	48
13	0.4418	0.4924	2.0308	0.8971	47
14	0.4420	0.4928	2.0293	0.8970	46
15	0.4423	0.4931	2.0278	0.8969	45
16	0.4425	0.4935	2.0263	0.8967	44
17	0.4428	0.4939	2.0248	0.8966	43
18	0.4431	0.4942	2.0233	0.8965	42
19	0.4433	0.4946	2.0219	0.8964	41
20	0.4436	0.4950	2.0204	0.8962	40
21	0.4439	0.4953	2.0189	0.8961	39
22	0.4441	0.4957	2.0174	0.8960	38
23	0.4444	0.4960	2.0160	0.8958	37
24	0.4446	0.4964	2.0145	0.8957	36
25	0.4449	0.4968	2.0130	0.8956	35
26	0.4452	0.4971	2.0115	0.8955	34
27	0.4454	0.4975	2.0101	0.8953	33
28	0.4457	0.4979	2.0086	0.8952	32
29	0.4459	0.4982	2 0072	0.8951	31
30	0.4462	0.4986	2.0057	0.8949	30
31	0.4465	0.4989	2.0042	0.8948	29
32	0.4467	0.4993	2.0028	0.8947	28
33	0.4470	0.4997	2.0013	0.8945	27
34	0.4472	0.5000	1.9999	0.8944	26
35	0.4475	0.5004	1.9984	0.8943	25
36	0.4478	0.5008	1.9970	0.8942	24
37	0.4480	0.5011	1.9955	0.8940	23
38	0.4483	0.5015	1.9941	0.8939	22
39	0.4485	0.5019	1.9926	0.8938	21
40	0.4488	0.5022	1.9912	0.8936	20
41	0.4491	0.5026	1.9897	0.8935	19
42	0.4493	0.5029	1.9883	0.8934	18
43	0.4496	0.5033	1.9868	0.8932	17
44	0.4498	0.5037	1.9854	0.8931	16
45	0.4501	0.5040	1.9840	0.8930	15
46	0.4504	0.5044	1.9825	0.8928	14
47	0.4506	0.5048	1.9811	0.8927	13
48	0.4509	0.5051	1.9797	0.8926	12
49	0.4511	0.5055	1.9782	0.8925	11
50	0.4514	0.5059	1.9768	0.8923	10
51	0.4517	0.5062	1.9754	0.8922	9
52	0.4519	0.5066	1.9740	0.8921	8
53	0.4522	0.5070	1.9725	0.8919	7
54	0.4524	0.5073	1.9711	0.8918	6
55	0.4527	0.5077	1.9697	0.8917	5
56	0.4530	0.5081	1.9683	0.8915	4
57	0.4532	0.5084	1.9669	0.8914	3
58	0.4535	0.5088	1.9654	0.8913	2
59	0.4537	0.5092	1.9640	0.8911	1
60	0.4540	0.5095	1.9626	0.8910	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.4540	0.5095	1.9626	0.8910	60
1	0.4542	0.5099	1.9612	0.8909	59
2	0.4545	0.5103	1.9598	0.8907	58
3	0.4548	0.5106	1 9584	0.8906	57
4	0.4550	0.5110	1.9570	0.8905	56
5	0.4553	0.5114	1 9556	0.8903	55
6	0.4555	0.5117	1.9542	0.8902	54
7	0.4558	0.5121	1 9528	0.8901	53
8	0.4561	0.5125	1.9514	0.8899	52
9	0.4563	0.5128	1.9500	0.8898	51
10	0.4566	0.5132	1.9486	0.8897	50
11	0.4568	0.5136	1 9472	0.8895	49
12	0.4571	0.5139	1 9458	0.8894	48
13	0.4574	0.5143	1.9444	0.8893	47
14	0.4576	0.5147	1.9430	0.8892	46
15	0.4579	0.5150	1 9416	0.8890	45
16	0.4581	0.5154	1.9402	0.8889	44
17	0.4584	0.5158	1.9388	0.8888	43
18	0.4586	0.5161	1.9375	0.8886	42
19	0.4589	0.5165	1.9361	0.8885	41
20	0.4592	0.5169	1.9347	0.8884	40
21	0.4594	0.5172	1.9333	0.8882	39
22	0.4597	0.5176	1.9319	0.8881	38
23	0.4599	0.5180	1.9306	0.8879	37
24	0.4602	0.5184	1.9292	0.8878	36
25	0.4605	0.5187	1.9278	0.8877	35
26	0.4607	0.5191	1.9265	0.8875	34
27	0.4610	0.5195	1.9251	0.8874	33
28	0.4612	0.5198	1.9237	0.8873	32
29	0.4615	0.5202	1.9223	0.8871	31
30	0.4617	0.5206	1.9210	0.8870	30
31	0.4620	0 5209	1.9196	0.8869	29
32	0.4623	0.5213	1.9183	0.8867	28
33	0.4625	0.5217	1.9169	0.8866	27
34	0.4628	0.5220	1.9155	0.8865	26
35	0.4630	0.5224	1.9142	0.8863	25
36	0.4633	0.5228	1.9128	0.8862	24
37	0.4636	0.5232	1.9115	0.8861	23
38	0.4638	0.5235	1.9101	0.8859	22
39	0.4641	0.5239	1.9088	0.8858	21
40	0.4643	0.5243	1.9074	0.8857	20
41	0.4646	0.5246	1.9061	0.8855	19
42	0.4648	0.5250	1.9047	0.8854	18
43	0.4651	0.5254	1.9034	0.8853	17
44	0.4654	0.5258	1.9020	0.8851	16
45	0.4656	0.5261	1.9007	0.8850	15
46	0.4659	0.5265	1.8993	0.8849	14
47	0.4661	0.5269	1.8980	0.8847	13
48	0.4664	0.5272	1.8967	0.8846	12
49	0.4666	0.5276	1.8953	0.8844	11
50	0.4669	0.5280	1.8940	0.8843	10
51	0.4672	0.5284	1.8927	0.8842	9
52	0.4674	0.5287	1.8913	0.8840	8
53	0.4677	0.5291	1.8900	0.8839	7
54	0.4679	0.5295	1.8887	0.8838	6
55	0.4682	0.5298	1.8873	0.8836	5
56	0.4684	0.5302	1.8860	0.8835	4
57	0.4687	0.5306	1.8847	0.8834	3
58	0.4690	0.5310	1.8834	0.8832	2
59	0.4692	0.5313	1.8820	0.8831	1
60	0.4695	0.5317	1.8807	0.8829	0
	Cos	Cot	Tan	Sin	′

*153° 243° *333° **63°** NATURAL **62°** *152° 242° *332°

*118° 208° *298° **28°** NATURAL **29°** *119° 209° *299°

′	Sin	Tan	Cot	Cos	
0	0.4695	0.5317	1.8807	0.8829	60
1	0.4697	0.5321	1.8794	0.8828	59
2	0.4700	0.5325	1.8781	0.8827	58
3	0.4702	0.5328	1.8768	0.8825	57
4	0.4705	0.5332	1.8755	0.8824	56
5	0.4708	0.5336	1.8741	0.8823	55
6	0.4710	0.5340	1.8728	0.8821	54
7	0.4713	0.5343	1.8715	0.8820	53
8	0.4715	0.5347	1.8702	0.8819	52
9	0.4718	0.5351	1.8689	0.8817	51
10	0.4720	0.5354	1.8676	0.8816	50
11	0.4723	0.5358	1.8663	0.8814	49
12	0.4726	0.5362	1.8650	0.8813	48
13	0.4728	0.5366	1.8637	0.8812	47
14	0.4731	0.5369	1.8624	0.8810	46
15	0.4733	0.5373	1.8611	0.8809	45
16	0.4736	0.5377	1.8598	0.8808	44
17	0.4738	0.5381	1.8585	0.8806	43
18	0.4741	0.5384	1.8572	0.8805	42
19	0.4743	0.5388	1.8559	0.8803	41
20	0.4746	0.5392	1.8546	0.8802	40
21	0.4749	0.5396	1.8533	0.8801	39
22	0.4751	0.5399	1.8520	0.8799	38
23	0.4754	0.5403	1.8507	0.8798	37
24	0.4756	0.5407	1.8495	0.8796	36
25	0.4759	0.5411	1.8482	0.8795	35
26	0.4761	0.5415	1.8469	0.8794	34
27	0.4764	0.5418	1.8456	0.8792	33
28	0.4766	0.5422	1.8443	0.8791	32
29	0.4769	0.5426	1.8430	0.8790	31
30	0.4772	0.5430	1.8418	0.8788	30
31	0.4774	0.5433	1.8405	0.8787	29
32	0.4777	0.5437	1.8392	0.8785	28
33	0.4779	0.5441	1.8379	0.8784	27
34	0.4782	0.5445	1.8367	0.8783	26
35	0.4784	0.5448	1.8354	0.8781	25
36	0.4787	0.5452	1.8341	0.8780	24
37	0.4789	0.5456	1.8329	0.8778	23
38	0.4792	0.5460	1.8316	0.8777	22
39	0.4795	0.5464	1.8303	0.8776	21
40	0.4797	0.5467	1.8291	0.8774	20
41	0.4800	0.5471	1.8278	0.8773	19
42	0.4802	0.5475	1.8265	0.8771	18
43	0.4805	0.5479	1.8253	0.8770	17
44	0.4807	0.5482	1.8240	0.8769	16
45	0.4810	0.5486	1.8228	0.8767	15
46	0.4812	0.5490	1.8215	0.8766	14
47	0.4815	0.5494	1.8202	0.8764	13
48	0.4818	0.5498	1.8190	0.8763	12
49	0.4820	0.5501	1.8177	0.8762	11
50	0.4823	0.5505	1.8165	0.8760	10
51	0.4825	0.5509	1.8152	0.8759	9
52	0.4828	0.5513	1.8140	0.8757	8
53	0.4830	0.5517	1.8127	0.8756	7
54	0.4833	0.5520	1.8115	0.8755	6
55	0.4835	0.5524	1.8103	0.8753	5
56	0.4838	0.5528	1.8090	0.8752	4
57	0.4840	0.5532	1.8078	0.8750	3
58	0.4843	0.5535	1.8065	0.8749	2
59	0.4846	0.5539	1.8053	0.8748	1
60	0.4848	0.5543	1.8040	0.8746	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.4848	0.5543	1.8040	0.8746	60
1	0.4851	0.5547	1.8028	0.8745	59
2	0.4853	0.5551	1.8016	0.8743	58
3	0.4856	0.5555	1.8003	0.8742	57
4	0.4858	0.5558	1.7991	0.8741	56
5	0.4861	0.5562	1.7979	0.8739	55
6	0.4863	0.5566	1.7966	0.8738	54
7	0.4866	0.5570	1.7954	0.8736	53
8	0.4868	0.5574	1.7942	0.8735	52
9	0.4871	0.5577	1.7930	0.8733	51
10	0.4874	0.5581	1.7917	0.8732	50
11	0.4876	0.5585	1.7905	0.8731	49
12	0.4879	0.5589	1.7893	0.8729	48
13	0.4881	0.5593	1.7881	0.8728	47
14	0.4884	0.5596	1.7868	0.8726	46
15	0.4886	0.5600	1.7856	0.8725	45
16	0.4889	0.5604	1.7844	0.8724	44
17	0.4891	0.5608	1.7832	0.8722	43
18	0.4894	0.5612	1.7820	0.8721	42
19	0.4896	0.5616	1.7808	0.8719	41
20	0.4899	0.5619	1.7796	0.8718	40
21	0.4901	0.5623	1.7783	0.8716	39
22	0.4904	0.5627	1.7771	0.8715	38
23	0.4907	0.5631	1.7759	0.8714	37
24	0.4909	0.5635	1.7747	0.8712	36
25	0.4912	0.5639	1.7735	0.8711	35
26	0.4914	0.5642	1.7723	0.8709	34
27	0.4917	0.5646	1.7711	0.8708	33
28	0.4919	0.5650	1.7699	0.8706	32
29	0.4922	0.5654	1.7687	0.8705	31
30	0.4924	0.5658	1.7675	0.8704	30
31	0.4927	0.5662	1.7663	0.8702	29
32	0.4929	0.5665	1.7651	0.8701	28
33	0.4932	0.5669	1.7639	0.8699	27
34	0.4934	0.5673	1.7627	0.8698	26
35	0.4937	0.5677	1.7615	0.8696	25
36	0.4939	0.5681	1.7603	0.8695	24
37	0.4942	0.5685	1.7591	0.8694	23
38	0.4944	0.5688	1.7579	0.8692	22
39	0.4947	0.5692	1.7567	0.8691	21
40	0.4950	0.5696	1.7556	0.8689	20
41	0.4952	0.5700	1.7544	0.8688	19
42	0.4955	0.5704	1.7532	0.8686	18
43	0.4957	0.5708	1.7520	0.8685	17
44	0.4960	0.5712	1.7508	0.8683	16
45	0.4962	0.5715	1.7496	0.8682	15
46	0.4965	0.5719	1.7485	0.8681	14
47	0.4967	0.5723	1.7473	0.8679	13
48	0.4970	0.5727	1.7461	0.8678	12
49	0.4972	0.5731	1.7449	0.8676	11
50	0.4975	0.5735	1.7437	0.8675	10
51	0.4977	0.5739	1.7426	0.8673	9
52	0.4980	0.5743	1.7414	0.8672	8
53	0.4982	0.5746	1.7402	0.8670	7
54	0.4985	0.5750	1.7391	0.8669	6
55	0.4987	0.5754	1.7379	0.8668	5
56	0.4990	0.5758	1.7367	0.8666	4
57	0.4992	0.5762	1.7355	0.8665	3
58	0.4995	0.5766	1.7344	0.8663	2
59	0.4997	0.5770	1.7332	0.8662	1
60	0.5000	0.5774	1.7321	0.8660	0
	Cos	Cot	Tan	Sin	′

*151° 241° *331° **61°** NATURAL **60°** *150° 240° *330°

*120° 210° *300° **30°** NATURAL **31°** *121° 211° *301°

′	Sin	Tan	Cot	Cos	
0	0.5000	0.5774	1.7321	0.8660	60
1	0.5003	0.5777	1.7309	0.8659	59
2	0.5005	0.5781	1.7297	0.8657	58
3	0.5008	0.5785	1.7286	0.8656	57
4	0.5010	0.5789	1.7274	0.8654	56
5	0.5013	0.5793	1.7262	0.8653	55
6	0.5015	0.5797	1.7251	0.8652	54
7	0.5018	0.5801	1.7239	0.8650	53
8	0.5020	0.5805	1.7228	0.8649	52
9	0.5023	0.5808	1.7216	0.8647	51
10	0.5025	0.5812	1.7205	0.8646	50
11	0.5028	0.5816	1.7193	0.8644	49
12	0.5030	0.5820	1.7182	0.8643	48
13	0.5033	0.5824	1.7170	0.8641	47
14	0.5035	0.5828	1.7159	0.8640	46
15	0.5038	0.5832	1.7147	0.8638	45
16	0.5040	0.5836	1.7136	0.8637	44
17	0.5043	0.5840	1.7124	0.8635	43
18	0.5045	0.5844	1.7113	0.8634	42
19	0.5048	0.5847	1.7102	0.8632	41
20	0.5050	0.5851	1.7090	0.8631	40
21	0.5053	0.5855	1.7079	0.8630	39
22	0.5055	0.5859	1.7067	0.8628	38
23	0.5058	0.5863	1.7056	0.8627	37
24	0.5060	0.5867	1.7045	0.8625	36
25	0.5063	0.5871	1.7033	0.8624	35
26	0.5065	0.5875	1.7022	0.8622	34
27	0.5068	0.5879	1.7011	0.8621	33
28	0.5070	0.5883	1.6999	0.8619	32
29	0.5073	0.5887	1.6988	0.8618	31
30	0.5075	0.5890	1.6977	0.8616	30
31	0.5078	0.5894	1.6965	0.8615	29
32	0.5080	0.5898	1.6954	0.8613	28
33	0.5083	0.5902	1.6943	0.8612	27
34	0.5085	0.5906	1.6932	0.8610	26
35	0.5088	0.5910	1.6920	0.8609	25
36	0.5090	0.5914	1.6909	0.8607	24
37	0.5093	0.5918	1.6898	0.8606	23
38	0.5095	0.5922	1.6887	0.8604	22
39	0.5098	0.5926	1.6875	0.8603	21
40	0.5100	0.5930	1.6864	0.8601	20
41	0.5103	0.5934	1.6853	0.8600	19
42	0.5105	0.5938	1.6842	0.8599	18
43	0.5108	0.5942	1.6831	0.8597	17
44	0.5110	0.5945	1.6820	0.8596	16
45	0.5113	0.5949	1.6808	0.8594	15
46	0.5115	0.5953	1.6797	0.8593	14
47	0.5118	0.5957	1.6786	0.8591	13
48	0.5120	0.5961	1.6775	0.8590	12
49	0.5123	0.5965	1.6764	0.8588	11
50	0.5125	0.5969	1.6753	0.8587	10
51	0.5128	0.5973	1.6742	0.8585	9
52	0.5130	0.5977	1.6731	0.8584	8
53	0.5133	0.5981	1.6720	0.8582	7
54	0.5135	0.5985	1.6709	0.8581	6
55	0.5138	0.5989	1.6698	0.8579	5
56	0.5140	0.5993	1.6687	0.8578	4
57	0.5143	0.5997	1.6676	0.8576	3
58	0.5145	0.6001	1.6665	0.8575	2
59	0.5148	0.6005	1.6654	0.8573	1
60	0.5150	0.6009	1.6643	0.8572	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.5150	0.6009	1.6643	0.8572	60
1	0.5153	0.6013	1.6632	0.8570	59
2	0.5155	0.6017	1.6621	0.8569	58
3	0.5158	0.6020	1.6610	0.8567	57
4	0.5160	0.6024	1.6599	0.8566	56
5	0.5163	0.6028	1.6588	0.8564	55
6	0.5165	0.6032	1.6577	0.8563	54
7	0.5168	0.6036	1.6566	0.8561	53
8	0.5170	0.6040	1.6555	0.8560	52
9	0.5173	0.6044	1.6545	0.8558	51
10	0.5175	0.6048	1.6534	0.8557	50
11	0.5178	0.6052	1.6523	0.8555	49
12	0.5180	0.6056	1.6512	0.8554	48
13	0.5183	0.6060	1.6501	0.8552	47
14	0.5185	0.6064	1.6490	0.8551	46
15	0.5188	0.6068	1.6479	0.8549	45
16	0.5190	0.6072	1.6469	0.8548	44
17	0.5193	0.6076	1.6458	0.8546	43
18	0.5195	0.6080	1.6447	0.8545	42
19	0.5198	0.6084	1.6436	0.8543	41
20	0.5200	0.6088	1.6426	0.8542	40
21	0.5203	0.6092	1.6415	0.8540	39
22	0.5205	0.6096	1.6404	0.8539	38
23	0.5208	0.6100	1.6393	0.8537	37
24	0.5210	0.6104	1.6383	0.8536	36
25	0.5213	0.6108	1.6372	0.8534	35
26	0.5215	0.6112	1.6361	0.8532	34
27	0.5218	0.6116	1.6351	0.8531	33
28	0.5220	0.6120	1.6340	0.8529	32
29	0.5223	0.6124	1.6329	0.8528	31
30	0.5225	0.6128	1.6319	0.8526	30
31	0.5227	0.6132	1.6308	0.8525	29
32	0.5230	0.6136	1.6297	0.8523	28
33	0.5232	0.6140	1.6287	0.8522	27
34	0.5235	0.6144	1.6276	0.8520	26
35	0.5237	0.6148	1.6265	0.8519	25
36	0.5240	0.6152	1.6255	0.8517	24
37	0.5242	0.6156	1.6244	0.8516	23
38	0.5245	0.6160	1.6234	0.8514	22
39	0.5247	0.6164	1.6223	0.8513	21
40	0.5250	0.6168	1.6212	0.8511	20
41	0.5252	0.6172	1.6202	0.8510	19
42	0.5255	0.6176	1.6191	0.8508	18
43	0.5257	0.6180	1.6181	0.8507	17
44	0.5260	0.6184	1.6170	0.8505	16
45	0.5262	0.6188	1.6160	0.8504	15
46	0.5265	0.6192	1.6149	0.8502	14
47	0.5267	0.6196	1.6139	0.8500	13
48	0.5270	0.6200	1.6128	0.8499	12
49	0.5272	0.6204	1.6118	0.8497	11
50	0.5275	0.6208	1.6107	0.8496	10
51	0.5277	0.6212	1.6097	0.8494	9
52	0.5279	0.6216	1.6087	0.8493	8
53	0.5282	0.6220	1.6076	0.8491	7
54	0.5284	0.6224	1.6066	0.8490	6
55	0.5287	0.6228	1.6055	0.8488	5
56	0.5289	0.6233	1.6045	0.8487	4
57	0.5292	0.6237	1.6034	0.8485	3
58	0.5294	0.6241	1.6024	0.8484	2
59	0.5297	0.6245	1.6014	0.8482	1
60	0.5299	0.6249	1.6003	0.8480	0
	Cos	Cot	Tan	Sin	′

*149° 239° *329° **59°** NATURAL **58°** *148° 238° *328°

*122° 212° *302° 32° NATURAL 33° *123° 213° *303°

	Sin	Tan	Cot	Cos	
0	0.5299	0.6249	1.6003	0.8480	60
1	0.5302	0.6253	1.5993	0.8479	59
2	0.5304	0.6257	1.5983	0.8477	58
3	0.5307	0.6261	1.5972	0.8476	57
4	0.5309	0.6265	1.5962	0.8474	56
5	0.5312	0.6269	1.5952	0.8473	55
6	0.5314	0.6273	1.5941	0.8471	54
7	0.5316	0.6277	1.5931	0.8470	53
8	0.5319	0.6281	1.5921	0.8468	52
9	0.5321	0.6285	1.5911	0.8467	51
10	0.5324	0.6289	1.5900	0.8465	50
11	0.5326	0.6293	1.5890	0.8463	49
12	0.5329	0.6297	1.5880	0.8462	48
13	0.5331	0.6301	1.5869	0.8460	47
14	0.5334	0.6305	1.5859	0.8459	46
15	0.5336	0.6310	1.5849	0.8457	45
16	0.5339	0.6314	1.5839	0.8456	44
17	0.5341	0.6318	1.5829	0.8454	43
18	0.5344	0.6322	1.5818	0.8453	42
19	0.5346	0.6326	1.5808	0.8451	41
20	0.5348	0.6330	1.5798	0.8450	40
21	0.5351	0.6334	1.5788	0.8448	39
22	0.5353	0.6338	1.5778	0.8446	38
23	0.5356	0.6342	1.5768	0.8445	37
24	0.5358	0.6346	1.5757	0.8443	36
25	0.5361	0.6350	1.5747	0.8442	35
26	0.5363	0.6354	1.5737	0.8440	34
27	0.5366	0.6358	1.5727	0.8439	33
28	0.5368	0.6363	1.5717	0.8437	32
29	0.5371	0.6367	1.5707	0.8435	31
30	0.5373	0.6371	1.5697	0.8434	30
31	0.5375	0.6375	1.5687	0.8432	29
32	0.5378	0.6379	1.5677	0.8431	28
33	0.5380	0.6383	1.5667	0.8429	27
34	0.5383	0.6387	1.5657	0.8428	26
35	0.5385	0.6391	1.5647	0.8426	25
36	0.5388	0.6395	1.5637	0.8425	24
37	0.5390	0.6399	1.5627	0.8423	23
38	0.5393	0.6403	1.5617	0.8421	22
39	0.5395	0.6408	1.5607	0.8420	21
40	0.5398	0.6412	1.5597	0.8418	20
41	0.5400	0.6416	1.5587	0.8417	19
42	0.5402	0.6420	1.5577	0.8415	18
43	0.5405	0.6424	1.5567	0.8414	17
44	0.5407	0.6428	1.5557	0.8412	16
45	0.5410	0.6432	1.5547	0.8410	15
46	0.5412	0.6436	1.5537	0.8409	14
47	0.5415	0.6440	1.5527	0.8407	13
48	0.5417	0.6445	1.5517	0.8406	12
49	0.5420	0.6449	1.5507	0.8404	11
50	0.5422	0.6453	1.5497	0.8403	10
51	0.5424	0.6457	1.5487	0.8401	9
52	0.5427	0.6461	1.5477	0.8399	8
53	0.5429	0.6465	1.5468	0.8398	7
54	0.5432	0.6469	1.5458	0.8396	6
55	0.5434	0.6473	1.5448	0.8395	5
56	0.5437	0.6478	1.5438	0.8393	4
57	0.5439	0.6482	1.5428	0.8391	3
58	0.5442	0.6486	1.5418	0.8390	2
59	0.5444	0.6490	1.5408	0.8388	1
60	0.5446	0.6494	1.5399	0.8387	0
	Cos	Cot	Tan	Sin	

	Sin	Tan	Cot	Cos	
0	0.5446	0.6494	1.5399	0.8387	60
1	0.5449	0.6498	1.5389	0.8385	59
2	0.5451	0.6502	1.5379	0.8384	58
3	0.5454	0.6506	1.5369	0.8382	57
4	0.5456	0.6511	1.5359	0.8380	56
5	0.5459	0.6515	1.5350	0.8379	55
6	0.5461	0.6519	1.5340	0.8377	54
7	0.5463	0.6523	1.5330	0.8376	53
8	0.5466	0.6527	1.5320	0.8374	52
9	0.5468	0.6531	1.5311	0.8372	51
10	0.5471	0.6536	1.5301	0.8371	50
11	0.5473	0.6540	1.5291	0.8369	49
12	0.5476	0.6544	1.5282	0.8368	48
13	0.5478	0.6548	1.5272	0.8366	47
14	0.5480	0.6552	1.5262	0.8364	46
15	0.5483	0.6556	1.5253	0.8363	45
16	0.5485	0.6560	1.5243	0.8361	44
17	0.5488	0.6565	1.5233	0.8360	43
18	0.5490	0.6569	1.5224	0.8358	42
19	0.5493	0.6573	1.5214	0.8356	41
20	0.5495	0.6577	1.5204	0.8355	40
21	0.5498	0.6581	1.5195	0.8353	39
22	0.5500	0.6585	1.5185	0.8352	38
23	0.5502	0.6590	1.5175	0.8350	37
24	0.5505	0.6594	1.5166	0.8348	36
25	0.5507	0.6598	1.5156	0.8347	35
26	0.5510	0.6602	1.5147	0.8345	34
27	0.5512	0.6606	1.5137	0.8344	33
28	0.5515	0.6610	1.5127	0.8342	32
29	0.5517	0.6615	1.5118	0.8340	31
30	0.5519	0.6619	1.5108	0.8339	30
31	0.5522	0.6623	1.5099	0.8337	29
32	0.5524	0.6627	1.5089	0.8336	28
33	0.5527	0.6631	1.5080	0.8334	27
34	0.5529	0.6636	1.5070	0.8332	26
35	0.5531	0.6640	1.5061	0.8331	25
36	0.5534	0.6644	1.5051	0.8329	24
37	0.5536	0.6648	1.5042	0.8328	23
38	0.5539	0.6652	1.5032	0.8326	22
39	0.5541	0.6657	1.5023	0.8324	21
40	0.5544	0.6661	1.5013	0.8323	20
41	0.5546	0.6665	1.5004	0.8321	19
42	0.5548	0.6669	1.4994	0.8320	18
43	0.5551	0.6673	1.4985	0.8318	17
44	0.5553	0.6678	1.4975	0.8316	16
45	0.5556	0.6682	1.4966	0.8315	15
46	0.5558	0.6686	1.4957	0.8313	14
47	0.5561	0.6690	1.4947	0.8311	13
48	0.5563	0.6694	1.4938	0.8310	12
49	0.5565	0.6699	1.4928	0.8308	11
50	0.5568	0.6703	1.4919	0.8307	10
51	0.5570	0.6707	1.4910	0.8305	9
52	0.5573	0.6711	1.4900	0.8303	8
53	0.5575	0.6715	1.4891	0.8302	7
54	0.5577	0.6720	1.4882	0.8300	6
55	0.5580	0.6724	1.4872	0.8298	5
56	0.5582	0.6728	1.4863	0.8297	4
57	0.5585	0.6732	1.4854	0.8295	3
58	0.5587	0.6737	1.4844	0.8294	2
59	0.5590	0.6741	1.4835	0.8292	1
60	0.5592	0.6745	1.4826	0.8290	0
	Cos	Cot	Tan	Sin	

*147° 237° *327° 57° NATURAL 56° *146° 236° *326°

*124° 214° *304° 34°				NATURAL					35° *125° 215° *305°
′	Sin	Tan	Cot	Cos		′	Sin	Tan	Cot	Cos	
0	0.5592	0.6745	1.4826	0.8290	60	0	0.5736	0.7002	1.4281	0.8192	60
1	0.5594	0.6749	1.4816	0.8289	59	1	0.5738	0.7006	1.4273	0.8190	59
2	0.5597	0.6754	1.4807	0.8287	58	2	0.5741	0.7011	1.4264	0.8188	58
3	0.5599	0.6758	1.4798	0.8285	57	3	0.5743	0.7015	1.4255	0.8187	57
4	0.5602	0.6762	1.4788	0.8284	56	4	0.5745	0.7019	1.4246	0.8185	56
5	0.5604	0.6766	1.4779	0.8282	55	5	0.5748	0.7024	1.4237	0.8183	55
6	0.5606	0.6771	1.4770	0.8281	54	6	0.5750	0.7028	1.4229	0.8181	54
7	0.5609	0.6775	1.4761	0.8279	53	7	0.5752	0.7032	1.4220	0.8180	53
8	0.5611	0.6779	1.4751	0.8277	52	8	0.5755	0.7037	1.4211	0.8178	52
9	0.5614	0.6783	1.4742	0.8276	51	9	0.5757	0.7041	1.4202	0.8176	51
10	0.5616	0.6787	1.4733	0.8274	50	10	0.5760	0.7046	1.4193	0.8175	50
11	0.5618	0.6792	1.4724	0.8272	49	11	0.5762	0.7050	1.4185	0.8173	49
12	0.5621	0.6796	1.4715	0.8271	48	12	0.5764	0.7054	1.4176	0.8171	48
13	0.5623	0.6800	1.4705	0.8269	47	13	0.5767	0.7059	1.4167	0.8170	47
14	0.5626	0.6805	1.4696	0.8268	46	14	0.5769	0.7063	1.4158	0.8168	46
15	0.5628	0.6809	1.4687	0.8266	45	15	0.5771	0.7067	1.4150	0.8166	45
16	0.5630	0.6813	1.4678	0.8264	44	16	0.5774	0.7072	1.4141	0.8165	44
17	0.5633	0.6817	1.4669	0.8263	43	17	0.5776	0.7076	1.4132	0.8163	43
18	0.5635	0.6822	1.4659	0.8261	42	18	0.5779	0.7080	1.4124	0.8161	42
19	0.5638	0.6826	1.4650	0.8259	41	19	0.5781	0.7085	1.4115	0.8160	41
20	0.5640	0.6830	1.4641	0.8258	40	20	0.5783	0.7089	1.4106	0.8158	40
21	0.5642	0.6834	1.4632	0.8256	39	21	0.5786	0.7094	1.4097	0.8156	39
22	0.5645	0.6839	1.4623	0.8254	38	22	0.5788	0.7098	1.4089	0.8155	38
23	0.5647	0.6843	1.4614	0.8253	37	23	0.5790	0.7102	1.4080	0.8153	37
24	0.5650	0.6847	1.4605	0.8251	36	24	0.5793	0.7107	1.4071	0.8151	36
25	0.5652	0.6851	1.4596	0.8249	35	25	0.5795	0.7111	1.4063	0.8150	35
26	0.5654	0.6856	1.4586	0.8248	34	26	0.5798	0.7115	1.4054	0.8148	34
27	0.5657	0.6860	1.4577	0.8246	33	27	0.5800	0.7120	1.4045	0.8146	33
28	0.5659	0.6864	1.4568	0.8245	32	28	0.5802	0.7124	1.4037	0.8145	32
29	0.5662	0.6869	1.4559	0.8243	31	29	0.5805	0.7129	1.4028	0.8143	31
30	0.5664	0.6873	1.4550	0.8241	30	30	0.5807	0.7133	1.4019	0.8141	30
31	0.5666	0.6877	1.4541	0.8240	29	31	0.5809	0.7137	1.4011	0.8139	29
32	0.5669	0.6881	1.4532	0.8238	28	32	0.5812	0.7142	1.4002	0.8138	28
33	0.5671	0.6886	1.4523	0.8236	27	33	0.5814	0.7146	1.3994	0.8136	27
34	0.5674	0.6890	1.4514	0.8235	26	34	0.5816	0.7151	1.3985	0.8134	26
35	0.5676	0.6894	1.4505	0.8233	25	35	0.5819	0.7155	1.3976	0.8133	25
36	0.5678	0.6899	1.4496	0.8231	24	36	0.5821	0.7159	1.3968	0.8131	24
37	0.5681	0.6903	1.4487	0.8230	23	37	0.5824	0.7164	1.3959	0.8129	23
38	0.5683	0.6907	1.4478	0 8228	22	38	0.5826	0.7168	1.3951	0.8128	22
39	0.5680	0.6911	1.4469	0.8226	21	39	0.5828	0.7173	1.3942	0.8126	21
40	0.5688	0.6916	1.4460	0.8225	20	40	0.5831	0.7177	1.3934	0.8124	20
41	0.5690	0.6920	1.4451	0.8223	19	41	0.5833	0.7181	1.3925	0.8123	19
42	0.5693	0.6924	1.4442	0.8221	18	42	0.5835	0.7186	1.3916	0.8121	18
43	0.5695	0.6929	1.4433	0.8220	17	43	0.5838	0.7190	1.3908	0.8119	17
44	0.5698	0.6933	1.4424	0.8218	16	44	0.5840	0.7195	1.3899	0.8117	16
45	0.5700	0.6937	1.4415	0.8216	15	45	0.5842	0.7199	1.3891	0.8116	15
46	0.5702	0.6942	1.4406	0.8215	14	46	0.5845	0.7203	1.3882	0.8114	14
47	0.5705	0.6946	1.4397	0.8213	13	47	0.5847	0.7208	1.3874	0.8112	13
48	0.5707	0.6950	1.4388	0.8211	12	48	0.5850	0.7212	1.3865	0.8111	12
49	0.5710	0.6954	1.4379	0.8210	11	49	0.5852	0.7217	1.3857	0.8109	11
50	0.5712	0.6959	1.4370	0.8208	10	50	0.5854	0.7221	1.3848	0.8107	10
51	0.5714	0.6963	1.4361	0.8207	9	51	0.5857	0.7226	1.3840	0.8106	9
52	0.5717	0.6967	1.4352	0.8205	8	52	0.5859	0.7230	1.3831	0.8104	8
53	0.5719	0.6972	1.4344	0.8203	7	53	0.5861	0.7234	1.3823	0.8102	7
54	0.5721	0.6976	1.4335	0.8202	6	54	0.5864	0.7239	1.3814	0.8100	6
55	0.5724	0.6980	1.4326	0.8200	5	55	0.5866	0.7243	1.3806	0.8099	5
56	0.5726	0.6985	1.4317	0.8198	4	56	0.5868	0.7248	1.3798	0.8097	4
57	0.5729	0.6989	1.4308	0.8197	3	57	0.5871	0.7252	1.3789	0.8095	3
58	0.5731	0.6993	1.4299	0.8195	2	58	0.5873	0.7257	1.3781	0.8094	2
59	0.5733	0.6998	1.4290	0.8193	1	59	0.5875	0.7261	1.3772	0.8092	1
60	0 5736	0.7002	1.4281	0.8192	0	60	0.5878	0.7265	1.3764	0.8090	0
	Cos	Cot	Tan	Sin	′		Cos	Cot	Tan	Sin	′
*145° 235° *325° 55°				NATURAL					54° *144° 234° *324°		

*126° 216° *306° **36°** NATURAL **37°** *127° 217° *307°

′	Sin	Tan	Cot	Cos	
0	0.5878	0.7265	1.3764	0.8090	60
1	0.5880	0.7270	1.3755	0.8088	59
2	0.5883	0.7274	1.3747	0.8087	58
3	0.5885	0.7279	1.3739	0.8085	57
4	0.5887	0.7283	1.3730	0.8083	56
5	0.5890	0.7288	1.3722	0.8082	55
6	0.5892	0.7292	1.3713	0.8080	54
7	0.5894	0.7297	1.3705	0.8078	53
8	0.5897	0.7301	1.3697	0.8076	52
9	0.5899	0.7306	1.3688	0.8075	51
10	0.5901	0.7310	1.3680	0.8073	50
11	0.5904	0.7314	1.3672	0.8071	49
12	0.5906	0.7319	1.3663	0.8070	48
13	0.5908	0.7323	1.3655	0.8068	47
14	0.5911	0.7328	1.3647	0.8066	46
15	0.5913	0.7332	1.3638	0.8064	45
16	0.5915	0.7337	1.3630	0.8063	44
17	0.5918	0.7341	1.3622	0.8061	43
18	0.5920	0.7346	1.3613	0.8059	42
19	0.5922	0.7350	1.3605	0.8058	41
20	0.5925	0.7355	1.3597	0.8056	40
21	0.5927	0.7359	1.3588	0.8054	39
22	0.5930	0.7364	1.3580	0.8052	38
23	0.5932	0.7368	1.3572	0.8051	37
24	0.5934	0.7373	1.3564	0.8049	36
25	0.5937	0.7377	1.3555	0.8047	35
26	0.5939	0.7382	1.3547	0.8045	34
27	0.5941	0.7386	1.3539	0.8044	33
28	0.5944	0.7391	1.3531	0.8042	32
29	0.5946	0.7395	1.3522	0.8040	31
30	0.5948	0.7400	1.3514	0.8039	30
31	0.5951	0.7404	1.3506	0.8037	29
32	0.5953	0.7409	1.3498	0.8035	28
33	0.5955	0.7413	1.3490	0.8033	27
34	0.5958	0.7418	1.3481	0.8032	26
35	0.5960	0.7422	1.3473	0.8030	25
36	0.5962	0.7427	1.3465	0.8028	24
37	0.5965	0.7431	1.3457	0.8026	23
38	0.5967	0.7436	1.3449	0.8025	22
39	0.5969	0.7440	1.3440	0.8023	21
40	0.5972	0.7445	1.3432	0.8021	20
41	0.5974	0.7449	1.3424	0.8019	19
42	0.5976	0.7454	1.3416	0.8018	18
43	0.5979	0.7458	1.3408	0.8016	17
44	0.5981	0.7463	1.3400	0.8014	16
45	0.5983	0.7467	1.3392	0.8013	15
46	0.5986	0.7472	1.3384	0.8011	14
47	0.5988	0.7476	1.3375	0.8009	13
48	0.5990	0.7481	1.3367	0.8007	12
49	0.5993	0.7485	1.3359	0.8006	11
50	0.5995	0.7490	1.3351	0.8004	10
51	0.5997	0.7495	1.3343	0.8002	9
52	0.6000	0.7499	1.3335	0.8000	8
53	0.6002	0.7504	1.3327	0.7999	7
54	0.6004	0.7508	1.3319	0.7997	6
55	0.6007	0.7513	1.3311	0.7995	5
56	0.6009	0.7517	1.3303	0.7993	4
57	0.6011	0.7522	1.3295	0.7992	3
58	0.6014	0.7526	1.3287	0.7990	2
59	0.6016	0.7531	1.3278	0.7988	1
60	0.6018	0.7536	1.3270	0.7986	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.6018	0.7536	1.3270	0.7986	60
1	0.6020	0.7540	1.3262	0.7985	59
2	0.6023	0.7545	1.3254	0.7983	58
3	0.6025	0.7549	1.3246	0.7981	57
4	0.6027	0.7554	1.3238	0.7979	56
5	0.6030	0.7558	1.3230	0.7978	55
6	0.6032	0.7563	1.3222	0.7976	54
7	0.6034	0.7568	1.3214	0.7974	53
8	0.6037	0.7572	1.3206	0.7972	52
9	0.6039	0.7577	1.3198	0.7971	51
10	0.6041	0.7581	1.3190	0.7969	50
11	0.6044	0.7586	1.3182	0.7967	49
12	0.6046	0.7590	1.3175	0.7965	48
13	0.6048	0.7595	1.3167	0.7964	47
14	0.6051	0.7600	1.3159	0.7962	46
15	0.6053	0.7604	1.3151	0.7960	45
16	0.6055	0.7609	1.3143	0.7958	44
17	0.6058	0.7613	1.3135	0.7956	43
18	0.6060	0.7618	1.3127	0.7955	42
19	0.6062	0.7623	1.3119	0.7953	41
20	0.6065	0.7627	1.3111	0.7951	40
21	0.6067	0.7632	1.3103	0.7949	39
22	0.6069	0.7636	1.3095	0.7948	38
23	0.6071	0.7641	1.3087	0.7946	37
24	0.6074	0.7646	1.3079	0.7944	36
25	0.6076	0.7650	1.3072	0.7942	35
26	0.6078	0.7655	1.3064	0.7941	34
27	0.6081	0.7659	1.3056	0.7939	33
28	0.6083	0.7664	1.3048	0.7937	32
29	0.6085	0.7669	1.3040	0.7935	31
30	0.6088	0.7673	1.3032	0.7934	30
31	0.6090	0.7678	1.3024	0.7932	29
32	0.6092	0.7683	1.3017	0.7930	28
33	0.6095	0.7687	1.3009	0.7928	27
34	0.6097	0.7692	1.3001	0.7926	26
35	0.6099	0.7696	1.2993	0.7925	25
36	0.6101	0.7701	1.2985	0.7923	24
37	0.6104	0.7706	1.2977	0.7921	23
38	0.6106	0.7710	1.2970	0.7919	22
39	0.6108	0.7715	1.2962	0.7918	21
40	0.6111	0.7720	1.2954	0.7916	20
41	0.6113	0.7724	1.2946	0.7914	19
42	0.6115	0.7729	1.2938	0.7912	18
43	0.6118	0.7734	1.2931	0.7910	17
44	0.6120	0.7738	1.2923	0.7909	16
45	0.6122	0.7743	1.2915	0.7907	15
46	0.6124	0.7747	1.2907	0.7905	14
47	0.6127	0.7752	1.2900	0.7903	13
48	0.6129	0.7757	1.2892	0.7902	12
49	0.6131	0.7761	1.2884	0.7900	11
50	0.6134	0.7766	1.2876	0.7898	10
51	0.6136	0.7771	1.2869	0.7896	9
52	0.6138	0.7775	1.2861	0.7894	8
53	0.6141	0.7780	1.2853	0.7893	7
54	0.6143	0.7785	1.2846	0.7891	6
55	0.6145	0.7789	1.2838	0.7889	5
56	0.6147	0.7794	1.2830	0.7887	4
57	0.6150	0.7799	1.2822	0.7885	3
58	0.6152	0.7803	1.2815	0.7884	2
59	0.6154	0.7808	1.2807	0.7882	1
60	0.6157	0.7813	1.2799	0.7880	0
	Cos	Cot	Tan	Sin	′

*143° 233° *323° **53°** NATURAL **52°** *142° 232° *322°

′	Sin	Tan	Cot	Cos	
0	0.6157	0.7813	1.2799	0.7880	60
1	0.6159	0.7818	1.2792	0.7878	59
2	0.6161	0.7822	1.2784	0.7877	58
3	0.6163	0.7827	1.2776	0.7875	57
4	0.6166	0.7832	1.2769	0.7873	56
5	0.6168	0.7836	1.2761	0.7871	55
6	0.6170	0.7841	1.2753	0.7869	54
7	0.6173	0.7846	1.2746	0.7868	53
8	0.6175	0.7850	1.2738	0.7866	52
9	0.6177	0.7855	1.2731	0.7864	51
10	0.6180	0.7860	1.2723	0.7862	50
11	0.6182	0.7865	1.2715	0.7860	49
12	0.6184	0.7869	1.2708	0.7859	48
13	0.6186	0.7874	1.2700	0.7857	47
14	0.6189	0.7879	1.2693	0.7855	46
15	0.6191	0.7883	1.2685	0.7853	45
16	0.6193	0.7888	1.2677	0.7851	44
17	0.6196	0.7893	1.2670	0.7850	43
18	0.6198	0.7898	1.2662	0.7848	42
19	0.6200	0.7902	1.2655	0.7846	41
20	0.6202	0.7907	1.2647	0.7844	40
21	0.6205	0.7912	1.2640	0.7842	39
22	0.6207	0.7916	1.2632	0.7841	38
23	0.6209	0.7921	1.2624	0.7839	37
24	0.6211	0.7926	1.2617	0.7837	36
25	0.6214	0.7931	1.2609	0.7835	35
26	0.6216	0.7935	1.2602	0.7833	34
27	0.6218	0.7940	1.2594	0.7832	33
28	0.6221	0.7945	1.2587	0.7830	32
29	0.6223	0.7950	1.2579	0.7828	31
30	0.6225	0.7954	1.2572	0.7826	30
31	0.6227	0.7959	1.2564	0.7824	29
32	0.6230	0.7964	1.2557	0.7822	28
33	0.6232	0.7969	1.2549	0.7821	27
34	0.6234	0.7973	1.2542	0.7819	26
35	0.6237	0.7978	1.2534	0.7817	25
36	0.6239	0.7983	1.2527	0.7815	24
37	0.6241	0.7988	1.2519	0.7813	23
38	0.6243	0.7992	1.2512	0.7812	22
39	0.6246	0.7997	1.2504	0.7810	21
40	0.6248	0.8002	1.2497	0.7808	20
41	0.6250	0.8007	1.2489	0.7806	19
42	0.6252	0.8012	1.2482	0.7804	18
43	0.6255	0.8016	1.2475	0.7802	17
44	0.6257	0.8021	1.2467	0.7801	16
45	0.6259	0.8026	1.2460	0.7799	15
46	0.6262	0.8031	1.2452	0.7797	14
47	0.6264	0.8035	1.2445	0.7795	13
48	0.6266	0.8040	1.2437	0.7793	12
49	0.6268	0.8045	1.2430	0.7792	11
50	0.6271	0.8050	1.2423	0.7790	10
51	0.6273	0.8055	1.2415	0.7788	9
52	0.6275	0.8059	1.2408	0.7786	8
53	0.6277	0.8064	1.2401	0.7784	7
54	0.6280	0.8069	1.2393	0.7782	6
55	0.6282	0.8074	1.2386	0.7781	5
56	0.6284	0.8079	1.2378	0.7779	4
57	0.6286	0.8083	1.2371	0.7777	3
58	0.6289	0.8088	1.2364	0.7775	2
59	0.6291	0.8093	1.2356	0.7773	1
60	0.6293	0.8098	1.2349	0.7771	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.6293	0.8098	1.2349	0.7771	60
1	0.6295	0.8103	1.2342	0.7770	59
2	0.6298	0.8107	1.2334	0.7768	58
3	0.6300	0.8112	1.2327	0.7766	57
4	0.6302	0.8117	1.2320	0.7764	56
5	0.6305	0.8122	1.2312	0.7762	55
6	0.6307	0.8127	1.2305	0.7760	54
7	0.6309	0.8132	1.2298	0.7759	53
8	0.6311	0.8136	1.2290	0.7757	52
9	0.6314	0.8141	1.2283	0.7755	51
10	0.6316	0.8146	1.2276	0.7753	50
11	0.6318	0.8151	1.2268	0.7751	49
12	0.6320	0.8156	1.2261	0.7749	48
13	0.6323	0.8161	1.2254	0.7748	47
14	0.6325	0.8165	1.2247	0.7746	46
15	0.6327	0.8170	1.2239	0.7744	45
16	0.6329	0.8175	1.2232	0.7742	44
17	0.6332	0.8180	1.2225	0.7740	43
18	0.6334	0.8185	1.2218	0.7738	42
19	0.6336	0.8190	1.2210	0.7737	41
20	0.6338	0.8195	1.2203	0.7735	40
21	0.6341	0.8199	1.2196	0.7733	39
22	0.6343	0.8204	1.2189	0.7731	38
23	0.6345	0.8209	1.2181	0.7729	37
24	0.6347	0.8214	1.2174	0.7727	36
25	0.6350	0.8219	1.2167	0.7725	35
26	0.6352	0.8224	1.2160	0.7724	34
27	0.6354	0.8229	1.2153	0.7722	33
28	0.6356	0.8234	1.2145	0.7720	32
29	0.6359	0.8238	1.2138	0.7718	31
30	0.6361	0.8243	1.2131	0.7716	30
31	0.6363	0.8248	1.2124	0.7714	29
32	0.6365	0.8253	1.2117	0.7713	28
33	0.6368	0.8258	1.2109	0.7711	27
34	0.6370	0.8263	1.2102	0.7709	26
35	0.6372	0.8268	1.2095	0.7707	25
36	0.6374	0.8273	1.2088	0.7705	24
37	0.6376	0.8278	1.2081	0.7703	23
38	0.6379	0.8283	1.2074	0.7701	22
39	0.6381	0.8287	1.2066	0.7700	21
40	0.6383	0.8292	1.2059	0.7698	20
41	0.6385	0.8297	1.2052	0.7696	19
42	0.6388	0.8302	1.2045	0.7694	18
43	0.6390	0.8307	1.2038	0.7692	17
44	0.6392	0.8312	1.2031	0.7690	16
45	0.6394	0.8317	1.2024	0.7688	15
46	0.6397	0.8322	1.2017	0.7687	14
47	0.6399	0.8327	1.2009	0.7685	13
48	0.6401	0.8332	1.2002	0.7683	12
49	0.6403	0.8337	1.1995	0.7681	11
50	0.6406	0.8342	1.1988	0.7679	10
51	0.6408	0.8346	1.1981	0.7677	9
52	0.6410	0.8351	1.1974	0.7675	8
53	0.6412	0.8356	1.1967	0.7674	7
54	0.6414	0.8361	1.1960	0.7672	6
55	0.6417	0.8366	1.1953	0.7670	5
56	0.6419	0.8371	1.1946	0.7668	4
57	0.6421	0.8376	1.1939	0.7666	3
58	0.6423	0.8381	1.1932	0.7664	2
59	0.6426	0.8386	1.1925	0.7662	1
60	0.6428	0.8391	1.1918	0.7660	0
	Cos	Cot	Tan	Sin	′

*130° 220° *310° **40°** NATURAL **41°** *131° 221° *311°

′	Sin	Tan	Cot	Cos	
0	0.6428	0.8391	1.1918	0.7660	60
1	0.6430	0.8396	1.1910	0.7659	59
2	0.6432	0.8401	1.1903	0.7657	58
3	0.6435	0.8406	1.1896	0.7655	57
4	0.6437	0.8411	1.1889	0.7653	56
5	0.6439	0.8416	1.1882	0.7651	55
6	0.6441	0.8421	1.1875	0.7649	54
7	0.6443	0.8426	1.1868	0.7647	53
8	0.6446	0.8431	1.1861	0.7645	52
9	0.6448	0.8436	1.1854	0.7644	51
10	0.6450	0.8441	1.1847	0.7642	50
11	0.6452	0.8446	1.1840	0.7640	49
12	0.6455	0.8451	1.1833	0.7638	48
13	0.6457	0.8456	1.1826	0.7636	47
14	0.6459	0.8461	1.1819	0.7634	46
15	0.6461	0.8466	1.1812	0.7632	45
16	0.6463	0.8471	1.1806	0.7630	44
17	0.6466	0.8476	1.1799	0.7629	43
18	0.6468	0.8481	1.1792	0.7627	42
19	0.6470	0.8486	1.1785	0.7625	41
20	0.6472	0.8491	1.1778	0.7623	40
21	0.6475	0.8496	1.1771	0.7621	39
22	0.6477	0.8501	1.1764	0.7619	38
23	0.6479	0.8506	1.1757	0.7617	37
24	0.6481	0.8511	1.1750	0.7615	36
25	0.6483	0.8516	1.1743	0.7613	35
26	0.6486	0.8521	1.1736	0.7612	34
27	0.6488	0.8526	1.1729	0.7610	33
28	0.6490	0.8531	1.1722	0.7608	32
29	0.6492	0.8536	1.1715	0.7606	31
30	0.6494	0.8541	1.1708	0.7604	30
31	0.6497	0.8546	1.1702	0.7602	29
32	0.6499	0.8551	1.1695	0.7600	28
33	0.6501	0.8556	1.1688	0.7598	27
34	0.6503	0.8561	1.1681	0.7596	26
35	0.6506	0.8566	1.1674	0.7595	25
36	0.6508	0.8571	1.1667	0.7593	24
37	0.6510	0.8576	1.1660	0.7591	23
38	0.6512	0.8581	1.1653	0.7589	22
39	0.6514	0.8586	1.1647	0.7587	21
40	0.6517	0.8591	1.1640	0.7585	20
41	0.6519	0.8596	1.1633	0.7583	19
42	0.6521	0.8601	1.1626	0.7581	18
43	0.6523	0.8606	1.1619	0.7579	17
44	0.6525	0.8611	1.1612	0.7578	16
45	0.6528	0.8617	1.1606	0.7576	15
46	0.6530	0.8622	1.1599	0.7574	14
47	0.6532	0.8627	1.1592	0.7572	13
48	0.6534	0.8632	1.1585	0.7570	12
49	0.6536	0.8637	1.1578	0.7568	11
50	0.6539	0.8642	1.1571	0.7566	10
51	0.6541	0.8647	1.1565	0.7564	9
52	0.6543	0.8652	1.1558	0.7562	8
53	0.6545	0.8657	1.1551	0.7560	7
54	0.6547	0.8662	1.1544	0.7559	6
55	0.6550	0.8667	1.1538	0.7557	5
56	0.6552	0.8672	1.1531	0.7555	4
57	0.6554	0.8678	1.1524	0.7553	3
58	0.6556	0.8683	1.1517	0.7551	2
59	0.6558	0.8688	1.1510	0.7549	1
60	0.6561	0.8693	1.1504	0.7547	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.6561	0.8693	1.1504	0.7547	60
1	0.6563	0.8698	1.1497	0.7545	59
2	0.6565	0.8703	1.1490	0.7543	58
3	0.6567	0.8708	1.1483	0.7541	57
4	0.6569	0.8713	1.1477	0.7539	56
5	0.6572	0.8718	1.1470	0.7538	55
6	0.6574	0.8724	1.1463	0.7536	54
7	0.6576	0.8729	1.1456	0.7534	53
8	0.6578	0.8734	1.1450	0.7532	52
9	0.6580	0.8739	1.1443	0.7530	51
10	0.6583	0.8744	1.1436	0.7528	50
11	0.6585	0.8749	1.1430	0.7526	49
12	0.6587	0.8754	1.1423	0.7524	48
13	0.6589	0.8759	1.1416	0.7522	47
14	0.6591	0.8765	1.1410	0.7520	46
15	0.6593	0.8770	1.1403	0.7518	45
16	0.6596	0.8775	1.1396	0.7516	44
17	0.6598	0.8780	1.1389	0.7515	43
18	0.6600	0.8785	1.1383	0.7513	42
19	0.6602	0.8790	1.1376	0.7511	41
20	0.6604	0.8796	1.1369	0.7509	40
21	0.6607	0.8801	1.1363	0.7507	39
22	0.6609	0.8806	1.1356	0.7505	38
23	0.6611	0.8811	1.1349	0.7503	37
24	0.6613	0.8816	1.1343	0.7501	36
25	0.6615	0.8821	1.1336	0.7499	35
26	0.6617	0.8827	1.1329	0.7497	34
27	0.6620	0.8832	1.1323	0.7495	33
28	0.6622	0.8837	1.1316	0.7493	32
29	0.6624	0.8842	1.1310	0.7491	31
30	0.6626	0.8847	1.1303	0.7490	30
31	0.6628	0.8852	1.1296	0.7488	29
32	0.6631	0.8858	1.1290	0.7486	28
33	0.6633	0.8863	1.1283	0.7484	27
34	0.6635	0.8868	1.1276	0.7482	26
35	0.6637	0.8873	1.1270	0.7480	25
36	0.6639	0.8878	1.1263	0.7478	24
37	0.6641	0.8884	1.1257	0.7476	23
38	0.6644	0.8889	1.1250	0.7474	22
39	0.6646	0.8894	1.1243	0.7472	21
40	0.6648	0.8899	1.1237	0.7470	20
41	0.6650	0.8904	1.1230	0.7468	19
42	0.6652	0.8910	1.1224	0.7466	18
43	0.6654	0.8915	1.1217	0.7464	17
44	0.6657	0.8920	1.1211	0.7463	16
45	0.6659	0.8925	1.1204	0.7461	15
46	0.6661	0.8931	1.1197	0.7459	14
47	0.6663	0.8936	1.1191	0.7457	13
48	0.6665	0.8941	1.1184	0.7455	12
49	0.6667	0.8946	1.1178	0.7453	11
50	0.6670	0.8952	1.1171	0.7451	10
51	0.6672	0.8957	1.1165	0.7449	9
52	0.6674	0.8962	1.1158	0.7447	8
53	0.6676	0.8967	1.1152	0.7445	7
54	0.6678	0.8972	1.1145	0.7443	6
55	0.6680	0.8978	1.1139	0.7441	5
56	0.6683	0.8983	1.1132	0.7439	4
57	0.6685	0.8988	1.1126	0.7437	3
58	0.6687	0.8994	1.1119	0.7435	2
59	0.6689	0.8999	1.1113	0.7433	1
60	0.6691	0.9004	1.1106	0.7431	0
	Cos	Cot	Tan	Sin	′

*139° 229° *319° **49°** NATURAL **48°** *138° 228° *318°

*132° 222° *312° **42°** NATURAL **43°** *133° 223° *313°

′	Sin	Tan	Cot	Cos	
0	0.6691	0.9004	1.1106	0.7431	60
1	0.6693	0.9009	1.1100	0.7430	59
2	0.6696	0.9015	1.1093	0.7428	58
3	0.6698	0.9020	1.1087	0.7426	57
4	0.6700	0.9025	1.1080	0.7424	56
5	0.6702	0.9030	1.1074	0.7422	55
6	0.6704	0.9036	1.1067	0.7420	54
7	0.6706	0.9041	1.1061	0.7418	53
8	0.6709	0.9046	1.1054	0.7416	52
9	0.6711	0.9052	1.1048	0.7414	51
10	0.6713	0.9057	1.1041	0.7412	50
11	0.6715	0.9062	1.1035	0.7410	49
12	0.6717	0.9067	1.1028	0.7408	48
13	0.6719	0.9073	1.1022	0.7406	47
14	0.6722	0.9078	1.1016	0.7404	46
15	0.6724	0.9083	1.1009	0.7402	45
16	0.6726	0.9089	1.1003	0.7400	44
17	0.6728	0.9094	1.0996	0.7398	43
18	0.6730	0.9099	1.0990	0.7396	42
19	0.6732	0.9105	1.0983	0.7394	41
20	0.6734	0.9110	1.0977	0.7392	40
21	0.6737	0.9115	1.0971	0.7390	39
22	0.6739	0.9121	1.0964	0.7388	38
23	0.6741	0.9126	1.0958	0.7387	37
24	0.6743	0.9131	1.0951	0.7385	36
25	0.6745	0.9137	1.0945	0.7383	35
26	0.6747	0.9142	1.0939	0.7381	34
27	0.6749	0.9147	1.0932	0.7379	33
28	0.6752	0.9153	1.0926	0.7377	32
29	0.6754	0.9158	1.0919	0.7375	31
30	0.6756	0.9163	1.0913	0.7373	30
31	0.6758	0.9169	1.0907	0.7371	29
32	0.6760	0.9174	1.0900	0.7369	28
33	0.6762	0.9179	1.0894	0.7367	27
34	0.6764	0.9185	1.0888	0.7365	26
35	0.6767	0.9190	1.0881	0.7363	25
36	0.6769	0.9195	1.0875	0.7361	24
37	0.6771	0.9201	1.0869	0.7359	23
38	0.6773	0.9206	1.0862	0.7357	22
39	0.6775	0.9212	1.0856	0.7355	21
40	0.6777	0.9217	1.0850	0.7353	20
41	0.6779	0.9222	1.0843	0.7351	19
42	0.6782	0.9228	1.0837	0.7349	18
43	0.6784	0.9233	1.0831	0.7347	17
44	0.6786	0.9239	1.0824	0.7345	16
45	0.6788	0.9244	1.0818	0.7343	15
46	0.6790	0.9249	1.0812	0.7341	14
47	0.6792	0.9255	1.0805	0.7339	13
48	0.6794	0.9260	1.0799	0.7337	12
49	0.6797	0.9266	1.0793	0.7335	11
50	0.6799	0.9271	1.0786	0.7333	10
51	0.6801	0.9276	1.0780	0.7331	9
52	0.6803	0.9282	1.0774	0.7329	8
53	0.6805	0.9287	1.0768	0.7327	7
54	0.6807	0.9293	1.0761	0.7325	6
55	0.6809	0.9298	1.0755	0.7323	5
56	0.6811	0.9303	1.0749	0.7321	4
57	0.6814	0.9309	1.0742	0.7319	3
58	0.6816	0.9314	1.0736	0.7318	2
59	0.6818	0.9320	1.0730	0.7316	1
60	0.6820	0.9325	1.0724	0.7314	0
	Cos	Cot	Tan	Sin	′

′	Sin	Tan	Cot	Cos	
0	0.6820	0.9325	1.0724	0.7314	60
1	0.6822	0.9331	1.0717	0.7312	59
2	0.6824	0.9336	1.0711	0.7310	58
3	0.6826	0.9341	1.0705	0.7308	57
4	0.6828	0.9347	1.0699	0.7306	56
5	0.6831	0.9352	1.0692	0.7304	55
6	0.6833	0.9358	1.0686	0.7302	54
7	0.6835	0.9363	1.0680	0.7300	53
8	0.6837	0.9369	1.0674	0.7298	52
9	0.6839	0.9374	1.0668	0.7296	51
10	0.6841	0.9380	1.0661	0.7294	50
11	0.6843	0.9385	1.0655	0.7292	49
12	0.6845	0.9391	1.0649	0.7290	48
13	0.6848	0.9396	1.0643	0.7288	47
14	0.6850	0.9402	1.0637	0.7286	46
15	0.6852	0.9407	1.0630	0.7284	45
16	0.6854	0.9413	1.0624	0.7282	44
17	0.6856	0.9418	1.0618	0.7280	43
18	0.6858	0.9424	1.0612	0.7278	42
19	0.6860	0.9429	1.0606	0.7276	41
20	0.6862	0.9435	1.0599	0.7274	40
21	0.6865	0.9440	1.0593	0.7272	39
22	0.6867	0.9446	1.0587	0.7270	38
23	0.6869	0.9451	1.0581	0.7268	37
24	0.6871	0.9457	1.0575	0.7266	36
25	0.6873	0.9462	1.0569	0.7264	35
26	0.6875	0.9468	1.0562	0.7262	34
27	0.6877	0.9473	1.0556	0.7260	33
28	0.6879	0.9479	1.0550	0.7258	32
29	0.6881	0.9484	1.0544	0.7256	31
30	0.6884	0.9490	1.0538	0.7254	30
31	0.6886	0.9495	1.0532	0.7252	29
32	0.6888	0.9501	1.0526	0.7250	28
33	0.6890	0.9506	1.0519	0.7248	27
34	0.6892	0.9512	1.0513	0.7246	26
35	0.6894	0.9517	1.0507	0.7244	25
36	0.6896	0.9523	1.0501	0.7242	24
37	0.6898	0.9528	1.0495	0.7240	23
38	0.6900	0.9534	1.0489	0.7238	22
39	0.6903	0.9540	1.0483	0.7236	21
40	0.6905	0.9545	1.0477	0.7234	20
41	0.6907	0.9551	1.0470	0.7232	19
42	0.6909	0.9556	1.0464	0.7230	18
43	0.6911	0.9562	1.0458	0.7228	17
44	0.6913	0.9567	1.0452	0.7226	16
45	0.6915	0.9573	1.0446	0.7224	15
46	0.6917	0.9578	1.0440	0.7222	14
47	0.6919	0.9584	1.0434	0.7220	13
48	0.6921	0.9590	1.0428	0.7218	12
49	0.6924	0.9595	1.0422	0.7216	11
50	0.6926	0.9601	1.0416	0.7214	10
51	0.6928	0.9606	1.0410	0.7212	9
52	0.6930	0.9612	1.0404	0.7210	8
53	0.6932	0.9618	1.0398	0.7208	7
54	0.6934	0.9623	1.0392	0.7206	6
55	0.6936	0.9629	1.0385	0.7203	5
56	0.6938	0.9634	1.0379	0.7201	4
57	0.6940	0.9640	1.0373	0.7199	3
58	0.6942	0.9646	1.0367	0.7197	2
59	0.6944	0.9651	1.0361	0.7195	1
60	0.6947	0.9657	1.0355	0.7193	0
	Cos	Cot	Tan	Sin	′

*137° 227° *317° **47°** NATURAL **46°** *136° 226° *316°

NATURAL 44° *134° 224° *314°

′	Sin	Tan	Cot	Cos	
0	0.6947	0.9657	1.0355	0.7193	60
1	0.6949	0.9663	1.0349	0.7191	59
2	0.6951	0.9668	1.0343	0.7189	58
3	0.6953	0.9674	1.0337	0.7187	57
4	0.6955	0.9679	1.0331	0.7185	56
5	0.6957	0.9685	1.0325	0.7183	55
6	0.6959	0.9691	1.0319	0.7181	54
7	0.6961	0.9696	1.0313	0.7179	53
8	0.6963	0.9702	1.0307	0.7177	52
9	0.6965	0.9708	1.0301	0.7175	51
10	0.6967	0.9713	1.0295	0.7173	50
11	0.6970	0.9719	1.0289	0.7171	49
12	0.6972	0.9725	1.0283	0.7169	48
13	0.6974	0.9730	1.0277	0.7167	47
14	0.6976	0.9736	1.0271	0.7165	46
15	0.6978	0.9742	1.0265	0.7163	45
16	0.6980	0.9747	1.0259	0.7161	44
17	0.6982	0.9753	1.0253	0.7159	43
18	0.6984	0.9759	1.0247	0.7157	42
19	0.6986	0.9764	1.0241	0.7155	41
20	0.6988	0.9770	1.0235	0.7153	40
21	0.6990	0.9776	1.0230	0.7151	39
22	0.6992	0.9781	1.0224	0.7149	38
23	0.6995	0.9787	1.0218	0.7147	37
24	0 6997	0.9793	1.0212	0.7145	36
25	0 6999	0.9798	1.0206	0.7143	35
26	0.7001	0.9804	1.0200	0.7141	34
27	0.7003	0.9810	1.0194	0.7139	33
28	0.7005	0.9816	1.0188	0.7137	32
29	0.7007	0.9821	1.0182	0.7135	31
30	0.7009	0.9827	1.0176	0.7133	30
31	0.7011	0.9833	1.0170	0.7130	29
32	0.7013	0.9838	1.0164	0.7128	28
33	0.7015	0.9844	1.0158	0.7126	27
34	0.7017	0.9850	1.0152	0.7124	26
35	0.7019	0.9856	1.0147	0.7122	25
36	0.7022	0.9861	1.0141	0.7120	24
37	0.7024	0.9867	1.0135	0.7118	23
38	0.7026	0.9873	1.0129	0.7116	22
39	0.7028	0.9879	1.0123	0.7114	21
40	0.7030	0.9884	1.0117	0.7112	20
41	0.7032	0.9890	1.0111	0.7110	19
42	0.7034	0.9896	1.0105	0.7108	18
43	0.7036	0.9902	1.0099	0.7106	17
44	0.7038	0.9907	1.0094	0.7104	16
45	0.7040	0.9913	1.0088	0.7102	15
46	0.7042	0.9919	1.0082	0.7100	14
47	0.7044	0.9925	1.0076	0.7098	13
48	0.7046	0.9930	1.0070	0.7096	12
49	0.7048	0.9936	1.0064	0.7094	11
50	0.7050	0.9942	1.0058	0.7092	10
51	0.7053	0.9948	1.0052	0.7090	9
52	0.7055	0.9954	1.0047	0.7088	8
53	0.7057	0.9959	1.0041	0.7085	7
54	0.7059	0.9965	1.0035	0.7083	6
55	0.7061	0.9971	1.0029	0.7081	5
56	0.7063	0.9977	1.0023	0.7079	4
57	0.7065	0.9983	1.0017	0.7077	3
58	0.7067	0.9988	1.0012	0.7075	2
59	0.7069	0.9994	1.0006	0.7073	1
60	0.7071	1.0000	1.0000	0.7071	0
	Cos	Cot	Tan	Sin	′

*135° 225° *315° 45° NATURAL